

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 741, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

RECEIVED-DNR
 JUL 29 2011
 DRINKING WATER & GW

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name			Gov't Lot # (if applicable)			Facility ID	License/Permit/Monitoring No
GBP-1							Exploration License: 40001
City, Village or Town	Ringle						
Street Address of Well	E493 Thornapple Creek Rd. Ringle, WI 54471						
Present Well Owner		Original Well Owner					
Aquila Resources Inc.		N/A					
Street Address or Route of Owner				908 Second St			
City		State		ZIP Code			
Menominee		MI		49858			
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Abandonment		WI Unique Well No. of Replacement Well		Pump and piping removed?			
Reached Termination Depth				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well		Original Construction Date		Liner(s) removed?			
<input type="checkbox"/> Water Well		6-15-2011		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Screen removed?			
				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Casing left in place?			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify):				Was casing cut off below surface?			
				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type:				Did sealing material rise to surface?			
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)		Did material settle after 24 hours?			
223		4.63		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		If yes, was hole retopped?			
3.77		105		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted?				If bentonite chips were used, were they hydrated with water from a known safe source?			
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If yes, to what depth (feet)?		Depth to Water (feet)		Required Method of Placing Sealing Material			
N/A		N/A		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped			
5. Material Used To Fill Well / Drillhole				<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
*Type 1 Portland Cement		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
		Surface		223		Vol: ~21 cubic ft.	6 gallons H2O per 90 lb. bag of cement
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Sealing Work				Date of Abandonment		DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)				6/18/2011		Date Received	
Street or Route				Telephone Number		Noted By	
4613-A Camp Phillips Rd.				(715) 393-4035			
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55476		Nestor W S	
						Date Signed	
						7/21/2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County Marathon County

Common Well Name GBP-2 Gov't Lot # (if applicable) _____

1/4 1/4 Section Township Range E
 SW NW 36 29 N 9 W

Grid Location
 Feet- (m) N Feet- (m) E
4980430 S 313320 W

Local Grid Origin (NAD83 UTM) (estimated) OR Well Location

Latitude: DEG MIN SEC Longitude: DEG MIN SEC
 _____ N _____ W

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit

Facility ID _____ License/Permit/Monitoring No. Exploration License: 40001 City, Village or Town Ringle

Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471

Present Well Owner Aquila Resources Inc. Original Well Owner N/A

Street Address or Route of Owner 908 Second St

City Menominee State MI ZIP Code 49858

Reason For Abandonment Reached Termination Depth WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date 6/19/2011

If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 233 Casing Diameter (in.) 4.63

Lower Drillhole Diameter (in.) 3.77 Casing Depth (ft.) 35

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? N/A Depth to Water (feet) N/A

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement	Surface	<u>233</u>	Vol: <u>~19 ft³</u>	6 gallons H2O per 90 lb. bag of cement

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>233</u>	Vol: <u>~19 ft³</u>	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work		Date of Abandonment	DNR Use Only	
<u>Aquila Resources Inc. (via IDEA Drilling Corp.)</u>		<u>6/21/2011</u>	Date Received	Noted By
Street or Route <u>4613-A Camp Phillips Rd.</u>		Telephone Number <u>(715) 393-4035</u>	Comments	

City Schofield State WI ZIP Code 55476 Signature of Person Doing Work Nick Adams W8 Date Signed 7/21/2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299 Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit					
Common Well Name G8P-3				Gov't Lot # (if applicable)		Facility ID		License/Permit/Monitoring No Exploration License: 40001		City, Village or Town Ringle	
¼ / ¼ SW	¼ NW	Section 36	Township 29 N	Range 9	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471					
Grid Location			<input type="checkbox"/> Local Grid Origin (NAD83 UTM)			Present Well Owner Aquila Resources Inc.			Original Well Owner N/A		
Feet- (m) <input checked="" type="checkbox"/> N 4980442	<input type="checkbox"/> S 313303	Feet- (m) <input checked="" type="checkbox"/> E 313303	<input type="checkbox"/> W	<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location			Street Address or Route of Owner 908 Second St				
Latitude: DEG MIN SEC N		Longitude: DEG MIN SEC W		City Menominee		State MI	ZIP Code 49858				
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well							

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well		Original Construction Date 6/21/2011		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:					
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug	
<input type="checkbox"/> Other (specify): _____					
Formation Type:					
<input type="checkbox"/> Unconsolidated Formation		<input checked="" type="checkbox"/> Bedrock			
Total Well Depth From Groundsurface (ft.) 244		Casing Diameter (in.) 4.63			
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) 25			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown					
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A			

Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Casing left in place?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input checked="" type="checkbox"/> Conductor Pipe-Pumped	
<input type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain): _____	
Sealing Materials			
<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement		Surface	244	Vol: ~20 ft³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 6/23/2011		Date Received	Noted By
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments	
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <i>[Signature]</i>		Date Signed 7/21/2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name			Gov't Lot # (if applicable)			Facility ID	License/Permit/Monitoring No
R11-4							Exploration License: 40001
City, Village or Town	Ringle						
Street Address of Well	E493 Thornapple Creek Rd. Ringle, WI 54471						
Present Well Owner		Original Well Owner					
Aquila Resources Inc.		N/A					
Street Address or Route of Owner	908 Second St						
City	State	ZIP Code					
Menominee	MI	49858					
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Abandonment		WI Unique Well No. of Replacement Well					
Reached Termination Depth							
<input type="checkbox"/> Monitoring Well		Original Construction Date					
<input type="checkbox"/> Water Well		7/6/2011					
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.					
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input type="checkbox"/> Other (specify):							
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation		<input checked="" type="checkbox"/> Bedrock					
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)					
204		4.63					
Lower Drillhole Diameter (in.)		Casing Depth (ft.)					
3.77		0					
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?		Depth to Water (feet)					
N/A		N/A					
5. Material Used To Fill Well / Drillhole							
Type 1 Portland Cement		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight		
		Surface	204	Vol: ~16 ft ³	6 gallons H2O per		
					90 lb. bag of cement		
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work			Date of Abandonment		Date Received	Noted By	
Aquila Resources Inc. (via IDEA Drilling Corp.)			7/9/2011				
Street or Route			Telephone Number		Comments		
4613-A Camp Phillips Rd.			(715) 393-4035				
City	State	ZIP Code	Signature of Person Doing Work			Date Signed	
Schofield	WI	55476	[Signature]			7/21/2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name R11-5				Gov't Lot # (if applicable)		Facility ID	
1/4 / 1/4 SW NW		Section 36		Township 29 N		Range 9 E	
Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471				License/Permit/Monitoring No Exploration License: 40001		City, Village or Town Ringle	
Grid Location				Present Well Owner Aquila Resources Inc.		Original Well Owner N/A	
Feet- (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S		Feet- (m) <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Local Grid Origin (NAD83 UTM)		Street Address or Route of Owner 908 Second St	
Latitude: DEG MIN SEC N		Longitude: DEG MIN SEC W		(estimated) OR <input checked="" type="checkbox"/> Well Location		City Menominee	
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well		State MI		ZIP Code 49858	
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date 7/9/2011		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Required Method of Placing Sealing Material	
<input type="checkbox"/> Other (specify):						<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped	
Formation Type:				<input type="checkbox"/> Screened & Poured (Bentonite Chips)		Other (Explain):	
<input type="checkbox"/> Unconsolidated Formation		<input checked="" type="checkbox"/> Bedrock		Sealing Materials		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
Total Well Depth From Groundsurface (ft.) 194		Casing Diameter (in.) 4.63		<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) 0		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Concrete		For Monitoring Wells and Monitoring Well Boreholes Only:	
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A		<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	
5. Material Used To Fill Well / Drillhole				From (ft.)		To (ft.)	
Type 1 Portland Cement				Surface		194	
				No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
				Vol: ~15 ft³		6 gallons H2O per 90 lb. bag of cement	
6. Comments							

7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)			Date of Abandonment 7/11/2011		Date Received		Noted By
Street or Route 4613-A Camp Phillips Rd.			Telephone Number (715) 393-4035		Comments		
City Schofield		State WI	ZIP Code 55476		Signature of Person Doing Work		Date Signed 7/21/2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information					
WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit			
Common Well Name R11-6				Gov't Lot # (if applicable)		Facility ID			
1/4 / 1/4 SW NW		Section 36		Township 29 N		Range 9 E			
Grid Location Feet- (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S 4980367 <input checked="" type="checkbox"/> E <input type="checkbox"/> W 313385				Local Grid Origin (NAD83 UTM) <input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location					
Latitude: DEG MIN SEC N				Longitude: DEG MIN SEC W					
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well					
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material					
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 7/11/2011		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Groundsurface (ft.) 185		Casing Diameter (in.) 4.63		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) 0		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____					
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A		Sealing Materials <input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips					
5. Material Used To Fill Well / Drillhole				For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry					
Type 1 Portland Cement		From (ft.) Surface		To (ft.) 185		No. Yards, Sacks Sealant or Volume (circle one) Vol: ~1443			
						Mix Ratio or Mud Weight 6 gallons H2O per 90 lb. bag of cement			
6. Comments									
7. Supervision of Work				DNR Use Only					
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)				Date of Abandonment 7/13/2011		Date Received			
Street or Route 4613-A Camp Phillips Rd.				Telephone Number (715) 393-4035		Noted By			
City Schofield		State WI		ZIP Code 55476		Signature of Person Doing Work [Signature]			
						Date Signed 7/21/2011			

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		City, Village or Town	
R11-7						Ringle	
1/4 / 1/4		Section		Township		Range	
SW NW		36		29 N		9 E	
Grid Location				Local Grid Origin (NAD83 UTM)			
Feet- (m)		Feet- (m)		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location			
4980357		313401					
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		7/14/2011		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Construction Type:				Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify):				Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
184		4.63		Required Method of Placing Sealing Material			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped			
3.77		0		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Sealing Materials			
If yes, to what depth (feet)?				<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
N/A				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
Depth to Water (feet)				<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
N/A				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
5. Material Used To Fill Well / Drillhole				6. Comments			
Type 1 Portland Cement		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)	
		Surface		184		Vol: ~14 ft ³	
						Mix Ratio or Mud Weight	
						6 gallons H2O per 90 lb. bag of cement	
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work		Date of Abandonment		Date Received		Noted By	
Aquila Resources Inc. (via IDEA Drilling Corp.)		7/15/2011					
Street or Route		Telephone Number		Comments			
4613-A Camp Phillips Rd.		(715) 393-4035					
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55476		Nathan WSJ	
						Date Signed	
						7/21/2011	

Received

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse side for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County
		Marathon County
Common Well Name	Gov't Lot # (if applicable)	
R11-8		
1/4 / 1/4	Section	Township
SW NW	36	29 N
Range	E W	
9	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Grid Location		
Feet- (m)	<input checked="" type="checkbox"/> N <input type="checkbox"/> S	Feet- (m)
4980394	<input type="checkbox"/> E <input checked="" type="checkbox"/> W	313402
Local Grid Origin (NAD83 UTM)		
<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location		
Latitude: DEG MIN SEC		
Longitude: DEG MIN SEC		
Reason For Abandonment		
Reached Termination Depth		
WI Unique Well No. of Replacement Well		

2. Facility / Owner Information

Facility Name	Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No	City, Village or Town	
	Exploration License: 40001	Ringle	
Street Address of Well			
E493 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner		Original Well Owner	
Aquila Resources Inc.		N/A	
Street Address or Route of Owner			
908 Second St			
City	State	ZIP Code	
Menominee	MI	49858	

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date
<input type="checkbox"/> Water Well	7-16-2011
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify):	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.)
235 ft.	4.63
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
3.77	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)
N/A	N/A

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	235	Vol: 18.9 ft ³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment	DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)	7-18-2011	Date Received	Noted By
Street or Route	Telephone Number	Comments	
4613-A Camp Phillips Rd.	(715) 393-4035		
City	State	ZIP Code	Signature of Person Doing Work
Schofield	WI	55476	Walter W. S.
			Date Signed
			8-27-2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		City, Village or Town	
R11-9						Ringle	
1/4 / 1/4		Section		Township		Range	
SW NW		36		29 N		9 E	
Grid Location				Local Grid Origin (NAD83 UTM)			
Feet- (m)		Feet- (m)		Local Grid Origin (NAD83 UTM)		Well Location	
4980420		313375		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date		Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		7-19-2011		Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Casing left in place?			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Other (specify):				Was casing cut off below surface?			
				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type:				Did sealing material rise to surface?			
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)		Did material settle after 24 hours?		If yes, was hole retopped?	
215 ft.		4.63		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		If bentonite chips were used, were they hydrated with water from a known safe source?			
3.77				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted?				Required Method of Placing Sealing Material			
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped			
If yes, to what depth (feet)?				Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
N/A							
Depth to Water (feet)				Sealing Materials			
N/A				<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
				<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
5. Material Used To Fill Well / Drillhole							
Type 1 Portland Cement		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)	
		Surface		215		Vol: 17.3 ft ³	
				Mix Ratio or Mud Weight			
				6 gallons H2O per 90 lb. bag of cement			
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work				Date of Abandonment		Date Received	
Aquila Resources Inc. (via IDEA Drilling Corp.)				7-22-2011			
Street or Route				Telephone Number		Comments	
4613-A Camp Phillips Rd.				(715) 393-4035			
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55476		Methinks W.S.	
						Date Signed	
						8-22-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		City, Village or Town	
R11-10						Ringle	
1/4 / 1/4		Section		Township		Range	
SW NW		36		29 N		9 E	
Grid Location				Local Grid Origin (NAD83 UTM)			
Feet- (m)		Feet- (m)		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location			
1980442		313360					
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							

3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well		Original Construction Date		Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		7-23-2011		Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Casing left in place?			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:				Was casing cut off below surface?			
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
225 ft.		4.63		Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		If yes, was hole retopped?			
3.77				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted?				If bentonite chips were used, were they hydrated with water from a known safe source?			
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If yes, to what depth (feet)?		Depth to Water (feet)		Required Method of Placing Sealing Material			
N/A		N/A		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped			
				<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
				Sealing Materials			
				<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
				<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
				<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
				For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			

5. Material Used To Fill Well / Drillhole			
Type 1 Portland Cement	From (ft.)	To (ft.)	Mix Ratio or Mud Weight
	Surface	225	6 gallons H2O per 90 lb. bag of cement
			Vol: 18.1 ft ³

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work		Date of Abandonment	Date Received
Aquila Resources Inc. (via IDEA Drilling Corp.)		7-23-2011	
Street or Route		Telephone Number	Comments
4613-A Camp Phillips Rd.		(715) 393-4035	
City	State	ZIP Code	Signature of Person Doing Work
Schofield	WI	55476	W. S.
			Date Signed
			8-22-2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information **2. Facility / Owner Information**

WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name R11-11				Gov't Lot # (if applicable)		Facility ID	
License/Permit/Monitoring No Exploration License: 40001		City, Village or Town Ringle		Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner Aquila Resources Inc.		Original Well Owner N/A					
Street Address or Route of Owner 908 Second St							
City Menominee		State MI		ZIP Code 49858			

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 7-25-2011		<input type="checkbox"/> Pump and piping removed? <input type="checkbox"/> Liner(s) removed? <input type="checkbox"/> Screen removed? <input checked="" type="checkbox"/> Casing left in place?			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify):		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Was casing cut off below surface? <input checked="" type="checkbox"/> Did sealing material rise to surface? <input type="checkbox"/> Did material settle after 24 hours? If yes, was hole retopped? <input type="checkbox"/> If bentonite chips were used, were they hydrated with water from a known safe source?			
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):		<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Total Well Depth From Groundsurface (ft.) 234		Casing Diameter (in.) 4.63		Sealing Materials <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) 15 ft.		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) N/A		No. Yards, Sacks Sealant or Volume (circle one) Vol: 6 gallons H2O per 90 lb. bag of cement			

5. Material Used To Fill Well / Drillhole

Type 1 Portland Cement	From (ft.) Surface	To (ft.)	Mix Ratio or Mud Weight
			6 gallons H2O per 90 lb. bag of cement

6. Comments
NO DRILLING FROM 7-28-2011 TO 8-7-2011 (TEMPORARY ABANDONMENT)

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 8-8-2011	Date Received
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035	Noted By
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <i>[Signature]</i>
			Date Signed 8-22-2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name <u>R11-12</u>				Gov't Lot # (if applicable)		Facility ID	
License/Permit/Monitoring No Exploration License: 40001		City, Village or Town Ringle		Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner Aquila Resources Inc.		Original Well Owner N/A		Street Address or Route of Owner 908 Second St			
City Menominee		State MI		ZIP Code 49858			
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well			
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date <u>8-9-2011</u>		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:		If a Well Construction Report is available, please attach.		Was casing cut off below surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify):				Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Formation Type:		<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Sealing Materials <input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Total Well Depth From Groundsurface (ft.) <u>251</u>		Casing Diameter (in.) 4.63		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) <u>15 ft</u>		From (ft.) To (ft.) No. Yards, Sacks Sealant or Volume (circle one) Mix Ratio or Mud Weight			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Surface		Vol: 6 gallons H2O per	
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A				90 lb. bag of cement	
5. Material Used To Fill Well / Drillhole							
Type 1 Portland Cement							
6. Comments				<u>TEMPORARY ABANDONMENT</u>			
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment <u>8-11-2011</u>		Date Received		Noted By	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments			
City Schofield		State WI		ZIP Code 55476		Signature of Person Doing Work <u>Nick Adams US</u>	
						Date Signed <u>8-22-2011</u>	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information			2. Facility / Owner Information		
WI Unique Well No.	DNR Well ID No.	County Marathon County	Facility Name Aquila Resources Inc: Reef Deposit		
Common Well Name <u>R11-13</u>		Gov't Lot # (if applicable)	Facility ID	License/Permit/Monitoring No Exploration License: 40001	City, Village or Town Ringle
1/4 / 1/4 SW NW	Section 36	Township 29 N	Range 9	Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471	
Grid Location Feet- (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S		Feet- (m) <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner Aquila Resources Inc.	
1980502		313248		Original Well Owner N/A	
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC		
N			W		
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well			

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material	
<input type="checkbox"/> Monitoring Well	Original Construction Date <u>8-12-2011</u>	Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Borehole / Drillhole		Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Construction Type:		Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Was casing cut off below surface?
<input type="checkbox"/> Other (specify):		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Did sealing material rise to surface?
Formation Type:		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Did material settle after 24 hours?
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	If yes, was hole retopped?
Total Well Depth From Groundsurface (ft.) <u>324.3 Ft.</u>		Casing Diameter (in.) 4.63	
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.)	
Was well annular space grouted?		If bentonite chips were used, were they hydrated with water from a known safe source?	
<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If yes, to what depth (feet)? N/A		Required Method of Placing Sealing Material	
Depth to Water (feet) N/A		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped	

5. Material Used To Fill Well / Drillhole		Sealing Materials	
Type 1 Portland Cement	From (ft.) Surface	To (ft.) 324.3	No. Yards, Sacks Sealant or Volume (circle one) Vol: 26.1 ft ³
			Mix Ratio or Mud Weight 6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)	Date of Abandonment <u>8-17-2011</u>	Date Received	Noted By
Street or Route 4613-A Camp Phillips Rd.	Telephone Number (715) 393-4035	Comments	
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <u>Nick V. G. / S.</u>
			Date Signed <u>8-22-2011</u>

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information			2. Facility / Owner Information		
WI Unique Well No.	DNR Well ID No.	County Marathon County	Facility Name Aquila Resources Inc: Reef Deposit		
Common Well Name <u>R11-14</u>		Gov't Lot # (if applicable)	Facility ID	License/Permit/Monitoring No Exploration License: 40001	City, Village or Town Ringle
1/4 / 1/4 SW NW	Section 36	Township 29 N	Range 9	Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471	
Grid Location Feet- (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S <u>4980518</u>		Local Grid Origin (NAD83 UTM) <input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location		Present Well Owner Aquila Resources Inc.	
Feet- (m) <input checked="" type="checkbox"/> E <input type="checkbox"/> W <u>313282</u>		Longitude: DEG MIN SEC N		Original Well Owner N/A	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC W		Street Address or Route of Owner 908 Second St	
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well		City Menominee	
				State MI	
				ZIP Code 49858	

3. Well / Drillhole / Borehole Information		4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well	Original Construction Date <u>8-17-2011</u>	Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well	If a Well Construction Report is available, please attach.	Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			
Total Well Depth From Groundsurface (ft.) <u>254 ft.</u>	Casing Diameter (in.) 4.63	Sealing Materials <input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Lower Drillhole Diameter (in.) 3.77	Casing Depth (ft.)	For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown					
If yes, to what depth (feet)? N/A	Depth to Water (feet) N/A				

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement		Surface	<u>254</u>	Vol: <u>20.4 ft³</u>	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work		DNR Use Only			
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment <u>8-19-2011</u>	Date Received	Noted By	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035	Comments		
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <u>H. Schalks W.S.</u>		Date Signed

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name			Gov't Lot # (if applicable)			Facility ID	
R11-15						License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town		Street Address of Well		Ringle		E493 Thornapple Creek Rd. Ringle, WI 54471	
Present Well Owner		Original Well Owner		Aquila Resources Inc.		N/A	
Street Address or Route of Owner		City		State		ZIP Code	
908 Second St		Menominee		MI		49858	
Reason For Abandonment		WI Unique Well No. of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material			
Reached Termination Depth				Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
3. Well / Drillhole / Borehole Information				Required Method of Placing Sealing Material			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
		8-20-2011					
Construction Type:		If a Well Construction Report is available, please attach.		Sealing Materials			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify):				<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Formation Type:		<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)		From (ft.)		To (ft.)	
244		4.63		Surface		244	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
3.77				Vol: 18.9 ft ³		6 gallons H2O per 90 lb. bag of cement	
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown					
If yes, to what depth (feet)?		Depth to Water (feet)					
N/A		N/A					
5. Material Used To Fill Well / Drillhole							
Type 1 Portland Cement							


6. Comments

7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work			Date of Abandonment		Date Received		Noted By
Aquila Resources Inc. (via IDEA Drilling Corp.)			8-22-2011				
Street or Route			Telephone Number		Comments		
4613-A Camp Phillips Rd.			(715) 393-4035				
City		State	ZIP Code		Signature of Person Doing Work		Date Signed
Schofield		WI	55476		Nellie W.S.		8-22-2011

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10,25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration



1. General Information

WI Unique Well No.	DNR Well ID No.	County Marathon County	
Common Well Name R11-16		Gov't Lot # (if applicable)	
¼ / ¼ SW	¼ NW	Section 36	Township 29 N 9
Grid Location Feet- (m) <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> E 4980378 <input type="checkbox"/> S <input type="checkbox"/> W 313421		Local Grid Origin (NAD83 UTM) <input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location	
Latitude: DEG MIN SEC N		Longitude: DEG MIN SEC W	
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well	

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No Exploration License: 40001	City, Village or Town Ringle
Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471		
Present Well Owner Aquila Resources Inc.		Original Well Owner N/A
Street Address or Route of Owner 908 Second St		
City Menominee	State MI	ZIP Code 49858

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 8-22-2011
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock	
Total Well Depth From Groundsurface (ft.) 160	Casing Diameter (in.) 4.63
Lower Drillhole Diameter (in.) 3.77	Casing Depth (ft.) N.A.
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? N/A	Depth to Water (feet) N/A

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	160	Vol: 4.97 ft³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 8-24-2011	DNR Use Only	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035	Date Received	Noted By
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <i>[Signature]</i>	
			Date Signed 9-23-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		Facility ID	
R11-17						License/Permit/Monitoring No	
						Exploration License: 40001	
City, Village or Town		Ringle		Street Address of Well			
				E493 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner		Original Well Owner					
Aquila Resources Inc.		N/A					
Street Address or Route of Owner				908 Second St			
City		State		ZIP Code			
Menominee		MI		49858			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well		Original Construction Date					
<input type="checkbox"/> Water Well		8-25-2011					
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.					
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input type="checkbox"/> Other (specify):							
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation		<input checked="" type="checkbox"/> Bedrock					
Total Well Depth From Groundsurface (ft.)				Casing Diameter (in.)			
235				4.63			
Lower Drillhole Diameter (in.)				Casing Depth (ft.)			
3.77				NA			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?				Depth to Water (feet)			
N/A				N/A			
4. Pump, Liner, Screen, Casing & Sealing Material							
Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Casing left in place?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Required Method of Placing Sealing Material							
<input type="checkbox"/> Conductor Pipe-Gravity		<input checked="" type="checkbox"/> Conductor Pipe-Pumped					
<input type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):					
Sealing Materials							
<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)					
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "					
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips					
For Monitoring Wells and Monitoring Well Boreholes Only:							
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout					
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry					
5. Material Used To Fill Well / Drillhole							
From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
Surface		235		Vol: 8.3 ft ³		6 gallons H2O per	
						90 lb. bag of cement	
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Sealing Work				Date of Abandonment		DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)				8-26-2011		Date Received	
Street or Route				Telephone Number		Noted By	
4613-A Camp Phillips Rd.				(715) 393-4035			
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55476		Date Signed	
						9-23-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name R11-18				Gov't Lot # (if applicable)		Facility ID	
License/Permit/Monitoring No Exploration License: 40001		City, Village or Town Ringle					
1/4 / 1/4 SE	1/4 NE	Section 35	Township 29 N	Range 9	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		
Street Address of Well Thornapple Creek Rd. (No home/street address)				Present Well Owner Aquila Resources Inc.			
Original Well Owner N/A				Street Address or Route of Owner 908 Second St			
City Menominee				State MI		ZIP Code 49858	
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well			
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 8-27-2011		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Groundsurface (ft.) 325		Casing Diameter (in.) 4.63		Did material settle after 24 hours? If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) NA		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____		Sealing Materials <input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A		5. Material Used To Fill Well / Drillhole			
				From (ft.)		To (ft.)	
				No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
				Surface		Vol: 11.5 ft³	
						6 gallons H2O per 90 lb. bag of cement	
6. Comments							
7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 8-29-2011		Date Received		Noted By	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments			
City Schofield		State WI		ZIP Code 55478		Signature of Person Doing Work [Signature]	
						Date Signed 1-27-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County Marathon County	
Common Well Name R11-19		Gov't Lot # (if applicable)	
¼ / ¼ SE	¼ NE	Section 35	Township 29 N Range 9 <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Grid Location Feet- (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S 4980525		Local Grid Origin (NAD83 UTM) <input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location Feet- (m) <input checked="" type="checkbox"/> E <input type="checkbox"/> W 313224	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC	
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well	

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No Exploration License: 40001	City, Village or Town Ringle
Street Address of Well Thornapple Creek Rd. (No home/street address)		
Present Well Owner Aquila Resources Inc.		Original Well Owner N/A
Street Address or Route of Owner 908 Second St		
City Menominee	State MI	ZIP Code 49858

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 8-30-2011
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	
If a Well Construction Report is available, please attach.	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	
Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock	
Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.) 4.63
Lower Drillhole Diameter (in.) 3.77	Casing Depth (ft.) NA
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? N/A	Depth to Water (feet) N/A

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	365	Vol: 12.9 #3	6 gallons H2O per 90 lb. bag of cement

6. Comments

DRILLING BREAK FROM 9-3-2011 TO 9-6-2011.

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 9-7-2011	DNR Use Only	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035	Date Received	Noted By
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <i>[Signature]</i>	
			Date Signed 9-23-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		Facility ID	
R11-20						License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town		Ringle					
1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E		
SE	NE	35	29 N	9	<input type="checkbox"/> W		
Street Address of Well				Thornapple Creek Rd. (No home/street address)			
Present Well Owner				Original Well Owner			
Aquila Resources Inc.				N/A			
Street Address or Route of Owner				908 Second St			
City		State		ZIP Code			
Menominee		MI		49858			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well				Original Construction Date			
<input type="checkbox"/> Water Well				9-8-2011			
<input checked="" type="checkbox"/> Borehole / Drillhole				If a Well Construction Report is available, please attach.			
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input type="checkbox"/> Other (specify): _____							
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation				<input checked="" type="checkbox"/> Bedrock			
Total Well Depth From Groundsurface (ft.)				Casing Diameter (in.)			
365				4.63			
Lower Drillhole Diameter (in.)				Casing Depth (ft.)			
3.77				N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?				Depth to Water (feet)			
N/A				N/A			
4. Pump, Liner, Screen, Casing & Sealing Material							
Pump and piping removed?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Liner(s) removed?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Screen removed?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Casing left in place?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Was casing cut off below surface?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Did sealing material rise to surface?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Did material settle after 24 hours?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
If yes, was hole retopped?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If bentonite chips were used, were they hydrated with water from a known safe source?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Required Method of Placing Sealing Material							
<input type="checkbox"/> Conductor Pipe-Gravity				<input checked="" type="checkbox"/> Conductor Pipe-Pumped			
<input type="checkbox"/> Screened & Poured (Bentonite Chips)				<input type="checkbox"/> Other (Explain): _____			
Sealing Materials							
<input checked="" type="checkbox"/> Neat Cement Grout				<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
<input type="checkbox"/> Sand-Cement (Concrete) Grout				<input type="checkbox"/> Bentonite-Sand Slurry " "			
<input type="checkbox"/> Concrete				<input type="checkbox"/> Bentonite Chips			
For Monitoring Wells and Monitoring Well Boreholes Only:							
<input type="checkbox"/> Bentonite Chips				<input type="checkbox"/> Bentonite - Cement Grout			
<input type="checkbox"/> Granular Bentonite				<input type="checkbox"/> Bentonite - Sand Slurry			
5. Material Used To Fill Well / Drillhole							
From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
Surface		365		Vol: 12.9 #3		6 gallons H2O per 90 lb. bag of cement	
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Sealing Work				Date of Abandonment		Date Received	
Aquila Resources Inc. (via IDEA Drilling Corp.)				9-12-2011			
Street or Route				Telephone Number		Comments	
4613-A Camp Phillips Rd.				(715) 393-4035			
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55478			
						Date Signed	
						9-22-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		City, Village or Town	
R11-21						Ringle	
1/4 / 1/4		Section		Township		Range	
SE		35		29 N		9 E	
Grid Location				Street Address of Well			
Feet- (m)		Feet- (m)		Thornapple Creek Rd. (No home/street address)			
4980556		313190					
Present Well Owner				Original Well Owner			
Aquila Resources Inc.				N/A			
Street Address or Route of Owner							
908 Second St							
City				State		ZIP Code	
Menominee				MI		49858	

Reason For Abandonment: Reached Termination Depth
 WI Unique Well No. of Replacement Well: _____

3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date		Pump and piping removed?		Liner(s) removed?	
		9-12-2011		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:				Casing left in place?			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Formation Type:				Was casing cut off below surface?			
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Total Well Depth From Groundsurface (ft.)				Did sealing material rise to surface?			
395				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Lower Drillhole Diameter (in.)				Did material settle after 24 hours?			
3.77				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was well annular space grouted?				If bentonite chips were used, were they hydrated with water from a known safe source?			
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If yes, to what depth (feet)?				Required Method of Placing Sealing Material			
N/A				<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____			

Sealing Materials			
<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)	
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips	

For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	395	Vol: 14.0 ft ³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Sealing Work		Date of Abandonment		Date Received	
Aquila Resources Inc. (via IDEA Drilling Corp.)		9-14-2011			
Street or Route		Telephone Number		Comments	
4613-A Camp Phillips Rd.		(715) 393-4035			
City		State		Signature of Person Doing Work	
Schofield		WI		[Signature]	
ZIP Code		Date Signed			
55470		9-22-2011			

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name R11-22				Gov't Lot # (if applicable)		Facility ID	
1/4 1/4 SE		1/4 NE		Section 35		Township 29 N 9	
Range 9		<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Street Address of Well Thornapple Creek Rd. (No home/street address)		License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town Ringle		Present Well Owner Aquila Resources Inc.		Original Well Owner N/A		Street Address or Route of Owner 908 Second St	
City Menominee		State MI		ZIP Code 49858		Reason For Abandonment Reached Termination Depth	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		WI Unique Well No. of Replacement Well		4980566	
<input checked="" type="checkbox"/> N <input type="checkbox"/> S		<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Local Grid Origin (NAD83 UTM)		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location	
Feet- (m)		Feet- (m)		Grid Location		Feet- (m)	
4980566		313168		35		29 N 9	
Construction Type:		Original Construction Date 9-14-2011		If a Well Construction Report is available, please attach.		4. Pump, Liner, Screen, Casing & Sealing Material	
<input checked="" type="checkbox"/> Borehole / Drillhole		<input type="checkbox"/> Monitoring Well		<input type="checkbox"/> Water Well		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Total Well Depth From Groundsurface (ft.) 495		Casing Diameter (in.) 4.63	
Formation Type:		Lower Drillhole Diameter (in.) 3.77		Casing Depth (ft.) NA		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):		Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)? N/A		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Depth to Water (feet) N/A		Sealing Materials		Required Method of Placing Sealing Material		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
5. Material Used To Fill Well / Drillhole		Type 1 Portland Cement		From (ft.) Surface		To (ft.) 495	
No. Yards, Sacks Sealant or Volume (circle one) Vol: 17.5 ft³		Mix Ratio or Mud Weight 6 gallons H2O per 90 lb. bag of cement		6. Comments		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
7. Supervision of Work		Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 9-19-2011		Date Received	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments		Noted By	
City Schofield		State WI		ZIP Code 55476		Signature of Person Doing Work <i>[Signature]</i>	
Date Signed 9-23-2011		DNR Use Only		Date Received		Noted By	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.		DNR Well ID No.		County Marathon County	
Common Well Name R11-23				Gov't Lot # (if applicable)	
¼ / ¼ SE	¼ NE	Section 35	Township 29 N	Range 9	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Grid Location		<input type="checkbox"/> Local Grid Origin (NAD83 UTM)			
Feet- (m) 4980562	<input checked="" type="checkbox"/> N <input type="checkbox"/> S	Feet- (m) 313225	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC			
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well			

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No Exploration License: 40001	City, Village or Town Ringle
Street Address of Well Thornapple Creek Rd. (No home/street address)		
Present Well Owner Aquila Resources Inc.		Original Well Owner N/A
Street Address or Route of Owner 908 Second St		
City Menominee	State MI	ZIP Code 49858

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 9-19-2011
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): _____	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock
Total Well Depth From Groundsurface (ft.) 355	Casing Diameter (in.) 4.63
Lower Drillhole Diameter (in.) 3.77	Casing Depth (ft.) NA
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? N/A	Depth to Water (feet) N/A

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	3	Vol: 12.54 ft³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 9-21-2011		Date Received		Noted By	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments			
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work <i>[Signature]</i>		Date Signed 9-23-2011		

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name R11-24		Gov't Lot # (if applicable)		Facility ID		License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town Ringle		Township 29 N		Range 9 E		Street Address of Well Thornapple Creek Rd. (No home/street address)	
Section 35		Range 9 E		Present Well Owner Aquila Resources Inc.		Original Well Owner N/A	
1/4 SE		1/4 NE		Street Address or Route of Owner 908 Second St		City Menominee	
Grid Location		Local Grid Origin (NAD83 UTM)		State MI		ZIP Code 49858	
Feet- (m) <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/> E		Feet- (m) <input checked="" type="checkbox"/> S <input checked="" type="checkbox"/> W		Well Location		Reason For Abandonment Reached Termination Depth	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		WI Unique Well No. of Replacement Well		4. Pump, Liner, Screen, Casing & Sealing Material	
1980547		313245				Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 9-21-2011		Required Method of Placing Sealing Material			
Construction Type:		If a Well Construction Report is available, please attach.		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify):		Formation Type:		Sealing Materials			
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Total Well Depth From Groundsurface (ft.) 315		<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
Casing Diameter (in.) 4.63		Lower Drillhole Diameter (in.) 3.77		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
Casing Depth (ft.) NA		Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		From (ft.) To (ft.) No. Yards, Sacks Sealant or Volume (circle one) Mix Ratio or Mud Weight Surface 315 Vol: 11.13 #3 6 gallons H2O per 90 lb. bag of cement			
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A		6. Comments			
5. Material Used To Fill Well / Drillhole							
Type 1 Portland Cement							

7. Supervision of Work				DNR Use Only			
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 9-23-2011		Date Received		Noted By	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments			
City Schofield		State WI		ZIP Code 55478		Signature of Person Doing Work <i>[Signature]</i>	
						Date Signed 9-23-2011	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County
		Marathon County
Common Well Name		Gov't Lot # (if applicable)
R12-25		
1/4 1/4	Section	Township
SW NW	36	29 N 9
Grid Location		Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W
Feet - (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S	Feet - (m) <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Local Grid Origin (NAD83 UTM)
4980464	313383	(estimated) OR <input checked="" type="checkbox"/> Well Location
Latitude: DEG MIN SEC	Longitude: DEG MIN SEC	
	N W	
Reason For Abandonment	WI Unique Well No. of Replacement Well	
Reached Termination Depth		

2. Facility / Owner Information

Facility Name	Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No	City, Village or Town	
	Exploration License: 40001	Ringle	
Street Address of Well			
E493 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner	Original Well Owner		
Aquila Resources Inc.	N/A		
Street Address or Route of Owner			
908 Second St			
City	State	ZIP Code	
Menominee	MI	49858	

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date
<input type="checkbox"/> Water Well	1-12-2012
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify):	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.)
289.13	3.62
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
2.98	NA
Was well annular space grouted?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
If yes, to what depth (feet)?	Depth to Water (feet)
N/A	N/A

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	289.13	Vol: 13A3	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment	DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)	1-14-2012	Date Received	Noted By
Street or Route	Telephone Number	Comments	
4613-A Camp Phillips Rd.	(715) 393-4036		
City	State	Signature of Person Doing Work	Date Signed
Schofield	WI		1-14-2012

Notice: Completion of this report is required by chs. 160, 281, 283, 288, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name R12-26				Gov't Lot # (if applicable)		Facility ID	
						License/Permit/Monitoring No Exploration License: 40001	
						City, Village or Town Ringle	
1/4 1/4 SW NW		Section 38		Township 29 N		Range 8 E	
						Street Address of Well E483 Thornapple Creek Rd. Ringle, WI 54471	
Grid Location				Present Well Owner			
Feet - (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S		Feet - (m) <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Aquila Resources Inc.		Original Well Owner N/A	
313337		313337		(estimated) OR <input checked="" type="checkbox"/> Well Location		Street Address or Route of Owner 908 Second St	
Latitude: DEG MIN SEC 49 05 11 N				Longitude: DEG MIN SEC N W			
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well			

3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 1-11-2012		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type:		If a Well Construction Report is available, please attach.		Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify):				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				Did material settle after 24 hours? <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole relapped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Required Method of Placing Sealing Material	
Total Well Depth From Groundsurface (ft.) 289.20		Casing Diameter (in.) 3.62		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Lower Drillhole Diameter (in.) 2.98		Casing Depth (ft.) NA		Sealing Materials		<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry	

5. Material Used To Fill Well / Drillhole			
Type 1 Portland Cement	From (ft.) Surface	To (ft.) 289.20	No. Yards, Sacks Sealant or Volume (circle one) Vol: 13.63
			Mix Ratio or Mud Weight 6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 1-15-2012		Date Received	Noted By
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments	
City Schofield		State WI	ZIP Code 55478	Signature of Person Doing Work <i>[Signature]</i>	Date Signed 1-16-2012

Notice: Completion of this report is required by chs. 180, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County
		Marathon County
Common Well Name		Gov't Lot # (if applicable)
R12-27		
1/4	1/4	Section
SW	NW	36
Township		Range
20 N		9 E
Grid Location		Local Grid Origin (NAD83 UTM)
Foot- (m)	Foot- (m)	
4480538	313357	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC

2. Facility / Owner Information

Facility Name	Aquila Resources Inc: Reef Deposit	
Facility ID	License/Permit/Monitoring No	City, Village or Town
	Exploration License: 40001	Ringle
Street Address of Well		
E493 Thornapple Creek Rd. Ringle, WI 54471		
Present Well Owner	Original Well Owner	
Aquila Resources Inc.	N/A	
Street Address or Route of Owner		
908 Second St		
City	State	ZIP Code
Menominee	MI	49858

Reason For Abandonment: Reached Termination Depth
 WI Unique Well No. of Replacement Well: _____

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date
<input type="checkbox"/> Water Well	1-16-2012
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): _____	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain): _____
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry " "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Total Well Depth From Groundsurface (ft.): 318.00
 Casing Diameter (in.): 3.62

Lower Drillhole Diameter (in.): 2.98
 Casing Depth (ft.): NA

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? N/A
 Depth to Water (feet): N/A

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	318.00	Vol: 14.4 ft ³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment	DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)	1-17-2012	Date Received	Noted By
Street or Route	Telephone Number	Comments	
4613-A Camp Phillips Rd.	(715) 393-4035		
City	State	ZIP Code	Signature of Person Doing Work
Schofield	WI	55476	
			Date Signed
			1-17-2012

FEB 3 2012

DRINKING WATER

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County Marathon County

Common Well Name R12-28 Gov't Lot # (if applicable) _____

Section 36 Township 29 N Range 9 E

Grid Location: Local Grid Origin (NAD83 UTM) (estimated) OR Well Location

Feet- (m) 4980506 N S 313389 E W

Latitude: DEG MIN SEC _____ Longitude: DEG MIN SEC _____

Reason For Abandonment Reached Termination Depth WI Unique Well No. of Replacement Well _____

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit

Facility ID _____ License/Permit/Monitoring No. Exploration License: 40001 City, Village or Town Ringle

Street Address of Well E493 Thomapple Creek Rd. Ringle, WI 54471

Present Well Owner Aquila Resources Inc. Original Well Owner N/A

Street Address or Route of Owner 908 Second St

City Menominee State MI ZIP Code 49858

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole

Original Construction Date 1-17-2012

Construction Type: Drilled Driven (Sandpoint) Dug Other (specify): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A

Liner(s) removed? Yes No N/A

Screen removed? Yes No N/A

Casing left in place? Yes No N/A

Was casing cut off below surface? Yes No N/A

Did sealing material rise to surface? Yes No N/A

Did material settle after 24 hours? Yes No N/A

If yes, was hole retopped? Yes No N/A

If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)

Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "

Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 348.00 Casing Diameter (in.) 3.62

Lower Drillhole Diameter (in.) 2.98 Casing Depth (ft.) NA

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? N/A Depth to Water (feet) N/A

5. Material Used To Fill Well / Drillhole

Type 1 Portland Cement

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>348</u>	Vol: <u>15.75 FY³</u>	8 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.) Date of Abandonment 1-19-2012 Date Received _____ Noted By _____

Street or Route 4513-A Camp Phillips Rd. Telephone Number (715) 393-4035 Comments _____

City Schofield State WI ZIP Code 55476 Signature of Person Doing Work [Signature] Date Signed 1-21-2012

FEB 3 2012

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County Marathon County
 Common Well Name R12-29 Gov't Lot # (if applicable) _____
 1/4 1/4 Section Township Range E
 SW NW 36 29 N 0 W
 Grid Location
 Feet- (m) N Feet- (m) E
4980528 S 313391 W
 Local Grid Origin (NAD83 UTM)
 (estimated) OR Well Location
 Latitude: DEG MIN SEC Longitude: DEG MIN SEC
 _____ N _____ W

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit
 Facility ID _____ License/Permit/Monitoring No. Exploration License: 40001 City, Village or Town Ringle
 Street Address of Well E493 Thornapple Creek Rd. Ringle, WI 54471
 Present Well Owner Aquila Resources Inc. Original Well Owner N/A
 Street Address or Route of Owner 908 Second St
 City Menominee State MI ZIP Code 49858

Reason For Abandonment Reached Termination Depth WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole
 Original Construction Date 1-20-2012
 if a Well Construction Report is available, please attach.
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured Other (Explain): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 338 Casing Diameter (in.) 3.62
 Lower Drillhole Diameter (in.) 2.98 Casing Depth (ft.) NA

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry "
 Concrete Bentonite Chips

Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? N/A Depth to Water (feet) N/A

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	338	Vol: <u>15.28 FT³</u>	8 gallons H2O per 90 lb. bag of cement

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	338	Vol: <u>15.28 FT³</u>	8 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work
 Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.) Date of Abandonment 1-23-2012 Date Received _____ Noted By _____
 Street or Route 4613-A Camp Phillips Rd. Telephone Number (715) 393-4035 Comments _____
 City Schofield State WI ZIP Code 55476 Signature of Person Doing Work [Signature] Date Signed 1-26-2012

FEB 3 2012

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 261, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: **Metallic Mineral Exploration**

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		Facility ID	
R12-30						License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town		Street Address of Well		Present Well Owner		Original Well Owner	
Ringle		E201 Thornapple Creek Rd. Ringle, WI 54471		Aquila Resources Inc.		N/A	
Street Address of Well		Present Well Owner		Original Well Owner		Street Address or Route of Owner	
E201 Thornapple Creek Rd. Ringle, WI 54471		Aquila Resources Inc.		N/A		908 Second St	
City		State		ZIP Code			
Menominee		MI		49858			
3. Well / Drillhole / Borehole Information				4. Pump, Liner, Screen, Casing & Sealing Material			
Reason For Abandonment		WI Unique Well No. of Replacement Well		Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Reached Termination Depth				Liner(a) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Monitoring Well		Original Construction Date		Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		1-23-2012		Casing left in place?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):				If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:				If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock				Required Method of Placing Sealing Material			
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped			
448		3.62		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
2.98		NA		<input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
Was well annular space grouted?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " "			
If yes, to what depth (feet)?		Depth to Water (feet)		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips			
N/A		N/A		For Monitoring Wells and Monitoring Well Boreholes Only:			
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
5. Material Used To Fill Well / Drillhole							
Type 1 Portland Cement		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)	
		Surface		448		Vol: 20.26 FT ³	
						Mix Ratio or Mud Weight	
						6 gallons H2O per 90 lb. bag of cement.	

6. Comments

7. Supervision of Work				DNR Use Only	
Name of Person or Firm Doing Sealing Work		Date of Abandonment		Date Received	Noted By
Aquila Resources Inc. (via IDEA Drilling Corp.)		1-25-2012			
Street or Route		Telephone Number		Comments	
4813-A Camp Phillips Rd.		(715) 393-4035			
City		State	ZIP Code	Signature of Person Doing Work	
Schofield		WI	55476		
				Date Signed	
				1-26-2012	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallc Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County Marathon County	
Common Well Name R12-31		Govt Lot # (if applicable)	
1/4 NW	1/4 NW	Section 36	Township 29 N Range 9 E
Grid Location		Local Grid Origin (NAD83 UTM)	
Feet- (m) 4480632	Feet- (m) 313430	(estimated) OR <input checked="" type="checkbox"/> Well Location	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC	
		N W	

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No Exploration License: 40001	City, Village or Town Ringle
Street Address of Well E201 Thomapple Creek Rd. Ringle, WI 54471		
Present Well Owner Aquila Resources Inc.		Original Well Owner N/A
Street Address or Route of Owner 908 Second St		
City Menominee	State MI	ZIP Code 49858

Reason For Abandonment
Reached Termination Depth

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 1-26-2012
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify):	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):

Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Total Well Depth From Groundsurface (ft.) 518	Casing Diameter (in.) 3.62
Lower Drillhole Diameter (in.) 2.98	Casing Depth (ft.) NA
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)? N/A	Depth to Water (feet) N/A

5. Material Used To Fill Well / Drillhole

Type	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement	Surface	518	Vol: ~ 23.4 cu yds	6 gallons H2O per 90 lb. bag of cement

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	518	Vol: ~ 23.4 cu yds	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 1-26-2012		Date Received		Noted By	
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035		Comments			
City Schofield	State WI	ZIP Code 55476	Signature of Person Doing Work		Date Signed 1-31-2012		

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County Marathon County			
Common Well Name R12-32		Gov't Lot # (if applicable)			
1/4 NW	1/4 NW	Section 38	Township 29 N	Range 9	<input checked="" type="checkbox"/> E <input type="checkbox"/> W
Grid Location Feet (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S		<input type="checkbox"/> Local Grid Origin (NAD83 UTM)			
Feet (m) <input type="checkbox"/> E <input type="checkbox"/> W		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location			
Latitude: DEG MIN SEC N		Longitude: DEG MIN SEC W			

Reason For Abandonment: **Reached Termination Depth**
 WI Unique Well No. of Replacement Well: _____

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 1-28-2012
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____	

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.): **458**
 Casing Diameter (in.): **3.62**
 Lower Drillhole Diameter (in.): **2.98**
 Casing Depth (ft.): **NA**

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? **N/A**
 Depth to Water (feet): **N/A**

5. Material Used To Fill Well / Drillhole

Type	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement	Surface	458	Vol: ~20.7 FT³	8 gallons H2O per 90 lb. bag of cement

Comments
Received
FEB 18 2012
Waste & Materials Management

7. Supervision of Work

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)	Date of Abandonment 1-30-2012
Street or Route 4813-A Camp Phillips Rd.	Telephone Number (715) 393-4035
City Schofield	State WI
ZIP Code 55476	Signature of Person Doing Work <i>[Signature]</i>
Date Signed 1-31-2012	

2. Facility / Owner Information

Facility Name Aquila Resources Inc: Reef Deposit
Facility ID Exploration License: 40001
License/Permit/Monitoring No City, Village or Town Ringle
Street Address of Well E201 Thomapple Creek Rd. Ringle, WI 54471
Present Well Owner Aquila Resources Inc.
Original Well Owner N/A
Street Address or Route of Owner 908 Second St
City Menominee
State MI
ZIP Code 49868

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:
 Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit				
Common Well Name R12-33				Gov't Lot # (if applicable)		Facility ID		License/Permit/Monitoring No Exploration License: 40001		City, Village or Town Ringle
1/4 1/4 NW	1/4 NW	Section 36	Township 29	Range 9	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well E201 Thornapple Creek Rd. Ringle, WI 54471				
Grid Location Feet - (m) <input checked="" type="checkbox"/> N <input type="checkbox"/> S 313436 <input checked="" type="checkbox"/> E <input type="checkbox"/> W				<input type="checkbox"/> Local Grid Origin (NAD83 UTM)		Present Well Owner Aquila Resources Inc.		Original Well Owner N/A		
Latitude: DEG MIN SEC _____				Longitude: DEG MIN SEC _____		Street Address or Route of Owner 908 Second St				
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well _____		City Menominee		State MI	ZIP Code 49858	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well		Original Construction Date 1-31-2012		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Borehole / Drillhole				Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Construction Type:				Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify): _____				Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Formation Type:		<input checked="" type="checkbox"/> Bedrock		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Unconsolidated Formation				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Groundsurface (ft.) 390		Casing Diameter (in.) 3.62		If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Lower Drillhole Diameter (in.) 2.98		Casing Depth (ft.) NA		If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown				Required Method of Placing Sealing Material	
If yes, to what depth (feet)? N/A		Depth to Water (feet) N/A		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped	
				<input type="checkbox"/> Other (Explain): _____	

5. Material Used To Fill Well / Drillhole		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement		Surface	390	Vol: ~17.6 FT³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work		DNR Use Only	
Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 2-1-2012	Date Received
Street or Route 4613-A Camp Phillips Rd.		Telephone Number (715) 393-4035	Noted By
City Schofield		State WI	Comments
ZIP Code 55476		Signature of Person Doing Work	Date Signed 2-2-2012

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name				Gov't Lot # (if applicable)		City, Village or Town	
R12-34						Ringle	
1/4 / 1/4		Section		Township		Range	
NW		36		29 N		9	
						<input checked="" type="checkbox"/> E <input type="checkbox"/> W	
Grid Location				<input type="checkbox"/> Local Grid Origin (NAD83 UTM)			
Feet- (m)		Feet- (m)		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location			
<input checked="" type="checkbox"/> N		<input checked="" type="checkbox"/> E					
4950704		313447					
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC					
		N		W			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well				Original Construction Date			
<input type="checkbox"/> Water Well				2-2-2012			
<input checked="" type="checkbox"/> Borehole / Drillhole				If a Well Construction Report is available, please attach.			
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation				<input checked="" type="checkbox"/> Bedrock			
Total Well Depth From Groundsurface (ft.)				Casing Diameter (in.)			
517				3.62			
Lower Drillhole Diameter (in.)				Casing Depth (ft.)			
2.98				N/A			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?				Depth to Water (feet)			
N/A				N/A			
4. Pump, Liner, Screen, Casing & Sealing Material							
Pump and piping removed?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Liner(s) removed?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Screen removed?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Casing left in place?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Was casing cut off below surface?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Did sealing material rise to surface?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Did material settle after 24 hours?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
If yes, was hole retopped?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
If bentonite chips were used, were they hydrated with water from a known safe source?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Required Method of Placing Sealing Material							
<input type="checkbox"/> Conductor Pipe-Gravity				<input checked="" type="checkbox"/> Conductor Pipe-Pumped			
<input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips)				<input type="checkbox"/> Other (Explain):			
Sealing Materials							
<input checked="" type="checkbox"/> Neat Cement Grout				<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)			
<input type="checkbox"/> Sand-Cement (Concrete) Grout				<input type="checkbox"/> Bentonite-Sand Slurry " "			
<input type="checkbox"/> Concrete				<input type="checkbox"/> Bentonite Chips			
For Monitoring Wells and Monitoring Well Boreholes Only:							
<input type="checkbox"/> Bentonite Chips				<input type="checkbox"/> Bentonite - Cement Grout			
<input type="checkbox"/> Granular Bentonite				<input type="checkbox"/> Bentonite - Sand Slurry			
5. Material Used To Fill Well / Drillhole							
From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
Surface		517		Vol: ~23.4 FT ³		6 gallons H2O per	
90 lb. bag of cement							
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Sealing Work				Date of Abandonment		Date Received	
Aquila Resources Inc. (via IDEA Drilling Corp.)				2-7-2012			
Street or Route				Telephone Number		Comments	
4613-A Camp Phillips Rd.				(715) 393-4035			
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55476		[Signature]	
						Date Signed	
						2-7-2012	

RECEIVED-DNR
 FEB 20 2012

DRINKING WATER & GW

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name <u>R12-35</u>				Gov't Lot # (if applicable)		City, Village or Town	
						Ringle	
1/4 1/4 NW		1/4 NW		Section 36		Township 29 N	
						Range 9 E	
						<input checked="" type="checkbox"/> W	
Grid Location				Local Grid Origin (NAD83 UTM)			
Feet- (m) <input checked="" type="checkbox"/> N		Feet- (m) <input checked="" type="checkbox"/> E		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location			
4480676		313477					
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
Reason For Abandonment Reached Termination Depth				WI Unique Well No. of Replacement Well			
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well		Original Construction Date		RECEIVED-DNR FEB 20 2012 DRINKING WATER & SEW			
<input type="checkbox"/> Water Well		<u>2-5-2012</u>					
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.					
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input type="checkbox"/> Other (specify):							
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation				<input checked="" type="checkbox"/> Bedrock			
Total Well Depth From Groundsurface (ft.)				Casing Diameter (in.)			
<u>457</u>				3.62			
Lower Drillhole Diameter (in.)				Casing Depth (ft.)			
2.98							
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?				Depth to Water (feet)			
N/A				N/A			
4. Pump, Liner, Screen, Casing & Sealing Material							
Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Casing left in place?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Did material settle after 24 hours?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Required Method of Placing Sealing Material							
<input type="checkbox"/> Conductor Pipe-Gravity		<input checked="" type="checkbox"/> Conductor Pipe-Pumped					
<input type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):					
Sealing Materials							
<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)					
<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry "					
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips					
For Monitoring Wells and Monitoring Well Boreholes Only:							
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout					
<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry					
5. Material Used To Fill Well / Drillhole							
From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
Surface		<u>457</u>		Vol: <u>~20.7 FT³</u>		6 gallons H2O per 90 lb. bag of cement	
6. Comments							
7. Supervision of Work						DNR Use Only	
Name of Person or Firm Doing Sealing Work				Date of Abandonment		Date Received	
Aquila Resources Inc. (via IDEA Drilling Corp.)				<u>2-6-2012</u>			
Street or Route				Telephone Number		Comments	
<u>4613-A Camp Phillips Rd.</u>				<u>(715) 393-4035</u>			
City				State		ZIP Code	
Schofield				WI		55476	
Signature of Person Doing Work						Date Signed	
						<u>2-7-2012</u>	

MAR 08 2012

Waste & Materials Management

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County
		Marathon County
Common Well Name	Gov't Lot # (if applicable)	
R12-36		
1/4 1/4	Section	Township
NW NW	36	20 N
		Range
		9 E
Grid Location		
Feet (m)	Feet (m)	Local Grid Origin (NAD83 UTM)
4980735	313465	<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location
Latitude: DEG MIN SEC		
Longitude: DEG MIN SEC		

2. Facility / Owner Information

Facility Name	Aquila Resources Inc: Reef Deposit	
Facility ID	License/Permit/Monitoring No	City, Village or Town
	Exploration License: 40001	Ringle
Street Address of Well		
E201 Thomapple Creek Rd. Ringle, WI 54471		
Present Well Owner	Original Well Owner	
Aquila Resources Inc.	N/A	
Street Address or Route of Owner		
908 Second St		
City	State	ZIP Code
Menominee	MI	49858

Reason For Abandonment: Reached Termination Depth
WI Unique Well No. of Replacement Well:

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date
<input type="checkbox"/> Water Well	2-16-2012
<input checked="" type="checkbox"/> Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify):	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Required Method of Placing Sealing Material

<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):

Sealing Materials

<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

Total Well Depth From Groundsurface (ft.) Casing Diameter (in.)
508 3.62

Lower Drillhole Diameter (in.) Casing Depth (ft.)
2.98 NA

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
N/A N/A

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Bags Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	508	Vol: ~ 23 ft ³	8 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment	DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)	2-17-2012	Date Received	Noted By
Street or Route	Telephone Number	Comments	
4613-A Camp Phillips Rd.	(715) 393-4035		
City	State	ZIP Code	Signature of Person Doing Work
Schofield	WI	55476	
			Date Signed
			2-18-2012

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 296, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information					2. Facility / Owner Information					
WI Unique Well No.		DNR Well ID No.		County	Facility Name				Aquila Resources Inc: Reef Deposit	
				Marathon County	Facility ID				License/Permit/Monitoring No	
Common Well Name		Gov't Lot # (if applicable)			City, Village or Town				Ringle	
R12-37					Exploration License: 40001					
1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well				
NW	NW	36	29 N	9	<input type="checkbox"/> W	E201 Thomapple Creek Rd. Ringle, WI 54471				
Grid Location					Present Well Owner					
Foot- (m)		Foot- (m)		<input type="checkbox"/> Local Grid Origin (NAD83 UTM)	Aquila Resources Inc.				Original Well Owner	
4980696		313414		<input type="checkbox"/> (estimated) OR <input checked="" type="checkbox"/> Well Location	906 Second St				N/A	
Latitude:		Longitude:		City					State	ZIP Code
DEG MIN SEC		DEG MIN SEC		Menominee					MI	49858
N		W								
Reason For Abandonment					WI Unique Well No. of Replacement Well					
Reached Termination Depth										
3. Well / Drillhole / Borehole Information					4. Pump, Liner, Screen, Casing & Sealing Material					
<input type="checkbox"/> Monitoring Well		Original Construction Date			Pump and piping removed?					
<input type="checkbox"/> Water Well		2-18-2012			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.			Liner(s) removed?					
					<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Construction Type:					Screen removed?					
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
<input type="checkbox"/> Other (specify):					Casing left in place?					
					<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Formation Type:					Was casing cut off below surface?					
<input type="checkbox"/> Unconsolidated Formation		<input checked="" type="checkbox"/> Bedrock			<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Total Well Depth From Groundsurface (ft.)		Casing Diameter (in.)			Did sealing material rise to surface?					
561		3.62			<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
Lower Drillhole Diameter (in.)		Casing Depth (ft.)			Did material settle after 24 hours?					
2.98		N/A			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A					
Was well annular space grouted?					If yes, was hole retopped?					
<input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No			<input type="checkbox"/> Unknown	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
If yes, to what depth (feet)?		Depth to Water (feet)			If bentonite chips were used, were they hydrated with water from a known safe source?					
N/A		N/A			<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
5. Material Used To Fill Well / Drillhole					Required Method of Placing Sealing Material					
Type 1 Portland Cement		From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Sealing Materials				Mix Ratio or Mud Weight	
		Surface	561	Vol: ~25.4 FT ³	<input checked="" type="checkbox"/> Neat Cement Grout				8 gallons H2O per	
					<input type="checkbox"/> Sand-Cement (Concrete) Grout				90 lb. bag of cement	
					<input type="checkbox"/> Concrete					
					<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)					
					<input type="checkbox"/> Bentonite-Sand Slurry "					
					<input type="checkbox"/> Bentonite Chips					
For Monitoring Wells and Monitoring Well Boreholes Only:										
					<input type="checkbox"/> Bentonite Chips					
					<input type="checkbox"/> Bentonite - Cement Grout					
					<input type="checkbox"/> Granular Bentonite					
					<input type="checkbox"/> Bentonite - Sand Slurry					
6. Comments										
7. Supervision of Work					DNR Use Only					
Name of Person or Firm Doing Sealing Work			Date of Abandonment		Date Received		Noted By			
Aquila Resources Inc. (via IDEA Drilling Corp.)			2-20-2012							
Street or Route			Telephone Number		Comments					
4813-A Camp Phillips Rd.			(715) 993-4035							
City		State	ZIP Code	Signature of Person Doing Work			Date Signed			
Schofield		WI	55478				2-20-2012			

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc. Reef Deposit	
Common Well Name			Gov't Lot # (if applicable)			Facility ID	
R12-38						License/Permit/Monitoring No. City, Village or Town	
Exploration License: 40001			Ringle				
1/4 NW		1/4 NW		Section		Township	
				36		29 N	
				Range		<input checked="" type="checkbox"/> E	
						<input type="checkbox"/> W	
Street Address of Well				E201 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner				Original Well Owner			
Aquila Resources Inc.				N/A			
Street Address or Route of Owner							
908 Second St							
City						State	ZIP Code
Menominee						MI	49858
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well		Original Construction Date					
<input type="checkbox"/> Water Well		2-20-2012					
<input checked="" type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.					
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input type="checkbox"/> Other (specify):							
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation				<input checked="" type="checkbox"/> Bedrock			
Total Well Depth From Groundsurface (ft.)				Casing Diameter (in.)			
488				3.62			
Lower Drillhole Diameter (in.)				Casing Depth (ft.)			
2.98				50			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?				Depth to Water (feet)			
N/A				N/A			
4. Pump, Liner, Screen, Casing & Sealing Material							
Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity		<input checked="" type="checkbox"/> Conductor Pipe-Pumped		<input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain):			
Sealing Materials							
<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips		For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout		<input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry			
5. Material Used To Fill Well / Drillhole				From (ft.)		To (ft.)	
Type 1 Portland Cement				Surface		488	
				No. Yards, Sacks Sealant or Volume (circle one)		Mix Ratio or Mud Weight	
				Vol: ~22.1 ft ³		6 gallons H2O per 90 lb. bag of cement	
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Sealing Work				Date of Abandonment		DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)				2-24-2012		Date Received	
Street or Route				Telephone Number		Noted By	
4813-A Camp Phillips Rd.				(715) 393-4035		Comments	
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55478		Date Signed	
						2-27-2012	

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County
		Marathon County
Common Well Name		Govt Lot # (if applicable)
R12-39		
1/4	1/4	Section
NW	NW	38
Township		Range
29 N		9
Grid Location		
Feet (m)	Feet (m)	
4980716	313354	
Reason For Abandonment		
Reached Termination Depth		

2. Facility / Owner Information

Facility Name	Aquila Resources Inc. Reef Deposit		
Facility ID	License/Permit/Monitoring No	City, Village or Town	
	Exploration License: 40001	Ringle	
Street Address of Well			
E201 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner		Original Well Owner	
Aquila Resources Inc.		N/A	
Street Address or Route of Owner			
908 Second St			
City	State	ZIP Code	
Menominee	MI	49858	

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date 2-25-2012
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Other (specify):	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock
Total Well Depth From Groundsurface (ft.)	Casing Diameter (in.)
682	3.62
Lower Drillhole Diameter (in.)	Casing Depth (ft.)
2.98	50
Was well annular space grouted?	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown	
If yes, to what depth (feet)?	Depth to Water (feet)
N/A	N/A

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Required Method of Placing Sealing Material	
<input type="checkbox"/> Conductor Pipe-Gravity	<input checked="" type="checkbox"/> Conductor Pipe-Pumped
<input type="checkbox"/> Screened & Poured (Bentonite Chips)	<input type="checkbox"/> Other (Explain):
Sealing Materials	
<input checked="" type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)
<input type="checkbox"/> Sand-Cement (Concrete) Grout	<input type="checkbox"/> Bentonite-Sand Slurry "
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips
For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Bags Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	682	Vol: ~30.8 ft ³	8 gallons H2O per 80 lb bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment	Date Received	Noted By
Aquila Resources Inc. (via IDEA Drilling Corp.)	2-27-2012		
Street or Route	Telephone Number	Comments	
4613-A Camp Phillips Rd.	(715) 393-4035		
City	State	ZIP Code	Signature of Person Doing Work
Schofield	WI	55478	
			Date Signed
			2-27-2012

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information				2. Facility / Owner Information			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Marathon County		Aquila Resources Inc: Reef Deposit	
Common Well Name			Gov't Lot # (if applicable)			Facility ID	
R12-40						License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town		Ringle					
Street Address of Well		E201 Thornapple Creek Rd. Ringle, WI 54471					
Present Well Owner				Original Well Owner			
Aquila Resources Inc.				N/A			
Street Address or Route of Owner							
908 Second St							
City		State		ZIP Code			
Menominee		MI		49858			
Reason For Abandonment				WI Unique Well No. of Replacement Well			
Reached Termination Depth							
3. Well / Drillhole / Borehole Information							
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date					
		2-27-2012		If a Well Construction Report is available, please attach.			
Construction Type:							
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug			
<input type="checkbox"/> Other (specify):							
Formation Type:							
<input type="checkbox"/> Unconsolidated Formation		<input checked="" type="checkbox"/> Bedrock					
Total Well Depth From Groundsurface (ft.)				Casing Diameter (in.)			
458				3.62			
Lower Drillhole Diameter (in.)				Casing Depth (ft.)			
2.98				55			
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown							
If yes, to what depth (feet)?				Depth to Water (feet)			
N/A				N/A			
4. Pump, Liner, Screen, Casing & Sealing Material							
Pump and piping removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Liner(s) removed?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Screen removed?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Casing left in place?		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Was casing cut off below surface?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		Did sealing material rise to surface?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Did material settle after 24 hours?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
If bentonite chips were used, were they hydrated with water from a known safe source?		<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A					
Required Method of Placing Sealing Material							
<input type="checkbox"/> Conductor Pipe-Gravity		<input checked="" type="checkbox"/> Conductor Pipe-Pumped					
<input type="checkbox"/> Screened & Poured (Bentonite Chips)		<input type="checkbox"/> Other (Explain):					
Sealing Materials							
<input checked="" type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.)		<input type="checkbox"/> Sand-Cement (Concrete) Grout		<input type="checkbox"/> Bentonite-Sand Slurry " "	
<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips					
For Monitoring Wells and Monitoring Well Boreholes Only:							
<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout		<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	
5. Material Used To Fill Well / Drillhole		From (ft.)		To (ft.)		No. Yards, Bags Sealant or Volume (circle one)	
Type 1 Portland Cement		Surface		458		Vol: ~20.7 ft ³	
						Mix Ratio or Mud Weight	
						6 gallons H2O per 90 lb. bag of cement	
6. Comments							
7. Supervision of Work							
Name of Person or Firm Doing Sealing Work				Date of Abandonment		DNR Use Only	
Aquila Resources Inc. (via IDEA Drilling Corp.)				2-29-2012		Date Received	
Street or Route				Telephone Number		Noted By	
4813-A Camp Phillips Rd.				(715) 393-4035			
City		State		ZIP Code		Signature of Person Doing Work	
Schofield		WI		55478		Date Signed	
						2-29-2012	

Notice: Completion of this report is required by chs. 160, 261, 263, 269, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information **2. Facility / Owner Information**

WI Unique Well No.		DNR Well ID No.		County Marathon County		Facility Name Aquila Resources Inc: Reef Deposit	
Common Well Name R12-41		Gov't Lot # (if applicable)		Facility ID		License/Permit/Monitoring No Exploration License: 40001	
City, Village or Town Ringle		Street Address of Well E201 Thomapple Creek Rd. Ringle, WI 54471		Present Well Owner Aquila Resources Inc.		Original Well Owner N/A	
Reason For Abandonment Reached Termination Depth		WI Unique Well No. of Replacement Well		City Menominee		State MI	
City Menominee		State MI		ZIP Code 49858		Street Address or Route of Owner 908 Second St	

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Borehole / Drillhole		Original Construction Date 2-29-2012 If a Well Construction Report is available, please attach.		Pump and piping removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Liner(s) removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Casing left in place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____		Formation Type: <input type="checkbox"/> Unconsolidated Formation <input checked="" type="checkbox"/> Bedrock		Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Total Well Depth From Groundsurface (ft.) 682		Casing Diameter (in.) 3.62		Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input checked="" type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____	
Lower Drillhole Diameter (in.) 2.98		Casing Depth (ft.) 45		Sealing Materials <input checked="" type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips	
Was well annular space grouted? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown		For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry		If yes, to what depth (feet)? N/A	
Depth to Water (feet) N/A		From (ft.) Surface		To (ft.) 682	

5. Material Used To Fill Well / Drillhole

Material	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Type 1 Portland Cement	Surface	682	Vol: 230.9 ft³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Sealing Work Aquila Resources Inc. (via IDEA Drilling Corp.)		Date of Abandonment 3-2-2012		Date Received		Noted By	
Street or Route 4813-A Camp Phillips Rd.		Telephone Number (715) 393-4036		Comments		Signature of Person Doing Work <i>[Signature]</i>	
City Schofield		State WI		ZIP Code 58476		Date Signed 3-2-2012	

Notice: Completion of this report is required by chs. 160, 261, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 261, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: Metallic Mineral Exploration

1. General Information

WI Unique Well No.	DNR Well ID No.	County
		Marathon County
Common Well Name		Gov't Lot # (if applicable)
R12-42		
1/4	1/4	Section
NW	NW	36
Township		Range
29 N		9
Grid Location		Local Grid Origin (NAD83 UTM)
Feet- (m)	Feet- (m)	
4980567	313245	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC

2. Facility / Owner Information

Facility Name	Aquila Resources Inc: Reef Deposit		
Facility ID	License/Permit/Monitoring No	City, Village or Town	
	Exploration License: 40001	Ringle	
Street Address of Well			
E201 Thornapple Creek Rd. Ringle, WI 54471			
Present Well Owner	Original Well Owner		
Aquila Resources Inc.	N/A		
Street Address or Route of Owner			
908 Second St			
City	State	ZIP Code	
Menominee	MI	49858	

Reason For Abandonment: Reached Termination Depth
 WI Unique Well No. of Replacement Well: _____

3. Well / Drillhole / Borehole Information

<input type="checkbox"/> Monitoring Well	Original Construction Date
<input type="checkbox"/> Water Well	
<input checked="" type="checkbox"/> Borehole / Drillhole	3-10-2012
If a Well Construction Report is available, please attach.	
Construction Type:	
<input checked="" type="checkbox"/> Drilled	<input type="checkbox"/> Driven (Sandpoint)
<input type="checkbox"/> Other (specify): _____	
Formation Type:	
<input type="checkbox"/> Unconsolidated Formation	<input checked="" type="checkbox"/> Bedrock

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Liner(s) removed?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Casing left in place?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A

Total Well Depth From Groundsurface (ft.): 368
 Casing Diameter (in.): 3.62

Lower Drillhole Diameter (in.): 2.98
 Casing Depth (ft.): 35

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? N/A
 Depth to Water (feet): N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	368	Vol: ~16.6 ft ³	6 gallons H2O per 90 lb. bag of cement

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	368	Vol: ~16.6 ft ³	6 gallons H2O per 90 lb. bag of cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Sealing Work	Date of Abandonment	Date Received	Noted By
Aquila Resources Inc. (via IDEA Drilling Corp.)	3-11-2012		
Street or Route	Telephone Number	Comments	
4613-A Camp Phillips Rd.	(715) 393-4035		
City	State	ZIP Code	Signature of Person Doing Work
Schofield	WI	55476	<i>[Signature]</i>
			Date Signed
			3-12-2012