


### Understanding the Health Risk of PFAS

Clara Jeong, Ph.D. Toxicologist

WisPAC Meeting January 16, 2020






## Most people have some PFAS in their blood.

## PFAS have been used in many products since the 1940s.

The most common products are:











We can be exposed to PFAS from food, dust, and drinking water.

#### Major exposure pathways to PFAS

Eating food that was packaged in material that contains PFAS.

Drinking contaminated water.

Eating fish caught from contaminated water (PFOS, in particular).

Accidentally swallowing contaminated soil or dust.

# PFAS can cause health effects in people.

#### High levels of PFAS may



Increase cholesterol

#### High levels of PFAS may



Increase cholesterol



Reduce antibody response

#### High levels of PFAS may



Increase cholesterol



Reduce antibody response



Decrease fertility in women

#### PFAS may also increase the risk of

Thyroid disease


Osteoarthritis

Ulcerative colitis

Testicular cancer

Kidney cancer

We do not know how much PFAS has to be in our blood to cause health effects.





There are hundreds of animal studies examining the health effects of PFAS.

#### Other things we learned about PFAS


PFAS can stay in the body for many years.

PFAS can cross the placenta during pregnancy.

PFAS can pass through breastmilk.

In June 2019, DHS recommended a groundwater standard of 20 ng/L for PFOA and PFOS.

# We continue to learn about the health effects of PFAS.



Most people have some PFAS in their blood.

PFAS can cause health effects in people.

We continue to learn more about the health effects of PFAS.



#### Thank you!

Clara Jeong, Ph.D.
Toxicologist
Bureau of Environmental and Occupational Health
Division of Public Health
Wisconsin Department of Health Services

clara.jeong@wisconsin.gov 608-267-2949