5-YEAR NMP SUBMITTAL CHECKLIST

Yes No N/A

1.	N٨	1P Checklists		
	a.	NRCS 590 Checklist: Signed by certified nutrient management planner in		
		Wisconsin; Scan in to sharepoint (not available as fillable form)		
	b.	DNR Form 3400-25B: Fillable form in sharepoint; Ensure form information is		
		consistent with information within the rest of NMP		
2.	N٨	1P Narrative (Narrative template available HERE)		
	a.	Expected numbers of animal units currently on site, at end of first year		
		of permit term AND through the permit term		
	b.	Expected amounts and types of manure/process wastewater produced		
		currently AND through the permit term		
	c.	Amount of manure/process wastewater to be land applied through the		
		permit term		
	d.	Anticipated frequency and methods of application: Seasons applications		
		take place, equipment used, etc.		
	e.	Other methods of disposal or distribution: Offsite waste collection,		
		distributed manure/process wastewater, special treatment of manure, etc.		
	f.	Acreage included in the NMP: Total acres, spreadable acres, acreage owned,		
		acreage rented/in agreements; Do acres match 3400-25b and 590 checklist?		
	g.	General manure/process wastewater application requirements: NR		
		243.14(2)(b)(1-13)&(c-f)		
	h.	Nutrient crediting requirements: NR 243.14(3); Requirements from code		
		listed		
	i.	SWQMA strategies to be used by the farm: Option 1-5; NR 243.14(4)		
	j.	Phosphorus management method used: P index or Soil Test P		
	k.	Winter spreading sites listed by field name: Winter spreading of solid		
		manure AND/OR emergency winter spreading of liquid manure; At least 2		
	١.	approvable fields submitted		
	1.	Manure stacking sites listed by site name: Each stacking site has unique indicator for tracking and approval		
	m	Days of storage calculation: Manure generation and storage volumes listed		
		and are consistent with engineering documentation; DNR spreadsheet OR		
		compatible calculation		
	n.	Manure testing and analysis procedure: 2 samples per calendar month		
		when applying (liquid); Quarterly (solid)		
	0.	Equipment calibration procedure: When and how often; procedure used		
	р.	Record keeping reports for Annual and Daily spreading: DNR forms 3200-		
		123 (Annual Spreading Report) and 3200-123a (Daily Log) are recommended;		
		Are non-DNR forms submitted for approval?		
3.	Ma	nure/Process Wastewater application Restriction Map Sets	 	
	a.	All required map sets are submitted:		

Non-winter (required only on fields seeking winter approval) Headland stacking (required only is farm headland stacks manure) Topography Tile line (required only if tile lines are present) Manure irrigation (required only if manure irrigation is present) Winter process wastewater applications (only required if winter applications of process wastewater occur) Non-Winter set: All fields included in the NMP Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) Tile line set Manure/Process Wastewater applications set Manure/Process Wastewater application Restriction Map Features Private wells: 100ft setback; 300ft setback for winter b. Community wells: 100ft setback Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted B at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) SWQMA Areas NP Wetlands: DND intermittent streams: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels; No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas NMZ SNAP+ Compliance check report: Include all permit years and/or crop rotations encluded NMX SNAP+ Compliance check report: Include all permit years and/or crop rotations encluded NMX SNAP+ Compliance check report: All fields meter 't' and PI requirements; Fields over 100pm soil test P meet rotational P drawdowns; Full field crop rotations are listed (not just permit year)				 	
Headland stacking (required only is farm headland stacks manure) Topography Tile line (required only if tile lines are present) Manure irrigation (required only if manure irrigation is present) Winter process wastewater applications (only required if winter applications of process wastewater occur) Non-Winter set: All fields included in the NMP C. Winter set: All fields included in the NMP Headland stacking set: Specific polygons drawn in to show exact location; siste name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) E. Tile line set f. Manure irrigation set g. Winter process wastewater applications set Manure/Process Wastewater application Restriction Map Features a. Private wells: 100ft setback; 300ft setback for winter b. Community wells: 1,000ft setback for winter b. Community wells: 1,000ft setback is a surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels; sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels; sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water? j. Lakes/ponds: 1,000ft area; winter applications prohibited; (Ditches, concentrated flow channels; Alth fields meet 't' and Pi requirements; Fielids over 100pm soil test P meet rotational P drawdowns; Full fie			- Non-winter (required)		
Topography Tile line (required only if tile lines are present) Manure irrigation (required only if manure irrigation is present) Winter process wastewater applications (only required if winter applications of process wastewater occur) Non-Winter set: All fields included in the NMP Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) E. Tile line set Manure irrigation set g. Winter process wastewater applications set Manure/Process Wastewater applications set Manure/Process Wastewater applications set Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fail N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, and water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included s. NM3 SNAP+ S90 Assessment report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ S90 Assessment report: All fields meet 't' and PI requirements; Fields over			 Winter (required only on fields seeking winter approval) 		
Tile line (required only if tile lines are present) Manure irrigation (required only if manure irrigation is present) Winter process wastewater applications (only required if winter applications of process wastewater occur) Non-Winter set: All fields included in the NMP Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) Tile line set Manure irrigation set g. Winter process wastewater applications set Manure/Process Wastewater applications set Manure/Process Wastewater applications set Manure/Process Wastewater application Restriction Map Features a. Private wells: 1,000ft setback C. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) g. SWQMA Areas h. Perennial river/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigabl			 Headland stacking (required only is farm headland stacks manure) 		
 Manure irrigation (required only if manure irrigation is present) Winter process wastewater applications (only required if winter applications of process wastewater occur) Non-Winter set: All fields included in the NMP Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) Tile line set Manure irrigation set Winter process wastewater applications set Manure/Process Wastewater applications set Manure/Process Wastewater application Restriction Map Features Private wells: 100ft setback; 300ft setback for winter Community wells: 1,000ft setback Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter? Concentrated flow channels: No applications within channel; 200ft setback for winter applications prohibited Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, age well heads, tile intakes, went pipes, and grass waterways; that lead to a navigable water) Lakes/ponds: 1,000ft area; winter applications prohibited; form ponds/bermed ponds also included			- Topography		
 Winter process wastewater applications (only required if winter applications of process wastewater occur) Non-Winter set: All fields included in the NMP Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) Tile line set Manure irrigation set Winter process Wastewater applications set Manure/Process Wastewater application Restriction Map Features Private wells: 100ft setback; 300ft setback for winter Community wells: 1,000ft setback Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) Wettlands: DNR layer turned on; 25ft setback: 200ft setback for winter Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) SWQMA Areas Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited Conduits to anvigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a anvigable water) Lakes/ponds: 1,000ft area; winter applications prohibited; SNAP for an area; winter applications prohibited; SNAP for an area; winter applications prohibited; SNAP for an area; winter applications prohibited; SNAP					
applications of process wastewater occur) b. b. Non-Winter set: All fields included in the NMP c. Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval d. Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set f. Manure irrigation set g. Winter process wastewater applications Restriction Map Features a. Private wells: 100ft setback, 300ft setback for winter b. Community wells: 1,000ft setback c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Con			 Manure irrigation (required only if manure irrigation is present) 		
b. Non-Winter set: All fields included in the NMP . c. Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval . d. Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) . e. Tile line set . . f. Manure irrigation set . . g. Winter process wastewater application Restriction Map Features . . a. Private wells: 100ft setback, 300ft setback for winter . . b. Community wells: 1,000ft setback . . . c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fail N restricted soils . . d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) . . e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter . . . f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) . . g. SWQMA Areas . .			 Winter process wastewater applications (only required if winter 		
c. Winter set: Only needed for fields seeking approval for winter spreading of solid manure and/or emergency liquid application approval Image: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set Image: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set Image: Specific polygons drawn in to show exact location; Site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set Image: Specific polygons drawn in to show exact location; Site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set Image: Specific polygons drawn in to show exact location; Site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Manure/Process Wastewater applications set Image: Specific polygons drawn in to show exact location; Specific polygons drawn inter applications set d. Manure/Process Wastewater application set Image: Specific polygons drawn inter d. Manure/Process Wastewater application set Image: Specific polygons drawn inter d. Manure/Process Wastewater applications set Image: Specific polygons drawn inter d. Direct conduits to groundwater: 100ft setback; 300ft setback for win			applications of process wastewater occur)		
solid manure and/or emergency liquid application approval Image: Solid manure application approval d. Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set Image: Solid manure inrigation set Image: Solid manure inrigation set g. Winter process wastewater applications set Image: Solid manure inrigation set Image: Solid manure inrigation set a. Private wells: 100ft setback; 300ft setback for winter Image: Solid		b.	Non-Winter set: All fields included in the NMP		
d. Headland stacking set: Specific polygons drawn in to show exact location; site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set f. Manure irrigation set g. Winter process wastewater applications set 4. Manure/Process Wastewater application Restriction Map Features a. Private wells: 100ft setback; 300ft setback for winter b. Community wells: 1,000ft setback c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water') j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed pond		c.	Winter set: Only needed for fields seeking approval for winter spreading of		
site name on map; verify site selection and criteria (Web soil survey, SNAP Maps, NRCS 313) e. Tile line set f. Manure irrigation set g. Winter process wastewater applications set 4. Manure/Process Wastewater application Restriction Map Features a. Private wells: 100ft setback; 300ft setback for winter b. Community wells: 1,000ft setback c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; monds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop			solid manure and/or emergency liquid application approval		
Maps, NRCS 313) Image: Simple state e. Tile line set Image: Simple state f. Manure irrigation set Image: Simple state g. Winter process wastewater applications set Image: Simple state state a. Private wells: 100ft setback; 300ft setback for winter Image: Simple state state b. Community wells: 1,000ft setback Image: Simple state c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils Image: Simple state stat		d.			
e. Tile line set					
f. Manure irrigation set g. Winter process wastewater applications set 4. Manure/Process Wastewater application Restriction Map Features a. Private wells: 100ft setback; 300ft setback for winter b. Community wells: 1,000ft setback c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect					
g. Winter process wastewater applications set Image: Construct a set application construction of the set application construction constreset apolications construction construction constructio				\mid	
4. Manure/Process Wastewater application Restriction Map Features a. Private wells: 100ft setback; 300ft setback for winter b. Community wells: 1,000ft setback c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ 500 Assessment report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop <th></th> <th>f.</th> <th>Manure irrigation set</th> <th></th> <th></th>		f.	Manure irrigation set		
a. Private wells: 100ft setback; 300ft setback for winter		g.	Winter process wastewater applications set		
b. Community wells: 1,000ft setback Image: construction of the set of the s	4.	Ма	anure/Process Wastewater application Restriction Map Features		
c. Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to bedrock); Fall N restricted soils d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop		a.	Private wells: 100ft setback; 300ft setback for winter		
bedrock); Fall N restricted soils Image: Construct of the set of		b.	Community wells: 1,000ft setback		
d. Direct conduits to groundwater: 100ft setback; 300ft setback for winter; (Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop		c.	Sub-soil restrictions: 'w' soils (<24in. to groundwater); 'r' soils (<24in. to		
(Sinkholes, swallets, fractured BR at surface, mine shafts, non-metallic mines, tile inlets that discharge to GW quarries, and depressional GW recharge areas over shallow fractured bedrock) Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) SWQMA Areas Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included NM1 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop 			bedrock); Fall N restricted soils		
tile inlets that discharge to GW quarries, and depressional GW recharge areas		d.	Direct conduits to groundwater: 100ft setback; 300ft setback for winter;		
over shallow fractured bedrock) Image: Constraint of the state			· · · · · · · · · · · · · · · · · · ·		
e. Wetlands: DNR layer turned on; 25ft setback: 200ft setback for winter f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop					
f. Concentrated flow channels: No applications within channel; 200ft setback for winter; (Flow channels within fields, grass waterways, road ditches) g. g. SWQMA Areas					
for winter; (Flow channels within fields, grass waterways, road ditches) Image: swood ditches g. SWQMA Areas Image: swood ditches h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited Image: swood ditches i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) Image: swood ditches j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included Image: swood ditches 5. Nutrient Management Reports Image: swood ditches Image: swood ditches a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages Image: swood ditches Image: swood ditches b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop Image: swood ditches Image: swood ditches			· · · · · · · · · · · · · · · · · · ·		
g. SWQMA Areas Image: SWQMA Areas h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited Image: Superior Content and Content an		f.	••		
h. Perennial rivers/streams AND intermittent streams: 300ft area; winter applications prohibited i. i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included included 5. Nutrient Management Reports a. a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop intermediate of the propertion of the propertion of the properiment					
applications prohibited Image: constraint of the second secon		g.			
i. Conduits to navigable water: 300ft area; winter applications prohibited; (Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop		h.			
(Ditches, concentrated flow channels, sinkholes, ag well heads, tile intakes, vent pipes, and grass waterways; that lead to a navigable water) i j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included i 5. Nutrient Management Reports i a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages i b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop i		i.	Conduits to navigable water: 300ft area; winter applications prohibited;		
j. Lakes/ponds: 1,000ft area; winter applications prohibited; farm ponds/bermed ponds also included 5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop					
ponds/bermed ponds also included Image: Complexity of the second sec			vent pipes, and grass waterways; that lead to a navigable water)		
5. Nutrient Management Reports a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop		j.	Lakes/ponds: 1,000ft area; winter applications prohibited; farm		
 a. NM2 SNAP+ Compliance check report: Include all permit years and/or crop rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop 			ponds/bermed ponds also included		
rotation years; planned overapplications not permitted; incorrect SWQMA options can lead to many compliance messages b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop	5.	Nu	trient Management Reports		
options can lead to many compliance messages		a.	NM2 SNAP+ Compliance check report: Include all permit years and/or crop	i T	
b. NM3 SNAP+ 590 Assessment report: All fields meet 't' and PI requirements; Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop			rotation years; planned overapplications not permitted; incorrect SWQMA		
Fields over 100ppm soil test P meet rotational P drawdowns; Full field crop					
		b.	• • •		
rotations are listed (not just permit year)					
			rotations are listed (not just permit year)		

	c.	CNM4 SNAP+ CAFO Nutrient Mass Balance report: Include all permit		
		years; Manure analysis match test results OR averages; Manure/Process		
		wastewater application volumes equal OR exceed production volumes		
	d.	CNM1 SNAP+ CAFO Annual Spreading report: Include all permit years		
	e.	NM5 SNAP+ Spreading and NM Sorted by Crop report: Include all permit		
		years		
	f.	FM6 SNAP+ Soil Test Summary report: Most recent samples only (short		
		report); Ensure lab name and number are included; Density meets 1 test/5		
		acres; If out of date, 101ppm P can be used for planning purposes ONLY	ļ	
	g.	Manure Analysis reports: Submit all analysis from past permit term; If using		
		averages for planning, include calculation; Results match nutrient content used		
		in NMP; Do sources in NMP match sources in permit?	 	
6.		rogen and Phosphorus Management Consideration	 · · · · ·	
	a.	Fields 101-200ppm P: Drawdown P by 50% cumulative crop removal over a		
		maximum 4-year rotation	 	
	b.	All fields meet P Index of 6 or less over rotation AND 12 or less annually	 	
	С.	Fields >50ppm P: Is commercial P above 20lbs in starter being added to field?	 	
	d.	Have overapplications of N taken place in the past permit term?: If so,		
		has proper documentation been submitted to justify applications of N over		
-		UW Recommendations?	 L	
1.		nure/Process Wastewater Irrigation	 	
	a.	Is manure/process wastewater irrigation used?: If no, ignore remainder of this section		
	b.	Irrigation questionnaire submitted		
	e.	Irrigation narrative submitted		
	f.	Irrigation specific restriction maps submitted: Restrictions from NR 243.14		
		AND NR 214.14 are shown on maps		
	g.	Drift monitoring log submitted		
	h.	Irrigation equipment specifications submitted		
	i.	Manure/PWW nutrient analysis test results submitted		
	j.	Soil tests submitted for irrigation fields		
8.	NR	151 Silurian Bedrock Targeted Performance Standards		
	a.	Are there fields in the NMP within the Silurian Bedrock Targeted Map		
		layer?: If no, ignore remainder of this section		
	k.	Silurian fields are listed in the NMP narrative		
	١.	Silurian fields are ranked for risk of pathogen delivery to groundwater		
	m.	Silurian bedrock map layers are included on restriction maps		
	n.	Pre-tillage is used for all manure applications on Silurian fields:		
		Exemptions include applications on long term no-till fields, perennial crops, or		
L		established crops		
	0.	Applications rates have been restricted based on depth to bedrock and		
		soil type		
	р.	Additional setbacks to sensitive areas have been acknowledged and		
L		added to restriction maps:		

-	250ft setback to private wells
-	300ft setback to other conduits to groundwater
-	100ft setback from concentrated flow channels leading to community well, private well, or direct conduit to groundwater 100ft setback of bedrock in a closed depression
-	Prohibited applications on greater than 6% slope and has flow channel leading to closed depression