# Broad Incidental Take Permit/Authorization Grassland and Savanna Protocols

# **Listed Plants in Prairies, Grasslands, and Savannas**

(Required on Public Lands, Encouraged on Private Lands)

This Broad Incidental Take Permit/Authorization (BITP/A) has been issued by the Wisconsin Department of Natural Resources to allow landowners to conduct certain grassland and savanna management activities while remaining in compliance with the state's endangered species law (s. 29.604, Wis. Stats.). This BITP/A allows for the incidental taking (mortality) of the state endangered and threatened plant species in Section I that may occur as a result of the grassland and savanna management activities listed in Section II.

Full background information/criteria on this BITP/A can be found here: https://dnr.wi.gov/topic/ERReview/Documents/GSP\_Overview.pdf

Protocols for all other species covered under this BITP/A can be found here: <a href="https://dnr.wi.gov/topic/ERReview/ItGrasslands.html">https://dnr.wi.gov/topic/ERReview/ItGrasslands.html</a>

Note: If carrying out a given protocol is not feasible, or multiple listed species in a given management area pose conflicts, contact the Bureau of Natural Heritage Conservation (NHC) at <a href="mailto:DNRERReview@wisconsin.gov">DNRERReview@wisconsin.gov</a>. Staff in NHC will work with species experts and managers to establish an acceptable protocol for a given site that will allow for incidental take without further legal consultation or public notice.

## I. Species Covered

Common Name	Scientific Name	Wisconsin Status	
Round-stemmed false foxglove	Agalinis gattingeri	Threatened	
Pale false foxglove	A. skinneriana	Endangered	
Carolina anemone	Anemone caroliniana	Endangered	
Hudson Bay anemone	A. multifida	Endangered	
Woolly milkweed	Asclepias lanuginosa	Threatened	
Dwarf milkweed	A. ovalifolia	Threatened	
Purple milkweed	A. purpurascens	Endangered	
Prairie milkweed	A. sullivantii	Threatened	
Ground plum	Astragalus crassicarpus	Endangered	
Kitten tails	Besseya bullii	Threatened	
Wild hyacinth	Camassia scilloides	Endangered	
Hill's thistle	Cirsium hillii	Threatened	
Small white lady's-slipper	Cypripedium candidum	Threatened	
Pale purple coneflower	Echinacea pallida	Threatened	
Hairy Fimbristylis	Fimbristylis puberula	Endangered	
Round-seed St. John's wort	Hypericum sphaerocarpum	Threatened	
Prairie bushclover	Lespedeza leptostachya	Endangered	
Slender bushclover	L. virginica	Threatened	
Silver bladderpod	Lesquerella ludoviciana	Threatened	
Dotted blazingstar	Liatris punctata	Endangered	
Brittle pricklypear	Opuntia fragilis	Threatened	

#### Species Covered (cont.)

Common Name	Scientific Name	Wisconsin Status	
Clustered broomrape	Orobanche fasciculata	Threatened	
Smooth phlox	Phlox glaberrima	Endangered	
Pale green orchid	Platanthera flava	Threatened	
Prairie white-fringed orchid	P. leucophaea	Endangered	
Pink milkwort	Polygala incarnata	Endangered	
Prairie parsley	Polytaenia nuttallii	Threatened	
Rough rattlesnake-root	Prenanthes aspera	Endangered	
Nodding rattlesnake-root	P. crepidinea	Endangered	
Hairy wild petunia	Ruellia humilis	Endangered	
Small skullcap	Scutellaria parvula var. parvula	Endangered	
Dwarf huckleberry	Vaccinium caespitosum	Endangered	
Sand violet	Viola fimbriatula	Endangered	

## II. Management Protocols for Permitted/Authorized Incidental Take

If the management activity is for the purpose of recovering, maintaining or improving the grassland, prairie or savanna ecosystem that includes habitat for one or more of the species listed Section I, then incidental take is allowed if these conditions are followed.

# A. Burning:

Prescribed fire is compatible with all of Wisconsin's threatened or endangered prairie and savanna plants AT SOME POINT in the year. Please refer to Table 1 below for the dates when burning will not result in take. These dates are based on the plants' flowering time. That is the time when the plant has most of its energy above ground, and therefore may be vulnerable to fire. If you burn part ( $\leq$ 25% is allowed) of a rare plant population during flowering time, report the fire's effects on the plants to NHC. We will use this information to improve incidental take guidelines in coming years. Burning is limited to 25 % of the populations of monocarpic species during the period when the plant holds its seeds. In a few cases, we have data suggesting that a species survives fire even when it is flowering. Those are marked with "no restriction", in Table 1.

## **B.** Mowing:

Managers may mow perennial species once per growing season. Because mowing destroys much of a plant's foliage, repeated treatments during the growing season may lead to mortality of threatened or endangered plants, and is prohibited without special permission. Poorly timed mowing could destroy populations of the monocarpic plants *Agalinis gattingeri*, *Agalinis skinneriana*, *Polygala incarnata*, and *Polytaenia nuttallii*. The first three of those species are short, and can survive mowing at the heights suggested in Table 1. *Polytaenia nuttallii* is tall, and must not be mowed while it is flowering or developing fruit. None of the protected plant species may be annually mowed in excess of five years.

#### C. Selective Brush/Tree-cutting:

Unless the workers can recognize listed plants, <u>brush cutting</u> may result in cutting down or trampling rare plants. In cases where the workers do recognize the listed plants, they may judiciously cut around the plants at any time of year. If they can not recognize the plants, cutters must follow the guidelines for mowing, printed above. *Tree cutting using heavy equipment* may kill

rare plants through trampling and tearing up roots. For that reason, it is only allowed in threatened or endangered plant population sites while the ground is frozen. <u>Tree cutting using light equipment and/or horses</u> may destroy the plant parts above ground, but will generally not tear up roots. It is allowed during the same seasons when burning is allowed, and also while the ground is frozen. Ground is considered frozen when equipment results in minimal soil disturbance and does not leave tracks or ruts.

## D. Grazing:

We expect grazing to have detrimental or fatal effects on some threatened or endangered plants, but to have indirect positive effects for some. Very few data are available on this subject. We require that any grazing plan be accompanied by a monitoring scheme, and that the results be reported to the NHC. Grazing of up to 25% of a threatened or endangered species population is allowed.

#### E. Herbicide Use:

<u>Broadcast herbicide</u> in rare plant populations during the growing season will likely result in mortality. As a general practice, broadcast herbicide is prohibited from threatened or endangered plant population sites. Exceptions can be made for those herbicides that do not impact rare species present (e.g., herbicides that target only grasses or monocots are permitted where a threatened or endangered dicot is present). Most of the threatened and endangered plant species that grow in prairies and savannas are dormant during some portion of the year. For those species, judicious timing may allow broadcast herbicide application without significant threat to protected plants. Contact NHC if you wish to develop such a plan. <u>Stem-by-stem herbicide application</u> to exotic species and woody plants will not likely result in mortality of threatened or endangered plants. Applicators in rare plant population sites must be trained to recognize the protected plant species. Leave a suitable untreated buffer area around rare plants to prevent damage from herbicide drift.

#### F. Tree Planting:

Planters may mechanically disrupt protected plants. Managers must secure special permission for tree planting through consultation with the NHC.

#### **G.** Flooding:

Flooding will kill any of these species and is not permitted.

## H. Harvesting Seed from Threatened or Endangered Plants:

Collecting seed from perennial plants will not lead to take unless the collector pulls the plant out of the ground. After flowering, *Agalinis gattingeri*, *Agalinis skinneriana*, *Polygala incarnata*, and *Polytaenia nuttalli* survive to the next year only as seeds. They are not perennials. Removal of those seeds may lead to take, and may reduce the population size in subsequent years. Seeds of the above-listed non-perennial plants growing in remnant prairies or savannas may only be harvested if the seed will be sown in immediately adjacent patches of protected potential habitat. No more than one fourth of the seed in that population may be collected in any one year. If the manager intends to sow the seed somewhere other than immediately adjacent to the donor population, she or he must secure an Endangered Species Permit from the Bureau of Endangered Resources before harvesting seed. Managers may collect seed from listed perennial plants growing in planted prairies or in propagation beds without special incidental take permit.

**Definition of "Site" for Listed Prairie, Grassland and Savanna Plants:** This protocol refers to treatments to the actual land where listed plants are rooted within a given project area. The more precisely a manager determines the site location, the less area falls under management restrictions. NHC's *Guide to Wisconsin's Endangered and Threatened Plants* and the University of Wisconsin's web site, *Wisconsin's Vascular Plants* [http://wiscinfo.doit.wisc.edu/herbarium/] offer descriptions of plant habitats. For further assistance in determining a rare plant location, contact NHC.

# TABLE 1. Specifics of Protocol for Incidental Take Authorization for Listed Plants in Prairies, Grasslands, and Savannas

(Required on Public Lands, Encouraged on Private Lands)

Latin Plant Name  (P – perennial M – monocarpic)	English Plant Name	Season of no restrictions on prescribed burns	Season when managers may burn only 25% of local population	Mowing no more than once each growing season †	Season when horse-powered tree removal is allowed	Season when tree harvest with heavy equipment is allowed
Agalinis gattingeri M	Round-stemmed False Foxglove	mid Mar – Jul	Aug – early Mar	Over 6" high only	Late Oct – early Jul	When ground is frozen
Agalinis skinneriana M	Pale False Foxglove	mid Mar – Jun	Jul – early Mar	Over 6" high only	Late Oct – early Jul	When ground is frozen
Anemone caroliniana P	Carolina Anemone	Jun – early Apr	mid Apr - May	+	Jun – early Apr	When ground is frozen
Anemone multifida P	Hudson Bay Anemone	Jun – early Apr	mid Apr - May	+	Jun – early Apr	When ground is frozen
Asclepias lanuginosa P	Woolly Milkweed	Late Jul – early May	Late May – mid Jul	+	Mid Jul – late May	When ground is frozen
Asclepias ovalifolia P	Dwarf Milkweed	Mid Sep – May	Jun – mid Sep	+	Mid Sep – Jun	When ground is frozen
Asclepias purpurescens P	Purple Milkweed	Late Jul – early Jun	Late Jun – mid Jul	+	Mid Jul - late Jun	When ground is frozen
Asclepias sullivantii P	Prairie Milkweed	Aug – Jun	July	+	Aug - Jun	When ground is frozen
Astragalus crassicarpus P	Ground Plum	Jun – Apr	May	+	Jun - Apr	When ground is frozen
Besseya bullii P	Kitten Tails	Full year	No restriction	+	Any season	When ground is frozen
Camassia scilloides P	Wild Hyacinth	Full year	No restriction	+	Any season	When ground is frozen

Latin Plant Name (P – perennial M – monocarpic)	English Plant Name	Season of no restrictions on prescribed burns	Season when managers may burn only 25% of local population	Mowing no more than once each growing season †	Season when horse-powered tree removal is allowed	Season when tree harvest with heavy equipment is allowed
Cirsium hillii P	Hill's Thistle	Sep – early Jun	mid Jun – Aug	+	Aug - mid Jun	When ground is frozen
Cypripedium candidum P	Small White Lady's-slipper	Jun – early May	Late May	+	Jun - early May	Not applicable
Echinacea pallida P	Pale Purple Coneflower	Sep – early Jun	Late Jun – Aug	+	Aug - Late Jun	When ground is frozen
Fimbristylis puberula P	Hairy Fimbristylis	Nov – Jun	Jul – Oct	+	Oct - Jul	When ground is frozen
Hypericum sphaerocarpum P	Round-seed St. John's-wort	Sep – mid Jun	Late Jun – Aug	+	Aug - Late Jun	When ground is frozen
Lespedeza leptostachya P	Prairie Bushclover	Late Sep – early Aug	mid Aug – mid Sep	+	Mid Sep - mid Aug	When ground is frozen
Lespedeza virginica P	Slender Bushclover	Late Sep – early Jul	mid Jul – mid Sep	+	Mid Sep - mid Jul	When ground is frozen
Lesquerella ludoviciana P	Silver Bladderpod	Jun – Apr	May	+	Jun - Apr	When ground is frozen
Liatris punctata P	Dotted Blazingstar	Oct – Jul	Aug – Sep	+	Sep - Aug	When ground is frozen
Opuntia fragilis P	Brittle Pricklypear	July – May	June	+	July - May	When ground is frozen
<i>Orobanche fasciculata</i> P	Clustered Broomrape	Late Jul – early Jun	mid Jun – early Jul	+	Early Jul - mid Jun	Not applicable
Phlox glaberrima P	Smooth Phlox	Aug – mid Jun	Late Jun - Jul	+	Aug – mid Jun	When ground is frozen
Platanthera flava P	Pale Green Orchid	Early Sep - early Jun	mid Jun – late Aug	+	Early Sep - early Jun	When ground is frozen
Platanthera leucophaea P	Prairie White-fringed Orchid	Sep – early Jul	mid Jun – Aug	+	Sep – early Jul	Not applicable

Latin Plant Name  (P – perennial M – monocarpic)	English Plant Name	Season of no restrictions on prescribed burns	Season when managers may burn only 25% of local population	Mowing no more than once each growing season †	Season when horse-powered tree removal is allowed	Season when tree harvest with heavy equipment is allowed
Polygala incarnata M	Pink Milkwort	Late Sep – Jun	Jul – early Sep	Over 1' high only	Early Sep - Jul	When ground is frozen
Polytaenia nuttallii M	Prairie Parsley	Sep – early May	Late May – late Aug	Not from late May to Sep	Late Aug - late May	When ground is frozen
<i>Prenanthes aspera</i> P	Rough Rattlesnake-root	Early Oct – mid Jul	Late Jul – late Sep	+	Early Oct – mid Jul	When ground is frozen
Prenanthes crepidinea P	Nodding Rattlesnake- root	Oct – Jul	Aug – Sep	+	Oct - Jul	When ground is frozen
Ruellia humilis P	Hairy Wild Petunia	Oct – early Jun	mid Jun – late Sep	+	Oct – early Jun	When ground is frozen
Scutellaria parvula var. parvula P	Small Skullcap	Late Aug - mid May	late May – early Aug	+	Late Aug - mid May	When ground is frozen
Vaccinium caespitosum P	Dwarf Huckle-berry	mid Sep – mid Jul	Late Jul – early Sep	+	mid Sep – mid Jul	When ground is frozen
Viola fimbriatula P	Sand Violet	Full year	No restriction	+	Any season	When ground is frozen

# KEY TO CHART:

Prepared by NHC Plant Team (J. Dobberpuhl, E. Judziewicz, K. Kearns, D. Kopitzke, M. Martin, T. Meyer, K. Westad), Rich Henderson and Randy Hoffman, 1999

 $<sup>\</sup>dagger$  = No protected plant species may be annually mowed in excess of 5 consecutive years.

<sup>+ =</sup> Mowing allowed once per growing season.