

WISCONSIN DEPARTMENT OF NATURAL RESOURCES

LAKE SUPERIOR SUPPLEMENTAL CREEL REPORT 2021

CHRIS ZUNKER

DNR Lake Superior Fisheries Management Team

May 02, 2022

Included in this document are supplemental creel statistics for the Wisconsin Department of Natural Resources (DNR) Creel Survey 2021 which provide more detailed breakdowns. Please refer to the DNR Lake Superior Creel Report 2021 for more information and the main text of the report.




Figure 1. Total estimated harvest of the main seven species in the 2021 DNR Creel Survey within each management unit (WI-1 and WI-2) by month. All other species are represented into the "Other Fish" category.




Figure 2. Total estimated fishing effort (angler-hours) for each fishery in the 2021 DNR Creel Survey within each management unit (WI-1 and WI-2) by month.




Figure 3. Length distribution of all measured fish (all fisheries and management units) of ten common species in the 2021 DNR Lake Superior Creel Survey.




Figure 4. Mean total length of ten common species in the DNR Lake Superior Creel Survey from 2017 to 2021. Upper and lower bars represent $\pm$ one standard deviation.

WI-1 CREEL STATISTICS TABLES

Table 1. Total estimated effort (angler-hours) within each fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means do not include 2020 effort in WI-1.

FISHERY	2017	2018	2019	2020	2021	Mean
Charter	1,056	1,528	3,062	3,900	3,025	2,168
Open-Water Cold	26,523	32,842	37,739	9,289	35,930	33,258
Open-Water Cool	18,792	10,804	22,753	1,391	25,460	19,452
SMB Only					14	4
Total	46,371	45,174	63,554	14,580	64,429	54,882

Table 2. Total estimated harvest for the most common species (other species represented in “All Fish”) in all fisheries sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means exclude 2020 effort and harvest.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Northern Pike	Rainbow Smelt	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye	Yellow Perch
2017	46,371	5,890	216	73	846	4	2,957		77	4	31	229	1	1,239	107
2018	45,174	7,597	306	305	1,736		3,009	3	41		46	228		1,783	22
2019	63,554	12,656	486	555	2,252		4,102	4	87		48	207		4,524	69
2020	14,580	2,297	32	76	214		1,537		16		30	13		378	
2021	64,429	7,001	98	492	861		3,282	1	75		39	157	6	1,749	9
Mean	54,882	8,286	276	356	1,424	1	3,338	2	70	1	41	205	2	2,324	52

Table 3. Harvest rate (fish per angler-hour) for the most common species (other species represented in “All Fish”) in all fisheries sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means exclude 2020 effort and harvest rate.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Northern Pike	Rainbow Smelt	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye	Yellow Perch
2017	46,371	0.1270	0.0047	0.0016	0.0182	0.0001	0.0638		0.0017	0.0001	0.0007	0.0049		0.0267	0.0023
2018	45,174	0.1682	0.0068	0.0068	0.0384		0.0666	0.0001	0.0009		0.0010	0.0050		0.0395	0.0005
2019	63,554	0.1991	0.0076	0.0087	0.0354		0.0645	0.0001	0.0014		0.0008	0.0033		0.0712	0.0011
2020	14,580	0.1575	0.0022	0.0052	0.0147		0.1054		0.0011		0.0021	0.0009		0.0259	
2021	64,429	0.1087	0.0015	0.0076	0.0134		0.0509		0.0012		0.0006	0.0024	0.0001	0.0271	0.0001
Mean	54,882	0.1508	0.0052	0.0062	0.0263		0.0615		0.0013		0.0008	0.0039		0.0411	0.0010

Table 4. Total estimated harvest for the most common species (other species represented in “All Fish”) in the Open-Water Cold fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means exclude 2020 effort and harvest.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Siscowet Lake Trout	Walleye
2017	26,523	4,218	207	54	790	2,746		29	229	143
2018	32,842	5,426	295	292	1,669	2,511	3	44	228	377
2019	37,739	6,904	423	452	2,016	3,319	4	35	203	418
2020	9,289	1,060	22	12	176	775		26	13	22
2021	35,930	4,403	60	407	725	2,593		30	157	390
Mean	33,258	5,238	246	301	1,300	2,792	2	34	204	332

Table 5. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the **Open-Water Cold** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means exclude 2020 effort and harvest rate.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Siscowet Lake Trout	Walleye
2017	26,523	0.1590	0.0078	0.0020	0.0298	0.1035		0.0011	0.0086	0.0054
2018	32,842	0.1652	0.0090	0.0089	0.0508	0.0765	0.0001	0.0013	0.0069	0.0115
2019	37,739	0.1829	0.0112	0.0120	0.0534	0.0879	0.0001	0.0009	0.0054	0.0111
2020	9,289	0.1141	0.0024	0.0013	0.0189	0.0834		0.0028	0.0014	0.0024
2021	35,930	0.1225	0.0017	0.0113	0.0202	0.0722		0.0008	0.0044	0.0109
Mean	33,258	0.1574	0.0074	0.0086	0.0386	0.0850		0.0010	0.0063	0.0097

Table 6. Total estimated harvest for the most common species (other species represented in “All Fish”) in the **Open-Water Cool** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means exclude 2020 effort and harvest.

Year	Effort (hrs)	All Fish	Brown Bullhead	Channel Catfish	Crappie	Lake Trout	Northern Pike	Rock Bass	Walleye	Yellow Perch
2017	18,792	1,391	8		93		69		1,092	107
2018	10,804	1,603		10	96	21	36	4	1,395	19
2019	22,753	4,768		47	244	202	62		3,998	69
2020	1,391	277				28			249	
2021	25,460	1,855		57	156	181	53		1,323	9
Mean	19,452	2,404	2	28	147	101	55	1	1,952	51

Table 7. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the **Open-Water Cool** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-1 from 2017 to 2021. Note: Means exclude 2020 effort and harvest rate.

Year	Effort (hrs)	All Fish	Brown Bullhead	Channel Catfish	Crappie	Lake Trout	Northern Pike	Rock Bass	Walleye	Yellow Perch
2017	18,792	0.0740	0.0004		0.0049		0.0037		0.0581	0.0057
2018	10,804	0.1484		0.0009	0.0089	0.0019	0.0033	0.0004	0.1291	0.0018
2019	22,753	0.2096		0.0021	0.0107	0.0089	0.0027		0.1757	0.0030
2020	1,391	0.1991				0.0201			0.1790	
2021	25,460	0.0729		0.0022	0.0061	0.0071	0.0021		0.0520	0.0004
Mean	19,452	0.1262	0.0001	0.0013	0.0076	0.0045	0.0030	0.0001	0.1037	0.0027

Table 8. Total estimated harvest for the most common species (other species represented in “All Fish”) in the **Charter** fishery from mandatory charter harvest reports in management unit WI-1 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Splake	Walleye
2017	1,056	281	9	13	41	211		2	1	4
2018	1,528	568	11	6	60	477		2		11
2019	3,062	984	39	65	177	581		13		108
2020	3,900	960	10	64	38	734		4		107
2021	3,025	743	10	76	96	508	1	9	6	36
Mean	2,514	707	16	45	82	502		6	1	53

Table 9. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the **Charter** fishery from mandatory charter harvest reports in management unit WI-1 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Splake	Walleye
2017	1,056	0.2661	0.0085	0.0123	0.0388	0.1998		0.0019	0.0009	0.0038
2018	1,528	0.3717	0.0072	0.0039	0.0393	0.3122		0.0013		0.0072
2019	3,062	0.3214	0.0127	0.0212	0.0578	0.1897		0.0042		0.0353
2020	3,900	0.2462	0.0026	0.0164	0.0097	0.1882		0.0010		0.0274
2021	3,025	0.2456	0.0033	0.0251	0.0317	0.1679	0.0003	0.0030	0.0020	0.0119
Mean	2,514	0.2902	0.0069	0.0158	0.0355	0.2116	0.0001	0.0023	0.0006	0.0171

WI-2 CREEL STATISTICS TABLES

Table 10. Total estimated effort (angler-hours) within each fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

FISHERY	2017	2018	2019	2020	2021	Mean
Charter	5,524	6,964	8,012	8,461	9,383	7,669
Open-Water Cold	92,284	70,212	80,160	95,486	85,424	84,713
Open-Water Cool	47,948	44,328	26,597	29,718	26,976	35,113
< 60 ft - Shallow	55,415	91,145	68,544	91,278	95,085	80,293
> 60 ft - Bobbing	3,728	22,412	11,215	4,419	18,909	12,137
Dec Open-Water	263	435	1,008	78	1,133	583
Open-Water Whitefish				4,300	6,536	5,418
SMB Only			14,525	19,273	21,878	18,559
Total	205,162	235,496	210,061	253,013	265,324	244,485

Table 11. Total estimated harvest for the most common species (other species represented in "All Fish") in **all** fisheries sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Burbot	Chinook Salmon	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Northern Pike	Rainbow Smelt	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye	Yellow Perch
2017	205,162	49,468	3,443	479	48	5,751	391	10,387	7,177	663	4,506	51	98	1,258	2,440	11,809
2018	235,496	60,354	4,094	262	138	4,679	1,058	13,244	13,446	450	5,584	69	158	2,051	1,598	13,107
2019	210,061	51,931	4,506	188	176	7,276	688	10,819	9,917	267	2,012	196	121	2,563	861	12,148
2020	253,013	48,650	4,128	347	91	4,437	900	13,185	9,559	302	3,166	81	42	2,364	1,093	8,969
2021	265,324	62,952	2,735	249	84	9,222	576	12,336	9,748	698	10,744	66	427	3,613	1,675	10,686
Mean	233,811	54,671	3,781	305	107	6,273	723	11,994	9,969	476	5,202	93	169	2,370	1,533	11,344

Table 12. Harvest rate (fish per angler-hour) for the most common species (other species represented in "All Fish") in **all** fisheries sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Burbot	Chinook Salmon	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Northern Pike	Rainbow Smelt	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye	Yellow Perch
2017	205,162	0.2411	0.0168	0.0023	0.0002	0.0280	0.0019	0.0506	0.0350	0.0032	0.0220	0.0002	0.0005	0.0061	0.0119	0.0576
2018	235,496	0.2563	0.0174	0.0011	0.0006	0.0199	0.0045	0.0562	0.0571	0.0019	0.0237	0.0003	0.0007	0.0087	0.0068	0.0557
2019	210,061	0.2472	0.0215	0.0009	0.0008	0.0346	0.0033	0.0515	0.0472	0.0013	0.0096	0.0009	0.0006	0.0122	0.0041	0.0578
2020	253,013	0.1923	0.0163	0.0014	0.0004	0.0175	0.0036	0.0521	0.0378	0.0012	0.0125	0.0003	0.0002	0.0093	0.0043	0.0354
2021	265,324	0.2373	0.0103	0.0009	0.0003	0.0348	0.0022	0.0465	0.0367	0.0026	0.0405	0.0002	0.0016	0.0136	0.0063	0.0403
Mean	233,811	0.2348	0.0165	0.0013	0.0005	0.0270	0.0031	0.0514	0.0428	0.0020	0.0217	0.0004	0.0007	0.0100	0.0067	0.0494

Table 13. Total estimated harvest for the most common species (other species represented in "All Fish") in the **December Open-Water** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Splake	Walleye
2017	263	115	50	4	46		4	12	
2018	435	272	65	95	60	11		38	
2019	1,008	437	254	72	7	34	1	63	
2020	78	33	11	8		3		6	
2021	1,133	529	152	254	33			86	2
Mean	583	277	106	87	29	10	1	41	

Table 14. Harvest rate (fish per angler-hour) of the most common species (other species represented in "All Fish") in the **December Open-Water** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Splake	Walleye
2017	263	0.4373	0.1901	0.0152	0.1749		0.0152	0.0456	
2018	435	0.6253	0.1494	0.2184	0.1379	0.0253		0.0874	
2019	1,008	0.4335	0.2520	0.0714	0.0069	0.0337	0.0010	0.0625	
2020	78	0.4231	0.1410	0.1026		0.0385		0.0769	
2021	1,133	0.4669	0.1342	0.2242	0.0291			0.0759	0.0018
Mean	583	0.4772	0.1733	0.1264	0.0698	0.0195	0.0032	0.0697	0.0004

Table 15. Total estimated harvest for the most common species (other species represented in “All Fish”) in the Ice < 60 ft - Shallow fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Burbot	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Northern Pike	Rainbow Smelt	Splake	Walleye	Yellow Perch
2017	55,415	25,306	926	395	1,041	325	302	5,516	177	4,492	757	169	11,087
2018	91,145	33,837	1,980	243	1,772	870	569	8,711	261	5,579	1,459	108	12,106
2019	68,544	21,589	1,359	172	1,044	640	395	3,292	113	2,012	1,664	24	10,740
2020	91,278	24,137	1,986	337	597	835	1,054	6,035	117	3,166	1,796	7	8,251
2021	95,085	34,236	1,143	161	4,275	504	460	3,409	303	10,744	3,026	109	10,092
Mean	80,293	27,821	1,479	262	1,746	635	556	5,393	194	5,199	1,740	83	10,455

Table 16. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the Ice < 60 ft - Shallow fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Burbot	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Northern Pike	Rainbow Smelt	Splake	Walleye	Yellow Perch
2017	55,415	0.4567	0.0167	0.0071	0.0188	0.0059	0.0054	0.0995	0.0032	0.0811	0.0137	0.0030	0.2001
2018	91,145	0.3712	0.0217	0.0027	0.0194	0.0095	0.0062	0.0956	0.0029	0.0612	0.0160	0.0012	0.1328
2019	68,544	0.3150	0.0198	0.0025	0.0152	0.0093	0.0058	0.0480	0.0016	0.0294	0.0243	0.0004	0.1567
2020	91,278	0.2644	0.0218	0.0037	0.0065	0.0091	0.0115	0.0661	0.0013	0.0347	0.0197	0.0001	0.0904
2021	95,085	0.3601	0.0120	0.0017	0.0450	0.0053	0.0048	0.0359	0.0032	0.1130	0.0318	0.0011	0.1061
Mean	80,293	0.3535	0.0184	0.0035	0.0210	0.0078	0.0067	0.0690	0.0024	0.0639	0.0211	0.0012	0.1372

Table 17. Total estimated harvest for the most common species (other species represented in “All Fish”) in the Ice > 60 ft - Bobbing fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Siscowet Lake Trout	Splake
2017	3,728	1,544	31	87	52	174	1,074		27
2018	22,412	6,753	46	53	173	1,911	4,425	50	72
2019	11,215	3,199	17	16	42	1,188	1,865	38	12
2020	4,419	809	55	14	39	558	99	4	31
2021	18,909	4,173	83	59	45	1,631	2,191	7	93
Mean	12,137	3,296	46	46	70	1,092	1,931	20	47

Table 18. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the Ice > 60 ft - Bobbing fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Coho Salmon	Lake Herring	Lake Trout	Lake Whitefish	Siscowet Lake Trout	Splake
2017	3,728	0.4142	0.0083	0.0233	0.0139	0.0467	0.2881		0.0072
2018	22,412	0.3013	0.0021	0.0024	0.0077	0.0853	0.1974	0.0022	0.0032
2019	11,215	0.2852	0.0015	0.0014	0.0037	0.1059	0.1663	0.0034	0.0011
2020	4,419	0.1831	0.0124	0.0032	0.0088	0.1263	0.0224	0.0009	0.0070
2021	18,909	0.2207	0.0044	0.0031	0.0024	0.0863	0.1159	0.0004	0.0049
Mean	12,137	0.2809	0.0057	0.0067	0.0073	0.0901	0.1580	0.0014	0.0047

Table 19. Total estimated harvest for the most common species (other species represented in “All Fish”) in the Open-Water Cold fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye
2017	92,284	16,326	2,169	43	4,337	8,580	587	28	98	432	6
2018	70,212	13,905	1,671	102	2,468	8,785	231	59	103	422	
2019	80,160	20,398	2,485	150	5,245	7,263	3,977	165	74	687	150
2020	95,486	15,306	1,938	79	3,684	8,892	171	59	7	467	4
2021	85,424	14,458	1,110	77	4,174	8,135	5	52	420	336	
Mean	84,713	16,079	1,875	90	3,982	8,331	994	73	140	469	32

Table 20. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the Open-Water Cold fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye
2017	92,284	0.1769	0.0235	0.0005	0.0470	0.0930	0.0064	0.0003	0.0011	0.0047	0.0001
2018	70,212	0.1980	0.0238	0.0015	0.0352	0.1251	0.0033	0.0008	0.0015	0.0060	
2019	80,160	0.2545	0.0310	0.0019	0.0654	0.0906	0.0496	0.0021	0.0009	0.0086	0.0019
2020	95,486	0.1603	0.0203	0.0008	0.0386	0.0931	0.0018	0.0006	0.0001	0.0049	
2021	85,424	0.1692	0.0130	0.0009	0.0489	0.0952	0.0001	0.0006	0.0049	0.0039	
Mean	84,713	0.1918	0.0223	0.0011	0.0470	0.0994	0.0122	0.0009	0.0017	0.0056	0.0004

Table 21. Total estimated harvest for the most common species (other species represented in “All Fish”) in the **Open-Water Cool** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Bluegill	Brown Bullhead	Lake Trout	Lake Whitefish	Northern Pike	Rock Bass	Walleye	Yellow Perch
2017	47,948	4,419					476	855	2,265	710
2018	44,328	2,979	21	144		67	139	102	1,488	999
2019	26,597	2,854		37		749	99		661	1,298
2020	29,718	2,120	7	48		81	133	30	1,073	679
2021	26,976	2,481				15	286	82	1,535	563
Mean	35,113	2,971	6	46		182	227	214	1,404	850

Table 22. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the **Open-Water Cool** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Bluegill	Brown Bullhead	Lake Trout	Lake Whitefish	Northern Pike	Rock Bass	Walleye	Yellow Perch
2017	47,948	0.0922					0.0099	0.0178	0.0472	0.0148
2018	44,328	0.0672	0.0005	0.0032		0.0015	0.0031	0.0023	0.0336	0.0225
2019	26,597	0.1073		0.0014		0.0282	0.0037		0.0249	0.0488
2020	29,718	0.0713	0.0002	0.0016		0.0027	0.0045	0.0010	0.0361	0.0228
2021	26,976	0.0920				0.0006	0.0106	0.0030	0.0569	0.0209
Mean	35,113	0.0860	0.0001	0.0012		0.0066	0.0064	0.0048	0.0397	0.0260

Table 23. Total estimated harvest for the most common species (other species represented in “All Fish”) in the **Open-Water Whitefish** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Lake Trout	Lake Whitefish	Splake
2020	4,300	3,301		95	3,169	18
2021	6,536	4,212	5	43	4,128	22
Mean	5,418	3,756	2	69	3,648	20

Table 24. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the **Open-Water Whitefish** fishery sampled in the DNR Lake Superior Creel Survey in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Lake Trout	Lake Whitefish	Splake
2020	4,300	0.7677		0.0221	0.7370	0.0042
2021	6,536	0.6444	0.0008	0.0066	0.6316	0.0034
Mean	5,418	0.7061	0.0004	0.0144	0.6843	0.0038

Table 25. Total estimated harvest for the most common species (other species represented in “All Fish”) in the **Charter** fishery from mandatory charter harvest reports in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye
2017	5,524	1,758	154	1	282	1,285		4		30	
2018	6,964	2,608	332	19	270	1,919	1	3		60	2
2019	8,012	3,431	381	21	899	1,966		22		137	3
2020	8,461	2,909	131	8	127	2,586	1	5	4	46	1
2021	9,383	2,810	242	7	460	2,034		14		50	1
Mean	7,669	2,703	248	11	408	1,958		10	1	65	1

Table 26. Harvest rate (fish per angler-hour) of the most common species (other species represented in “All Fish”) in the **Charter** fishery from mandatory charter harvest reports in management unit WI-2 from 2017 to 2021.

Year	Effort (hrs)	All Fish	Brown Trout	Chinook Salmon	Coho Salmon	Lake Trout	Lake Whitefish	Rainbow Trout	Siscowet Lake Trout	Splake	Walleye
2017	5,524	0.3182	0.0279	0.0002	0.0510	0.2326		0.0007		0.0054	
2018	6,964	0.3745	0.0477	0.0027	0.0388	0.2756	0.0001	0.0004		0.0086	0.0003
2019	8,012	0.4282	0.0476	0.0026	0.1122	0.2454		0.0027		0.0171	0.0004
2020	8,461	0.3438	0.0155	0.0009	0.0150	0.3056	0.0001	0.0006	0.0005	0.0054	0.0001
2021	9,383	0.2995	0.0258	0.0007	0.0490	0.2168		0.0015		0.0053	0.0001
Mean	7,669	0.3528	0.0329	0.0014	0.0532	0.2552		0.0012	0.0001	0.0084	0.0002