

Spreadsheet for NR-40 Synonyms	"(Accepted)" status based on reference No. 2 (ITIS)	"(Basionym)" = Original name on which a new name is based (Based on reference No. 1 (GRIN))	Denotes specific subspecies to be listed
Common Name	Common Name Synonyms	Scientific Name	Scientific Name Synonyms
Prohibit			
Amur cork tree	Amur corktree, Japanese corktree, Sakhalin corktree, Lavalley corktree, Chinese corktree, phellodendron, phellodendron-bark	<i>Phellodendron amurense</i> Rupr. (1,2,6,8,10) (Accepted)	<i>Phellodendron japonicum</i> Maxim. (1,2,6)
			<i>Phellodendron sachalinense</i> (F. Schmidt) Sarg. (1,2,6)
			<i>Phellodendron lavalleyi</i> Dode (1,2,6)
			<i>Phellodendron wilsonii</i> Hayata & Kaneh. (1,10)
Anchored water hyacinth	rooted water-hyacinth	<i>Eichhornia azurea</i> (Sw.) Kunth (1,2,6,10) (Accepted)	
Asian loseneri bittersweet		<i>Celastrus loeseneri</i> Rehder & E. H. Wilson (basionym) (1)	
Asian marshweed	ambulia, limnophila	<i>Limnophila sessiliflora</i> (Vahl) Blume (1,2,6,7,10) (Accepted)	<i>Hottonia sessiliflora</i> Vahl (basionym) (1,10)
			<i>Terebinthina sessiliflora</i> (Vahl) Kuntze (7)
			<i>Ambulia sessiliflora</i> (Vahl) Baillon ex Wettstein (10)
			<i>Limnophila taoyuanensis</i> Yang & Yen (10)
Bittercress	hairy bittercress, hoary bitter-cress, common bittercress, wood bittercress, woodland bittercress, umbel bittercress, wavy bittercress, wavy-leaved bittercress	<i>Cardamine hirsuta</i> L. (1,2,6,8,10) (Accepted)	<i>Cardamine konaensis</i> (St. John) (7,8)

Butterfly dock	pestilence wort, bog-rhubarb, butterbur, umbrella-plant	<i>Petasites hybridus</i> (L.) G. Gaertn., B. Mey. & Scherb. (1,2,6) (Accepted)	<i>Petasites officinali</i> Moench (2,6)
			<i>Petasites officinalis</i> Moench (1)
			<i>Petasites vulgaris</i> Hill (2,6)
			<i>Tussilago hybrida</i> L. (basionym) (1)
Chinese wisteria	Chinese-glycine	<i>Wisteria sinensis</i> (Sims) DC. (1,2,6,7) (Accepted)	<i>Rehsonia sinensis</i> (Sims) Stritch (2,6,7)
			<i>Glycine sinensis</i> Sims (basionym) (1,7,10)
			<i>Kraunhia sinensis</i> (Sims) Greene (1)
			<i>Kraunhia sinensis</i> (Sims) Makino (7)
			<i>Kraunhia chinensis</i> (Greene) (7)
			<i>Millettia chinensis</i> (Benth.) (7)
			<i>Wisteria chinensis</i> DC. (7)
			<i>Wisteria alba</i> Lindley (10)
			<i>Wisteria praecox</i> Handel-Mazzetti (10)

Colt's foot	assfoot, British tobacco, bull's-foot, clayweed, cleats, colt-herb, coltsfoot, coughwort, dove-dock, dummyweed, Foalfoot, ginger, gingerroot, gowan, hoofs, horsefoot, horsehoof, kuan dong, sowfoot, tussilage	<i>Tussilago farfara</i> L. (1,2,6,7,8,10) (Accepted)	
Common Barberry	barberry, European barberry, jaundice-berry, piprage	<i>Berberis vulgaris</i> L. (1,2,6,8,10) (Accepted)	<i>Berberis jacquinii</i> hort. ex K. Koch (1)
			<i>Berberis sanguinea</i> hort. ex K. Koch (1)
Diffuse knapweed	white knapweed, small-flower star thistle, tumble knapweed	<i>Centaurea diffusa</i> Lam. (1,2,6,7,8,10) (Accepted)	<i>Acosta diffusa</i> (Lam.) Soják (2,6,7,8,10)
Ducklettuce	duck-lettuce, water-plantain ottelia	<i>Ottelia alismoides</i> (L.) Pers. (1,2,6,10) (Accepted)	<i>Stratiotes alismoides</i> L. (2,6,10)
			<i>Damasonium alismoides</i> (Linnaeus) R. Brown (10)
			<i>Ottelia condorensis</i> Gagnepain (10)
			<i>Ottelia dioecia</i> S. Z. Yan (10)
			<i>Ottelia indica</i> Planchon ex Dalzell & A. Gibson (10)
Five-leaf akebia	Chocolate vine, fiveleaf, Akebia	<i>Akebia quinata</i> (Houtt.) Decne. (1,2,6,7,10) (Accepted)	<i>Rajania quinata</i> Thunb. ex Houtt. (basionym) (1,7,10)
			<i>Akebia micrantha</i> Nakai (10)
Floating marsh pennywort	Floating pennyroyal	<i>Hydrocotyle ranunculoides</i> L. f. (1,2,6) (Accepted)	
Giant reed	arundo grass, bamboo reed, cane, cow cane, donax cane, giant cane, reed grass, river cane, Spanish cane, Spanish-reed, wild cane	<i>Arundo donax</i> L. (1,2,6,7,10) (Accepted)	<i>Arundo bifaria</i> Retz. (2,7)
			<i>Arundo glauca</i> Bubani (2,7)
			<i>Arundo latifolia</i> Salisb. (2,7)

			<i>Arundo sativa</i> Lam. (2,7)
			<i>Cynodon donax</i> (L.) Raspail (2,7)
			<i>Donax arundinaceus</i> P. Beauv. (2,7,10)
			<i>Donax donax</i> (L.) Asch. & Graebn. (2,7)
			<i>Scolochloa arundinacea</i> (P. Beauv.) Mert. & Koch (2)
			<i>Scolochloa donax</i> (L.) Gaudin (2,10)
			<i>Arundo bengalensis</i> Retz. (7)
			<i>Arundo scriptoria</i> L. (7)
			<i>Aira bengalensis</i> (Retz.) J.F. Gmel. (7,10)
			<i>Amphidonax bengalensis</i> (Retz.) Nees ex Steud. (7,10)
			<i>Amphidonax bifaria</i> (Retz.) Nees ex Steud. (7)
			<i>Arundo aegyptiaca</i> hort. ex Vilm. (7)
			<i>Arundo bambusifolia</i> Hook. f. (7)
			<i>Arundo coleotricha</i> (Hack.) Honda. (7,10)
			<i>Arundo longifolia</i> Salisb. ex Hook. f. (7)
			<i>Donax bengalensis</i> (Retz.) P. Beauv. (7,10)
			<i>Donax bifarius</i> (Retz.) Trin. ex Spreng. (7)
Giant salvinia		<i>Salvinia biloba</i> Raddi (1,2,6) (Accepted)	<i>Salvinia herzogii</i> de la Sota (2,6)
Giant salvinia	African payal, African pyle, kariba-weed, koi kandy, water spangles, water fern, aquarium watermoss	<i>Salvinia molesta</i> D.S. Mitchell (2,6,7) (Accepted)	<i>Salvinia auriculata</i> Aubl. (7)
Graceful cattail	Bullrush	<i>Typha laxmannii</i> Lepech. (1,10,11)	<i>Typha stenophylla</i> Fisch. & C.A. Mey. (10,11)
			<i>Typha martini</i> Thoms. ex Aitch. (10)

Hawaii arrowhead	arrowhead, common arrowhead, Old World arrowhead, giant arrowhead	<i>Sagittaria sagittifolia</i> L. (1,2,6,7,10) (Accepted)	<i>Sagittaria leucopetala</i> (Miq.) Bergman (10)
	Chinese arrowhead, swamp-potato, swan-potato		
Himalayan blackberry	Himalaya blackberry, Himalaya giant blackberry, Himalaya-berry, Armenian blackberry	<i>Rubus armeniacus</i> Focke (1,2,6,7)	<i>Rubus discolor</i> Weihe & Nees (6,7,10)
			<i>Rubus procerus</i> auct. non P.J. Müll. ex Genev. (1,2,6,10)
	Link's blackberry	<i>Rubus bifrons</i> Vest ex Tratt. (2,6) (Accepted)	<i>Rubus linkianus</i> Ser. (2,6)
			<i>Rubus procerus</i> auct. non P.J. Müll. ex Genev. (2,6,7)
			<i>Rubus armeniacus</i> Focke (2,6,7)
	Elmleaf blackberry	<i>Rubus ulmifolius</i> Schott (2,6)	<i>Rubus discolor</i> Weihe & Nees (2,6,7)
			<i>Rubus ulmifolis</i> Schott (2)
			<i>Rubus mussolinii</i> Hruby (6)
			<i>Rubus grabowskii</i> Weihe ex Gunther et al. (7)

			<i>Rubus macrostemon</i> (Focke) Sampaio (7)
			<i>Rubus praecox</i> Bertol. (7)
			<i>Rubus thyranthus</i> (Focke) Foerster. (7)
Indian swampweed	East Indian hygrophila, East Indian swampweed, Miramar weed, hygro	<i>Hygrophila polysperma</i> (Roxb.) T. Anderson (1,2,6,7,10) (Accepted)	<i>Hemidelphis polysperma</i> (Roxb.) Nees in Wall., Pl. Asiat. Rar. (7,10)
			<i>Adenosma polysperma</i> (Roxburgh) Sprengel (10)
			<i>Justicia polysperma</i> Roxb., Fl. Ind. (7,10)
Japanese chaff flower		<i>Achyranthes japonica</i> (Miq.) Nakai (1,2,6) (Accepted)	
Japanese wisteria		<i>Wisteria floribunda</i> (Willd.) DC. (1,2,6,7,10) (Accepted)	<i>Kraunhia floribunda</i> (Willd.) Taub. (1,2,6,7)
			<i>Rehsonia floribunda</i> (Willd.) Stritch (2,6,7)
			<i>Glycine floribunda</i> Willd. (basionym) (1,7)
			<i>Kraunhia brachybotrys</i> (Siebold & Zucc.) Greene (7)
			<i>Dolichos japonicus</i> Spreng. (7)
			<i>Millettia floribunda</i> (Willd.) Matsum. (7)
			<i>Phaseoloides brachybotrys</i> (Siebold & Zucc.) Kuntze (7)
			<i>Phaseoloides floribunda</i> (Willd.) Kuntze (7)
			<i>Wisteria brachybotrys</i> Siebold & Zucc. (7)
			<i>Wisteria macrobotrys</i> Siebold ex Neubert (7)

Mosquito fern	Water-velvet, feathered mosquito fern, mosquito fern, ferny azolla, green azolla	<i>Azolla pinnata</i> R. Br. (1,2,6,7) (Accepted)	
Mudmat	mudmats	<i>Glossostigma cleistanthum</i> W.R. Barker (2,6) (Accepted)	<i>Glossostigma diandrum</i> (L.) Kuntze (1)
			<i>Glossostigma spathulatum</i> Wight & Arn. (1)
			<i>Limosella diandra</i> L. (basionym) (1)
Narrow leaf bittercress	Narrow-leaf bittercress	<i>Cardamine impatiens</i> L. (1,2,6,10) (Accepted)	<i>Cardamine basisagittata</i> W. T. Wang (10)
			<i>C. dasycarpa</i> Marschall von Bieberstein (10)
			<i>C. glaphyropoda</i> O. E. Schulz (10)

Policeman's helmet	ornamental jewelweed, Himalayan balsam, Indian balsam, Washington orchid	<i>Impatiens glandulifera</i> Royle (1,2,6,7,10) (Accepted)	<i>Impatiens roylei</i> Walp. (1,2,6,7,10)
			<i>Impatiens glandulifera</i> Lindley (7)
Russian knapweed	hardheads, Turestan thistle, blueweed, creeping-knapweed, mountain-bluet, Russian centaurea	<i>Rhaponticum repens</i> (L.) Hidalgo (1,2,10) (Accepted)	<i>Centaurea repens</i> L. (Basionym) (1,2,6,7,8,10)
			<i>Acroptilon repens</i> (L.) DC. (1,2,6,7,8,10)
			<i>Centaurea picris</i> Pall. ex Willd. (1,2,6,7,8,10)
			<i>Serratula picris</i> (Pallas ex Willdenow) M. Bieberstein (10)
Sacred lotus	East Indian lotus, lotus, lotusroot, Oriental lotus	<i>Nelumbo nucifera</i> Gaertn. (1,2,6,10) (Accepted)	<i>Nelumbium nelumbo</i> (L.) Druce (2,6)
		<i>Nelumbo lutea</i> Willd. (8)	<i>Nelumbo nelumbo</i> (L.) Druce, nom. inval. (1)
			<i>Nelumbium speciosum</i> Willd. (2,6,10)
			<i>Nelumbo speciosa</i> Willd. (1,2,6)
			<i>Nelumbo caspica</i> Eichw. (1)

			<i>Nelumbo komarovii</i> Grossh. (1,10)
			<i>Nymphaea nelumbo</i> L. (1,10)
			<i>Nelumbium luteum</i> Willd. (8)
Southern cattail	cattail, lesser reed-mace, narrow-leaf cumbungi	<i>Typha domingensis</i> Pers. (1,2,6) (Accepted)	<i>Typha angustata</i> Bory & Chaub. (2,6,10)
			<i>Typha australis</i> Schum. & Thonn. (10)
Wanded loosestrife	European wand loosestrife, purple loosestrife	<i>Lythrum virgatum</i> L. (1,2,6,10) (Accepted)	
Water-hyacinth	common water-hyacinth, floating waterhyacinth, lilac-devil, water orchid	<i>Eichhornia crassipes</i> (Mart.) Solms (1,2,6,7,10) (Accepted)	<i>Eichhornia speciosa</i> Kunth (2,6,7,10)
			<i>Piaropus crassipes</i> (Mart.) Raf. (2,6,7)
			<i>Pontederia crassipes</i> Mart. (basionym) (1,7,10)
			<i>Piaropus mesomelas</i> (7)
			<i>Heteranthera formosa</i> (Miq.) (7,10)
Water lettuce	Nile-cabbage, shellflower, water-cabbage, waterbonnet, tropical duckweed	<i>Pistia stratiotes</i> L. (1,2,6,7,10) (Accepted)	<i>Apiospermum obcordatum</i> Klotzsch, nom. illeg. superfl. (10)
			<i>Pistia obcordata</i> Schleiden, nom. illeg. superfl. (10)
Water soldiers	water-aloe, water-soldier	<i>Stratiotes aloides</i> L. (1,2,6) (Accepted)	
Water spinach	swamp morningglory, Chinese waterspinach, water convolvulus, aquatic morning glory, kang kong, swamp cabbage, ung-choi, water bindweed	<i>Ipomoea aquatica</i> Forssk. (1,2,6,7,10) (Accepted)	<i>Ipomoea reptans</i> Poir. (1,2,7,10)
			<i>Ipomoea reptans</i> auct. (6)
			<i>Convolvulus repens</i> Vahl (7,10)
			<i>Ipomoea repens</i> Roth (7,10)
			<i>Ipomoea subdentata</i> Miq. (7,10)

Wavy leaf basket grass	wavyleaf basketgrass, basketgrass, bristle basket grass, woods grass	<i>Oplismenus hirtellus</i> (L.) P. Beauv. (1,2,6,10) (Accepted)	<i>Oplismenus undulatifolius</i> (Ard.) P. Beauv. (2,7,10)
			<i>Oplismenus coreanus</i> Nakai (2)
			<i>Orthopogon bolosii</i> Vayr. (2)
	Wavy leaf basket grass		<i>Orthopogon undulatifolius</i> (Ard.) Spreng. (2)
			<i>Orthopogon undulatus</i> Link (2)
			<i>Oplismenus africanus</i> P. Beauv. (1)
			<i>Panicum hirtellum</i> L. (basionym) (1)
			<i>Panicum setarium</i> Lam. (1)

Prohil			
Dalmation toadflax	Dalmatian toadflax, Balkan toadflax, broadleaf toadflax	<i>Linaria dalmatica</i> (L.) Mill. (1,2,6,8) (Accepted)	<i>Antirrhinum dalmaticum</i> L. (basionym) (1,8)
			<i>Linaria genistifolia</i> (L.) Mill., sensu Salamun (8)
Grecian foxglove	digitalis, woolly digitalis, woolly foxglove	<i>Digitalis lanata</i> Ehrh. (1,2,6,8) (Accepted)	
Johnsongrass	Johnson grass, Aleppo grass, evergreen millet, means grass, aleppo milletgrass	<i>Sorghum halepense</i> (L.) Pers. (1,2,6,7,8,10) (Accepted)	<i>Holcus halepensis</i> L. (Basionym) (1,2,6,7,10)

Seaside goldenrod	salt-marsh goldenrod	<i>Solidago sempervirens</i> L. (1,2,6,8,10) (Accepted)	<i>Aster sempervirens</i> (Linnaeus) Kuntze (10)

<u>Resti</u>			
Amur maple	ginnala maple, tartar maple, Mangolian vaahtera, Siberian maple	<i>Acer tataricum</i> L. (1,7,10)	<i>Acer ginnala</i> (Maximowicz) (7,10)

	Tartarian maple		
Aquatic forget-me-not	forget-me-not, yelloweye forget-me-not, true forget-me-not, water forget-me-not, water scorpion-grass	<i>Myosotis scorpioides</i> L. (1,2,6,8) (Accepted)	<i>Myosotis palustris</i> (L.) Hill (1,2,6,8)
Balfour's touch-me-not	Kashmir balsam	<i>Impatiens balfourii</i> Hook. f. (1,2,6,8,10) (Accepted)	
Bishop's goutweed	ashweed, bishop's-weed, goutweed, ground-elder, herb-Gerard	<i>Aegopodium podagraria</i> L. (1,2,6,8,10) (Accepted)	
Black alder	alder, European alder, European black alder, common alder, sticky alder	<i>Alnus glutinosa</i> (L.) Gaertn. (1,2,6,7,8,10) (Accepted)	<i>Betula glutinosa</i> (L.) Lam. (1,2,7)
			<i>Alnus alnus</i> (L.) Britton (2,6,7,8)
			<i>Alnus barbata</i> C. A. Mey. (1,7)
			<i>Betula alnus</i> L. (1)
			<i>Alnus rotundifolia</i> Miller (7)
			<i>Alnus vulgaris</i> Hill (8)

Brown knapweed	brown-ray knapweed	<i>Centaurea jacea</i> L. (1,2,6,8,10) (Accepted)	<i>Centaurea pratensis</i> Thuill. (1)
			<i>Jacea pratensis</i> Lamarck (10)
Burning bush	winged burning bush, winged euonymus, winged spindletree, corky spindletree	<i>Euonymus alatus</i> (Thunb.) Siebold (1,2,6,7,10) (Accepted)	<i>Euonymus alata</i> (Thunb.) Siebold (2,6,7)
			<i>Celastrus alatus</i> Thunb. (1,2,6,7,10) (Basionym)
			<i>Euonymus subtriflorus</i> Blume (1)
			<i>Euonymus thunbergianus</i> Blume (1)
			<i>Euonymus aptera</i> Regel (2,6)
			<i>Euonymus apterus</i> Regel (2,6)
			<i>E. ellipticus</i> (Chen H. Wang) C. Y. Cheng (10)
			<i>E. striatus</i> (Thunberg) Loesener (10)
Crown vetch	purple crownvetch, Varia crownvetch, axseed, trailing crown-vetch	<i>Securigera varia</i> (L.) Lassen (1,2,6,8,10) (Accepted)	<i>Coronilla varia</i> L. (1,2,6,7,8,10) (Basionym)
Field scabiosa	bluebuttons, gypsy's rose	<i>Knautia arvensis</i> (L.) J.M. Coult. (1,2,6,8,10) (Accepted)	<i>Scabiosa arvensis</i> L. (1,2,6,8,10) (Basionym)
Garden heliotrope	valerian, garden valerian, common valerian	<i>Valeriana officinalis</i> L. (1,2,6,8,10) (Accepted)	<i>Valeriana alternifolia</i> Bunge (10)
			<i>V. chinensis</i> Kreyer ex Komarov (10)

			<i>V. coreana</i> Briquet (10)
			<i>V. dubia</i> Bunge (10)
			<i>V. fauriei</i> Briquet (10)
			<i>V. leiocarpa</i> Kitagawa (10)
			<i>V. nipponica</i> Nakai ex Kitagawa (10)
			<i>V. pseudofficinalis</i> C. Y. Cheng & H. B. Chen (10)
			<i>V. subbipinnatifolia</i> A. I. Baranov (10)
			<i>V. tianschanica</i> Kreyer ex Handel-Mazzetti (10)
Garden yellow loosestrife	loosestrife, garden loosestrife, willowweed, willowwort, yellow loosestrife	<i>Lysimachia vulgaris</i> L. (1,2,6,8,10) (Accepted)	
Japanese barberry	Japanese berberis, Thunberg's barberry, crimson pygmy	<i>Berberis thunbergii</i> DC. (1,2,6,7,8,10) (Accepted)	
Moneywort	creeping-Jenny	<i>Lysimachia nummularia</i> L. (1,2,6,8,10) (Accepted)	
Queen of the meadow	meadowsweet	<i>Filipendula ulmaria</i> (L.) Maxim. (1,2,6,10) (Accepted)	<i>Thecanisia ulmaria</i> (L.) Raf. (2)
			<i>Spiraea denudata</i> J. Presl & C. Presl (2)

			<i>Thecanisia discolor</i> Raf. (2)
			<i>Filipendula denudata</i> (J. Presl & C. Presl) Fritsch (2)
Reed Canary grass	gardener's-garters, ribbon grass, variegated grass	<i>Phalaris arundinacea</i> L. (1,2,6,7,8,10) (Accepted)	<i>Phalaris arundinacea</i> (L.) Raeusch. (6)
			<i>Phalaroides arundinacea</i> (L.) Raeusch. (7,8)
			<i>Phalaroides arundinacea</i> (L.) Rauschert (1,2)
			<i>Arundo colorata</i> Aiton (2,10)
			<i>Arundo riparia</i> Salisb. (2,10)
			<i>Baldingera arundinacea</i> (L.) Dumort. (2)
			<i>Baldingera colorata</i> P. Gaertn., B. Mey. & Scherb. (2)
			<i>Calamagrostis colorata</i> (Aiton) Sibth. (2)
			<i>Calamagrostis variegata</i> With. (2,10)
			<i>Digraphis americana</i> Elliott ex Loud. (2)
			<i>Digraphis arundinacea</i> (L.) Trin. (2,10)
			<i>Endallex arundinacea</i> Raf. (2)
			<i>Endallex arundinaceae</i> Raf. ex B.D. Jacks. (2)
			<i>Phalaridantha arundinacea</i> (L.) St. Lag. (2)

			<i>Typhoides arundinacea</i> (L.) Moench (2,10)
Rose acacia	bristly locust, moss locust	<i>Robinia hispida</i> L. (1,2,6,8,10) (Accepted)	
	bristly locust		
	bristly locust		
	Kelsey's locust		
	bristly locust		

	bristly locust		
Scarlet pimpernel	burnet-saxifrage, pimpinella, solidstem burnet saxifrage, hollowstem burnet saxifrage	<i>Pimpinella saxifraga</i> L. (1,2,6,8) (Accepted)	
Siberian elm	Chinese elm, dwarf elm, littleleaf elm	<i>Ulmus pumila</i> L. (1,2,6,8,10) (Accepted)	<i>Ulmus manshurica</i> Nakai (8,10)
Siberian peashrub	Siberian peatree	<i>Caragana arborescens</i> Lam. (1,2,6,8,10) (Accepted)	<i>Caragana fruticosa</i> (Pall.) Besser (1,2,6)
			<i>Caragana sibirica</i> Medik. (1,10)
			<i>Robinia caragana</i> L. (1,10)

Spiny naiad	holly-leaf watery nymph, holly- leaved watery nymph, holly-leaf naiad, marine watery nymph, marine naiad, spiny watery nymph, prickly watery nymph, prickly naiad	<i>Najas marina</i> L. (1,2,6,8,10) (Accepted)	<i>Najas gracilis</i> (Morong) Small (2,6,8)
	Slender naiad		<i>Najas major</i> All. (2,6,8,10)
			<i>Najas fucooides</i> Griff. (10)
Tyrol knapweed	alpine knapweed, short-fringed knapweed, Vochin knapweed, wocheiner knapweed	<i>Centaurea nigrescens</i> Willd. (1,2,8,10) (Accepted)	<i>Centaurea vochinensis</i> auct. non Bernh. ex Rchb. (2,6,8,10)
			<i>Centaurea pratensis</i> Thuill., nom. illeg., non Salisb. (6)
White bedstraw	false baby's breath, hedge bedstraw, wild madder	<i>Galium mollugo</i> L. (1,2,6,8,10) (Accepted)	<i>Galium erectum</i> Huds. (2,6,8)
			<i>Galium asperifolium</i> Wall. in Roxb. (10)
			<i>Galium mollugo</i> auct. non L.; Hook. f. (10)

White mulberry	mulberry, Russian mulberry, silkworm mulberry, Chinese white mulberry, common mulberry	<i>Morus alba</i> L. (1,2,6,7,8,10) (Accepted)	<i>Morus tatarica</i> L. (2,6,7,8,10)
			<i>Morus atropurpurea</i> Roxb. (1,10)
			<i>Morus multicaulis</i> Perr. (1)
			<i>Morus indica</i> L. (10)
White poplar	abele, silver poplar, silverleaf poplar	<i>Populus alba</i> L. (1,2,6,7,8,10) (Accepted)	<i>Populus caspica</i> Bornm (10)
	gray poplar		
Woodland forget-me-not	garden forget-me-not, wood forget-me-not	<i>Myosotis sylvatica</i> Ehrh. ex Hoffm. (1,2,6,8,10) (Accepted)	<i>Myosotis sylvaticum</i>
	Asian forget-me-not	<i>Myosotis alpestris</i> auct. non F.W. Schmidt (6)	<i>Myosotis alpestris</i> hort. (1)
			<i>Myosotis oblongata</i> Link (1)
Wormwood	absinthe, absinthium, absinth wormwood, absinth sagewort, common sagewort, insipid absinth	<i>Artemisia absinthium</i> L. (1,2,6,8,10) (Accepted)	<i>Artemesia absinthium</i>

Yellow iris	yellow flag, flag iris, yellow flag iris, pale- yellow flag, water flag, yellow water iris	<i>Iris pseudacorus</i> L. (1,2,6,8,10) (Accepted)	<i>Iris acoriformis</i> Boreau (7)
			<i>Iris acoroides</i> Spach (7)
			<i>Iris bastardii</i> Boreau (7)
			<i>Iris curtopetala</i> F. Delaroche (7)
			<i>Iris flava</i> Tornab. (7)
			<i>Iris lutea</i> Lam. (7)
			<i>Iris paludosa</i> Pers. (7)
			<i>Iris sativa</i> Mill. (7)

Problem with nomenclature: Spelling/acceptance discrepancies	Species is no longer of concern to NR-40	Notes from "Terrestrial Plants - Regulated Recommendations"	Created by Kyle Lichtenberg for '15. Please contact me with an read this spreadsheet via email lichtenberg.kyle@gmail.com. I assist in answering any questions
--	---	---	--

Subordinate taxa	Synonyms of Subordinate taxa	Synonyms of Synonyms of Sub. Taxa	Exempt Cultivars
------------------	---------------------------------	--------------------------------------	------------------

Accepted Statewide

<i>Phellodendron amurense</i> var. <i>sachalinense</i> F. Schmidt (1)			Male cultivars and seedling understock
<i>Celastrus rosthornianus</i> Loes. var. <i>loeseneri</i> (Rehder & E. H. Wilson) C. Y. Wu ex Y. C. Ho (1)			
<i>Cardamine hirsuta</i> ssp. <i>flexuosa</i> (With.) Forbes & Hemsl. (2,7,8)	<i>Cardamine flexuosa</i> With. (2,6,7,8) (Accepted)		
<i>Cardamine hirsuta</i> var. <i>kamtschatica</i> (Regel) O.E. Schulz (2)	<i>Cardamine</i> <i>umbellata</i> Greene (2,6) (Accepted)		

	<i>Cardamine oligosperma</i> Nutt. ssp. <i>kamtschatica</i> (Regel) Cody (6)		
	<i>Cardamine kamtschatica</i> (Regel) Piper (6)		
	<i>Cardamine oligosperma</i> Nutt. var. <i>kamtschatica</i> (Regel) Detling (6)		
<i>Cardamine hirsuta</i> var. <i>formosana</i> Hayata (10)			
<i>Wisteria sinensis</i> var. <i>alba</i> Lindl. (1,7)			
<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>sinensis</i> (Sims) Makino (7)			
<i>Wisteria chinensis</i> DC. var. <i>albiflora</i> (Lem.) W. Miller (7)			
<i>Wisteria sinensis</i> (Sims) Sweet var. <i>albiflora</i> Lem. (7,10)			
<i>Wisteria sinensis</i> f. <i>alba</i> (Lindley) Rehder & E. H. Wilson (10)			

<i>Berberis vulgaris</i> var. <i>purpurea</i> Bertin ex Jacques & Hérincq (1)			
<i>Berberis vulgaris</i> f. <i>atropurpurea</i> Regel (1)			
<i>Ottelia alismoides</i> f. <i>oryztorum</i> Komarov (10)			
<i>Akebia quinata</i> var. <i>polyphylla</i> Nakai (10)			
<i>Akebia quinata</i> var. <i>yiehii</i> W. C. Cheng (10)			
<i>Arundo donax</i> var. <i>angustifolia</i> Döll (2,7)			
<i>Arundo donax</i> var. <i>lanceolata</i> Döll (2)			
<i>Arundo donax</i> f. <i>donax</i> L. (2) (Accepted)			

<i>Sagittaria sagittifolia</i> subsp. <i>sagittifolia</i> (1)			
<i>Sagittaria sagittifolia</i> subsp. <i>leucopetala</i> (Miq.) Hartog (1,10)	<i>Sagittaria japonica</i> hort. (1,7)		
	<i>Sagittaria sagittifolia</i> var. <i>edulis</i> Siebold ex Miq. (1,7)		
	<i>Sagittaria sagittifolia</i> var. <i>leucopetala</i> Miq. (1,7)		
	<i>Sagittaria sinensis</i> Sims (1,7,10)		
	<i>Sagittaria trifolia</i> L. (1,7,10)		
	<i>Sagittaria trifolia</i> var. <i>edulis</i> (Siebold ex Miq.) Ohwi, nom. inval. (1,7)		
	<i>Sagittaria trifolia</i> var. <i>sinensis</i> (Sims) Makino (1,7)		
<i>Rubus hedycarpus</i> var. <i>armeniacus</i> (Focke) Focke (1)			
<i>Rubus ulmifolius</i> var. <i>inermis</i> (Willd.) Focke (2,6)			
<i>Rubus ulmifolius</i> var. <i>ulmifolius</i> Schott (2,6)			
<i>Rubus ulmifolius</i> var. <i>anoplothysus</i> Sudre (2)			

<i>Achyranthes japonica</i> var. <i>hachijoensis</i> Honda (2,6)			
<i>Achyranthes bidentata</i> var. <i>japonica</i> Miq. (basionym) (1,10)			
<i>Wisteria floribunda</i> (Willd.) DC. var. <i>alba</i> DC. (1)			
<i>Kraunhia floribunda</i> (Willd.) Taub. f. <i>albiflora</i> Makino (7)			
<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>pleniflora</i> Makino (7)			
<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>typica</i> Makino (7)			
<i>Kraunhia floribunda</i> (Willd.) Taub. var. <i>brachybotrys</i> (Siebold & Zucc.) Makino (7)			
<i>Kraunhia sinensis</i> (Sims) Makino f. <i>albiflora</i> Makino (7)			
<i>Kraunhia sinensis</i> (Sims) Makino var. <i>brachybotrys</i> (Siebold & Zucc.) Makino (7)			
<i>Kraunhia sinensis</i> (Sims) Makino var. <i>floribunda</i> (Willd.) Makino (7)			
<i>Kraunhia sinensis</i> (Sims) Makino var. <i>pleniflora</i> Makino (7)			
<i>Wisteria chinensis</i> DC. var. <i>flore-plena</i> (Carrière) W.Mill. (7)			

<i>Wisteria chinensis</i> DC. var. <i>macrobotrys</i> (Siebold ex Neubert) Lavallee (7)			
<i>Wisteria chinensis</i> DC. var. <i>multijuga</i> (Van Houtte) Hook.f. (7)			
<i>Wisteria floribunda</i> (Willd.) DC. f. <i>alba</i> (Carrière) Rehder & E.H.Wilson (7)			
<i>Wisteria floribunda</i> (Willd.) DC. f. <i>macrobotrys</i> (Siebold ex Neubert) Rehder & E.H.Wilson (7)			
<i>Wisteria floribunda</i> (Willd.) DC. f. <i>rosea</i> (Bean) Rehder & E.H.Wilson (7)			
<i>Wisteria floribunda</i> (Willd.) DC. f. <i>variegata</i> (G.Nicholson) Rehder & E.H.Wilson (7)			
<i>Wisteria multijuga</i> Van Houtte var. <i>rosea</i> Bean (7)			
<i>Wisteria multijuga</i> Van Houtte var. <i>alba</i> Carrière (7)			
<i>Wisteria multijuga</i> Van Houtte var. <i>variegata</i> G.Nicholson (7)			
<i>Wisteria polystachya</i> K.Koch f. <i>alba</i> (Carrière) Zabel (7)			
<i>Wisteria polystachya</i> K.Koch f. <i>multijuga</i> (Van Houtte) Zabel (7)			
<i>Wisteria polystachya</i> K.Koch f. <i>variegata</i> (G.Nicholson) Zabel (7)			
<i>Wisteria sinensis</i> (Sims) Sweet f. <i>violaceo-plena</i> Rehder & E.H.Wilson (7)			
<i>Wisteria sinensis</i> (Sims) Sweet var. <i>violaceo-plena</i> C.K.Schneid. (7)			
<i>Oenanthe javanica</i> ssp. <i>stolonifera</i> (Wall. ex DC.) Murata (1,2,6)	<i>Oenanthe stolonifera</i> Wall. ex DC. (1,2,6,10)		

<i>Oenanthe javanica</i> ssp. <i>javanica</i> (Blume) DC. (2,6,10)			
<i>Ranunculus ficaria</i> var. <i>ficaria</i> L. (2)			
<i>Ranunculus ficaria</i> L. subsp. <i>bulbilifer</i> Lambinon (8)			
<i>Ranunculus ficaria</i> L. subsp. <i>calthifolius</i> (Rchb.) Arcang. (8)			
<i>Ranunculus ficaria</i> var. <i>bulbifera</i> Marsden-Jones (2,6)	<i>Ranunculus ficaria</i> ssp. <i>bulbifera</i> (Marsden-Jones) Lawalrée (2,6)		
<i>Ranunculus ficaria</i> L. subsp. <i>ficaria</i> (8)			
<i>Ranunculus ficaria</i> L. var. <i>bulbifera</i> Albert (8)			
<i>Taeniatherum caput-medusae</i> var. <i>caput-medusae</i> (L.) Nevski (2) (Accepted)	<i>Taeniatherum crinitum</i> var. <i>caput-medusae</i> (L.) Wipff (2,6)		
	<i>Taeniatherum caput-medusae</i> ssp. <i>caput-medusae</i> (L.) Nevski (1,2)	<i>Elymus caput-medusae</i> L. (1,2,6,10)	
<i>Taeniatherum caput-medusae</i> var. <i>crinitum</i> (Schreb.) Humphries (2) (Accepted)	<i>Hordeum crinitum</i> (Schreb.) Desf. (2)		
	<i>Leptothrix crinita</i> (Schreb.) Dumort. (2)		
	<i>Taeniatherum crinitum</i> (Schreb.) Nevski (2)		
	<i>Elymus caput-medusae</i> ssp. <i>crinitus</i> (Schreb.) Nyman (2)		
	<i>Hordelymus caput-medusae</i> ssp. <i>crinitus</i> (Schreb.) Pignatti (2)		
	<i>Elymus caput-medusae</i> var. <i>crinitus</i> (Schreb.) Ball (2)		

	<i>Taeniatherum caput-medusae</i> ssp. <i>crinitum</i> (Schreb.) Melderis (1,2,6)	<i>Elymus crinitus</i> Schreb. (1,2,6)	
		<i>Hordeum crinitum</i> (Schreb.) Desf. (1)	
		<i>Taeniatherum crinitum</i> (Schreb.) Nevski (1,10)	
<i>Taeniatherum caput-medusae</i> (L.) Nevski subsp. <i>asperum</i> (Simonk.) Melderis (1)	<i>Cuviera caput-medusae</i> var. <i>aspera</i> Simonk. (1)		
	<i>Taeniatherum asperum</i> (Simonk.) Nevski (1,2,6)		
<i>Azolla pinnata</i> R. Br. subsp. <i>asiatica</i> R. M. K. Saunders & K. Fowler (1)	<i>Azolla imbricata</i> (Roxb. ex Griff.) Nakai (1)		
	<i>Salvinia imbricata</i> Roxb. ex Griff. (1)		
<i>Azolla pinnata</i> R. Br. subsp. <i>africana</i> (Desv.) R. M. K. Saunders & K. Fowler (1)			
<i>Azolla pinnata</i> R. Br. subsp. <i>pinnata</i> (1)			
<i>Cardamine impatiens</i> L. var. <i>pectinata</i> (Pall. ex DC.) Trautv. (1)	<i>Cardamine pectinata</i> Pall. ex DC. (1)		
<i>Cardamine impatiens</i> L. var. <i>impatiens</i> (1)			
<i>C. glaphyropoda</i> var. <i>crenata</i> T. Y. Cheo & R. C. Fang (10)			
<i>C. impatiens</i> var. <i>angustifolia</i> O. E. Schulz (10)			
<i>C. impatiens</i> var. <i>dasycarpa</i> (Marschall von Bieberstein) T. Y. Cheo & R. C. Fang (10)			

<i>C. impatiens</i> subsp. <i>elongata</i> O. E. Schulz (10)			
<i>C. impatiens</i> var. <i>eriocarpa</i> de Candolle (10)			
<i>C. impatiens</i> var. <i>fumaria</i> H. Léveillé (10)			
<i>C. impatiens</i> var. <i>microphylla</i> O. E. Schulz (10)			
<i>C. impatiens</i> var. <i>obtusifolia</i> Knaf (10)			
<i>C. impatiens</i> var. <i>pilosa</i> O. E. Schulz (10)			
<i>C. nakaiana</i> H. Léveillé (10)			
<i>C. senanensis</i> Franchet & Savatier (10)			
<i>Nelumbo nucifera</i> Gaertn. subsp. <i>lutea</i> (Willd.) Borsch & Barthlott (8)			
<i>Nelumbo pentapetala</i> sensu Fernald, non <i>Nymphaea pentaphylla</i> Walter (8)			
<i>N. nucifera</i> var. <i>macrorrhizomata</i> Nakai (10)			

<i>Oplismenus hirtellus</i> (L.) P. Beauv. subsp. <i>capensis</i> (Hochst.) Mez ex U. Scholz (1)	<i>Oplismenus africanus</i> var. <i>capensis</i> (Hochst.) Stapf (1)	<i>Oplismenus capensis</i> Hochst. (basionym) (1)	
<i>Oplismenus hirtellus</i> (L.) P. Beauv. subsp. <i>hirtellus</i> (1)			
<i>Oplismenus hirtellus</i> (L.) P. Beauv. subsp. <i>setarius</i> (Lam.) Mez ex Ekman (1)	<i>Oplismenus setarius</i> (Lam.) Roem. & Schult. (1)		
<i>Oplismenus hirtellus</i> (L.) P. Beauv. ssp. <i>undulatifolius</i> (Ard.) U. Scholz (1,7)	<i>Oplismenus undulatifolius</i> (Ard.) Roem. & Schult. (1,2,6)	<i>Panicum undulatifolium</i> Ard. (basionym) (1,2,6,7)	

bitid/Resticted

<i>Linaria dalmatica</i> ssp. <i>dalmatica</i> (L.) Mill. (2,6) (Accepted)	<i>Linaria genistifolia</i> ssp. <i>dalmatica</i> (L.) Maire & Petitm. (1,2,6,8)		
	<i>Linaria jattae</i> Palanza (2,6)		
<i>Linaria dalmatica</i> ssp. <i>macedonica</i> (Griseb.) D.A. Sutton (2,6) (Accepted)	<i>Linaria macedonica</i> Griseb. (2,6)		
	<i>Linaria dalmatica</i> var. <i>macedonica</i> (Griseb.) Vandas (2,6)		
<i>Andropogon halepensis</i> ssp. <i>anatherus</i> Piper (2)			

<i>Andropogon halepensis</i> var. <i>anatherus</i> Piper (1,7)			
<i>Andropogon sorghum</i> ssp. <i>halepensis</i> (L.) Hack. (2,7)			
<i>Andropogon halepensis</i> var. <i>genuinus</i> Stapf ex Hook. F. (2,7)			
<i>Andropogon halepensis</i> var. <i>muticus</i> (Hack.) Asch. & Graebn. (2,7)			
<i>Andropogon sorghum</i> var. <i>corymbosus</i> Hack. (2)			
<i>Andropogon sorghum</i> var. <i>halepensis</i> (L.) Hack. (2,10)			
<i>Andropogon sorghum</i> var. <i>perennis</i> Bertoni (2)			
<i>Sorghum halepense</i> var. <i>genuinum</i> Hack. (2)			
<i>Sorghum halepense</i> var. <i>halepense</i> (L.) Pers. (2)			
<i>Sorghum halepense</i> var. <i>muticum</i> (Hack.) Hayek (2,7)			
<i>Sorghum halepense</i> var. <i>muticum</i> (Hack.) Parodi (2)			
<i>Sorghum saccharatum</i> var. <i>halapense</i> (L.) Kuntze (2,7)			
<i>Andropogon sorghum</i> subvar. <i>genuinus</i> Hack. (2,7)			
<i>Andropogon sorghum</i> subvar. <i>leiocladus</i> Hack. (2)			
<i>Andropogon sorghum</i> subvar. <i>muticus</i> Hack. (2)			
<i>Andropogon sorghum</i> subvar. <i>trachycladus</i> Hack. (2)			
<i>Sorghum halepense</i> f. <i>halepense</i> (L.) Pers. (2)			
<i>Sorghum halepense</i> f. <i>muticum</i> (Hack.) C.E. Hubb. (2)			
<i>Holcus halepensis</i> var. <i>miliformis</i> (Schult.) Hitchc. (1)			

<i>Holcus sorghum</i> var. <i>exiguus</i> (Forssk.) Hitchc. (1)			
<i>Sorghum miliaceum</i> var. <i>parvispicula</i> Snowden (1)			
<i>Andropogon halepensis</i> (L.) Brot. var. <i>muticus</i> (Hack.) Asch & Graebn. (7)			
<i>Andropogon halepensis</i> (L.) Brot. var. <i>typicus</i> Asch & Graebn. (7)			
<i>Andropogon sorghum</i> (L.) Brot. subvar. <i>leiostachys</i> Hack (7)			
<i>Sorghum almum</i> Parodi var. <i>typicum</i> Parodi (7)			
<i>Holcus halepensis</i> L. var. <i>genuinus</i> Honda (10)			
<i>Solidago sempervirens</i> ssp. <i>mexicana</i> (L.) Semple (2) (Accepted)	<i>Solidago angustifolia</i> Elliot (2,6)		
	<i>Solidago mexicana</i> L. (2,6)		
	<i>Solidago petiolata</i> auct. non Mill. (2,6)		
	<i>Solidago sempervirens</i> var. <i>mexicana</i> (L.) Fernald (2,6)		
<i>Solidago sempervirens</i> ssp. <i>sempervirens</i> L. (2) (Accepted)	<i>Solidago sempervirens</i> var. <i>sempervirens</i> L. (2,6)		

ected Statewide			
<i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm. (1,2,6,8,10)	<i>Acer ginnala</i> subsp. <i>theiferum</i> (W. P. Fang) W. P. Fang (1,7)		Exempt all cultivars

	<i>Acer ginnala</i> Maxim. (2,6,8) (Accepted) (Basionym)		
	<i>Acer theiferum</i> W. P. Fang (1,7)		
<i>Acer tataricum</i> L. subsp. <i>tataricum</i> (1,7)			
<i>Acer tataricum</i> L. subsp. <i>semenovii</i> (Regel & Herder) A. E. Murray (1,7)	<i>Acer semenovii</i> Regel & Herder (1)		
	<i>Acer ginnala</i> var. <i>semenovii</i> (Regel & Herder) Pax (1)		
<i>Acer tataricum</i> L. subsp. <i>aidzuense</i> (Franch.) P. C. DeJong (1,7)	<i>Acer tataricum</i> var. <i>aidzuense</i> Franch. (1)		
<i>Acer ginnala</i> var. <i>euginnala</i> (Pax) (7)			
<i>Acer tataricum</i> subsp. <i>tataricum</i> var. <i>tormaloides</i> (7)			
<i>Acer tataricum</i> var. <i>laciniatum</i> (Regel) (7,10)			
<i>Aegopodium podagraria</i> var. <i>variegatum</i> L.H. Bailey (2,6,8)			
<i>Betula alnus</i> var. <i>glutinosa</i> L. (1,2,7,8,10) (Basionym)			Exempt all cultivars and hybrids
<i>Alnus glutinosa</i> subsp. <i>barbata</i> (C. A. Mey.) Yalt. (1)			
<i>Alnus glutinosa</i> var. <i>barbata</i> (C. A. Mey.) Ledeb. (1)			

<i>Centaurea X moncktonii</i> C.E. Britton (2) (Accepted)	<i>Centaurea debeauxii</i> ssp. <i>thuillieri</i> Dostál (2)		
<i>Centaurea jacea</i> Linnaeus subsp. <i>nigra</i> (Linnaeus) Bonnier & Layens (10)	<i>Centaurea pratensis</i> Thuill. non Salisb. (2)		
	<i>Centaurea nigra</i> var. <i>radiata</i> DC. (2,6,8)		
<i>Robinia pseudoacacia</i> var. <i>rectissima</i> (L.) Raber (1,2,6,7,8)			Exempt cultivars - ALL
<i>Robinia pseudoacacia</i> var. <i>pyramidalis</i> Pepin (1,2,6,10)			Purple robe, Lace Lady, twisty baby, Tortuosa, Umbraculifera
<i>Robinia pseudoacacia</i> f. <i>inermis</i> (Mirb.) Rehder (1,2,6)			
<i>Robinia pseudoacacia</i> L. var. <i>umbraculifera</i> DC. (1,10)			
<i>Robinia pseudoacacia</i> var. <i>microphylla</i> Lodd. ex Loudon (1)			
<i>Robinia pseudoacacia</i> var. <i>rozynskiana</i> Späth (1)			
<i>Robinia pseudoacacia</i> var. <i>semperflorens</i> Carrière (1)			
<i>Robinia pseudoacacia</i> f. <i>erecta</i> Rehder (1)			
<i>Robinia pseudoacacia</i> f. <i>microphylla</i> (Lodd. ex Loudon) Rehder (1)			
<i>Robinia pseudoacacia</i> f. <i>pyramidalis</i> (Pépin) Rehder (1)			
<i>Robinia pseudoacacia</i> f. <i>rehderi</i> C. K. Schneid. (1)			
<i>Robinia pseudoacacia</i> f. <i>rozynskiana</i> (Späth) Rehder (1)			
<i>Robinia pseudoacacia</i> f. <i>semperflorens</i> (Carrière) Voss (1)			
<i>Robinia pseudoacacia</i> var. <i>inermis</i> Candolle (10)			

<i>Euonymus alatus</i> var. <i>alatus</i> (Thunb.) Siebold (2,6) (Accepted)			Restrict the straight species and cv <i>Nordine</i> and exempt all other cultivars
<i>Euonymus alatus</i> var. <i>apterus</i> Regel (1,2,6) (Accepted)			
<i>Euonymus alatus</i> (Thunb.) Siebold f. <i>striatus</i> (Thunb.) Makino (1)	<i>Celastrus striatus</i> Thunb. (1,10)		
	<i>Euonymus alatus</i> var. <i>ciliato-dentatus</i> Franch. & Sav. (1,2,6)		
	<i>Euonymus alatus</i> f. <i>subtriflorus</i> (Blume) Ohwi (1)		
	<i>Euonymus alatus</i> var. <i>subtriflorus</i> (Blume) Franch. & Sav. (1)		
<i>Euonymus alatus</i> (Thunb.) Siebold var. <i>pubescens</i> Maxim. (1,10)	<i>Euonymus sacrosanctus</i> Koidz. (1)		
<i>Euonymus alatus</i> var. <i>ellipticus</i> Chen H. Wang (10)			
<i>E. alatus</i> var. <i>microphyllus</i> Chen H. Wang (10)			
<i>E. alatus</i> var. <i>pilosus</i> Loesener & Rehder (10)			
<i>E. verrucosus</i> Scopoli var. <i>tchefouensis</i> Debeaux (10)			
<i>Securigera varia</i> (L.) Lassen subsp. <i>orientalis</i> Jahn (7)			
<i>Valeriana officinalis</i> L. var. <i>latifolia</i> Miq. (1,10)	<i>Valeriana dageletiana</i> Nakai ex F. Maek. (1)		
<i>Valeriana officinalis</i> L. var. <i>officinalis</i> (1)	<i>Valeriana stubendorffii</i> Kreyer ex Kom. (1,10)		

<i>V. alternifolia</i> f. <i>angustifolia</i> (Komarov) Kitagawa (10)			
<i>V. alternifolia</i> var. <i>angustifolia</i> (Komarov) S. H. Li (10)			
<i>V. alternifolia</i> f. <i>verticillata</i> (Komarov) S. X. Li (10)			
<i>V. coreana</i> subsp. <i>leiocarpa</i> (Kitagawa) Voroschilov (10)			
<i>V. fauriei</i> var. <i>leiocarpa</i> (Kitagawa) Kitagawa (10)			
<i>V. officinalis</i> var. <i>alternifolia</i> (Bunge) Ledebour (10)			
<i>V. stubendorffii</i> f. <i>angustifolia</i> Komarov (10)			
<i>V. stubendorffii</i> f. <i>verticillata</i> Komarov (10)			
<i>Berberis thunbergii</i> var. <i>atropurpurea</i> Chenault (1,2,6,7)			Restrict straight species: Crimson Velvet; Sparkle; Green; Marshall Upright; Jade Carousel; Red Rock Bomb; Painter's Palette; type/parent species; var 'Bailone' Ruby Carousel; Gold Ring; Rose Glow; Ke Variegated' Stardust; 'Ba <i>B. koreana</i> x <i>B.thunberg</i> Antares
<i>Berberis thunbergii</i> DC. var. <i>maximowiczii</i> (Regel) Regel (1,7)	<i>Berberis</i> <i>maximowiczii</i> Regel (1) (Basionym)		
<i>Berberis thunbergii</i> DC. var. <i>minor</i> Rehder (1,7)			
<i>Filipendula ulmaria</i> ssp. <i>denudata</i> (J. Presl & C. Presl) Hayek (2,6)	<i>Filipendula denudata</i> (J. Presl & C. Presl) Rydb. (2,6)		
	<i>Filipendula ulmaria</i> var. <i>denudata</i> (J. Presl & C. Presl) Hayne ex Maxim. (2,6)		

<i>Filipendula ulmaria</i> ssp. <i>ulmaria</i> (L.) Maxim. (2,6,8)	<i>Spiraea ulmaria</i> L. (1,2,6,8,10) (Basionym)		
<i>Filipendula ulmaria</i> (L.) Maxim. var. <i>ulmaria</i> (8)			
<i>Phalaris arundinacea</i> L. var. <i>picta</i> L. (1,2,6,8)	<i>Phalaroides arundinacea</i> (L.) Raeusch. var. <i>picta</i> (L.) Tzvelev (2,6,7,8)		Only ribbon grass cultivar ' <i>Picta</i> '
	<i>Phalaris japonica</i> Steud. (2)		
	<i>Phalaris picta</i> (L.) Sloboda (2)		
	<i>Phalaris arundinacea</i> ssp. <i>picta</i> (L.) Arcang. (2)		
	<i>Phalaroides arundinacea</i> ssp. <i>japonica</i> (Steud.) Tzvelev (2)		
	<i>Baldingera arundinacea</i> var. <i>picta</i> (L.) Nyman (2)		
	<i>Baldingera arundinacea</i> var. <i>picta</i> (L.) Peterm. (2)		
	<i>Baldingera arundinacea</i> var. <i>variegata</i> Coss. & Germ. (2)		
	<i>Digraphis arundinacea</i> var. <i>picta</i> (L.) Pacher (2)		
	<i>Phalaris americana</i> var. <i>picta</i> Eaton & Wright (2)		
	<i>Phalaris arundinacea</i> var. <i>japonica</i> (Steud.) Hack. (2,7)		
	<i>Phalaris arundinacea</i> var. <i>variegata</i> Parnell (2,7)		
	<i>Phalaris arundinacea</i> f. <i>luteo-picta</i> Voss (2)		
	<i>Phalaris arundinacea</i> f. <i>picta</i> (L.) Asch. & Graebn. (2)		

	<i>Phalaris arundinacea</i> f. <i>picta</i> (L.) Paunero (2)		
	<i>Phalaris arundinacea</i> f. <i>variegata</i> (Parnell) Druce (1,2,7,8)		
<i>Phalaris arundinacea</i> var. <i>colorata</i> Hartm. (2)			
<i>Phalaris arundinacea</i> var. <i>genuina</i> Hack. (2)			
<i>Phalaris arundinacea</i> f. <i>coarctata</i> (Prah) Junge (2)			
<i>Phalaris arundinacea</i> f. <i>minor</i> Jansen & Wacht. (2)			
<i>Phalaris arundinacea</i> f. <i>pallens</i> Stebler ex Hegi (2)			
<i>Phalaris arundinacea</i> f. <i>pallida</i> Schwarz (2)			
<i>Phalaris arundinacea</i> f. <i>ramifera</i> Junge (2)			
<i>Phalaris arundinacea</i> f. <i>ramosa</i> Gaudin (2)			
<i>Phalaris arundinacea</i> ssp. <i>typica</i> Paunero (2)			
<i>Robinia hispida</i> var. <i>fertilis</i> (Ashe) R.T. Clausen (1,2,6) (Accepted)	<i>Robinia fertilis</i> Ashe (1,2,6)		
	<i>Robinia grandiflora</i> Ashe (2,6)		
	<i>Robinia pedunculata</i> Ashe (2,6)		
<i>Robinia hispida</i> var. <i>hispida</i> L. (1,2,6) (Accepted)	<i>Robinia grandiflora</i> auct. non Ashe nec L. nec C.K. Schneid. (2,6)		
	<i>Robinia pallida</i> Ashe (2,6)		
	<i>Robinia speciosa</i> Ashe (2,6)		
<i>Robinia hispida</i> var. <i>kelseyi</i> (J.F. Cowell ex Hutch.) Isely (1,2,6) (Accepted)	<i>Robinia kelseyi</i> J.F. Cowell ex Hutch. (1,2,6)		
<i>Robinia hispida</i> var. <i>nana</i> (Elliott) DC. (2,6) (Accepted)	<i>Robinia elliotii</i> (Chapm.) Ashe (2,6)		
	<i>Robinia nana</i> Elliott (2,6)		

<i>Robinia hispida</i> var. <i>rosea</i> Pursh (2,6) (Accepted)	<i>Robinia albicans</i> Ashe (2,6)		
	<i>Robinia boyntonii</i> Ashe (2,6)		
	<i>Robinia leucantha</i> Rehder (2,6)		
<i>Pimpinella saxifraga</i> ssp. <i>nigra</i> (Mill.) Gaudin (2,6) (Accepted)			
<i>Pimpinella saxifraga</i> ssp. <i>saxifraga</i> L. (2,6) (Accepted)			
<i>Pimpinella saxifraga</i> var. <i>major</i> L. (2)	<i>Pimpinella major</i> (L.) Huds. (2) (Accepted)	<i>Pimpinella magna</i> L. (2)	
<i>Ulmus pumila</i> L. var. <i>arborea</i> Litv. (1)	<i>Ulmus turkestanica</i> Regel (1,8)		Exempt all hybrids and parent species for use as root stock
<i>Ulmus pumila</i> L. var. <i>pilosa</i> Rehder (1)			
<i>Ulmus pumila</i> X <i>rubra</i> [unnamed hybrid] (6,8)	<i>Ulmus</i> X <i>notha</i> Wilhelm & G. Ware, nom. inval. (6)		
<i>Ulmus campestris</i> Linnaeus var. <i>pumila</i> (Linnaeus) Maximowicz (10)			
<i>U. pumila</i> var. <i>microphylla</i> Persoon (10)			
<i>Caragana arborescens</i> Lam. var. <i>pendula</i> Carrière (1,6)			Exempt the cultivars <i>Lorbergii</i> , <i>Pendula</i> and <i>Walkerii</i>
<i>Caragana arborescens</i> var. <i>redowskii</i> Bean (1)			
<i>Robinia altagana</i> var. <i>fruticosa</i> Pall. (1)			
<i>Caragana arborescens</i> f. <i>lorbergii</i> Koehne (1)			
<i>Cara-gana fruticosa</i> (Pallas) Besser var. <i>multiflora</i> H. Xie & Y. T. Zhao (10)			

<i>Najas major</i> var. <i>angustifolia</i> A. Braun ex K. Schum. (2,6,8)			
<i>Najas marina</i> var. <i>recurvata</i> Dudley (2,6,8)			
<i>Centaurea dubia</i> ssp. <i>vochinensis</i> (Bernh. ex Rchb.) Hayek (2,6,8,10)			
<i>Centaurea debeauxii</i> Gren. & Godr. ssp. <i>thuillieri</i> Dostál (6)			
<i>Centaurea nigrescens</i> Willd. subsp. <i>nigrescens</i> (1)			
<i>Centaurea nigrescens</i> Willd. subsp. <i>transalpina</i> (Schleich. ex DC.) Nyman (1)	<i>Centaurea dubia</i> Suter (1,2)		
	<i>Centaurea</i> <i>transalpina</i> auct. non Schleich. ex DC. (1,2,10) (Basionym)		
<i>C. jacea</i> Linnaeus subsp. <i>nigrescens</i> (Willdenow) Celakovsky (10)			
<i>Galium mollugo</i> ssp. <i>erectum</i> (Huds.) Briq. (2,6,8)			
<i>Galium mollugo</i> var. <i>erectum</i> (Huds.) Domin (2,6,8)			
<i>Galium mollugo</i> subsp. <i>asperifolium</i> (Wall.) Kitam. (10)			

<i>Morus alba</i> var. <i>tatarica</i> (L.) Ser. (2,6,7,8,10)			Exempt male cultivars
<i>Morus alba</i> f. <i>tatarica</i> Ser. (1)			
<i>Morus alba</i> var. <i>multicaulis</i> (Perr.) Loudon (1,2,6,7)			
<i>Morus alba</i> var. <i>constantinopolitana</i> Loudon (1)			
<i>Morus alba</i> L. f. <i>incurva</i> F.Seym. (8)			
<i>Morus alba</i> var. <i>purpurea</i> Bureau (10)			
<i>Populus alba</i> var. <i>bolleana</i> (Lauche) Ed. Otto (1,2,6,7,8)			
<i>Populus alba</i> var. <i>pyramidalis</i> Bunge (2,6,7,8)			
<i>Populus alba</i> var. <i>croatica</i> Wesm. (1)			
<i>Populus alba</i> var. <i>nivea</i> Aiton (1,2,6)			
<i>Populus</i> X <i>canescens</i> (Aiton) Sm. (pro sp.) (2,6,8) (Accepted)	<i>Populus alba</i> var. <i>canescens</i> Aiton (2,6)	<i>Populus hybrida</i> M. Bieb. (2,6)	
<i>Myosotis sylvatica</i> Ehrh. var. <i>alpestris</i> auct. non (F.W. Schmidt) Koch (6)			
<i>Myosotis alpestris</i> F.W. Schmidt ssp. <i>asiatica</i> Vesterg. (6)			
<i>Artemisia absinthium</i> var. <i>absinthium</i> L. (2)			
<i>Artemisia absinthium</i> var. <i>insipida</i> Stechmann (2,6)			

r Kelly Kearns Dec. '14- Jan.
y questions regarding how to
l at
will keep the file saved to
ns that might come up.


Notes

Appears crossed out on
"Terrestrial Plants -
Regulated
Recommendations"









<i>Centaurea repens</i> is not an accepted name (2) <i>Acroptilon repens</i> is accepted (6,7) <i>Rhaponticum repens</i> is accepted (1) <i>C. repens</i> is accepted (8)
<i>Nelumbo lutea</i> is accepted by (8)

Species of concern

Need to find out more about the population in WI. If isolated, it should be Prohibited. If more common than originally thought, it should be Restricted or split listed.
Corrected spelling of species
Need to find out more about the size and distribution of the populations.
Prohibited in north, Restricted in south

Restricted in counties where it is currently found with a few county buffer and Prohibited in the rest of the state

Acer tataricum subsp. *ginnala* is not an accepted name (2) But is accepted by (1) *Acer ginnala* is accepted by (7)

and the cultivars: Tara;
'Anderson's Lustre
'; Erecta; 'Bailgreen';
et; 'Monomb' Cherry
Inermis; Wild
. *atropurpurea* ;
Pow Wow; JN Redleaf;
elleris; Kobold's 'JN
iisel' Golden Carousel;
ii hybrid; Silver Mile;

Corrected spelling of
species





