

This attachment may be used by small industrial and municipal wastewater treatment labs to select from an abbreviated list of Aqueous-Technology-Analyte combinations for which initial or additional accreditations are requested. Please note that a WP PT sample is required for each combination of Technology-Analyte selected, except for TVS where a PT sample is not required.

ANALYTE	TECHNOLOGY
<input type="checkbox"/> Ammonia as N	Colorimetric
<input type="checkbox"/> Ammonia as N	Electrometric Assays (ion-selective electrode)
<input type="checkbox"/> Ammonia as N	Titrimetric or Potentiometric Titration Assays
<input type="checkbox"/> Biochemical Oxygen Demand (BOD)	Oxygen Demand assays (BOD or cBOD)
<input type="checkbox"/> Carbonaceous BOD (cBOD)	Oxygen Demand assays (BOD or cBOD)
<input type="checkbox"/> Chloride	Colorimetric
<input type="checkbox"/> Chloride	Electrometric Assays (ion-selective electrode)
<input type="checkbox"/> Chloride	Titrimetric or Potentiometric Titration Assays
<input type="checkbox"/> Kjeldahl Nitrogen, Total	Colorimetric
<input type="checkbox"/> Kjeldahl Nitrogen, Total	Electrometric Assays (ion-selective electrode)
<input type="checkbox"/> Kjeldahl Nitrogen, Total	Titrimetric or Potentiometric Titration Assays
<input type="checkbox"/> Phosphorus, Total	Colorimetric
<input type="checkbox"/> Residue, Nonfilterable (TSS)	Gravimetric Assays - Residue (solids)
<input type="checkbox"/> Residue, Volatile (TVS)	Gravimetric Assays - Residue (solids)

AQUEOUS MATRIX