



Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

Certification Services

Laboratory Certification and Registration Program



Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

AgSource Laboratories
ID: 737109450
 3700 Downwind Drive
 Marshfield WI 54449-
 Phone: (715) 898-1402

Analytichem LLC
ID: 431011680
 N9190 Bay Meadows Ln
 Luxemburg WI 54217-9639
 Phone: (920) 866-3944

Badger Laboratories, Inc.
ID: 445023150
 501 W Bell Street
 Neenah WI 54956-1392
 Phone: (920) 729-1100

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics Contaminants (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Chromium - SM 3113B
- Copper - SM 3113B

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Sulfate - EPA 300.0

Secondary Inorganic Contaminants (Metals)

- Calcium - SM 3111B
- Iron - SM 3111B
- Magnesium - SM 3111 B
- Sodium - SM 3111B

ALS Environmental - Holland
ID: 399084510
 3352 128th Avenue
 Holland MI 49424-
 Phone: (616) 399-6070

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Secondary Inorganic Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Orthophosphate - EPA 300.0
- Sulfate - EPA 300.0

Badger Laboratories - Stevens Point
ID: 750110460
 3426 E. Maria Dr
 Stevens Point WI 54481-
 Phone: (715) 544-4900

Matrix: Drinking Water

Disinfection By-products

- ## THM (group) - EPA 524.3

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524.3

Badger Laboratories, Inc.
ID: 445023150
 501 W Bell Street
 Neenah WI 54956-1392
 Phone: (920) 729-1100

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0

- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Bayfield County Health Dept.

ID: 804075250

PO Box 403
Washburn WI 54891-
Phone: (715) 373-6109

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Branch River Testing Services LLC

ID: 405224600

693 Lamers Clancy Road
Greenleaf WI 54126-
Phone: (920) 532-0016

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B

Brown County Public Health Department

ID: 405200070

2198 Glendale Ave
Green Bay WI 54303-
Phone: (920) 448-6400

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

City of Milwaukee Health Department Lab

ID: 241311290

Zeidler Municipal Bldg
Milwaukee WI 53202-
Phone: (414) 286-3526

Matrix: Drinking Water

City of Milwaukee Health Department Lab

ID: 241311290

Zeidler Municipal Bldg
Milwaukee WI 53202-
Phone: (414) 286-3526

Primary Inorganics Contaminants (Metals)

- Lead - SM 3113B

Clean Water Testing LLC

ID: 445126660

1990 Prospect Court
Appleton WI 54914-
Phone: (920) 733-7590

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - SM 4500-NO2 B

Primary Inorganics Contaminants (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Copper - SM 3113B
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - SM 3113B
- Thallium - EPA 200.9

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- pH - SM 4500-H+ B
- Sulfate - EPA 300.0

Secondary Inorganic Contaminants (Metals)

- Sodium - EPA 200.7

Commercial Testing Laboratory Inc.

ID: 617013980

PO Box 526
Colfax WI 54730-
Phone: (715) 962-3121

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - SM 4500-CN C, E
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.9
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Lead - EPA 200.9
- Mercury - EPA 245.2
- Nickel - EPA 200.7
- Selenium - EPA 200.9
- Thallium - EPA 200.9

Secondary Inorganic Contaminants (Metals)

- Sodium - EPA 200.7

CT Laboratories

ID: 157066030

1230 Lange Ct.
Baraboo WI 53913-
Phone: (608) 356-2760

Matrix: Drinking Water

Disinfection By-products

- ## THM (group) - EPA 524.2

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.9

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

CT Laboratories
ID: 157066030
 1230 Lange Ct.
 Baraboo WI 53913-
 Phone: (608) 356-2760

Culligan Analytical Laboratory
ID: 399016200
 9399 W. Higgins Rd
 Rosemont IL 60018-
 Phone: (847) 430-1219

Davy Laboratories
ID: 632021390
 115 South 6th Street
 La Crosse WI 54601-
 Phone: (608) 782-3130

- Arsenic - EPA 200.9
 - Barium - EPA 200.7
 - Beryllium - EPA 200.7
 - Cadmium - EPA 200.7
 - Chromium - EPA 200.7
 - Copper - EPA 200.7
 - Lead - EPA 200.9
 - Mercury - EPA 245.1
 - Nickel - EPA 200.7
 - Selenium - EPA 200.9
 - Thallium - EPA 200.9
- Secondary Inorganic Contaminants (Non-Metals)
- Alkalinity - SM 2320B
 - Chloride - EPA 300.0
 - Sulfate - EPA 300.0
 - TDS (Total Dissolved Solids) - SM 2540C
- Secondary Inorganic Contaminants (Metals)
- Calcium - EPA 200.7
 - Iron - EPA 200.7
 - Magnesium - EPA 200.7
 - Manganese - EPA 200.7
 - Silver - EPA 200.7
 - Sodium - EPA 200.7
 - Zinc - EPA 200.7
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 52.2
 - ## VOCS, UNREGULATED (group) - EPA 52.2

- Nitrate + Nitrite - EPA 300.0
 - Nitrite - EPA 300.0
- Primary Inorganic Contaminants (Metals)
- Antimony - EPA 200.8
 - Arsenic - EPA 200.8
 - Barium - EPA 200.7
 - Beryllium - EPA 200.8
 - Cadmium - EPA 200.8
 - Chromium - EPA 200.8
 - Copper - EPA 200.7
 - Lead - EPA 200.8
 - Nickel - EPA 200.7
 - Selenium - EPA 200.8
 - Thallium - EPA 200.8
- Secondary Inorganic Contaminants (Non-Metals)
- Alkalinity - SM 2320B
 - Chloride - EPA 300.0
 - Sulfate - EPA 300.0
- Secondary Inorganic Contaminants (Metals)
- Aluminum - EPA 200.7
 - Aluminum - EPA 200.8
 - Calcium - EPA 200.7
 - Iron - EPA 200.7
 - Magnesium - EPA 200.7
 - Manganese - EPA 200.7
 - Silica - EPA 200.7
 - Silver - EPA 200.8
 - Sodium - EPA 200.7
 - Zinc - EPA 200.7

- ## THM (group) - EPA 524.2
- Primary Inorganic Contaminants (Non-Metals)
- Fluoride - EPA 300.0
 - Fluoride - SM 4500-F C
 - Nitrate - EPA 300.0
 - Nitrate - SM 4500-NO3 D
 - Nitrate + Nitrite - EPA 300.0
 - Nitrate + Nitrite - EPA 353.2
 - Nitrite - EPA 300.0
 - Nitrite - SM 4500-NO2 B
- Primary Inorganic Contaminants (Metals)
- Antimony - SM 3113B
 - Arsenic - SM 3113B
 - Barium - EPA 200.7
 - Beryllium - EPA 200.7
 - Beryllium - SM 3113B
 - Cadmium - EPA 200.7
 - Cadmium - SM 3113B
 - Chromium - EPA 200.7
 - Chromium - SM 3113B
 - Copper - EPA 200.7
 - Copper - SM 3111B
 - Copper - SM 3113B
 - Lead - SM 3113B
 - Mercury - EPA 245.1
 - Nickel - EPA 200.7
 - Nickel - SM 3113B
 - Selenium - SM 3113B
 - Thallium - EPA 200.9
- Secondary Inorganic Contaminants (Non-Metals)

Culligan Analytical Laboratory
ID: 399016200
 9399 W. Higgins Rd
 Rosemont IL 60018-
 Phone: (847) 430-1219

Davy Laboratories
ID: 632021390
 115 South 6th Street
 La Crosse WI 54601-
 Phone: (608) 782-3130

- Matrix: Drinking Water**
- Primary Inorganic Contaminants (Non-Metals)
- Fluoride - EPA 300.0
 - Nitrate - EPA 300.0

- Matrix: Drinking Water**
- Disinfection By-products
- ## HALOACETIC ACIDS (5) - EPA 552.2

- Secondary Inorganic Contaminants (Non-Metals)
- Alkalinity - SM 2320B
 - Chloride - EPA 300.0
 - Chlorine, Free - SM 4500-Cl G
 - Conductivity - SM 2510B
 - Orthophosphate - SM 4500-P E
 - pH - SM 4500-H+ B
 - Sulfate - EPA 300.0
 - TDS (Total Dissolved Solids) - SM 2540C
 - Turbidity - SM 2130B
- Secondary Inorganic Contaminants (Metals)
- Aluminum - EPA 200.7

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Davy Laboratories
ID: 632021390
 115 South 6th Street
 La Crosse WI 54601-
 Phone: (608) 782-3130

- Calcium - EPA 200.7
- Calcium - SM 3111B
- Iron - EPA 200.7
- Iron - SM 3111B
- Magnesium - EPA 200.7
- Magnesium - SM 3111 B
- Manganese - EPA 200.7
- Manganese - SM 3111B
- Silver - EPA 200.7
- Silver - SM 3113B
- Sodium - EPA 200.7
- Sodium - SM 3111B
- Zinc - EPA 200.7
- Zinc - SM 3111B

SOC - Organochlorine Pesticides

- Chlordane - EPA 505
- Toxaphene - EPA 505

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2.4.5-TP) - EPA 515.3

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524

Eau Claire City-County Health Departmen
ID: 618019820
 720 2nd Avenue
 Eau Claire WI 54703-
 Phone: (715) 839-4734

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Copper - SM 3111B
- Lead - SM 3113B

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524

Environmental Monitoring and Technolo
ID: 999888890
 509 N. 3rd Avenue
 Des Plaines IL 60016-
 Phone: (847) 967-6666

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nickel - EPA 200.8
- Thallium - EPA 200.8

Eurofins Eaton Analytical, LLC - Indiana
ID: 999766900
 110 South Hill Street
 South Bend IN 46617-
 Phone: (574) 233-4777

- ## THM (group) - EPA 524.3
- ## THM (group) - EPA 551.1
- Bromate - EPA 300.1
- Bromate - EPA 317.0 Rev. 2.0
- Bromide - EPA 300.0
- Chlorite - EPA 300.0

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Fluoride - SM 4500-F C
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Conductivity - SM 2510B
- Diss. Org. Carbon (DOC) - SM5310C
- Orthophosphate - SM 4500-P E
- pH - EPA 150.1
- Sulfate - EPA 300.0
- SUVA (calc.) - EPA 415.3
- TDS (Total Dissolved Solids) - SM 2540C
- Total Organic Carbon (TOC) - SM5310C
- Turbidity - EPA 180.1

Eau Claire City-County Health Departmen
ID: 618019820
 720 2nd Avenue
 Eau Claire WI 54703-
 Phone: (715) 839-4734

Matrix: Drinking Water

Disinfection By-products

- ## THM (group) - EPA 524.2

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D

Eurofins Eaton Analytical, LLC - Indiana
ID: 999766900
 110 South Hill Street
 South Bend IN 46617-
 Phone: (574) 233-4777

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## THM (group) - EPA 524.2

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Eaton Analytical, LLC - Indiana

ID: 999766900

110 South Hill Street
South Bend IN 46617-
Phone: (574) 233-4777

- UV254 - SM5910B

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.8

SOC - Organochlorine Pesticides

- Aldrin - EPA 525.2
- Chlordane - EPA 505
- Dieldrin - EPA 525.2
- Endrin - EPA 525.2
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)
- 3-Hydroxycarbofuran - EPA 531.2
- Aldicarb - EPA 531.2

Eurofins Eaton Analytical, LLC - Indiana

ID: 999766900

110 South Hill Street
South Bend IN 46617-
Phone: (574) 233-4777

- Aldicarb Sulfone - EPA 531.2
 - Aldicarb Sulfoxide - EPA 531.2
 - Benzo[a]pyrene - EPA 525.2
 - Carbaryl - EPA 531.2
 - Carbofuran - EPA 531.2
 - Di(2-ethylhexyl)adipate - EPA 525.2
 - Di(2-ethylhexyl)phthalate - EPA 525.2
 - Dibromochloropropane (DBCP) - EPA 504.
 - Dibromochloropropane (DBCP) - EPA 524.
 - Diquat - EPA 549.2
 - Endothall - EPA 548.1
 - Ethylene Dibromide (EDB) - EPA 504.1
 - Ethylene Dibromide (EDB) - EPA 524.3
 - Glyphosate - EPA 547
 - Hexachlorobenzene - EPA 525.2
 - Hexachlorocyclopentadiene - EPA 525.2
 - Methomyl - EPA 531.2
 - Oxamyl (Vydate) - EPA 531.2
 - PCBs (as Aroclors) Screening - EPA 505
- #### Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 524.2
 - ## VOCS, UNREGULATED (group) - EPA 524.2
 - 1,2,3-Trichloropropane - EPA 524.3

Eurofins Sacramento

ID: 998204680

880 Riverside Parkway
West Sacramento CA 95605-
Phone: (916) 373-5600

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Eurofins S-F Analytical Laboratories Inc.

ID: 241249360

2345 South 170th Street
New Berlin WI 53151-
Phone: (262) 754-5300

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganic Contaminants (Metals)

- Arsenic - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8

GEL Laboratories, LLC

ID: 999887790

PO Box 30712
Charleston SC 29407-
Phone: (843) 556-8171

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Iron County Health Department

ID: 826005950

210 Fifth Avenue North
Hurley WI 54534-
Phone: (715) 561-2191

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Jackson County Public Health Water Lab

ID: 627062810

421 County Road R
Black River Falls WI 54615-
Phone: (715) 284-4301

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206

Kenosha County Division of Health Lab

ID: 230153220

8600 Sheridan Road
Kenosha WI 53143-
Phone: (262) 605-6705

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Kenosha Water Utility - WPC

ID: 230002960

7834 3rd Ave
Kenosha WI 53143-
Phone: (262) 653-4335

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Lead - SM 3113B

Kohler Co., CHEM Lab

ID: 460032870

444 Highland Drive
Kohler WI 53044-
Phone: (920) 457-4441

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

Kohler Co., CHEM Lab

ID: 460032870

444 Highland Drive
Kohler WI 53044-
Phone: (920) 457-4441

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Sulfate - EPA 300.0

Lab-Tech Services

ID: 734044960

N6411 Vacha Lane
Deerbrook WI 54424-
Phone: (715) 623-6281

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

LaCrosse Public Health Laboratory

ID: 632072980

300 North 4th Street
LaCrosse WI 54601-3299
Phone: (608) 785-9733

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Lead - SM 3113B

Lake Superior Research Institute (LSRI)

ID: 816003540

UW-Superior
Superior WI 54880-
Phone: (715) 394-8160

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Lincoln County Health Department

ID: 735036280

607 N. Sales Street
Merrill WI 54452-
Phone: (715) 536-0307

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

LV Labs WW, LLC

ID: 122046870

P.O. Box 343
Lancaster WI 53813-
Phone: (608) 723-4096

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Marathon County Public Health Laborato

ID: 737157080

1000 Lake View Dr Suite #100
Wausau WI 54403-
Phone: (715) 261-1908

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Medford Wastewater Treatment Plant

ID: 861008830

603 S. Whelen Ave.
Medford WI 54451-
Phone: (715) 748-4122

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Merit Laboratories, Inc

ID: 399147320

2680 East Lansing Dr
East Lansing MI 48823-
Phone: (517) 332-0167

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Milwaukee Water Works

ID: 241010000

3000 N Lincoln Memorial Dr
Milwaukee WI 53211-3462
Phone: (414) 286-2226

Matrix: Drinking Water

Disinfection By-products

- Bromate - EPA 300.1
- Chlorate - EPA 300.1
- Chlorite - EPA 300.1

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.1
- Fluoride - SM 4500-F C
- Nitrate - EPA 300.1
- Nitrate + Nitrite - EPA 300.1
- Nitrite - EPA 300.1

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.1
- Chlorine, Combined - SM 4500-CI D
- Chlorine, Combined - SM 4500-CI G
- Chlorine, Total - SM 4500-CI D
- Conductivity - SM 2510B
- Orthophosphate - EPA 300.1
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B
- Sulfate - EPA 300.1
- Turbidity - SM 2130B

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.8
- Manganese - EPA 200.8
- Zinc - EPA 200.8

National Testing Laboratories, Inc.

ID: 999462860

556 S Mansfield St
Ypsilanti MI 48197-
Phone: (734) 483-8333

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## THM (group) - EPA 524.2
- Bromate - EPA 300.1
- Bromate - EPA 326.0
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Chlorate - EPA 300.1
- Chlorine Dioxide - SM 4500-CIO2 D
- Chlorite - EPA 300.1

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Selenium - SM 3113B
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-CI G

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

National Testing Laboratories, Inc.
ID: 999462860
 556 S Mansfield St
 Ypsilanti MI 48197-
 Phone: (734) 483-8333

National Testing Laboratories, Inc.
ID: 999462860
 556 S Mansfield St
 Ypsilanti MI 48197-
 Phone: (734) 483-8333

Northern Lake Service Inc. - Waukesha
ID: 268533760
 2420 North Grandview Blvd
 Waukesha WI 53188-
 Phone: (262) 547-3406

- Chlorine, Total - SM 4500-Cl G
- Conductivity - SM 2510B
- Orthophosphate - EPA 300.0
- pH - EPA 150.1
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Total Organic Carbon (TOC) - SM5310C
- Secondary Inorganic Contaminants (Metals)
- Aluminum - EPA 200.7
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8
- SOC - Organochlorine Pesticides
- Aldrin - EPA 505
- Aldrin - EPA 525.2
- Chlordane - EPA 505
- Dieldrin - EPA 505
- Dieldrin - EPA 525.2
- Endrin - EPA 505
- Endrin - EPA 525.2
- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 505
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505
- SOC - N/P Pesticides
- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2

- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2
- SOC - Herbicides
- 2,4-D - EPA 515.4
- Dalapon - EPA 515.4
- Dalapon - EPA 552.2
- Dicamba - EPA 515.4
- Dinoseb - EPA 515.4
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Silvex (2,4,5-TP) - EPA 515.4
- SOC - Miscellaneous
- 3-Hydroxycarbofuran - EPA 531.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Benzof[a]pyrene - EPA 525.2
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 505
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 505
- Hexachlorocyclopentadiene - EPA 525.2
- Methomyl - EPA 531.2
- Oxamyl (Vydate) - EPA 531.2
- PCBs (as Aroclors) Screening - EPA 505
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2

Matrix: Drinking Water

Primary Inorganic Contaminants (Non-Metals)

- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Northern Lake Service Inc. (Crandon)
ID: 721026460
 400 North Lake Ave
 Crandon WI 54520-1286
 Phone: (715) 478-2777

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## THM (group) - EPA 524.2

Primary Inorganic Contaminants (Non-Metals)

- Cyanide - SM 4500-CN C, E
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - EPA 300.0

Primary Inorganic Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Northern Lake Service Inc. (Crandon)
ID: 721026460
 400 North Lake Ave
 Crandon WI 54520-1286
 Phone: (715) 478-2777

Northern Lake Service Inc. (Crandon)
ID: 721026460
 400 North Lake Ave
 Crandon WI 54520-1286
 Phone: (715) 478-2777

Pace Analytical Services, LLC-Minneapolis
ID: 999407970
 1700 SE Elm Street
 Minneapolis MN 55414-
 Phone: (612) 607-1700

- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8
- Secondary Inorganic Contaminants (Non-Metals)
- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Orthophosphate - SM 4500-P E
- Sulfate - EPA 300.0
- Secondary Inorganic Contaminants (Metals)
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8
- SOC - Organochlorine Pesticides
- Aldrin - EPA 525.2
- Chlordane - EPA 505
- Dieldrin - EPA 525.2
- Endrin - EPA 525.2
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Lindane (gamma-BHC) - EPA 525.2
- Methoxychlor - EPA 525.2
- Toxaphene - EPA 505
- SOC - N/P Pesticides
- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2

- Simazine - EPA 525.2
- SOC - Miscellaneous
- ## PFAS (group) – EPA 537.1 (18)
- 3-Hydroxycarbofuran - EPA 531.1
- Aldicarb - EPA 531.1
- Aldicarb Sulfone - EPA 531.1
- Aldicarb Sulfoxide - EPA 531.1
- Benzof[a]pyrene - EPA 525.2
- Carbaryl - EPA 531.1
- Carbofuran - EPA 531.1
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Glyphosate - EPA 547
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Methomyl - EPA 531.1
- Oxamyl (Vydate) - EPA 531.1
- PCBs (as Aroclors) Screening - EPA 505
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2

- Matrix: Drinking Water**
- Primary Inorganic Contaminants (Non-Metals)
- Nitrate - EPA 353.2
 - Nitrite - EPA 353.2
- Primary Inorganic Contaminants (Metals)
- Copper - EPA 200.8
 - Lead - EPA 200.8
 - Mercury - EPA 245.1
- SOC - Dioxin
- 2,3,7,8-TCDD (Dioxin) - EPA 1613
- SOC - Miscellaneous
- ## PFAS (group) – EPA 537.1 (18)

Pace Analytical Services, LLC-Duluth MN
ID: 999446800
 4730 Oneota Street
 Duluth MN 55807-
 Phone: (218) 735-6700

- Matrix: Drinking Water**
- Primary Inorganic Contaminants (Non-Metals)
- Fluoride - EPA 300.0
 - Nitrate - EPA 300.0
 - Nitrite - EPA 300.0
- Secondary Inorganic Contaminants (Non-Metals)
- Chloride - EPA 300.0
 - Sulfate - EPA 300.0

Pace Analytical Services, LLC-Columbia
ID: 399136100
 106 Vantage Point Dr
 West Columbia SC 29172-
 Phone: (803) 791-9700

- Matrix: Drinking Water**
- SOC - Miscellaneous
- ## PFAS (group) – EPA 537.1 (18)

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Green Bay
ID: 405132750
 1241 Bellevue Street
 Green Bay WI 54302-
 Phone: (920) 469-2436

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Pace Analytical Services,LLC-Indianapoli
ID: 999788130
 7726 Moller Road
 Indianapolis IN 46268-
 Phone: (317) 228-3100

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Inorganic Contaminants (Metals)

- Sodium - EPA 200.7

Pace Analytical Services,LLC-Ormond Be
ID: 399079670
 8 East Tower Circle
 Ormond Beach FL 32174-
 Phone: (386) 672-5668

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## THM (group) - EPA 524.2
- Bromate - EPA 300.1
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Chlorate - EPA 300.1

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2

Primary Inorganics Contaminants (Metals)

- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Chloride - EPA 300.0
- Conductivity - SM 2510B
- Foaming agents (MBAS) - SM 5540C
- Orthophosphate - EPA 300.0
- Orthophosphate - EPA 365.1
- pH - SM 4500-H+ B
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Turbidity - EPA 180.1

SOC - Herbicides

- 2,4-D - EPA 515.3
- Dalapon - EPA 515.3
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Pentachlorophenol - EPA 515.3
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

SOC - Miscellaneous

Pace Analytical Services,LLC-Ormond Be
ID: 399079670
 8 East Tower Circle
 Ormond Beach FL 32174-
 Phone: (386) 672-5668

- ## PFAS (group) – EPA 537.1 (18)
 - Dibromochloropropane (DBCP) - EPA 504.
 - Diquat - EPA 549.2
 - Endothall - EPA 548.1
 - Ethylene Dibromide (EDB) - EPA 504.1
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 524.2
 - ## VOCS, UNREGULATED (group) - EPA 524.2

Pace Gulf Coast Analytical Laboratories
ID: 399139510
 7979 Innovation Park Dr
 Baton Rouge LA 70820-7402
 Phone: (224) 769-4900

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Public Health Madison-Dane County Lab
ID: 113139620
 210 Martin Luther King Jr Blvd
 Madison WI 53703-
 Phone: (608) 266-4821

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Public Health Madison-Dane County Lab
ID: 113139620
 210 Martin Luther King Jr Blvd
 Madison WI 53703-
 Phone: (608) 266-4821

- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Sulfate - EPA 300.0

Secondary Inorganic Contaminants (Metals)

- Sodium - EPA 200.7

Quality Water Testing, Inc.
ID: 656111390
 395 Reed St
 Somerset WI 54025-
 Phone: (715) 247-4873

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D

Rock County Health Department
ID: 154077660
 PO Box 1088
 Janesville WI 53547-
 Phone: (608) 757-5441

Matrix: Drinking Water

Rock County Health Department
ID: 154077660
 PO Box 1088
 Janesville WI 53547-
 Phone: (608) 757-5441

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

SGS North America, Inc. - Orlando
ID: 399043370
 4405 Vineland Rd Suite C-15
 Orlando FL 32811-
 Phone: (407) 425-6700

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Suburban Laboratories of SE Wisconsin
ID: 246179890
 10520 N Baehr Road, Ste J
 Mequon WI 53092-
 Phone: (262) 539-2316

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D
- Nitrite - SM 4500-NO2 B

Suburban Laboratories, Inc.
ID: 399089350
 1950 S. Batavia Ave. Suite 150
 Geneva IL 60134-
 Phone: (708) 544-3260

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## THM (group) - EPA 524.2

Suburban Laboratories, Inc.
ID: 399089350
 1950 S. Batavia Ave. Suite 150
 Geneva IL 60134-
 Phone: (708) 544-3260

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - SM 4500-CN C, E
- Fluoride - SM 4500-F C
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2 B

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Conductivity - SM 2510B
- Orthophosphate - SM 4500-P E
- Sulfate - ASTM D516
- TDS (Total Dissolved Solids) - SM 2540C
- Total Organic Carbon (TOC) - SM5310B

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.8
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Zinc - EPA 200.7
- Zinc - EPA 200.8

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Suburban Laboratories, Inc.
ID: 399089350
 1950 S. Batavia Ave. Suite 150
 Geneva IL 60134-
 Phone: (708) 544-3260

SWD Labs, LLC
ID: 111083830
 PO Box 150
 Randolph WI 53956-
 Phone: (920) 326-5193

Twin City Water Clinic
ID: 399073400
 617 - 13th Avenue South
 Hopkins MN 55343-
 Phone: (952) 935-3556

SOC - Organochlorine Pesticides

- Aldrin - EPA 505
- Chlordane - EPA 505
- Dieldrin - EPA 505
- Endrin - EPA 505
- Heptachlor - EPA 505
- Heptachlor epoxide - EPA 505
- Lindane (gamma-BHC) - EPA 505
- Methoxychlor - EPA 505

SOC - N/P Pesticides

- Alachlor - EPA 525.2
- Atrazine - EPA 525.2
- Butachlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Propachlor - EPA 525.2
- Simazine - EPA 525.2

SOC - Herbicides

- 2,4-D - EPA 515.4
- Dalapon - EPA 515.4
- Dicamba - EPA 515.4
- Dinoseb - EPA 515.4
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Silvex (2,4,5-TP) - EPA 515.4

SOC - Miscellaneous

- Benzo[a]pyrene - EPA 525.2
 - Di(2-ethylhexyl)adipate - EPA 525.2
 - Di(2-ethylhexyl)phthalate - EPA 525.2
 - Dibromochloropropane (DBCP) - EPA 504.
 - Endothall - EPA 548.1
 - Ethylene Dibromide (EDB) - EPA 504.1
 - Hexachlorobenzene - EPA 505
 - Hexachlorocyclopentadiene - EPA 505
- Volatile Organic Compounds (VOC)
- ## VOCS, REGULATED (group) - EPA 52.
 - ## VOCS, UNREGULATED (group) - EPA 524.2
 - Methyl tert-Butyl Ether - EPA 524.2

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Synergy Environmental Lab, LLC
ID: 445037560
 1990 Prospect Court
 Appleton WI 54914-
 Phone: (920) 830-2455

Matrix: Drinking Water

Disinfection By-products

- ## THM (group) - EPA 524.2

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 52.

TG Analytical Laboratories
ID: 445158340
 P.O. Box 170
 Greenville WI 54942-
 Phone: (920) 757-1355

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Copper - SM 3111B
- Lead - SM 3113B

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 F

U.S. Water, LLC
ID: 737240900
 6905 Venture Circle
 Weston WI 54476-
 Phone: (715) 842-2215

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - HACH Method 10225
- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206
- Nitrite - SM 4500-NO2 B

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - EPA 200.9
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Chromium - EPA 200.9
- Copper - EPA 200.8
- Copper - EPA 200.9
- Lead - EPA 200.8
- Lead - EPA 200.9
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.8
- Manganese - EPA 200.8
- Silver - EPA 200.8
- Zinc - EPA 200.8

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

UW-Oshkosh Env. Research & Innovatio

ID: 471183460

783 Pearl Street
Oshkosh WI 54901-
Phone: (920) 424-3148

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - SM 4500-NO2 B
- Nitrite - SM 4500-NO3 F

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B

UWSP Water and Environmental Analysis

ID: 750040280

800 Reserve Street
Stevens Point WI 54481-
Phone: (715) 346-3209

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate + Nitrite - SM 4500-NO3 F

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.8
- Lead - EPA 200.8

Vista Analytical Laboratory, Inc.

ID: 998036160

1104 Windfield Way
El Dorado Hills CA 95762-
Phone: (916) 673-1520

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Walworth Co. Health & Human Services

ID: 265192290

PO Box 1005
Elkhorn WI 53121-
Phone: (262) 741-3200

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Water Diagnostics Laboratories

ID: 246103990

8605 W. Freistadt Road
Mequon WI 53097-
Phone: (414) 350-1100

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Water Laboratories, Inc

ID: 399044470

333 Main St NW
Elk River MN 55330-
Phone: (763) 441-7509

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.9
- Lead - SM 3113B

Waukesha Co Dept of Parks & Land Use

ID: 268511760

515 W Moreland Blvd, Rm AC260
Waukesha WI 53188-
Phone: (262) 896-8300

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Wisconsin State Laboratory of Hygiene

ID: 113133790

PO Box 7996
Madison WI 53718-
Phone: (608) 224-6281

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## THM (group) - EPA 524.2
- ## THM (group) - EPA 524.3

Primary Inorganics Contaminants (Non-Metals)

- Cyanide - SM 4500-CN C, E
- Fluoride - Lachat 10-109-12-2-A (2009)
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2 B

Primary Inorganics Contaminants (Metals)

- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - SM 3113B
- Chromium - SM 3113B
- Copper - EPA 200.7
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Selenium - SM 3113B
- Thallium - EPA 200.9

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Orthophosphate - EPA 365.1
- Sulfate - EPA 375.2

Wisconsin Department of Natural Resources

List of Certified Drinking Water Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Wisconsin State Laboratory of Hygiene

ID: 113133790

PO Box 7996

Madison WI 53718-

Phone: (608) 224-6281

- TDS (Total Dissolved Solids) - SM 2540C

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.7
- Calcium - EPA 200.7
- Iron - EPA 200.7
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Silver - SM 3113B
- Sodium - EPA 200.7
- Zinc - EPA 200.7

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Volatile Organic Compounds (VOC)

- ## VOCS, REGULATED (group) - EPA 524
- ## VOCS, REGULATED (group) - EPA 524

Wood County Water Laboratory

ID: 772162820

111 W Jackson Street-Room 341

Wisconsin Rapids WI 54495-

Phone: (715) 421-8911

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206