



---

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

---

### Certification Services

### Laboratory Certification and Registration Program



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Abbyland Foods WWTP Laboratory

**ID: 737090420**

Abbotsford WI

Phone: (715) 223-6386

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Oil & Grease as HEM
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### ALS Environmental - Holland

**ID: 399084510**

Holland MI

Phone: (616) 399-6070

#### Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,2-Dibromo-3-chloropropane (DBCP)
- 1,2-Dibromoethane (EDB)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total

### ALS Environmental - Holland

**ID: 399084510**

Holland MI

Phone: (616) 399-6070

- Diesel Range Organics (DRO)
- Formaldehyde
- Gasoline Range Organics (GRO)
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

#### Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

#### Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium

### ALS Environmental - Holland

**ID: 399084510**

Holland MI

Phone: (616) 399-6070

- Calcium
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Diesel Range Organics (DRO)
- Formaldehyde
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Paint Filter Liquids Test
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Selenium
- Silver
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Alternative Technologies Inc**  
**ID: 998094350**

**Burnsville MN**  
**Phone: (952) 894-3455**

### **Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

**Analytichem LLC**  
**ID: 431011680**

**Luxemburg WI**  
**Phone: (920) 866-3944**

### **Matrix: Drinking Water**

Secondary Inorganic Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Orthophosphate - EPA 300.0
- Sulfate - EPA 300.0

**Ann Arbor Technical Services Inc (ATS)**  
**ID: 998321720**

**Ann Arbor MI**  
**Phone: (734) 995-0995**

### **Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum

**Ann Arbor Technical Services Inc (ATS)**  
**ID: 998321720**

**Ann Arbor MI**  
**Phone: (734) 995-0995**

- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

### **Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)

**Ann Arbor Technical Services Inc (ATS)**  
**ID: 998321720**

**Ann Arbor MI**  
**Phone: (734) 995-0995**

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Ashland Wastewater Treatment Plant**  
**ID: 802008130**

**Ashland WI**  
**Phone: (715) 682-7058**

**Matrix: Aqueous**

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

**Badger Laboratories - Stevens Point**  
**ID: 750110460**

**Stevens Point WI**  
**Phone: (715) 544-4900**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## VOC - VOLATILE ORGANICS (group)
- Organic Carbon, Total (TOC)

**Badger Laboratories, Inc.**  
**ID: 445023150**

**Neenah WI**  
**Phone: (920) 729-1100**

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Acidity as CaCO<sub>3</sub>
- Alkalinity
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium

**Badger Laboratories, Inc.**  
**ID: 445023150**

**Neenah WI**  
**Phone: (920) 729-1100**

- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite

**Badger Laboratories, Inc.**  
**ID: 445023150**

**Neenah WI**  
**Phone: (920) 729-1100**

- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- Sulfite
- Sulfite
- Surfactants
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

**Matrix: Drinking Water**

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Badger Laboratories, Inc.

**ID: 445023150**

Neenah WI

Phone: (920) 729-1100

#### Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Chloride - EPA 300.0
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Iron - EPA 200.7
- Lead - EPA 200.8
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B
- Selenium - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8

### Badger Laboratories, Inc.

**ID: 445023150**

Neenah WI

Phone: (920) 729-1100

- Zinc - EPA 200.7
- Zinc - EPA 200.8

#### **Matrix: Non-Aqueous**

#### Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chloride
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium

### Badger Laboratories, Inc.

**ID: 445023150**

Neenah WI

Phone: (920) 729-1100

- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Paint Filter Liquids Test
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Titanium
- Titanium
- Vanadium

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Badger Laboratories, Inc.  
**ID: 445023150**

Neenah WI  
Phone: (920) 729-1100

- Vanadium
- Zinc
- Zinc

Badger Laboratories, Inc. - Green Bay  
**ID: 405222620**

Green Bay WI  
Phone: (920) 729-1100

### Matrix: Aqueous

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury, Low Level

Baileys Harbor WWTP  
**ID: 415016910**

Baileys Harbor WI  
Phone: (920) 839-2037

### Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Bayfield County Health Dept.  
**ID: 804075250**

Washburn WI  
Phone: (715) 373-6109

### Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

Bayfield County Health Dept.  
**ID: 804075250**

Washburn WI  
Phone: (715) 373-6109

- Nitrate - Hach Method 10206

Beaver Dam Wastewater Treatment Utilit  
**ID: 114001250**

Beaver Dam WI  
Phone: (920) 887-4625

### Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Boscobel Wastewater Treatment Plant  
**ID: 122001660**

Boscobel WI  
Phone: (608) 375-4150

### Matrix: Aqueous

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

BPM, Inc.  
**ID: 438039250**

Peshtigo WI  
Phone: (715) 582-4551

### Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Branch River Testing Services LLC  
**ID: 405224600**

Greenleaf WI  
Phone: (920) 532-0016

### Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Nitrate - Hach Method 10206

Brandon Utilities  
**ID: 420004310**

Brandon WI  
Phone: (262) 346-5492

### Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Bristol Wastewater Treatment Plant  
**ID: 230002630**

Bristol WI  
Phone: (262) 857-9371

### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Brown County Public Health Department

**ID: 405200070**

Green Bay WI

Phone: (920) 448-6400

#### Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

### Burlington Water Pollution Control Facility

**ID: 252002630**

Burlington WI

Phone: (262) 539-3646

#### Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)

### Cambridge/Oakland Wastewater Commis

**ID: 113001570**

Cambridge WI

Phone: (608) 423-4306

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### City of Beloit Water Pollution Control

**ID: 154001650**

Beloit WI

Phone: (608) 364-2888

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### City of Menomonie

**ID: 617006720**

Menomonie WI

Phone: (715) 232-2175

#### Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chloride
- Hardness, Total as CaCO<sub>3</sub>
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### City of Milwaukee Health Department Lab

**ID: 241311290**

Milwaukee WI

Phone: (414) 286-3526

#### Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Lead - SM 3113B

### Clean Water Testing LLC

**ID: 445126660**

Appleton WI

Phone: (920) 733-7590

#### Matrix: Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Copper
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate + Nitrite
- Potassium
- Residue, Nonfilterable (TSS)
- Selenium
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Thallium
- Vanadium
- Zinc

#### Matrix: Drinking Water

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Clean Water Testing LLC**  
**ID: 445126660**

**Appleton WI**  
**Phone: (920) 733-7590**

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Copper - SM 3113B
- Fluoride - EPA 300.0
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - SM 4500-NO2 B
- pH - SM 4500-H+ B
- Selenium - SM 3113B
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.9

**Matrix: Non-Aqueous**

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Arsenic
- Barium
- Cadmium
- Chromium, Total
- Lead
- Mercury
- Selenium
- Silver

**Clintonville Wastewater Treatment Plant**  
**ID: 469004800**

**Clintonville WI**  
**Phone: (715) 823-7675**

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Commercial Testing Laboratory Inc.**  
**ID: 617013980**

**Colfax WI**  
**Phone: (715) 962-3121**

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Alkalinity
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Hardness, Total as CaCO3
- Iron
- Kjeldahl Nitrogen, Total
- Kjeldahl Nitrogen, Total

**Commercial Testing Laboratory Inc.**  
**ID: 617013980**

**Colfax WI**  
**Phone: (715) 962-3121**

- Lead
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Specific Conductance
- Sulfate
- Thallium
- Vanadium
- Zinc

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.9
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Cyanide - SM 4500-CN C, E
- Lead - EPA 200.9
- Mercury - EPA 245.2
- Nickel - EPA 200.7



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Commercial Testing Laboratory Inc.

**ID: 617013980**

**Colfax WI**

**Phone: (715) 962-3121**

- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2
- Selenium - EPA 200.9
- Sodium - EPA 200.7
- Thallium - EPA 200.9

### Matrix: Non-Aqueous

[Titrimetric or Potentiometric Titration Assays](#)

- Ammonia as N
- Arsenic
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Zinc

### CT Laboratories

**ID: 157066030**

**Baraboo WI**

**Phone: (608) 356-2760**

- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Alkalinity
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Diesel Range Organics (DRO)
- Ethylene Glycol
- Fluoride

### CT Laboratories

**ID: 157066030**

**Baraboo WI**

**Phone: (608) 356-2760**

- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO<sub>3</sub>
- HMX
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- PETN (Pentaerythritol tetranitrate)
- pH
- Phosphorus, Total
- Potassium
- Propylene Glycol
- RDX
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide

### CT Laboratories

**ID: 157066030**

**Baraboo WI**

**Phone: (608) 356-2760**

### Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### CT Laboratories

**ID: 157066030**

**Baraboo WI**

**Phone: (608) 356-2760**

- Thallium
- Thallium
- Tin
- Turbidity
- Vanadium
- Zinc

### Matrix: Drinking Water

#### Disinfection By-products

- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- Alkalinity - SM 2320B
- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Calcium - EPA 200.7
- Chloride - EPA 300.0
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Iron - EPA 200.7
- Lead - EPA 200.9
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Selenium - EPA 200.9
- Silver - EPA 200.7
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.9
- Zinc - EPA 200.7

### Matrix: Non-Aqueous

### CT Laboratories

**ID: 157066030**

**Baraboo WI**

**Phone: (608) 356-2760**

#### Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Boron
- Bromide
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- HMX
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead

### CT Laboratories

**ID: 157066030**

**Baraboo WI**

**Phone: (608) 356-2760**

- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Organic Carbon, Total (TOC)
- Orthophosphate
- PETN (Pentaerythritol tetranitrate)
- pH
- Phosphorus, Total
- Potassium
- RDX
- Residue, Total
- Selenium
- Selenium
- Silver
- Sodium
- SPLP Extraction
- Strontium
- Sulfate
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Vanadium
- Zinc

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Culligan Analytical Laboratory

**ID: 399016200**

Rosemont IL

Phone: (847) 430-1219

#### Matrix: Drinking Water

##### Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Chloride - EPA 300.0
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Fluoride - EPA 300.0
- Iron - EPA 200.7
- Lead - EPA 200.8
- Manganese - EPA 200.7
- Nickel - EPA 200.7
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Selenium - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.8
- Zinc - EPA 200.7

### Dane - Iowa Wastewater Facility

**ID: 313002470**

Mazomanie WI

Phone: (608) 795-0024

#### Matrix: Aqueous

##### Colorimetric or Turbidimetric

- Ammonia as N

### Dane - Iowa Wastewater Facility

**ID: 313002470**

Mazomanie WI

Phone: (608) 795-0024

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### Davy Laboratories

**ID: 632021390**

La Crosse WI

Phone: (608) 782-3130

#### Matrix: Aqueous

##### Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,2,4,5-Tetrachlorobenzene
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Acifluorfen
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Bentazon
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Cadmium
- Cadmium
- Calcium

### Davy Laboratories

**ID: 632021390**

La Crosse WI

Phone: (608) 782-3130

- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chlorine, Total Residual (TRC)
- Chlorophyll
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Dicamba
- Dichlorprop (2,4-DP)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Hardness, Total as CaCO<sub>3</sub>
- Hexachlorobenzene
- Hexachlorobutadiene
- Hexachlorocyclopentadiene
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Davy Laboratories

**ID: 632021390**

La Crosse WI

Phone: (608) 782-3130

- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Pentachlorobenzene
- Pentachlorophenol
- pH
- Phenolics, Total
- Phosphorus, Total
- Picloram
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silver
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Strontium
- Sulfate
- Sulfide
- Surfactants
- Thallium
- Thallium
- Tin
- Titanium
- Turbidity
- Vanadium
- Zinc
- Zinc

### Davy Laboratories

**ID: 632021390**

La Crosse WI

Phone: (608) 782-3130

### Matrix: Drinking Water

#### Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.3
- Alachlor - EPA 505
- Aldrin - EPA 505
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Atrazine - EPA 505
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Beryllium - SM 3113B
- Bromide - EPA 300.0
- Cadmium - EPA 200.7
- Cadmium - SM 3113B
- Calcium - EPA 200.7
- Calcium - SM 3111B
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chromium - EPA 200.7
- Chromium - SM 3113B
- Conductivity - SM 2510B
- Copper - EPA 200.7
- Copper - SM 3111B
- Copper - SM 3113B
- Cyanide - SM 4500-CN C, E
- Cyanide, Amenable - SM 4500-CN C, G
- Dalapon - EPA 515.3
- Dibromochloropropane (DBCP) - EPA 504.1
- Dicamba - EPA 515.3
- Dieldrin - EPA 505
- Dinoseb - EPA 515.3
- Endrin - EPA 505
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - EPA 300.0
- Fluoride - SM 4500-F C

### Davy Laboratories

**ID: 632021390**

La Crosse WI

Phone: (608) 782-3130

- Heptachlor - EPA 505
- Heptachlor epoxide - EPA 505
- Hexachlorobenzene - EPA 505
- Hexachlorocyclopentadiene - EPA 505
- Iron - EPA 200.7
- Iron - SM 3111B
- Lead - SM 3113B
- Lindane (gamma-BHC) - EPA 505
- Magnesium - EPA 200.7
- Magnesium - SM 3111 B
- Manganese - EPA 200.7
- Manganese - SM 3111B
- Mercury - EPA 245.1
- Methoxychlor - EPA 505
- Nickel - EPA 200.7
- Nickel - SM 3113B
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3 D
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO2 B
- Orthophosphate - SM 4500-P E
- Pentachlorophenol - EPA 515.3
- pH - SM 4500-H+ B
- Picloram - EPA 515.3
- Selenium - SM 3113B
- Silver - EPA 200.7
- Silver - SM 3113B
- Silvex (2,4,5-TP) - EPA 515.3
- Simazine - EPA 505
- Sodium - EPA 200.7
- Sodium - SM 3111B
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.9
- Toxaphene - EPA 505
- Turbidity - SM 2130B
- Zinc - EPA 200.7
- Zinc - SM 3111B

### Matrix: Non-Aqueous

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Davy Laboratories**  
**ID: 632021390**

**La Crosse WI**  
**Phone: (608) 782-3130**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,2,4,5-Tetrachlorobenzene
- 2,4,5-T
- 2,4-D
- 2,4-DB
- 3,5-Dichlorobenzoic acid
- 5-Hydroxydicamba
- Acifluorfen
- Aluminum
- Antimony
- Arsenic
- Arsenic
- Barium
- Bentazon
- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Dicamba
- Dichlorprop (2,4-DP)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Hexachlorobenzene
- Hexachlorobutadiene
- Hexachlorocyclopentadiene
- Iron
- Iron

**Davy Laboratories**  
**ID: 632021390**

**La Crosse WI**  
**Phone: (608) 782-3130**

- Lead
- Lead
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nickel
- Pentachlorobenzene
- Pentachlorophenol
- Phenolics, Total
- Phosphorus, Total
- Picloram
- Potassium
- Potassium
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Strontium
- Sulfate
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc
- Zinc

**Eau Claire City-County Health Departmen**  
**ID: 618019820**

**Eau Claire WI**  
**Phone: (715) 839-4734**

**Matrix: Drinking Water**

Disinfection By-products

- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- Arsenic - SM 3113B
- Copper - SM 3111B
- Lead - SM 3113B
- Nitrate - SM 4500-NO3 D

**Matrix: Non-Aqueous**

Flame Atomic Absorption Spectrophotometry (FLAA)

- Lead

**Eau Claire Wastewater Treatment Facility**  
**ID: 618006510**

**Eau Claire WI**  
**Phone: (715) 839-6121**

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Chromium, Total
- Copper
- Hardness, Total as CaCO3
- Lead
- Nickel
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Silver
- Zinc

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Environmental Consulting and Testing (E)

**ID: 816079220**

Superior WI

Phone: (715) 392-6635

#### Matrix: Aqueous

[Whole Effluent Toxicity Assays](#)

- Acute Toxicity - Ceriodaphnia dubia
- Acute Toxicity - Pimephales promelas
- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas
- Chronic Toxicity - Selenastrum capricornutum

### Environmental Monitoring & Technologie

**ID: 999888890**

Des Plaines IL

Phone: (847) 967-6666

#### Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,5-T
- 2,4,6-Trinitrotoluene
- 2,4-D
- 2,4-DB
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Acidity as CaCO<sub>3</sub>
- Alkalinity
- Aluminum
- Aluminum

### Environmental Monitoring & Technologie

**ID: 999888890**

Des Plaines IL

Phone: (847) 967-6666

- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Dicamba
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Ethanol
- Ethylene Glycol
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO<sub>3</sub>
- HMX
- Iron
- Iron
- Lead

### Environmental Monitoring & Technologie

**ID: 999888890**

Des Plaines IL

Phone: (847) 967-6666

- Lead
- Magnesium
- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Methanol
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- Pentachlorophenol
- PETN (Pentaerythritol tetranitrate)
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- RDX
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sulfate
- Sulfide

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Environmental Monitoring & Technologie

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Tetryl
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

### Matrix: Drinking Water

#### Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

### Matrix: Non-Aqueous

#### Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,5-T
- 2,4,6-Trinitrotoluene
- 2,4-D
- 2,4-DB
- 2,4-Dinitrotoluene

### Environmental Monitoring & Technologie

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Dicamba
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Ethanol
- Ethylene Glycol
- Fluoride
- Fluoride

### Environmental Monitoring & Technologie

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- Gasoline Range Organics (GRO)
- HMX
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Iron
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Methanol
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Organic Carbon, Total (TOC)
- Orthophosphate
- Pentachlorophenol
- PETN (Pentaerythritol tetranitrate)
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- RDX
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Environmental Monitoring & Technologie

**ID: 999888890**

Des Plaines IL

Phone: (847) 967-6666

- Sulfate
- Sulfide
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- TCLP Extraction
- Tetryl
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

### Ephraim Wastewater Treatment Plant

**ID: 415017240**

Sister Bay WI

Phone: (920) 854-4991

#### Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### ESC - Pace Analytical National Center

**ID: 998093910**

Mt. Juliet TN

Phone: (615) 758-5858

#### Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

### ESC - Pace Analytical National Center

**ID: 998093910**

Mt. Juliet TN

Phone: (615) 758-5858

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,2-Dibromo-3-chloropropane (DBCP)
- 1,2-Dibromoethane (EDB)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Acidity as CaCO<sub>3</sub>
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Azinphos ethyl
- Azinphos methyl (Guthion)
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Bolstar
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride

### ESC - Pace Analytical National Center

**ID: 998093910**

Mt. Juliet TN

Phone: (615) 758-5858

- Chlorpyrifos
- Chromium, Hexavalent
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper
- Coumaphos
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diazinon
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- EPN
- Fensulfothion
- Fenthion
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO<sub>3</sub>
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Malathion
- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Merphos



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### ESC - Pace Analytical National Center

**ID: 998093910**

Mt. Juliet TN

Phone: (615) 758-5858

- Mevinphos
- Molybdenum
- Molybdenum
- Naled
- Naphthalene
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Organic Halides, Total & Adsorbable (TOX AOX)
- Orthophosphate
- Parathion Methyl
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Ronnel
- Selenium
- Selenium
- Silica
- Silicon
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide
- Sulfotepp (Tetraethyl dithiopyrophosphate)
- Surfactants

### ESC - Pace Analytical National Center

**ID: 998093910**

Mt. Juliet TN

Phone: (615) 758-5858

- TEPP (Tetraethyl pyrophosphate)
- Thallium
- Thallium
- Tin
- Titanium
- Tokuthion (Prothiofos)
- Trichloronate
- Vanadium
- Vanadium
- Zinc
- Zinc

### **Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Azinphos methyl (Guthion)
- Barium
- Barium
- Beryllium
- Beryllium
- Bolstar
- Boron
- Boron
- Bromide
- Cadmium

### ESC - Pace Analytical National Center

**ID: 998093910**

Mt. Juliet TN

Phone: (615) 758-5858

- Cadmium
- Calcium
- Calcium
- Chloride
- Chlorpyrifos
- Chlorpyrifos Methyl
- Chromium, Hexavalent
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Coumaphos
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diazinon
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- EPN
- Fensulfothion
- Fenthion
- Fluoride
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Malathion
- Manganese

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### ESC - Pace Analytical National Center

**ID: 998093910**

**Mt. Juliet TN**

**Phone: (615) 758-5858**

- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Merphos
- Methamidophos
- Mevinphos
- Molybdenum
- Molybdenum
- Naled
- Naphthalene
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Organic Halides, Total (TOX)
- Orthophosphate
- Paint Filter Liquids Test
- Parathion Methyl
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Total
- Ronnel
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- SPLP Extraction
- Strontium

### ESC - Pace Analytical National Center

**ID: 998093910**

**Mt. Juliet TN**

**Phone: (615) 758-5858**

- Sulfate
- Sulfide
- Sulfotepp (Tetraethyl dithiopyrophosphate)
- TCLP Extraction
- TEPP (Tetraethyl pyrophosphate)
- Thallium
- Thallium
- Tin
- Titanium
- Tokuthion (Prothiofos)
- Trichloronate
- Vanadium
- Vanadium
- Zinc
- Zinc

### Eurofins Eaton Analytical, LLC - Indiana

**ID: 999766900**

**South Bend IN**

**Phone: (574) 233-4777**

- Aldicarb Sulfoxide - EPA 531.2
- Aldrin - EPA 525.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Atrazine - EPA 525.2
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.8
- Bromate - EPA 300.1
- Bromate - EPA 317.0 Rev. 2.0
- Bromide - EPA 300.0
- Butachlor - EPA 525.2
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Chlorite - EPA 300.0
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.8
- Cyanide - EPA 335.4
- Dalapon - EPA 515.3
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Dibromochloropropane (DBCP) - EPA 524.
- Dicamba - EPA 515.3
- Dieldrin - EPA 525.2
- Dinoseb - EPA 515.3
- Diquat - EPA 549.2
- Diss. Org. Carbon (DOC) - SM5310C
- Endothall - EPA 548.1
- Endrin - EPA 525.2
- Ethylene Dibromide (EDB) - EPA 504.1
- Ethylene Dibromide (EDB) - EPA 524.3

### Eurofins Eaton Analytical, LLC - Indiana

**ID: 999766900**

**South Bend IN**

**Phone: (574) 233-4777**

### **Matrix: Drinking Water**

#### Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) - EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## THM (group) - EPA 524.3
- ## THM (group) - EPA 551.1
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 1,2,3-Trichloropropane - EPA 524.3
- 2,4-D - EPA 515.3
- 3-Hydroxycarbofuran - EPA 531.2
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2

## Wisconsin Department of Natural Resources

### List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eurofins Eaton Analytical, LLC - Indiana**  
**ID: 999766900**

**South Bend IN**  
**Phone: (574) 233-4777**

- Fluoride - EPA 300.0
- Fluoride - SM 4500-F C
- Glyphosate - EPA 547
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 525.2
- Magnesium - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 245.1
- Methomyl - EPA 531.2
- Methoxychlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2
- Orthophosphate - SM 4500-P E
- Oxamyl (Vydate) - EPA 531.2
- PCBs (as Aroclors) Screening - EPA 505
- Pentachlorophenol - EPA 515.3
- pH - EPA 150.1
- Picloram - EPA 515.3
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Silvex (2,4,5-TP) - EPA 515.3
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- SUVA (calc.) - EPA 415.3
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Total Organic Carbon (TOC) - SM5310C
- Toxaphene - EPA 505

**Eurofins Eaton Analytical, LLC - Indiana**  
**ID: 999766900**

**South Bend IN**  
**Phone: (574) 233-4777**

- Turbidity - EPA 180.1
- UV254 - SM5910B
- Zinc - EPA 200.8

**Eurofins Environment Testing Northwest,**  
**ID: 399133460**

**Tacoma WA**  
**Phone: (253) 922-2310**

**Matrix: Aqueous**

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury, Low Level

**Matrix: Non-Aqueous**

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury

**Eurofins S-F Analytical Laboratories Inc.**  
**ID: 241249360**

**New Berlin WI**  
**Phone: (262) 754-5300**

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide

**Eurofins S-F Analytical Laboratories Inc.**  
**ID: 241249360**

**New Berlin WI**  
**Phone: (262) 754-5300**

- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Tin
- Vanadium
- Zinc

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

## Wisconsin Department of Natural Resources

### List of All Certified Laboratories

*To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eurofins S-F Analytical Laboratories Inc.**  
**ID: 241249360**  
**New Berlin WI**  
**Phone: (262) 754-5300**

- Arsenic - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

**Matrix: Non-Aqueous**

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Bromide
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Fluoride
- Ignitability (Flashpoint), Setflash Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver

**Eurofins S-F Analytical Laboratories Inc.**  
**ID: 241249360**  
**New Berlin WI**  
**Phone: (262) 754-5300**

- Sodium
- Strontium
- Sulfate
- Thallium
- Tin
- Vanadium
- Zinc

**Eurofins TestAmerica Buffalo**  
**ID: 998310390**  
**Amherst NY**  
**Phone: (716) 691-2600**

**Matrix: Aqueous**

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Atrazine
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Cadmium

**Eurofins TestAmerica Buffalo**  
**ID: 998310390**  
**Amherst NY**  
**Phone: (716) 691-2600**

- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diallate (cis and trans)
- Dimethoate
- Disulfoton
- Famphur
- Fluoride
- Fluoride
- Hardness, Total as CaCO3
- Hardness, Total as CaCO3
- Iron
- Isodrin
- Kepone
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- Parathion (Parathion Ethyl)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Eurofins TestAmerica Buffalo

**ID: 998310390**

Amherst NY

Phone: (716) 691-2600

- Parathion Methyl
- Pentachloronitrobenzene (PCNB)
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Pronamide
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Specific Conductance
- Sulfate
- Sulfate
- Sulfide
- Sulfotep (Tetraethyl dithiopyrophosphate)
- Surfactants
- Thallium
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc

#### **Matrix: Non-Aqueous**

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Ammonia as N

### Eurofins TestAmerica Buffalo

**ID: 998310390**

Amherst NY

Phone: (716) 691-2600

- Antimony
- Arsenic
- Atrazine
- Barium
- Beryllium
- Boron
- Bromide
- Cadmium
- Calcium
- Chloride
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Diallate (cis and trans)
- Dimethoate
- Disulfoton
- Famphur
- Fluoride
- Iron
- Isodrin
- Kepone
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate + Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pentachloronitrobenzene (PCNB)
- pH
- Phenolics, Total
- Phorate
- Potassium
- Pronamide

### Eurofins TestAmerica Buffalo

**ID: 998310390**

Amherst NY

Phone: (716) 691-2600

- Residue, Total
- Selenium
- Silver
- Sodium
- Specific Conductance
- SPLP Extraction
- Sulfate
- Sulfate
- Sulfotep (Tetraethyl dithiopyrophosphate)
- TCLP Extraction
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Vanadium
- Zinc

### Eurofins TestAmerica Burlington

**ID: 399140830**

South Burlington VT

Phone: (802) 660-1990

#### **Matrix: Aqueous**

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron

## Wisconsin Department of Natural Resources

### List of All Certified Laboratories

*To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eurofins TestAmerica Burlington**  
**ID: 399140830**  
**South Burlington VT**  
**Phone: (802) 660-1990**

- Lead
- Magnesium
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

**Eurofins TestAmerica Chicago**  
**ID: 999580010**  
**University Park IL**  
**Phone: (708) 534-5200**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chlorine, Total Residual (TRC)
- Chromium, Hexavalent
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt

**Eurofins TestAmerica Chicago**  
**ID: 999580010**  
**University Park IL**  
**Phone: (708) 534-5200**

- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diallate (cis and trans)
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO3
- Iron
- Iron
- Kepone
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Orthophosphate
- Orthophosphate

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eurofins TestAmerica Chicago**

**ID: 999580010**

**University Park IL**

**Phone: (708) 534-5200**

- Oxygen, Dissolved
- Pentachloronitrobenzene (PCNB)
- Pentachlorophenol
- pH
- Phenolics, Total
- Phosphorus, Total
- Picloram
- Potassium
- Potassium
- Pronamide
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Settleable
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

**Eurofins TestAmerica Chicago**

**ID: 999580010**

**University Park IL**

**Phone: (708) 534-5200**

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total

**Eurofins TestAmerica Chicago**

**ID: 999580010**

**University Park IL**

**Phone: (708) 534-5200**

- Dalapon
- Diallate (cis and trans)
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Orthophosphate
- Orthophosphate
- Paint Filter Liquids Test
- Pentachlorophenol
- pH
- Phenolics, Total
- Phosphorus, Total
- Picloram
- Potassium
- Potassium

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Eurofins TestAmerica Chicago

**ID: 999580010**

University Park IL

Phone: (708) 534-5200

- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

### Eurofins TestAmerica Denver

**ID: 999615430**

Arvada CO

Phone: (800) 572-8958

### Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

### Eurofins TestAmerica Denver

**ID: 999615430**

Arvada CO

Phone: (800) 572-8958

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Diamino-6-nitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Alkalinity
- Ammonia as N
- Antimony
- Arsenic
- Atrazine
- Azinphos ethyl
- Azinphos methyl (Guthion)
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Bolstar
- Bromide
- Cadmium
- Carbophenothion
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorpyrifos
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Coumaphos
- Cyanide, Available
- Cyanide, Total
- Demeton-O

### Eurofins TestAmerica Denver

**ID: 999615430**

Arvada CO

Phone: (800) 572-8958

- Demeton-S
- Diazinon
- Dichlorvos (DDVP)
- Dimethoate
- Disulfoton
- EPN
- Ethoprop
- Famphur
- Fensulfothion
- Fenthion
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- HMX
- Lead
- Malathion
- Manganese
- Mercury
- Merphos
- Mevinphos
- Molybdenum
- Naled
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Organic Halides, Total & Adsorbable (TOX AOX)
- Orthophosphate
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- PETN (Pentaerythritol tetranitrate)
- pH
- Phenolics, Total
- Phorate



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Eurofins TestAmerica Denver

**ID: 999615430**

Arvada CO

Phone: (800) 572-8958

- Phosmet (Imidan)
- Phosphorus, Total
- Picric Acid (Trinitrophenol)
- RDX
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile, Nonfilterable (TVSS)
- Ronnel
- Selenium
- Silver
- Specific Conductance
- Sulfate
- Sulfide
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Sulfite
- Sulfotep (Tetraethyl dithiopyrophosphate)
- Tetryl
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Tokuthion (Prothiofos)
- Trichloronate
- Turbidity
- Vanadium
- Zinc

### Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Diamino-6-nitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene

### Eurofins TestAmerica Denver

**ID: 999615430**

Arvada CO

Phone: (800) 572-8958

- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Atrazine
- Azinphos ethyl
- Azinphos methyl (Guthion)
- Bolstar
- Bromide
- Carbophenothion
- Chloride
- Chlorpyrifos
- Corrosivity, Liquids
- Coumaphos
- Cyanide, Total
- Demeton-O
- Demeton-S
- Diazinon
- Dichlorvos (DDVP)
- Dimethoate
- Disulfoton
- EPN
- Ethoprop
- Famphur
- Fensulfothion
- Fenthion
- Fluoride
- HMX
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Malathion
- Mercury
- Merphos
- Mevinphos
- Naled
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite

### Eurofins TestAmerica Denver

**ID: 999615430**

Arvada CO

Phone: (800) 572-8958

- Nitrobenzene
- Nitroglycerin
- Organic Carbon, Total (TOC)
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- PETN (Pentaerythritol tetranitrate)
- pH
- Phorate
- Phosmet (Imidan)
- Picric Acid (Trinitrophenol)
- RDX
- Residue, Total
- Ronnel
- Specific Conductance
- SPLP Extraction
- Sulfate
- Sulfides, Acid-Soluble and Acid-Insoluble
- Sulfotep (Tetraethyl dithiopyrophosphate)
- TCLP Extraction
- Tetryl
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tokuthion (Prothiofos)
- Trichloronate

### Eurofins TestAmerica Knoxville

**ID: 998044300**

Knoxville TN

Phone: (865) 291-3000

### Matrix: Aqueous

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)
- ## PCB CONGENERS (group)

### Matrix: Non-Aqueous

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Eurofins TestAmerica Knoxville

**ID: 998044300**

Knoxville TN

Phone: (865) 291-3000

- ## DIOXINS & FURANS (group)
- ## PCB CONGENERS (group)

### Eurofins TestAmerica Pittsburgh

**ID: 998027800**

Pittsburgh PA

Phone: (412) 963-7058

#### Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- pH
- Potassium
- Selenium
- Silicon

### Eurofins TestAmerica Pittsburgh

**ID: 998027800**

Pittsburgh PA

Phone: (412) 963-7058

- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

#### Matrix: Non-Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Paint Filter Liquids Test
- pH
- Potassium
- Selenium
- Silicon
- Silver

### Eurofins TestAmerica Pittsburgh

**ID: 998027800**

Pittsburgh PA

Phone: (412) 963-7058

- Sodium
- Strontium
- TCLP Extraction
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

### Eurofins TestAmerica Sacramento

**ID: 998204680**

West Sacramento CA

Phone: (916) 373-5600

#### Matrix: Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

#### Matrix: Drinking Water

[SOC - Miscellaneous](#)

- ## PFAS (group) – EPA 537.1 (18)

#### Matrix: Non-Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

### Eurofins TestAmerica Savannah

**ID: 999819810**

Savannah GA

Phone: (912) 354-7858

#### Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## VOC - VOLATILE ORGANICS (group)
- Formaldehyde
- Methanol

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Eurofins TestAmerica Savannah**  
**ID: 999819810**

**Savannah GA**  
**Phone: (912) 354-7858**

- Organic Halides, Total & Adsorbable (TOX AOX)

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## VOC - VOLATILE ORGANICS (group)

**Fond du Lac Regional WW Treatment Fac**  
**ID: 420004860**

**Fond du Lac WI**  
**Phone: (920) 322-3665**

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Orthophosphate
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Frontier Analytical Laboratory**  
**ID: 399023900**

**El Dorado Hills CA**  
**Phone: (916) 934-0900**

**Matrix: Aqueous**

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)

**Matrix: Non-Aqueous**

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)
- ## PCB CONGENERS (group)

**GBMSD (New Water) Laboratory and Res**  
**ID: 405004600**

**Green Bay WI**  
**Phone: (920) 432-4893**

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Bromide
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorine, Total Residual (TRC)
- Chromium, Total
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Orthophosphate
- Orthophosphate
- pH

**GBMSD (New Water) Laboratory and Res**  
**ID: 405004600**

**Green Bay WI**  
**Phone: (920) 432-4893**

- Phosphorus, Total
- Potassium
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Sulfate
- Thallium
- Zinc

**Matrix: Non-Aqueous**

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

GEL Laboratories, LLC  
ID: 999887790

Charleston SC  
Phone: (843) 556-8171

### Matrix: Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

### Matrix: Drinking Water

[SOC - Miscellaneous](#)

- ## PFAS (group) – EPA 537.1 (18)

### Matrix: Non-Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

Genoa City Sewage Treatment Plant  
ID: 265003530

Genoa City WI  
Phone: (262) 279-5728

### Matrix: Aqueous

[Electrometric Assays \(ISE\)](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Hilbert Wastewater Treatment Plant  
ID: 408004520

Hilbert WI  
Phone: (920) 853-3241

### Matrix: Aqueous

[Colorimetric or Turbidimetric](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Infrastructure Alternatives  
ID: 998262430

Menominee MI  
Phone: (906) 863-3050

### Matrix: Aqueous

[Oxygen Demand Assays \(BOD or cBOD\)](#)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Iron County Health Department  
ID: 826005950

Hurley WI  
Phone: (715) 561-2191

### Matrix: Drinking Water

[Primary Inorganics Contaminants \(Non-Metals\)](#)

- Nitrate - Hach Method 10206

Jackson County Public Health Water Lab  
ID: 627062810

Black River Falls WI  
Phone: (715) 284-4301

### Matrix: Drinking Water

[Primary Inorganics Contaminants \(Non-Metals\)](#)

- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206

Kenosha County Division of Health Lab  
ID: 230153220

Kenosha WI  
Phone: (262) 605-6707

### Matrix: Drinking Water

[Primary Inorganics Contaminants \(Non-Metals\)](#)

Kenosha County Division of Health Lab  
ID: 230153220

Kenosha WI  
Phone: (262) 605-6707

- Nitrate - SM 4500-NO3 D

Kenosha Water Utility - WPC  
ID: 230002960

Kenosha WI  
Phone: (262) 653-4335

### Matrix: Drinking Water

[Primary Inorganics Contaminants \(Metals\)](#)

- Lead - SM 3113B

Kewaskum Wastewater Treatment Facility  
ID: 267003330

Kewaskum WI  
Phone: (262) 626-2313

### Matrix: Aqueous

[Colorimetric or Turbidimetric](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Kewaunee Wastewater Treatment Plant  
ID: 431004640

Kewaunee WI  
Phone: (920) 388-5012

### Matrix: Aqueous

[Electrometric Assays \(ISE\)](#)

- Ammonia as N

## Wisconsin Department of Natural Resources

### List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Kewaunee Wastewater Treatment Plant**  
**ID: 431004640**

**Kewaunee WI**  
**Phone: (920) 388-5012**

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Kohler Co., CHEM Lab**  
**ID: 460032870**

**Kohler WI**  
**Phone: (920) 457-4441**

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Alkalinity
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Copper
- Copper
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Iron
- Lead

**Kohler Co., CHEM Lab**  
**ID: 460032870**

**Kohler WI**  
**Phone: (920) 457-4441**

- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- Sulfate
- Zinc
- Zinc

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chloride - EPA 300.0
- Chromium - EPA 200.8

**Kohler Co., CHEM Lab**  
**ID: 460032870**

**Kohler WI**  
**Phone: (920) 457-4441**

- Copper - EPA 200.8
- Fluoride - EPA 300.0
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2
- Selenium - EPA 200.8
- Sulfate - EPA 300.0
- Thallium - EPA 200.8

**Matrix: Non-Aqueous**

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Cadmium
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Chromium, Total
- Copper
- Copper
- Fluoride
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Iron
- Iron
- Lead
- Lead
- Magnesium
- Manganese

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Kohler Co., CHEM Lab**  
**ID: 460032870**

**Kohler** WI  
**Phone: (920) 457-4441**

- Manganese
- Mercury
- Mercury
- Nickel
- Nickel
- Nitrate
- Nitrite
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- Sulfate
- TCLP Extraction
- Zinc
- Zinc

**Laboratory Services (We Energies)**  
**ID: 241329000**

**Milwaukee** WI  
**Phone: (414) 221-2828**

- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Copper
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury, Low Level
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Selenium
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Thallium
- Tin
- Vanadium
- Zinc

**Laboratory Services (We Energies)**  
**ID: 241329000**

**Milwaukee** WI  
**Phone: (414) 221-2828**

### **Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

### **Lab-Tech Services**

**ID: 734044960**

**Deerbrook** WI  
**Phone: (715) 623-6281**

### **Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

### **Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Laboratory Services (We Energies)**  
**ID: 241329000**

**Milwaukee** WI  
**Phone: (414) 221-2828**

### **Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium

**LaCrosse Public Health Laboratory**  
**ID: 632072980**

**LaCrosse** WI  
**Phone: (608) 785-9733**

### **Matrix: Aqueous**

Colorimetric or Turbidimetric

- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### **Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Lead - SM 3113B
- Nitrate - SM 4500-NO<sub>3</sub> D

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Lake Superior Research Institute (LSRI)

**ID: 816003540**

Superior WI

Phone: (715) 394-8160

#### Matrix: Aqueous

Whole Effluent Toxicity Assays

- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas
- Chronic Toxicity - Selenastrum capricornutum
- Residue, Nonfilterable (TSS)

#### Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

### Lincoln County Health Department

**ID: 735036280**

Merrill WI

Phone: (715) 536-0307

#### Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

### Lodi Wastewater Treatment Plant

**ID: 111001770**

Lodi WI

Phone: (608) 592-5968

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### LV Labs WW, LLC

**ID: 122046870**

Lancaster WI

Phone: (608) 723-4096

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

#### Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

### Lyons Wastewater Treatment Laboratory

**ID: 265008920**

Lyons WI

Phone: (262) 763-4627

#### Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

### Madison Metropolitan Sewerage District

**ID: 113002230**

Madison WI

Phone: (608) 222-1201

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium

### Madison Metropolitan Sewerage District

**ID: 113002230**

Madison WI

Phone: (608) 222-1201

- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Copper
- Copper
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Mercury, Low Level
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Sulfate
- Zinc

#### Matrix: Non-Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Arsenic
- Cadmium
- Chromium, Total
- Copper
- Kjeldahl Nitrogen, Total
- Lead
- Mercury
- Molybdenum

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Madison Metropolitan Sewerage District**  
**ID: 113002230**

Madison WI  
Phone: (608) 222-1201

- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Sodium
- Zinc

**Markesan Joint Water and Sewer Utility**  
**ID: 424004680**

Markesan WI  
Phone: (920) 398-3767

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Medford Wastewater Treatment Plant**  
**ID: 861008830**

Medford WI  
Phone: (715) 748-4122

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Manitowoc Wastewater Treatment Facility**  
**ID: 436004910**

Manitowoc WI  
Phone: (920) 686-3555

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Marshfield Wastewater Utility**  
**ID: 772008380**

Marshfield WI  
Phone: (715) 591-2022

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Merit Laboratories, Inc**  
**ID: 399147320**

East Lansing MI  
Phone: (517) 332-0167

**Matrix: Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**Matrix: Drinking Water**

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

**Matrix: Non-Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**Marathon County Public Health Laboratory**  
**ID: 737157080**

Wausau WI  
Phone: (715) 261-1908

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Mayville Water and Wastewater Utilities**  
**ID: 114005760**

Mayville WI  
Phone: (920) 387-7906

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Milwaukee Metropolitan Sewerage District**  
**ID: 241325920**

Milwaukee WI  
Phone: (414) 277-6377

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Alkalinity
- Ammonia as N



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Milwaukee Metropolitan Sewerage District

**ID: 241325920**

Milwaukee WI

Phone: (414) 277-6377

- Ammonia as N
- Antimony
- Arsenic
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chromium, Total
- Cobalt
- Copper
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sulfide
- Thallium
- Tin
- Titanium
- Vanadium

### Milwaukee Metropolitan Sewerage District

**ID: 241325920**

Milwaukee WI

Phone: (414) 277-6377

- Zinc
- Matrix: Non-Aqueous**
- [Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)
- Aluminum
  - Arsenic
  - Cadmium
  - Chromium, Total
  - Cobalt
  - Copper
  - Iron
  - Lead
  - Molybdenum
  - Nickel
  - Phosphorus, Total
  - Potassium
  - Residue, Total
  - Selenium
  - Zinc

### Milwaukee Water Works

**ID: 241010000**

Milwaukee WI

Phone: (414) 286-2226

**Matrix: Drinking Water**

[Secondary Inorganic Contaminants \(Non-Metals\)](#)

- Alkalinity - SM 2320B
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Bromate - EPA 300.1
- Cadmium - EPA 200.8
- Chlorate - EPA 300.1
- Chloride - EPA 300.1
- Chlorine, Combined - SM 4500-Cl D

### Milwaukee Water Works

**ID: 241010000**

Milwaukee WI

Phone: (414) 286-2226

- Chlorine, Combined - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl D
- Chlorite - EPA 300.1
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.8
- Fluoride - EPA 300.1
- Fluoride - SM 4500-F C
- Lead - EPA 200.8
- Manganese - EPA 200.8
- Nickel - EPA 200.8
- Nitrate - EPA 300.1
- Nitrate + Nitrite - EPA 300.1
- Nitrite - EPA 300.1
- Orthophosphate - EPA 300.1
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B
- Selenium - EPA 200.8
- Sulfate - EPA 300.1
- Thallium - EPA 200.8
- Turbidity - SM 2130B
- Zinc - EPA 200.8

### National Testing Laboratories, Inc.

**ID: 999462860**

Ypsilanti MI

Phone: (734) 483-8333

**Matrix: Drinking Water**

[Disinfection By-products](#)

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## THM (group) - EPA 524.2
- ## VOCs, REGULATED (group) - EPA 524.2
- ## VOCs, UNREGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.4
- 3-Hydroxycarbofuran - EPA 531.2
- Alachlor - EPA 525.2

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### National Testing Laboratories, Inc.

**ID: 999462860**

**Ypsilanti MI**

**Phone: (734) 483-8333**

- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Aldrin - EPA 505
- Aldrin - EPA 525.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - SM 3113B
- Atrazine - EPA 525.2
- Barium - EPA 200.7
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Bromate - EPA 300.1
- Bromate - EPA 326.0
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Butachlor - EPA 525.2
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Chlorate - EPA 300.1
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chlorine Dioxide - SM 4500-CIO2 D
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Chlorite - EPA 300.1
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.7
- Copper - EPA 200.8
- Dalapon - EPA 515.4
- Dalapon - EPA 552.2
- Di(2-ethylhexyl)adipate - EPA 525.2

### National Testing Laboratories, Inc.

**ID: 999462860**

**Ypsilanti MI**

**Phone: (734) 483-8333**

- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Dicamba - EPA 515.4
- Dieldrin - EPA 505
- Dieldrin - EPA 525.2
- Dinoseb - EPA 515.4
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Endrin - EPA 505
- Endrin - EPA 525.2
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - EPA 300.0
- Glyphosate - EPA 547
- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Hexachlorobenzene - EPA 505
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 505
- Hexachlorocyclopentadiene - EPA 525.2
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 505
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Methomyl - EPA 531.2
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Orthophosphate - EPA 300.0
- Oxamyl (Vydate) - EPA 531.2
- PCBs (as Aroclors) Screening - EPA 505

### National Testing Laboratories, Inc.

**ID: 999462860**

**Ypsilanti MI**

**Phone: (734) 483-8333**

- Pentachlorophenol - EPA 515.4
- pH - EPA 150.1
- Picloram - EPA 515.4
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Selenium - SM 3113B
- Silica - EPA 200.7
- Silver - EPA 200.7
- Silver - EPA 200.8
- Silvex (2.4.5-TP) - EPA 515.4
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Total Organic Carbon (TOC) - SM5310C
- Toxaphene - EPA 505
- Zinc - EPA 200.7
- Zinc - EPA 200.8

### Neenah-Menasha Sewerage Comm.

**ID: 471005590**

**Menasha WI**

**Phone: (920) 751-4760**

### Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**North Shore Analytical, Inc.**  
**ID: 399017190**

**Duluth MN**  
**Phone: (218) 729-4658**

**Matrix: Aqueous**

Cold Vapor Atomic Fluorescence Spectrophotometer (CVAFS)

- Mercury, Low Level

**Matrix: Non-Aqueous**

Cold Vapor Atomic Fluorescence Spectrophotometer (CVAFS)

- Mercury

**Northern Lake Service Inc. - Waukesha**  
**ID: 268533760**

**Waukesha WI**  
**Phone: (262) 547-3406**

**Matrix: Aqueous**

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chromium, Hexavalent
- pH
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - SM 4500-F C
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

**Northern Lake Service Inc. (Crandon)**  
**ID: 721026460**

**Crandon WI**  
**Phone: (715) 478-2777**

**Northern Lake Service Inc. (Crandon)**  
**ID: 721026460**

**Crandon WI**  
**Phone: (715) 478-2777**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)

- Alachlor
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Atrazine
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Butylate
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chlorpyrifos
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt

**Northern Lake Service Inc. (Crandon)**  
**ID: 721026460**

**Crandon WI**  
**Phone: (715) 478-2777**

- Cobalt
- Copper
- Copper
- Cyanazine
- Cyanide, Available
- Cyanide, Total
- Deethylatrazine
- Deisopropylatrazine
- Dimethoate
- Disulfoton
- EPTC (Eptam)
- Fluoride
- Fonofos
- Hardness, Total as CaCO3
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Mercury, Low Level
- Metolachlor
- Metribuzin
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Northern Lake Service Inc. (Crandon)

ID: 721026460

Crandon WI

Phone: (715) 478-2777

- Organic Carbon, Total (TOC)
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Potassium
- Prometon
- Propachlor
- Propazine
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silver
- Silver
- Simazine
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Strontium
- Sulfate
- Sulfide
- Terbufos
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Trifluralin
- Vanadium
- Vanadium
- Zinc

### Northern Lake Service Inc. (Crandon)

ID: 721026460

Crandon WI

Phone: (715) 478-2777

- Zinc
- Matrix: Drinking Water**
- Disinfection By-products
- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 3-Hydroxycarbofuran - EPA 531.1
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.1
- Aldicarb Sulfone - EPA 531.1
- Aldicarb Sulfoxide - EPA 531.1
- Aldrin - EPA 525.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Atrazine - EPA 525.2
- Barium - EPA 200.7
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Butachlor - EPA 525.2
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.1
- Carbofuran - EPA 531.1
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Cyanide - SM 4500-CN C, E
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2

### Northern Lake Service Inc. (Crandon)

ID: 721026460

Crandon WI

Phone: (715) 478-2777

- Dibromochloropropane (DBCP) - EPA 504.
- Dieldrin - EPA 525.2
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Endrin - EPA 525.2
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - EPA 300.0
- Glyphosate - EPA 547
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 525.2
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Methomyl - EPA 531.1
- Methoxychlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - EPA 300.0
- Orthophosphate - SM 4500-P E
- Oxamyl (Vydate) - EPA 531.1
- PCBs (as Aroclors) Screening - EPA 505
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - EPA 300.0

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Northern Lake Service Inc. (Crandon)

**ID: 721026460**

**Crandon WI**

**Phone: (715) 478-2777**

- Thallium - EPA 200.8
- Toxaphene - EPA 505
- Zinc - EPA 200.7
- Zinc - EPA 200.8

### **Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alachlor
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Atrazine
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Butylate
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorpyrifos
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper

### Northern Lake Service Inc. (Crandon)

**ID: 721026460**

**Crandon WI**

**Phone: (715) 478-2777**

- Corrosivity, Liquids
- Cyanazine
- Cyanide, Total
- Deethylatrazine
- Deisopropylatrazine
- Dimethoate
- Disulfoton
- EPTC (Eptam)
- Fonofos
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Metolachlor
- Metribuzin
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Potassium
- Prometon
- Propachlor
- Propazine
- Reagent Water Shake Extraction (ASTM Leach)

### Northern Lake Service Inc. (Crandon)

**ID: 721026460**

**Crandon WI**

**Phone: (715) 478-2777**

- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Simazine
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfide
- TCLP Extraction
- Terbufos
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Trifluralin
- Vanadium
- Vanadium
- Zinc
- Zinc

### Oconomowoc Wastewater Treatment Pla

**ID: 268004550**

**Oconomowoc WI**

**Phone: (262) 569-2192**

### **Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Oconomowoc Wastewater Treatment Plant**  
**ID: 268004550**

**Oconomowoc WI**  
**Phone: (262) 569-2192**

- Residue, Nonfilterable (TSS)

**Operation and Management Services (O)**  
**ID: 460100850**

**Kohler WI**  
**Phone: (920) 946-4448**

### **Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

**Pace Analytical Services, LLC-Columbia**  
**ID: 399136100**

**West Columbia SC**  
**Phone: (803) 791-9700**

### **Matrix: Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

### **Matrix: Drinking Water**

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

### **Matrix: Non-Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**Pace Analytical Services, LLC-Minneapolis**  
**ID: 999407970**

**Minneapolis MN**  
**Phone: (612) 607-1700**

### **Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## DIOXINS & FURANS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PCB CONGENERS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)

- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Bismuth
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Diesel Range Organics (DRO)

**Pace Analytical Services, LLC-Minneapolis**  
**ID: 999407970**

**Minneapolis MN**  
**Phone: (612) 607-1700**

- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Iron
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- pH
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- Specific Conductance
- Strontium

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Pace Analytical Services, LLC-Minneapolis**  
**ID: 999407970**  
**Minneapolis MN**  
**Phone: (612) 607-1700**

- Sulfate
- Sulfate
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Turbidity
- Vanadium
- Vanadium
- Zinc
- Zinc

**Matrix: Drinking Water**

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 2,3,7,8-TCDD (Dioxin) - EPA 1613
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nitrate - EPA 353.2
- Nitrite - EPA 353.2

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## DIOXINS & FURANS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PCB CONGENERS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Aluminum
- Antimony
- Antimony

**Pace Analytical Services, LLC-Minneapolis**  
**ID: 999407970**  
**Minneapolis MN**  
**Phone: (612) 607-1700**

- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Bismuth
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Diesel Range Organics (DRO)
- Gasoline Range Organics (GRO)
- Iron
- Iron
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- pH
- Potassium
- Potassium
- Selenium
- Selenium
- Silver

**Pace Analytical Services, LLC-Minneapolis**  
**ID: 999407970**  
**Minneapolis MN**  
**Phone: (612) 607-1700**

- Silver
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

**Pace Analytical Services, LLC-Duluth MN**  
**ID: 999446800**  
**Duluth MN**  
**Phone: (218) 735-6700**

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorine, Total Residual (TRC)
- Chlorophyll
- Chromium, Hexavalent
- Cyanide, Available
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Mercury, Low Level

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Pace Analytical Services,LLC-Duluth MN**  
**ID: 999446800**

**Duluth MN**  
**Phone: (218) 735-6700**

- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- pH
- Phenolics, Total
- Phosphorus, Total
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Specific Conductance
- Sulfide
- Surfactants
- Turbidity

**Pace Analytical Services,LLC-Green Bay**  
**ID: 405132750**

**Green Bay WI**  
**Phone: (920) 469-2436**

- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese

**Pace Analytical Services,LLC-Green Bay**  
**ID: 405132750**

**Green Bay WI**  
**Phone: (920) 469-2436**

- Mercury
- Mercury
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Oxygen, Dissolved
- Palladium
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Strontium
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Thallium
- Thallium
- Tin
- Tin
- Titanium

**Pace Analytical Services,LLC-Green Bay**  
**ID: 405132750**

**Green Bay WI**  
**Phone: (920) 469-2436**

### **Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- **## BNA - SEMIVOLATILE ORGANICS** (group)
- **## PCB as AROCLORS** (group)
- **## PESTICIDES, ORGANOCHLORINE** (group)
- **## PVOC - Petroleum VOCs** (group)
- **## VOC - VOLATILE ORGANICS** (group)
- Acidity as CaCO<sub>3</sub>
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Pace Analytical Services,LLC-Green Bay**  
**ID: 405132750**  
**Green Bay WI**  
**Phone: (920) 469-2436**

- Titanium
- Turbidity
- Vanadium
- Vanadium
- Zinc
- Zinc
- Zirconium

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chloride
- Chromium, Total

**Pace Analytical Services,LLC-Green Bay**  
**ID: 405132750**  
**Green Bay WI**  
**Phone: (920) 469-2436**

- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium

**Pace Analytical Services,LLC-Green Bay**  
**ID: 405132750**  
**Green Bay WI**  
**Phone: (920) 469-2436**

- Silver
- Silver
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc
- Zirconium

**Pace Analytical Services,LLC-Indianapolis**  
**ID: 999788130**  
**Indianapolis IN**  
**Phone: (317) 228-3100**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- Alkalinity

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Pace Analytical Services,LLC-Indianapoli**  
**ID: 999788130**

**Indianapolis IN**

**Phone: (317) 228-3100**

- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diallate (cis and trans)
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- Famphur
- Fluoride
- Hardness, Total as CaCO3
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum

**Pace Analytical Services,LLC-Indianapoli**  
**ID: 999788130**

**Indianapolis IN**

**Phone: (317) 228-3100**

- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Strontium
- Sulfate
- Thallium
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc

### **Matrix: Drinking Water**

#### Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8

**Pace Analytical Services,LLC-Indianapoli**  
**ID: 999788130**

**Indianapolis IN**

**Phone: (317) 228-3100**

- Copper - EPA 200.7
- Copper - EPA 200.8
- Fluoride - EPA 300.0
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0

**Pace Analytical Services,LLC-Mobile Lab**  
**ID: 113289110**

**Madison WI**

**Phone: (608) 221-8700**

### **Matrix: Aqueous**

#### Gas Chromatography-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- 4-Nitrophenol
- Acetochlor
- Acifluorfen
- Alachlor
- Ametryn
- Ammonia as N
- Ammonia as N
- Arsenic
- Atrazine
- Benfluralin
- Bentazon
- Bromacil

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Mobile Lab  
ID: 113289110

Madison WI

Phone: (608) 221-8700

- Bromoxynil (Brominal)
- Butylate
- Chlorothalonil
- Chlorpyrifos
- Clopyralid
- Cyanazine
- Dalapon
- Deethylatrazine
- Deisopropylatrazine
- Diazinon
- Dicamba
- Dichlorprop (2,4-DP)
- Dichlorvos (DDVP)
- Diclofop
- Dimethenamid
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- EPTC (Eptam)
- Ethalfuralin
- Ethion
- Ethoprop
- Fonofos
- Hexazinone
- Malathion
- MCPA
- MCPP (Mecoprop)
- Metolachlor
- Metribuzin
- Nitrate
- Nitrate + Nitrite
- Norflurazon
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pendimethalin
- Pentachlorophenol
- pH
- Phorate
- Phosmet (Imidan)
- Picloram
- Prometon

Pace Analytical Services,LLC-Mobile Lab  
ID: 113289110

Madison WI

Phone: (608) 221-8700

- Prometryn
- Propachlor
- Propazine
- Silvex (2,4,5-TP)
- Simazine
- Terbufos
- Terbutryn
- Triallate
- Tricopyr
- Trifluralin

### Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3-Dinitrobenzene
- 2,4-Dinitrotoluene
- Acetochlor
- Alachlor
- Ametryn
- Ammonia as N
- Ammonia as N
- Arsenic
- Atrazine
- Benfluralin
- Bentazon
- Bromacil
- Butylate
- Chlorpyrifos
- Cyanazine
- Deethylatrazine
- Deisopropylatrazine
- Diazinon
- Dimethenamid
- Disulfoton
- EPTC (Eptam)
- Ethalfuralin
- Ethion
- Ethoprop

Pace Analytical Services,LLC-Mobile Lab  
ID: 113289110

Madison WI

Phone: (608) 221-8700

- Fonofos
- Malathion
- Metolachlor
- Metribuzin
- Nitrate
- Nitrate + Nitrite
- Nitrobenzene
- Norflurazon
- Paint Filter Liquids Test
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pendimethalin
- pH
- Phorate
- Phosmet (Imidan)
- Prometon
- Prometryn
- Propachlor
- Propazine
- Simazine
- Terbufos
- Terbutryn
- Triallate
- Trifluralin

Pace Analytical Services,LLC-Ormond Be  
ID: 399079670

Ormond Beach FL

Phone: (386) 672-5668

### Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## VOCs, REGULATED (group) - EPA 524.2
- ## VOCs, UNREGULATED (group) - EPA 524.2

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Pace Analytical Services,LLC-Ormond Beach**  
**ID: 399079670**

Ormond Beach FL

Phone: (386) 672-5668

- 2,4-D - EPA 515.3
- Alkalinity - SM 2320B
- Bromate - EPA 300.1
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Chlorate - EPA 300.1
- Chloride - EPA 300.0
- Conductivity - SM 2510B
- Copper - EPA 200.8
- Cyanide - EPA 335.4
- Dalapon - EPA 515.3
- Dibromochloropropane (DBCP) - EPA 504.
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - EPA 300.0
- Foaming agents (MBAS) - SM 5540C
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2
- Orthophosphate - EPA 300.0
- Orthophosphate - EPA 365.1
- Pentachlorophenol - EPA 515.3
- pH - SM 4500-H+ B
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Turbidity - EPA 180.1

**Pace Gulf Coast Analytical Laboratories**  
**ID: 399139510**

Baton Rouge LA

Phone: (224) 769-4900

**Matrix: Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**Matrix: Drinking Water**

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

**Matrix: Non-Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**Portage Wastewater Treatment Facility**  
**ID: 111001990**

Portage WI

Phone: (608) 742-3445

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

**Platteville Wastewater Treatment Plant**  
**ID: 122003310**

Platteville WI

Phone: (608) 348-9741

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Public Health Madison-Dane County Lab**  
**ID: 113139620**

Madison WI

Phone: (608) 266-4821

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Fluoride - EPA 300.0
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0

**Plover Wastewater Treatment Plant**  
**ID: 750007940**

Plover WI

Phone: (715) 345-5250

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Phosphorus, Total

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Public Health Madison-Dane County Lab

**ID: 113139620**

Madison WI

Phone: (608) 266-4821

- Nitrite - EPA 300.0
- Selenium - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.8

### Quality Water Testing, Inc.

**ID: 656111390**

Somerset WI

Phone: (715) 247-4873

#### **Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D

### Racine Wastewater Treatment Plant Labo

**ID: 252003400**

Racine WI

Phone: (262) 636-9550

#### **Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Arsenic
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Cyanide, Total
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Kjeldahl Nitrogen, Total
- Kjeldahl Nitrogen, Total
- Lead

### Racine Wastewater Treatment Plant Labo

**ID: 252003400**

Racine WI

Phone: (262) 636-9550

- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Nonfilterable (TSS)
- Selenium
- Silver
- Zinc

#### **Matrix: Non-Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Arsenic
- Cadmium
- Chromium, Total
- Copper
- Kjeldahl Nitrogen, Total
- Kjeldahl Nitrogen, Total
- Lead
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver
- Zinc

### Ramboll Americas Engineering Solutions

**ID: 399050850**

Brentwood TN

Phone: (615) 277-7517

#### **Matrix: Aqueous**

Whole Effluent Toxicity Assays

### Ramboll Americas Engineering Solutions

**ID: 399050850**

Brentwood TN

Phone: (615) 277-7517

- Acute Toxicity - Ceriodaphnia dubia
- Acute Toxicity - Pimephales promelas
- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas

### Rib Mountain Metro Sewage District WW

**ID: 737253110**

Wausau WI

Phone: (715) 359-7852

#### **Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

### Richland Center WWTP

**ID: 153001860**

Lone Rock WI

Phone: (608) 647-3917

#### **Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Rock County Health Department**  
**ID: 154077660**  
Janesville WI  
Phone: (608) 757-5441

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Scientific Control Laboratories, Inc. (SCL)**  
**ID: 998091930**  
Chicago IL  
Phone: (773) 254-2406

**Matrix: Aqueous**

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Ammonia as N
- Arsenic
- Barium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium
- Chemical Oxygen Demand (COD)
- Chromium, Total
- Chromium, Total
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Fluoride
- Iron
- Iron
- Lead
- Lead
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nickel

**Scientific Control Laboratories, Inc. (SCL)**  
**ID: 998091930**  
Chicago IL  
Phone: (773) 254-2406

- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- pH
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Selenium
- Silver
- Silver
- Tin
- Tin
- Zinc
- Zinc

**Matrix: Non-Aqueous**

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Arsenic
- Barium
- Cadmium
- Chromium, Total
- Corrosivity, Liquids
- Cyanide, Total
- Lead
- Mercury
- pH
- Selenium
- Silver
- TCLP Extraction

**SGS North America, Inc. - Orlando**  
**ID: 399043370**  
Orlando FL  
Phone: (407) 425-6700

**Matrix: Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**SGS North America, Inc. - Orlando**  
**ID: 399043370**  
Orlando FL  
Phone: (407) 425-6700

**Matrix: Drinking Water**

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

**Matrix: Non-Aqueous**

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

**Siemens Energy Inc**  
**ID: 737053130**  
Rothschild WI  
Phone: (715) 359-7226

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Iron

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Siemens Energy Inc**  
**ID: 737053130**

**Rothschild WI**

**Phone: (715) 359-7226**

- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide
- Sulfite
- Thallium
- Turbidity
- Vanadium
- Zinc

### **Matrix: Non-Aqueous**

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic

**Siemens Energy Inc**  
**ID: 737053130**

**Rothschild WI**

**Phone: (715) 359-7226**

- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Paint Filter Liquids Test
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Silver
- Sodium
- SPLP Extraction
- Strontium
- Sulfate
- TCLP Extraction
- Thallium
- Vanadium
- Zinc

**Siemens Energy Inc**  
**ID: 737053130**

**Rothschild WI**

**Phone: (715) 359-7226**

**Silver Lake Sanitary District**  
**ID: 470013170**

**Wautoma WI**

**Phone: (920) 787-7622**

### **Matrix: Aqueous**

[Electrometric Assays \(ISE\)](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Solomon Corporation - TN**  
**ID: 399141270**

**Decatur TN**

**Phone: (423) 454-6048**

### **Matrix: Non-Aqueous**

[Gas Chromatography \(GC\)](#)

- ## PCB as AROCLORS (group)

**Solomon Corporation Laboratory - KS**  
**ID: 399081430**

**Solomon KS**

**Phone: (785) 655-2191**

### **Matrix: Non-Aqueous**

[Gas Chromatography \(GC\)](#)

- ## PCB as AROCLORS (group)

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Solomon Corporation Laboratory - TX**  
**ID: 399140940**

Temple TX  
 Phone: (512) 591-2936

**Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

**Springbrook Pollution Abatement Facility**  
**ID: 734007450**

Antigo WI  
 Phone: (715) 623-2797

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**STAT Analysis Corp**  
**ID: 399099910**

CHICAGO IL  
 Phone: (312) 733-0551

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium

**STAT Analysis Corp**  
**ID: 399099910**

CHICAGO IL  
 Phone: (312) 733-0551

- Calcium
- Chromium, Total
- Copper
- Iron
- Lead
- Lead
- Manganese
- Mercury
- Molybdenum
- Nickel
- Potassium
- Selenium
- Thallium
- Vanadium
- Zinc

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Iron
- Lead
- Lead
- Manganese
- Mercury
- Molybdenum
- Nickel
- Potassium
- Selenium
- Thallium

**STAT Analysis Corp**  
**ID: 399099910**

CHICAGO IL  
 Phone: (312) 733-0551

- Vanadium
- Zinc

**Sturgeon Bay Utilities**  
**ID: 415004920**

Sturgeon Bay WI  
 Phone: (920) 743-3210

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Suburban Laboratories of SE Wisconsin**  
**ID: 246179890**

Mequon WI  
 Phone: (262) 539-2316

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Cyanide, Total
- Hardness, Total as CaCO3
- Kjeldahl Nitrogen, Total



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Suburban Laboratories of SE Wisconsin**  
**ID: 246179890**

**Mequon WI**  
**Phone: (262) 539-2316**

- Nitrate
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D
- Nitrite - SM 4500-NO2 B

**Matrix: Non-Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Chloride
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Phosphorus, Total
- Residue, Total
- Residue, Volatile (TVS)

**Suburban Laboratories, Inc.**  
**ID: 399089350**

**Geneva IL**  
**Phone: (708) 544-3260**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)

**Suburban Laboratories, Inc.**  
**ID: 399089350**

**Geneva IL**  
**Phone: (708) 544-3260**

- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO3
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese

**Suburban Laboratories, Inc.**  
**ID: 399089350**

**Geneva IL**  
**Phone: (708) 544-3260**

- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silicon
- Silver
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

**Matrix: Drinking Water**

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Suburban Laboratories, Inc.

**ID: 399089350**

Geneva IL

Phone: (708) 544-3260

#### Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.4
- 3-Hydroxycarbofuran - EPA 531.2
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Aldrin - EPA 505
- Alkalinity - SM 2320B
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Atrazine - EPA 525.2
- Barium - EPA 200.7
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.8
- Butachlor - EPA 525.2
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Chlordane - EPA 505
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.7
- Copper - EPA 200.8
- Cyanide - SM 4500-CN C, E
- Dalapon - EPA 515.4
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504
- Dicamba - EPA 515.4
- Dieldrin - EPA 505
- Dinoseb - EPA 515.4
- Diquat - EPA 549.2

### Suburban Laboratories, Inc.

**ID: 399089350**

Geneva IL

Phone: (708) 544-3260

- Endothall - EPA 548.1
- Endrin - EPA 505
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - SM 4500-F C
- Glyphosate - EPA 547
- Heptachlor - EPA 505
- Heptachlor epoxide - EPA 505
- Hexachlorobenzene - EPA 505
- Hexachlorocyclopentadiene - EPA 505
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 505
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Methomyl - EPA 531.2
- Methoxychlor - EPA 505
- Methyl tert-Butyl Ether - EPA 524.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.8
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2 B
- Orthophosphate - SM 4500-P E
- Oxamyl (Vydate) - EPA 531.2
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Silvex (2,4,5-TP) - EPA 515.4
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - ASTM D516
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Total Organic Carbon (TOC) - SM5310B
- Toxaphene - EPA 505

### Suburban Laboratories, Inc.

**ID: 399089350**

Geneva IL

Phone: (708) 544-3260

- Zinc - EPA 200.7
- Zinc - EPA 200.8

#### **Matrix: Non-Aqueous**

#### Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Paint Filter Liquids Test
- pH
- Phenolics, Total
- Potassium
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Silicon
- Silver
- Sodium

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Suburban Laboratories, Inc.**  
**ID: 399089350**

**Geneva IL**  
**Phone: (708) 544-3260**

- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

**Synergy Environmental Lab, LLC**  
**ID: 445037560**

**Appleton WI**  
**Phone: (920) 830-2455**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Ammonia as N
- Chemical Oxygen Demand (COD)
- Chloride
- Cyanide, Total
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO<sub>3</sub>
- Naphthalene
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Sulfate

**Matrix: Drinking Water**

Disinfection By-products

- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- Diesel Range Organics (DRO)
- Gasoline Range Organics (GRO)
- Naphthalene
- Residue, Total

**TG Analytical Laboratories**  
**ID: 445158340**

**Greenville WI**  
**Phone: (920) 757-1355**

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Copper - SM 3111B
- Fluoride - EPA 300.0
- Lead - SM 3113B
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

**Superior Wastewater Treatment Plant**  
**ID: 816008710**

**Superior WI**  
**Phone: (715) 394-0392**

**Matrix: Aqueous**

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**TJ/H2b Analytical Services USA, LLC**  
**ID: 399125760**

**Madison WI**  
**Phone: (608) 825-2022**

**Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

**SWD Labs, LLC**  
**ID: 111083830**

**Randolph WI**  
**Phone: (920) 326-5193**

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Trace Analytical Laboratory**  
**ID: 998044080**

**Muskegon MI**  
**Phone: (231) 773-5998**

**Matrix: Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- Aluminum
- Ammonia as N

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Trace Analytical Laboratory**  
**ID: 998044080**

**Muskegon MI**  
**Phone: (231) 773-5998**

- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrite
- Oil & Grease as HEM

**Trace Analytical Laboratory**  
**ID: 998044080**

**Muskegon MI**  
**Phone: (231) 773-5998**

- Organic Carbon, Total (TOC)
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide
- Thallium
- Thallium
- Tin
- Titanium
- Turbidity
- Vanadium
- Vanadium
- Zinc
- Zinc

**Matrix: Non-Aqueous**

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4-D
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic

**Trace Analytical Laboratory**  
**ID: 998044080**

**Muskegon MI**  
**Phone: (231) 773-5998**

- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Total
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nickel
- Paint Filter Liquids Test
- Percent Water by Karl Fischer Titration
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Trace Analytical Laboratory**  
**ID: 998044080**

**Muskegon MI**  
**Phone: (231) 773-5998**

- Silvex (2,4,5-TP)
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

**U.S. Water, LLC**  
**ID: 737240900**

**Weston WI**  
**Phone: (715) 842-2215**

**Matrix: Drinking Water**

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - EPA 200.9
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Chromium - EPA 200.9
- Copper - EPA 200.8
- Copper - EPA 200.9
- Fluoride - HACH Method 10225
- Lead - EPA 200.8
- Lead - EPA 200.9
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206
- Nitrite - SM 4500-NO2 B
- Selenium - EPA 200.8
- Silver - EPA 200.8
- Thallium - EPA 200.8
- Zinc - EPA 200.8

**UW-Oshkosh Env. Research & Innovatio**  
**ID: 471183460**

**Oshkosh WI**  
**Phone: (920) 424-3148**

- Orthophosphate
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - SM 4500-NO2 B
- Nitrite - SM 4500-NO3 F

**Matrix: Non-Aqueous**

Colorimetric or Turbidimetric

- Orthophosphate
- Phosphorus, Total

**Twin City Water Clinic**  
**ID: 399073400**

**Hopkins MN**  
**Phone: (952) 935-3556**

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 F

**UWSP Water and Environmental Analysis**  
**ID: 750040280**

**Stevens Point WI**  
**Phone: (715) 346-3209**

**Matrix: Aqueous**

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Arsenic
- Barium
- Boron
- Cadmium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chromium, Total
- Cobalt
- Copper
- Hardness, Total as CaCO3
- Hardness, Total as CaCO3

**Twin Lakes Sewage Treatment Plant**  
**ID: 230004060**

**Twin Lakes WI**  
**Phone: (262) 877-3404**

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**UW-Oshkosh Env. Research & Innovatio**  
**ID: 471183460**

**Oshkosh WI**  
**Phone: (920) 424-3148**

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Chlorophyll
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### UWSP Water and Environmental Analysis

**ID: 750040280**

Stevens Point WI

Phone: (715) 346-3209

- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Nickel
- Nitrate + Nitrite
- Organic Carbon, Total (TOC)
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Silver
- Sodium
- Zinc

#### Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate + Nitrite - SM 4500-NO3 F

### UW-Stout Sustainability Sciences Institut

**ID: 617068540**

Menomonie WI

Phone: (715) 338-4395

#### Matrix: Aqueous

Colorimetric or Turbidimetric

- Chlorophyll
- Orthophosphate
- Phosphorus, Total

### VAS DBA AgSource Laboratories

**ID: 737109450**

Marshfield WI

Phone: (715) 898-1402

#### Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Antimony
- Arsenic
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Copper
- Fluoride
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Sodium
- Sulfate
- Zinc

#### Matrix: Drinking Water

### VAS DBA AgSource Laboratories

**ID: 737109450**

Marshfield WI

Phone: (715) 898-1402

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Calcium - SM 3111B
- Chloride - EPA 300.0
- Chromium - SM 3113B
- Copper - SM 3113B
- Fluoride - EPA 300.0
- Iron - SM 3111B
- Magnesium - SM 3111 B
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO<sub>2</sub> B
- Sodium - SM 3111B
- Sulfate - EPA 300.0

#### Matrix: Non-Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Antimony
- Arsenic
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Fluoride
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Phosphorus, Total
- Potassium

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**VAS DBA AgSource Laboratories**  
**ID: 737109450**

Marshfield WI  
 Phone: (715) 898-1402

- Residue, Total
- Sodium
- Sulfate
- Zinc

**Veolia ES Technical Solutions, LLC**  
**ID: 246076050**

Port Washington WI  
 Phone: (262) 243-8900

- Corrosivity, Liquids
- Ignitability (Flashpoint), Setafash Closed Cup

**Walworth Co. Health & Human Services**  
**ID: 265192290**

Elkhorn WI  
 Phone: (262) 741-3200

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Veolia Environmental Services LLC**  
**ID: 268224880**

Menomonee Falls WI  
 Phone: (262) 255-6655

**Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Arsenic
- Barium
- Cadmium
- Chromium, Total
- Copper
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Lead
- Mercury
- Nickel
- Selenium
- Silver
- TCLP Extraction
- Zinc

**Village of Eden**  
**ID: 420004640**

Eden WI  
 Phone: (920) 477-4051

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Water Diagnostics Laboratories**  
**ID: 246103990**

Mequon WI  
 Phone: (414) 350-1100

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Vista Analytical Laboratory, Inc.**  
**ID: 998036160**

El Dorado Hills CA  
 Phone: (916) 673-1520

**Matrix: Aqueous**

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)
- ## PFAS (group)

**Matrix: Drinking Water**

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

**Matrix: Non-Aqueous**

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)
- ## PFAS (group)

**Water Laboratories, Inc**  
**ID: 399044470**

Elk River MN  
 Phone: (763) 441-7509

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.9
- Lead - SM 3113B
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

**Veolia ES Technical Solutions, LLC**  
**ID: 246076050**

Port Washington WI  
 Phone: (262) 243-8900

**Matrix: Non-Aqueous**

Hazardous Waste Characteristics

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**Waterloo Wastewater Treatment Plant**  
**ID: 128002380**

**Waterloo WI**  
**Phone: (920) 478-2720**

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**Western Racine Co. Sewerage District**  
**ID: 252003840**

**Rochester WI**  
**Phone: (262) 534-6237**

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

**White Water Associates, Inc.**  
**ID: 999971280**

**Amasa MI**  
**Phone: (906) 822-7373**

- Chlorophyll
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Hardness, Total as CaCO3
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Selenium
- Silica
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Thallium
- Thallium
- Vanadium

**Waukesha Co Dept of Parks & Land Use**  
**ID: 268511760**

**Waukesha WI**  
**Phone: (262) 896-8300**

**Matrix: Drinking Water**

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

**Matrix: Non-Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Phosphorus, Total

**White Water Associates, Inc.**  
**ID: 999971280**

**Amasa MI**  
**Phone: (906) 822-7373**

**Matrix: Aqueous**

Colorimetric or Turbidimetric

- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride

**Waukesha Wastewater Treatment Plant**  
**ID: 268005100**

**Waukesha WI**  
**Phone: (262) 524-3627**

**Matrix: Aqueous**

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)



# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### White Water Associates, Inc.

**ID: 999971280**

Amasa MI

Phone: (906) 822-7373

- Vanadium
- Zinc

#### **Matrix: Non-Aqueous**

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Vanadium

### White Water Associates, Inc.

**ID: 999971280**

Amasa MI

Phone: (906) 822-7373

- Zinc

### Whitelaw Wastewater Treatment Plant

**ID: 436005900**

Whitelaw WI

Phone: (920) 732-1331

#### **Matrix: Aqueous**

[Oxygen Demand Assays \(BOD or cBOD\)](#)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

### Wisconsin State Laboratory of Hygiene

**ID: 113133790**

Madison WI

Phone: (608) 224-6281

**WSLH does not perform WET testing for WPDES permit compliance**

#### **Matrix: Aqueous**

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## PAH (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3-Propanediol
- Acute Toxicity - *Ceriodaphnia dubia*
- Acute Toxicity - *Pimephales promelas*
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium

### Wisconsin State Laboratory of Hygiene

**ID: 113133790**

Madison WI

Phone: (608) 224-6281

- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Total
- Chromium, Total
- Chronic Toxicity - *Ceriodaphnia dubia*
- Chronic Toxicity - *Pimephales promelas*
- Chronic Toxicity - *Selenastrum capricornutum*
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Ethylene Glycol
- Hardness, Total as CaCO<sub>3</sub>
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Propylene Glycol

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

### Wisconsin State Laboratory of Hygiene

ID: 113133790

Madison WI

Phone: (608) 224-6281

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silica
- Silver
- Sodium
- Strontium
- Sulfate
- Sulfate
- Thallium
- Vanadium
- Zinc
- Zinc

#### Matrix: Drinking Water

##### Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - SM 3113B
- Calcium - EPA 200.7
- Chromium - SM 3113B
- Copper - EPA 200.7
- Cyanide - SM 4500-CN C, E
- Fluoride - Lachat 10-109-12-2-A (2009)
- Iron - EPA 200.7
- Lead - SM 3113B
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nitrate - EPA 353.2

### Wisconsin State Laboratory of Hygiene

ID: 113133790

Madison WI

Phone: (608) 224-6281

- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2 B
- Orthophosphate - EPA 365.1
- Selenium - SM 3113B
- Silver - SM 3113B
- Sodium - EPA 200.7
- Sulfate - EPA 375.2
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.9
- Zinc - EPA 200.7

#### Matrix: Non-Aqueous

##### Gas Chromatography-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3-Propanediol
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Cyanide, Total
- Ethylene Glycol
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Ignitability (Flashpoint), Setaflash Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese

### Wisconsin State Laboratory of Hygiene

ID: 113133790

Madison WI

Phone: (608) 224-6281

- Mercury
- Mercury
- Molybdenum
- Nickel
- Nitrate + Nitrite
- Organic Carbon, Total (TOC)
- Paint Filter Liquids Test
- pH
- Phosphorus, Total
- Phosphorus, Total
- Potassium
- Propylene Glycol
- Residue, Total
- Selenium
- Silver
- Sodium
- TCLP Extraction
- Thallium
- Vanadium
- Zinc

### Wood County Water Laboratory

ID: 772162820

Wisconsin Rapids WI

Phone: (715) 421-8911

#### Matrix: Drinking Water

##### Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

*To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.*

**WRR Environmental Services Co., Inc.**  
**ID: 618026530**

**Eau Claire WI**  
**Phone: (715) 834-9624**

**Matrix: Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium, Total
- Copper
- Lead
- Nickel
- Selenium
- Silver
- Thallium
- Zinc

**Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium, Total
- Copper
- Corrosivity, Liquids
- Ignitability (Flashpoint), Setflash Closed Cup
- Lead
- Nickel
- Selenium
- Silver
- Thallium
- Zinc

**Xcel Energy, Inc., Minneapolis Testing La**  
**ID: 999071150**

**Minneapolis MN**  
**Phone: (612) 630-4145**

**Matrix: Aqueous**

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Hardness, Total as CaCO3
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Selenium
- Silver
- Silver

**Xcel Energy, Inc., Minneapolis Testing La**  
**ID: 999071150**

**Minneapolis MN**  
**Phone: (612) 630-4145**

- Sodium
- Strontium
- Thallium
- Thallium
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc

**Matrix: Non-Aqueous**

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel

# Wisconsin Department of Natural Resources

## List of All Certified Laboratories

---

To obtain a more recent list send e-mail to [Tom.Trainor@Wisconsin.gov](mailto:Tom.Trainor@Wisconsin.gov). Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

**Xcel Energy, Inc., Minneapolis Testing La**

**ID: 999071150**

**Minneapolis MN**

**Phone: (612) 630-4145**

- Nickel
- Potassium
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc