

1. Explorer, Driller, Owner information

Exploration Licensee Name Green Light Wisconsin LLC		License Number 16964		
Drilling Company Name Taconite Drilling	Street or Route 17126 County Road 456	City Warba	State MN	ZIP Code 55793
Property Owner Name Greenlight Metals Inc (Soo Mineral Lease)	Street or Route 4484 County Road E	City Medford	State WI	ZIP Code 54451

2. Location and Drillhole Information

Drillhole Number B25-001 NOI Approval Date 05/04/2023 County Taylor
NW ¼ of SW ¼ Sect. 35 T 33 N R 2 E or W Latitude 45.2953144 Longitude -90.5957526
 e.g., 43.1234° and -89.1234°

Type of Drillhole (Core, Rotary, etc.) Core	Starting Angle of Drillhole 48	Direction/Azimuth 344	Total Length of Drillhole 918
Date Started Drilling 06/25/2025	Date Finished Drilling 07/08/2025	Depth to Groundwater N/A	Surface Elevation at Drillhole 1354.57

Drillhole Intervals				
From (ft.)	To (ft.)	Hole Diam. (in.)	Core Diam. (in.)	Geologic Material
Surface	135	HQ - 3.750	2.5	Overburden - Sand, Gravels, Clay, Boulders
135	250	NQ2 - 2.980	1.990	Precambrian - Volcanic tuffs, sed, flows, sills
250	918	BTW - 2.360	1.654	Precambrian - Volcanic tuffs, sed, flows, sills

Cuttings Management

Sump/Mud Pit Recirculation Tank Other (specify) _____

Sump Lined - Yes No Liner Material 20mil HDPE Liner

3. Abandonment Status

Date Temporarily Abandoned 07/08/2025 Date Permanently Abandoned 07/18/2025
 Threaded Cap OR Threaded Cap

Permanent Abandonment Summary

Drillhole Interval (ft.)		Sealing material used and method of placement	Amount of sealing material (bags or ft ³ of cement and volume of water, or volume of other materials)
From	To		
Surface	90	Neat Cement - 1" PVC	(HQ Casing) 3.5-94# Bags - 21 gallons water
90	250	Neat Cement - 1" PVC	(NQ2 Rod) 3.5-94# Bags - 21 gallons water
250	918	Neat Cement - BTW Drill Rod	(BTW Open hole) 17-94# Bags - 102 gallons water

Was Casing Left in Place? - Yes No If yes, length of casing (ft.) 130, HQ Casing, 160' NQ2 Rod

Cuttings Disposal

Volume of rock cuttings (ft³) 13.4 Sump location: Latitude 45.2955929 Longitude -90.5956904
 e.g., 43.1234° and -89.1234°

- Disposed in-place in the sump
 - Amended with neutralizing material (type and volume of material) 26 Bags of Neat Cement (holes B25-001, 002)
 - Placed in another sump (specify location) _____
 - Disposed off-site (specify facility) _____

4. Comments

B25-001 and B25-002 were abandoned at the same time after the completion of B25-002. A threaded cap was placed on B25-001 during the drilling of hole B25-002. Neat cement was mixed at a ratio of 1-94# bag to 6 gallons of water, in batches, and pumped down hole through BTW rods. BTW rod was pulled after each batch. 17 bags of cement used to abandon the hole to above the NQ2 depth prior to attempting to free casing and NQ Rod. 5' of casing was removed and 90' of NQ2 was removed - 130' of casing and 160' of NQ2 were left in hole. 7 bags of cement were used to abandon the NQ2 and Cased portion of the hole through 1" PVC. Cuttings (B25-001 and 002) were allowed to settle and excess surface water pumped to the sump at site 5. 26 bags of neat cement were added and mixed (7/29/25). The liner was folded over the top of cuttings and backfilled on 8/2/2025.

Nonferrous Metallic Mineral Exploration Drillhole Abandonment Report

Form 2700-002 (R 05/2025)

Page 2 of 2

5. Fee

Fee Included - Yes No Amount \$ 200

Number of drillholes constructed in current license year? 1

6. Certification

Name of person or firm doing sealing work Taconite Drilling			I hereby certify that the information in this report is true and accurate to the best of my knowledge and belief.	
Street or Route 17126 County Road 456			Signature of Exploration Licensee Representative Eric Quigley	Date 08/18/2025
City Warba	State MN	ZIP Code 55793	Title Director of Exploration	

Instructions

An abandonment report shall be submitted to the department within 30 days after completion of temporary and permanent abandonment.

Section 1.

Provide the name of the Exploration Licensee as indicated on the valid nonferrous metallic mineral exploration license. Provide the name and address of the drilling company that constructed the exploration drillhole and the landowner on which the exploration drillhole is located.

Section 2.

Provide the exploration drillhole number as designated by the licensee, the initial approval date for the notification of intent in which the exploration drillhole was proposed and described, and all of the information regarding the location of the drillhole. Provide the latitude and longitude in the form of decimal degrees to four significant digits. Provide all of the specified information about the exploration drillhole construction and cuttings management, including an approximate depth to groundwater, and a general description of the geologic material encountered.

Section 3.

As applicable, provide the dates of temporary abandonment and permanent abandonment of the exploration drillhole. If submitting a report documenting permanent abandonment of a drillhole, complete the summary of the abandonment procedures and materials. Include the type of sealing materials, method of placement (e.g., neat cement grout pumped through conductor pipe) and the amounts of material used, including water. Provide the location of the sump/mud pit, if applicable, and all specified details regarding disposition of cuttings from the exploration drilling, including the volume of rock cuttings based on the diameters of the drillhole and the core.

Section 4.

Include information necessary to clarify details included on the report or that may provide explanation related to information included in the report that may appear ambiguous. For example, if excess sealing material was needed to fill a drillhole, explain the circumstances, such as the presence of a fracture zone at a certain depth. If unique abandonment procedures were implemented, such as placement of a packer or methods to deal with a flowing drillhole, provide the details here and on additional sheets, if needed. Include dates of communication with department staff in which the alternative methods were discussed and approved.

Section 5.

Indicate whether an exploration drillhole fee is included with the abandonment report. The fee for drilling the first 20 drillholes in any exploration license year is \$200 per drillhole and the fee for drilling each additional drillhole in the same license year is \$100 per drillhole. The fee shall be submitted one time per drillhole with either the temporary abandonment report or with the permanent abandonment report whichever occurs first.

Section 6.

Provide the information about the person/firm that completed the abandonment work. The report must be signed by an authorized representative of the exploration licensee.

1. Explorer, Driller, Owner information

Exploration Licensee Name Green Light Wisconsin LLC		License Number 16964		
Drilling Company Name Taconite Drilling	Street or Route 17126 County Road 456	City Warba	State WI	ZIP Code 55793
Property Owner Name Greenlight Metals Inc (Soo Mineral Lease)	Street or Route 4484 County Road E	City Medford	State WI	ZIP Code 54451

2. Location and Drillhole Information

Drillhole Number B25-002 NOI Approval Date 05/04/2023 County Taylor
NW ¼ of SW ¼ Sect. 35 T 33 N R 2 E or W Latitude 45.2953123 Longitude -90.5957682
 e.g., 43.1234° and -89.1234°

Type of Drillhole (Core, Rotary, etc.) Core	Starting Angle of Drillhole 58	Direction/Azimuth 342	Total Length of Drillhole 1008
Date Started Drilling 07/09/2025	Date Finished Drilling 07/16/2025	Depth to Groundwater N/A	Surface Elevation at Drillhole 1354.57

Drillhole Intervals				
From (ft.)	To (ft.)	Hole Diam. (in.)	Core Diam. (in.)	Geologic Material
Surface	135	HQ - 3.750	2.5	Overburden - Sands, Gravels, Clay, Boulders
135	1008	NQ2 - 2.980	1.990	Precambrian - Volcanic tuffs, sed, flows, sills

Cuttings Management
 Sump/Mud Pit Recirculation Tank Other (specify) _____
 Sump Lined - Yes No Liner Material 20mil HDPE Liner

3. Abandonment Status

Date Temporarily Abandoned _____ Date Permanently Abandoned 07/18/2025
 Threaded Cap OR Threaded Cap

Permanent Abandonment Summary

Drillhole Interval (ft.)		Sealing material used and method of placement	Amount of sealing material (bags or ft ³ of cement and volume of water, or volume of other materials)
From	To		
Surface	135	Neat Cement - 1" PVC	6-94# bags, 36 gallons
135	1008	Neat Cement - BTW drill rod	33-94# bags, 198 gallons

Was Casing Left in Place? - Yes No If yes, length of casing (ft.) 130 (down hole)

Cuttings Disposal
 Volume of rock cuttings (ft³) 23.4 Sump location: Latitude 45.2955929 Longitude -90.5956904
 e.g., 43.1234° and -89.1234°

- Disposed in-place in the sump
 - Amended with neutralizing material (type and volume of material) 26 Bags of Neat Cement (holes B25-001, 002)
 - Placed in another sump (specify location) _____
 - Disposed off-site (specify facility) _____

4. Comments

B25-001 and B25-002 were abandoned at the same time after the completion of B25-002. Neat cement was mixed at a ratio of 1-94# bag to 6 gallons of water, in batches, and pumped down hole through BTW rods. BTW rod was pulled after each batch. 33 bags of cement were used to abandon the hole up to the casing depth on 7/17/25 prior to attempting to free casing. Only the top 5' of casing was able to be retrieved. 130' of HQ casing was left in hole. 6 Bags of cement were used to abandon the cased portion of the hole on 7/18/25 through 1" PVC. The sump contained cuttings generated from B25-001 and B25-002. Cuttings were allowed to settled with excess surface water pumped to the sump on Site#5. 26 bags of neat cement were added and mixed with cuttings on 7/29/25. The liner was folded over the top of the cuttings and backfilled on 8/2/25.

Nonferrous Metallic Mineral Exploration Drillhole Abandonment Report

Form 2700-002 (R 05/2025)

Page 2 of 2

5. Fee

Fee Included - Yes No Amount \$ 200

Number of drillholes constructed in current license year? 2

6. Certification

Name of person or firm doing sealing work			I hereby certify that the information in this report is true and accurate to the best of my knowledge and belief.	
Taconite Drilling				
Street or Route			Signature of Exploration Licensee Representative	Date
17126 County Road 456			Eric Quigley	08/18/2025
City	State	ZIP Code	Title	
Warba	MN	55793	Director of Exploration	

Instructions

An abandonment report shall be submitted to the department within 30 days after completion of temporary and permanent abandonment.

Section 1.

Provide the name of the Exploration Licensee as indicated on the valid nonferrous metallic mineral exploration license. Provide the name and address of the drilling company that constructed the exploration drillhole and the landowner on which the exploration drillhole is located.

Section 2.

Provide the exploration drillhole number as designated by the licensee, the initial approval date for the notification of intent in which the exploration drillhole was proposed and described, and all of the information regarding the location of the drillhole. Provide the latitude and longitude in the form of decimal degrees to four significant digits. Provide all of the specified information about the exploration drillhole construction and cuttings management, including an approximate depth to groundwater, and a general description of the geologic material encountered.

Section 3.

As applicable, provide the dates of temporary abandonment and permanent abandonment of the exploration drillhole. If submitting a report documenting permanent abandonment of a drillhole, complete the summary of the abandonment procedures and materials. Include the type of sealing materials, method of placement (e.g., neat cement grout pumped through conductor pipe) and the amounts of material used, including water. Provide the location of the sump/mud pit, if applicable, and all specified details regarding disposition of cuttings from the exploration drilling, including the volume of rock cuttings based on the diameters of the drillhole and the core.

Section 4.

Include information necessary to clarify details included on the report or that may provide explanation related to information included in the report that may appear ambiguous. For example, if excess sealing material was needed to fill a drillhole, explain the circumstances, such as the presence of a fracture zone at a certain depth. If unique abandonment procedures were implemented, such as placement of a packer or methods to deal with a flowing drillhole, provide the details here and on additional sheets, if needed. Include dates of communication with department staff in which the alternative methods were discussed and approved.

Section 5.

Indicate whether an exploration drillhole fee is included with the abandonment report. The fee for drilling the first 20 drillholes in any exploration license year is \$200 per drillhole and the fee for drilling each additional drillhole in the same license year is \$100 per drillhole. The fee shall be submitted one time per drillhole with either the temporary abandonment report or with the permanent abandonment report whichever occurs first.

Section 6.

Provide the information about the person/firm that completed the abandonment work. The report must be signed by an authorized representative of the exploration licensee.

1. Explorer, Driller, Owner information

Exploration Licensee Name Green Light Wisconsin LLC		License Number 16964		
Drilling Company Name Taconite Drilling	Street or Route 17126 County Road 456	City Warba	State WI	ZIP Code 55793
Property Owner Name Greenlight Metals Inc (Soo Mineral Lease)	Street or Route 4480 County Road E	City Medford	State WI	ZIP Code 54451

2. Location and Drillhole Information

Drillhole Number B25-003 NOI Approval Date 05/04/2023 County Taylor
NW ¼ of SW ¼ Sect. 35 T 33 N R 2 E or W Latitude 45.2953307 Longitude -90.5960676
 e.g., 43.1234° and -89.1234°

Type of Drillhole (Core, Rotary, etc.) Core	Starting Angle of Drillhole 55	Direction/Azimuth 344	Total Length of Drillhole 897.15
Date Started Drilling 07/19/2025	Date Finished Drilling 07/25/2025	Depth to Groundwater N/A	Surface Elevation at Drillhole 1354.54

Drillhole Intervals				
From (ft.)	To (ft.)	Hole Diam. (in.)	Core Diam. (in.)	Geologic Material
Surface	150	HQ - 3.750	2.5	Overburden - Sands, Gravels, Clay, Boulders (142.5')
150	897.15	NQ2 - 2.980	1.990	Precambrian - Volcanic tuffs, sed, flows, sills

Cuttings Management
 Sump/Mud Pit Recirculation Tank Other (specify) _____
 Sump Lined - Yes No Liner Material 20mil HDPE Liner

3. Abandonment Status

Date Temporarily Abandoned _____ Date Permanently Abandoned 07/27/2025
 Threaded Cap OR Threaded Cap

Permanent Abandonment Summary

Drillhole Interval (ft.)		Sealing material used and method of placement	Amount of sealing material (bags or ft ³ of cement and volume of water, or volume of other materials)
From	To		
Surface	50	Neat Cement - BTW drill rod	5.5-94# bags, 33 gallons
50	897.15	Open Hole	

Was Casing Left in Place? - Yes No If yes, length of casing (ft.) 100' (down hole)

Cuttings Disposal
 Volume of rock cuttings (ft³) 20.3 Sump location: Latitude 45.2953642 Longitude -90.5960787
 e.g., 43.1234° and -89.1234°

- Disposed in-place in the sump
 - Amended with neutralizing material (type and volume of material) See abandonment report for B24-004
 - Placed in another sump (specify location) _____
 - Disposed off-site (specify facility) _____

4. Comments

During drilling of B25-003 the drill casing became detached at 50' down hole. Upon pulling drill rods to change the drill bit the hole could not be re-entered beyond 50' (7/25/25). Two days were spent attempting to regain access down hole. All attempts were unsuccessful. The hole was abandoned on 7/27/25 with WDNR personnel present. 3-94# bags of cement were calculated to abandon top 50' of casing. A total of 5.5-94# bags of cement mixed with 33 gallons of water were pumped down hole using BTW drill rod as the conductor pipe. 20.3 cubic feet of rock cuttings were generated during drilling of B25-003 and were contained within a sump at the drillsite. Cuttings from B25-004 were also contained within the sump. Sump abandonment was completed after the drilling of B25-004 (see abandonment report for B25-004)

Nonferrous Metallic Mineral Exploration Drillhole Abandonment Report

Form 2700-002 (R 05/2025)

Page 2 of 2

5. Fee

Fee Included - Yes No Amount \$ 200

Number of drillholes constructed in current license year? 3

6. Certification

Name of person or firm doing sealing work			I hereby certify that the information in this report is true and accurate to the best of my knowledge and belief.	
Taconite Drilling				
Street or Route			Signature of Exploration Licensee Representative	Date
17126 County Road 456			Eric Quigley	09/03/2025
City	State	ZIP Code	Title	
Warba	MN	55793	Director of Exploration	

Instructions

An abandonment report shall be submitted to the department within 30 days after completion of temporary and permanent abandonment.

Section 1.

Provide the name of the Exploration Licensee as indicated on the valid nonferrous metallic mineral exploration license. Provide the name and address of the drilling company that constructed the exploration drillhole and the landowner on which the exploration drillhole is located.

Section 2.

Provide the exploration drillhole number as designated by the licensee, the initial approval date for the notification of intent in which the exploration drillhole was proposed and described, and all of the information regarding the location of the drillhole. Provide the latitude and longitude in the form of decimal degrees to four significant digits. Provide all of the specified information about the exploration drillhole construction and cuttings management, including an approximate depth to groundwater, and a general description of the geologic material encountered.

Section 3.

As applicable, provide the dates of temporary abandonment and permanent abandonment of the exploration drillhole. If submitting a report documenting permanent abandonment of a drillhole, complete the summary of the abandonment procedures and materials. Include the type of sealing materials, method of placement (e.g., neat cement grout pumped through conductor pipe) and the amounts of material used, including water. Provide the location of the sump/mud pit, if applicable, and all specified details regarding disposition of cuttings from the exploration drilling, including the volume of rock cuttings based on the diameters of the drillhole and the core.

Section 4.

Include information necessary to clarify details included on the report or that may provide explanation related to information included in the report that may appear ambiguous. For example, if excess sealing material was needed to fill a drillhole, explain the circumstances, such as the presence of a fracture zone at a certain depth. If unique abandonment procedures were implemented, such as placement of a packer or methods to deal with a flowing drillhole, provide the details here and on additional sheets, if needed. Include dates of communication with department staff in which the alternative methods were discussed and approved.

Section 5.

Indicate whether an exploration drillhole fee is included with the abandonment report. The fee for drilling the first 20 drillholes in any exploration license year is \$200 per drillhole and the fee for drilling each additional drillhole in the same license year is \$100 per drillhole. The fee shall be submitted one time per drillhole with either the temporary abandonment report or with the permanent abandonment report whichever occurs first.

Section 6.

Provide the information about the person/firm that completed the abandonment work. The report must be signed by an authorized representative of the exploration licensee.

1. Explorer, Driller, Owner information

Exploration Licensee Name Green Light Wisconsin LLC		License Number 16964		
Drilling Company Name Taconite Drilling	Street or Route 17126 County Road 456	City Warba	State WI	ZIP Code 55793
Property Owner Name Greenlight Metals Inc (Soo Mineral Lease)	Street or Route 4480 County Road E	City Medford	State WI	ZIP Code 54451

2. Location and Drillhole Information

Drillhole Number B25-004 NOI Approval Date 05/04/2023 County Taylor
NW ¼ of SW ¼ Sect. 35 T 33 N R 2 E or W Latitude 45.2953254 Longitude -90.5960665
 e.g., 43.1234° and -89.1234°

Type of Drillhole (Core, Rotary, etc.) Core	Starting Angle of Drillhole 65	Direction/Azimuth 344.7	Total Length of Drillhole 1208
Date Started Drilling 07/28/2025	Date Finished Drilling 08/05/2025	Depth to Groundwater N/A	Surface Elevation at Drillhole 1354.55

Drillhole Intervals				
From (ft.)	To (ft.)	Hole Diam. (in.)	Core Diam. (in.)	Geologic Material
Surface	178	HQ - 3.750	1.990	Overburden - Sands, Gravels, Clay, Boulders (148')
178	1208	NQ2 - 2.980	1.990	Precambrian - Volcanic tuffs, sed, flows, sills

Cuttings Management
 Sump/Mud Pit Recirculation Tank Other (specify) _____
 Sump Lined - Yes No Liner Material 20mil HDPE Liner

3. Abandonment Status

Date Temporarily Abandoned 08/05/2025 Date Permanently Abandoned _____
 Threaded Cap OR Threaded Cap

Permanent Abandonment Summary

Drillhole Interval (ft.)		Sealing material used and method of placement	Amount of sealing material (bags or ft ³ of cement and volume of water, or volume of other materials)
From	To		

Was Casing Left in Place? - Yes No If yes, length of casing (ft.) 180' (~2' above grade)

Cuttings Disposal
 Volume of rock cuttings (ft³) 29.3 Sump location: Latitude 45.2953642 Longitude -90.5960787
 e.g., 43.1234° and -89.1234°

- Disposed in-place in the sump
 - Amended with neutralizing material (type and volume of material) 41-94# Bags neat cement
 - Placed in another sump (specify location) _____
 - Disposed off-site (specify facility) _____

4. Comments

B25-004 was completed on 08/05/2025. Upon completion of drilling the hole was temporarily abandoned by placing a threaded cap on the casing and welding a 5' metal drill rod to the cap to ensure that the temporarily abandoned drill hole remained visible. The sump at the drill site measured 12'x14'x8' deep and contained cuttings from both B25-003 and B25-004. A total of 49.6 cubic feet of rock cuttings are estimated in the sump. 41-94# bags of neat cement were mixed in the sump with the bucket of an excavator on 08/08/2025. Solidification of the sump was confirmed and the liner of the sump was folded over the amended cuttings and backfilled on 8/11/2025.

Nonferrous Metallic Mineral Exploration Drillhole Abandonment Report

Form 2700-002 (R 05/2025)

Page 2 of 2

5. Fee

Fee Included - Yes No Amount \$ 200

Number of drillholes constructed in current license year? 4

6. Certification

Name of person or firm doing sealing work Taconite Drilling			I hereby certify that the information in this report is true and accurate to the best of my knowledge and belief.	
Street or Route 17126 County Road 456			Signature of Exploration Licensee Representative Eric Quigley	Date 08/28/2025
City Warba	State MN	ZIP Code 55793	Title Director of Exploration	

Instructions

An abandonment report shall be submitted to the department within 30 days after completion of temporary and permanent abandonment.

Section 1.

Provide the name of the Exploration Licensee as indicated on the valid nonferrous metallic mineral exploration license. Provide the name and address of the drilling company that constructed the exploration drillhole and the landowner on which the exploration drillhole is located.

Section 2.

Provide the exploration drillhole number as designated by the licensee, the initial approval date for the notification of intent in which the exploration drillhole was proposed and described, and all of the information regarding the location of the drillhole. Provide the latitude and longitude in the form of decimal degrees to four significant digits. Provide all of the specified information about the exploration drillhole construction and cuttings management, including an approximate depth to groundwater, and a general description of the geologic material encountered.

Section 3.

As applicable, provide the dates of temporary abandonment and permanent abandonment of the exploration drillhole. If submitting a report documenting permanent abandonment of a drillhole, complete the summary of the abandonment procedures and materials. Include the type of sealing materials, method of placement (e.g., neat cement grout pumped through conductor pipe) and the amounts of material used, including water. Provide the location of the sump/mud pit, if applicable, and all specified details regarding disposition of cuttings from the exploration drilling, including the volume of rock cuttings based on the diameters of the drillhole and the core.

Section 4.

Include information necessary to clarify details included on the report or that may provide explanation related to information included in the report that may appear ambiguous. For example, if excess sealing material was needed to fill a drillhole, explain the circumstances, such as the presence of a fracture zone at a certain depth. If unique abandonment procedures were implemented, such as placement of a packer or methods to deal with a flowing drillhole, provide the details here and on additional sheets, if needed. Include dates of communication with department staff in which the alternative methods were discussed and approved.

Section 5.

Indicate whether an exploration drillhole fee is included with the abandonment report. The fee for drilling the first 20 drillholes in any exploration license year is \$200 per drillhole and the fee for drilling each additional drillhole in the same license year is \$100 per drillhole. The fee shall be submitted one time per drillhole with either the temporary abandonment report or with the permanent abandonment report whichever occurs first.

Section 6.

Provide the information about the person/firm that completed the abandonment work. The report must be signed by an authorized representative of the exploration licensee.

1. Explorer, Driller, Owner information

Exploration Licensee Name Green Light Wisconsin LLC		License Number 16964		
Drilling Company Name Taconite Drilling	Street or Route 17126 County Road 456	City Warba	State WI	ZIP Code 55793
Property Owner Name Greenlight Metals Inc (Soo Mineral Lease)	Street or Route 4480 County Road E	City Medford	State WI	ZIP Code 54451

2. Location and Drillhole Information

Drillhole Number B25-005 NOI Approval Date 05/04/2023 County Taylor
NW ¼ of SW ¼ Sect. 35 T 33 N R 2 E or W Latitude 45.2952314 Longitude -90.5955146
 e.g., 43.1234° and -89.1234°

Type of Drillhole (Core, Rotary, etc.) Core	Starting Angle of Drillhole 59	Direction/Azimuth 345	Total Length of Drillhole 1235
Date Started Drilling 08/08/2025	Date Finished Drilling 08/16/2025	Depth to Groundwater N/A	Surface Elevation at Drillhole 1362.18

Drillhole Intervals				
From (ft.)	To (ft.)	Hole Diam. (in.)	Core Diam. (in.)	Geologic Material
Surface	147	HQ - 3.750	1.990	Overburden - Sands, Gravels, Clay, Boulders (142.5')
147	1235	NQ2 - 2.980	1.990	Precambrian - Volcanic tuffs, seds, flows, sills

Cuttings Management
 Sump/Mud Pit Recirculation Tank Other (specify) _____
 Sump Lined - Yes No Liner Material 20mil HDPE Liner

3. Abandonment Status

Date Temporarily Abandoned 08/16/2025 Date Permanently Abandoned _____
 Threaded Cap OR Threaded Cap

Permanent Abandonment Summary

Drillhole Interval (ft.)		Sealing material used and method of placement	Amount of sealing material (bags or ft ³ of cement and volume of water, or volume of other materials)
From	To		

Was Casing Left in Place? - Yes No If yes, length of casing (ft.) 150 (~3 foot above grade)

Cuttings Disposal
 Volume of rock cuttings (ft³) 29.3 Sump location: Latitude 45.2952660 Longitude -90.5956010
 e.g., 43.1234° and -89.1234°

- Disposed in-place in the sump
 - Amended with neutralizing material (type and volume of material) See abandonment report for B25-006
 - Placed in another sump (specify location) _____
 - Disposed off-site (specify facility) _____

4. Comments

B25-005 was completed on 8/16/2025 and temporarily abandoned with a threaded cap. Upon completion of the following drillhole B25-006, after the rig was moved off of the drill site, the threaded cap was removed and a ten foot piece of HQ drill rod with a threaded cap was threaded onto the casing to ensure that the temporarily abandoned hole remained visible. A total of 29.3 cubic feet of rock cuttings were estimated to be generated from the drilling of B25-005 and contained with the sump at the drill site. The sump was abandoned after the completion of B25-006. See abandonment report for B25-006 for sump abandonment details.

Nonferrous Metallic Mineral Exploration Drillhole Abandonment Report

Form 2700-002 (R 05/2025)

Page 2 of 2

5. Fee

Fee Included - Yes No Amount \$ 200

Number of drillholes constructed in current license year? 5

6. Certification

Name of person or firm doing sealing work Taconite Drilling			I hereby certify that the information in this report is true and accurate to the best of my knowledge and belief.	
Street or Route 17126 County Road 456			Signature of Exploration Licensee Representative Eric Quigley	Date 08/28/2025
City Warba	State MN	ZIP Code 55793	Title Director of Exploration	

Instructions

An abandonment report shall be submitted to the department within 30 days after completion of temporary and permanent abandonment.

Section 1.

Provide the name of the Exploration Licensee as indicated on the valid nonferrous metallic mineral exploration license. Provide the name and address of the drilling company that constructed the exploration drillhole and the landowner on which the exploration drillhole is located.

Section 2.

Provide the exploration drillhole number as designated by the licensee, the initial approval date for the notification of intent in which the exploration drillhole was proposed and described, and all of the information regarding the location of the drillhole. Provide the latitude and longitude in the form of decimal degrees to four significant digits. Provide all of the specified information about the exploration drillhole construction and cuttings management, including an approximate depth to groundwater, and a general description of the geologic material encountered.

Section 3.

As applicable, provide the dates of temporary abandonment and permanent abandonment of the exploration drillhole. If submitting a report documenting permanent abandonment of a drillhole, complete the summary of the abandonment procedures and materials. Include the type of sealing materials, method of placement (e.g., neat cement grout pumped through conductor pipe) and the amounts of material used, including water. Provide the location of the sump/mud pit, if applicable, and all specified details regarding disposition of cuttings from the exploration drilling, including the volume of rock cuttings based on the diameters of the drillhole and the core.

Section 4.

Include information necessary to clarify details included on the report or that may provide explanation related to information included in the report that may appear ambiguous. For example, if excess sealing material was needed to fill a drillhole, explain the circumstances, such as the presence of a fracture zone at a certain depth. If unique abandonment procedures were implemented, such as placement of a packer or methods to deal with a flowing drillhole, provide the details here and on additional sheets, if needed. Include dates of communication with department staff in which the alternative methods were discussed and approved.

Section 5.

Indicate whether an exploration drillhole fee is included with the abandonment report. The fee for drilling the first 20 drillholes in any exploration license year is \$200 per drillhole and the fee for drilling each additional drillhole in the same license year is \$100 per drillhole. The fee shall be submitted one time per drillhole with either the temporary abandonment report or with the permanent abandonment report whichever occurs first.

Section 6.

Provide the information about the person/firm that completed the abandonment work. The report must be signed by an authorized representative of the exploration licensee.

1. Explorer, Driller, Owner information

Exploration Licensee Name Green Light Wisconsin LLC		License Number 16964		
Drilling Company Name Taconite Drilling	Street or Route 17126 County Road 456	City Warba	State WI	ZIP Code 55793
Property Owner Name Greenlight Metals Inc (Soo Mineral Lease)	Street or Route 4484 County Road E	City Medford	State WI	ZIP Code 54451

2. Location and Drillhole Information

Drillhole Number B25-006 NOI Approval Date 05/04/2023 County Taylor
NW ¼ of SW ¼ Sect. 35 T 33 N R 2 E or W Latitude 45.2952306 Longitude -90.5955140
 e.g., 43.1234° and -89.1234°

Type of Drillhole (Core, Rotary, etc.) Core	Starting Angle of Drillhole 67.5	Direction/Azimuth 344	Total Length of Drillhole 1407
Date Started Drilling 08/16/2025	Date Finished Drilling 08/23/2025	Depth to Groundwater N/A	Surface Elevation at Drillhole 1364.92

Drillhole Intervals				
From (ft.)	To (ft.)	Hole Diam. (in.)	Core Diam. (in.)	Geologic Material
Surface	142.5	HQ - 3.750	2.5	Overburden - Sands, Gravels, Clay, Boulders
142.5	1407	NQ2 - 2.980	1.990	Precambrian - Volcanic tuffs, sed, flows, sills

Cuttings Management
 Sump/Mud Pit Recirculation Tank Other (specify) _____
 Sump Lined - Yes No Liner Material 20mil HDPE Liner

3. Abandonment Status

Date Temporarily Abandoned 08/23/2025 Date Permanently Abandoned _____
 Threaded Cap OR Threaded Cap

Permanent Abandonment Summary

Drillhole Interval (ft.)		Sealing material used and method of placement	Amount of sealing material (bags or ft ³ of cement and volume of water, or volume of other materials)
From	To		

Was Casing Left in Place? - Yes No If yes, length of casing (ft.) 155 (down hole)

Cuttings Disposal
 Volume of rock cuttings (ft³) 33.6 Sump location: Latitude 45.2952660 Longitude -90.5956010
 e.g., 43.1234° and -89.1234°

- Disposed in-place in the sump
 - Amended with neutralizing material (type and volume of material) 61 Bags of Neat, 4-50# bags concrete(B25-005,006)
 - Placed in another sump (specify location) _____
 - Disposed off-site (specify facility) _____

4. Comments

B25-006 was temporarily abandoned after drilling was completed on 8/23/25. A ten foot piece of HQ casing with a threaded cap was placed on the the drillhole and painted blaze orange. The sump at site 5 accommodated cuttings from holes B25-005 and 006. An initial dose of 50 - 94# bags were amended with the cuttings and left to solidify on 8/25/25. Excess water in the sump prevented full solidification as the cement settled and pushed water held in the cuttings to come to the surface of the sump. Additional doses of 5 94# bags (8/27/25) and 6 94# bags + 4 50# bags of concrete (8/29/25) were added. Confirmation of solidification occurred on (9/2/25) and the liner was folder over the top of the cuttings and the sump was backfilled with subsoil and stockpiled topsoil was spread over top.

Nonferrous Metallic Mineral Exploration Drillhole Abandonment Report

Form 2700-002 (R 05/2025)

Page 2 of 2

5. Fee

Fee Included - Yes No Amount \$ 200

Number of drillholes constructed in current license year? 6

6. Certification

Name of person or firm doing sealing work Taconite Drilling			I hereby certify that the information in this report is true and accurate to the best of my knowledge and belief.	
Street or Route 17126 County Road 456			Signature of Exploration Licensee Representative Eric Quigley	Date 09/12/2025
City Warba	State MN	ZIP Code 55793	Title Director of Exploration	

Instructions

An abandonment report shall be submitted to the department within 30 days after completion of temporary and permanent abandonment.

Section 1.

Provide the name of the Exploration Licensee as indicated on the valid nonferrous metallic mineral exploration license. Provide the name and address of the drilling company that constructed the exploration drillhole and the landowner on which the exploration drillhole is located.

Section 2.

Provide the exploration drillhole number as designated by the licensee, the initial approval date for the notification of intent in which the exploration drillhole was proposed and described, and all of the information regarding the location of the drillhole. Provide the latitude and longitude in the form of decimal degrees to four significant digits. Provide all of the specified information about the exploration drillhole construction and cuttings management, including an approximate depth to groundwater, and a general description of the geologic material encountered.

Section 3.

As applicable, provide the dates of temporary abandonment and permanent abandonment of the exploration drillhole. If submitting a report documenting permanent abandonment of a drillhole, complete the summary of the abandonment procedures and materials. Include the type of sealing materials, method of placement (e.g., neat cement grout pumped through conductor pipe) and the amounts of material used, including water. Provide the location of the sump/mud pit, if applicable, and all specified details regarding disposition of cuttings from the exploration drilling, including the volume of rock cuttings based on the diameters of the drillhole and the core.

Section 4.

Include information necessary to clarify details included on the report or that may provide explanation related to information included in the report that may appear ambiguous. For example, if excess sealing material was needed to fill a drillhole, explain the circumstances, such as the presence of a fracture zone at a certain depth. If unique abandonment procedures were implemented, such as placement of a packer or methods to deal with a flowing drillhole, provide the details here and on additional sheets, if needed. Include dates of communication with department staff in which the alternative methods were discussed and approved.

Section 5.

Indicate whether an exploration drillhole fee is included with the abandonment report. The fee for drilling the first 20 drillholes in any exploration license year is \$200 per drillhole and the fee for drilling each additional drillhole in the same license year is \$100 per drillhole. The fee shall be submitted one time per drillhole with either the temporary abandonment report or with the permanent abandonment report whichever occurs first.

Section 6.

Provide the information about the person/firm that completed the abandonment work. The report must be signed by an authorized representative of the exploration licensee.