

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ Verification Only of Fill and Seal

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☐ Remediation/Redevelopment

☐ Waste Management

☒ Other: EAS/7

1. Well Location Information

County <u>Oneida</u>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) <u>45.549565</u> N <u>-89.116418</u> W		Format Code ☒ DD ☐ DDM
Method Code ☒ GPS008 ☐ SCR002 ☐ OTH001		
<u>1/4 SE</u> <u>1/4 NE</u>	Section <u>4</u>	Township <u>35 N</u>
or Gov't Lot #		Range <u>11</u> ☒ E ☐ W

Well Street Address

NA

Well City, Village or Town

Schoepke Twp.

Well ZIP Code

Subdivision Name

Lot #

2. Facility / Owner Information

Facility Name <u>Schoepke Project</u>		
Facility ID (FID or PWS) <u>399134120</u>		
License/Permit/Monitoring # <u>License # 41003</u>		
Original Well Owner <u>Badger Minerals LLC</u>		
Present Well Owner <u>"</u>		
Mailing Address of Present Owner <u>414 10th Ave</u>		
City of Present Owner <u>Menomonie</u>	State <u>MI</u>	ZIP Code <u>49858</u>

Reason for Removal from Service

Exploratory drillhole

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well	Original Construction Date (mm/dd/yyyy) <u>06/08/20</u>
☐ Water Well	
☒ Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type:	
☒ Drilled	☐ Driven (Sandpoint)
☐ Other (specify):	☐ Dug

Formation Type:

☒ Unconsolidated Formation

☒ Bedrock

Total Well Depth From Ground Surface (ft.)

497'

Casing Diameter (in.)

2.98"

Lower Drillhole Diameter (in.)

2.36"

Casing Depth (ft.)

135'

Was well annular space grouted?

☐ Yes

☒ No

☐ Unknown

If yes, to what depth (feet)?

Depth to Water (feet)

U/K

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☒ Yes	☐ No	☐ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☐ Yes	☐ No	☒ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☒ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☐ No	☒ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity	☒ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips)	☐ Other (Explain):

Sealing Materials

☒ Neat Cement Grout	☐ Concrete
☐ Sand-Cement (Concrete) Grout	☐ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips	☐ Bentonite - Cement Grout
☐ Granular Bentonite	☐ Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

<u>Portland Cement</u>	From (ft.) <u>Surface</u>	To (ft.) <u>497'</u>	No. Yards, Sacks Sealant or Volume (circle one) <u>14 Sacks</u>	Mix Ratio or Mud Weight <u>6 gal / 1 sack</u>
------------------------	------------------------------	-------------------------	---	---

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <u>Badger Minerals LLC</u>	License # <u>41003</u>	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>06/09/20</u>	DNR Use Only	
Street or Route <u>414 10th Ave</u>			Telephone Number <u>(906) 352-4024</u>	Comments
City <u>Menomonie</u>	State <u>MI</u>	ZIP Code <u>49858</u>	Signature of Person Doing Work 	Date Signed <u>6/24/10</u>

DB-20-02

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☐ Remediation/Redevelopment

☐ Waste Management

☒ Other: EAS/7

1. Well Location Information

County Onida WI Unique Well # of Removed Well _____ Hicap # _____

Latitude / Longitude (see instructions) 45.550083 N -89.113706 W
Format Code ☒ DD ☐ DDM Method Code ☒ GPS008 ☐ SCR002 ☐ OTH001

1/4 NE 1/4 NE Section 4 Township 35 N Range 11 E or Gov't Lot # _____ W

Well Street Address NA

Well City, Village or Town Schoepke Twp. Well ZIP Code _____

Subdivision Name _____ Lot # _____

Reason for Removal from Service Exhausted DDA WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☒ Borehole / Drillhole
Original Construction Date (mm/dd/yyyy) 06/16/20
If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (specify): _____

Formation Type:
☒ Unconsolidated Formation ☒ Bedrock

Total Well Depth From Ground Surface (ft.) 630.5' Casing Diameter (in.) 2.98"

Lower Drillhole Diameter (in.) 2.36" Casing Depth (ft.) 60'

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) N/A

2. Facility / Owner Information

Facility Name Schoepke Project

Facility ID (FID or PWS) 399134120

License/Permit/Monitoring # 41003

Original Well Owner Badger Minerals LLC

Present Well Owner "

Mailing Address of Present Owner 414 10th Ave.

City of Present Owner Menominee State MI ZIP Code 49858

5. Material Used to Fill Well / Drillhole

Portland Cement

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing Badger Minerals LLC License # 41003 Date of Filling & Sealing or Verification (mm/dd/yyyy) 06/16/20

Street or Route 414 10th Ave Telephone Number (906) 352-4024

City Menominee State MI ZIP Code 49858

Signature of Person Doing Work _____ Date Signed 07/02/20

DNR Use Only

Date Received _____ Noted By _____

Comments _____

DB-20-03

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☐ Remediation/Redevelopment
☐ Waste Management ☒ Other: EAS/1

1. Well Location Information

County <u>Oncida</u>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) <u>45.549566</u> N <u>-89.115084</u> W	Format Code ☒ DD ☐ DDM	Method Code ☒ GPS008 ☐ SCR002 ☐ OTH001
1/4 1/4 <u>SE</u> 1/4 <u>NE</u> or Gov't Lot #	Section <u>4</u>	Township <u>35</u> N Range <u>11</u> E ☒ W
Well Street Address <u>NA</u>		
Well City, Village or Town <u>Schoepke Twp</u>		
Subdivision Name		

2. Facility / Owner Information

Facility Name <u>Schoepke Project</u>
Facility ID (FID or PWS) <u>399134120</u>
License/Permit/Monitoring # <u>41003</u>
Original Well Owner <u>Badger Minerals LLC</u>
Present Well Owner <u>"</u>
Mailing Address of Present Owner <u>414 10th Ave.</u>
City of Present Owner <u>Menominee</u> State <u>MI</u> ZIP Code <u>49858</u>

Reason for Removal from Service

Explosion PDH

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well	WI Unique Well # of Replacement Well
☐ Water Well	Original Construction Date (mm/dd/yyyy) <u>7/2/20</u>
☒ Borehole / Drillhole	If a Well Construction Report is available, please attach.
Construction Type: ☒ Drilled ☐ Driven (Sandpoint) ☐ Dug ☐ Other (specify):	

Formation Type:

☒ Unconsolidated Formation ☒ Bedrock

Total Well Depth From Ground Surface (ft.) 474.5' Casing Diameter (in.) 2.98

Lower Drillhole Diameter (in.) 2.36 Casing Depth (ft.) 110'

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? UK Depth to Water (feet)

UK

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>474.5</u>	<u>11 sacks</u>	<u>6gal / 1 sack</u>

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <u>Badger Minerals</u>	License # <u>41003</u>	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>7/2/20</u>	DNR Use Only	
Street or Route <u>414 10th Ave</u>			Date Received	Noted By
City <u>Menominee</u> State <u>MI</u> ZIP Code <u>49858</u>			Comments	
Telephone Number <u>906 1352-4024</u>			Signature of Person Doing Work <u>[Signature]</u>	
			Date Signed <u>7/20/20</u>	

RB-20-01

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☐ Remediation/Redevelopment
☐ Waste Management ☒ Other: EAS/7

1. Well Location Information

County <u>Oneida</u>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) N <u>44° 14' 50"</u> W <u>74° 14' 00"</u>	Format Code ☒ DD ☐ DDM	Method Code ☒ GPS008 ☐ SCR002 ☐ OTH001
1/4 1/4 SW or Gov't Lot #	Section <u>4</u>	Township <u>35 N</u>
Well Street Address <u>NA</u>	Range <u>11 E</u>	Well ZIP Code
Well City, Village or Town <u>Schoepke Twp</u>	Lot #	
Subdivision Name		

2. Facility / Owner Information

Facility Name <u>Schoepke Project</u>		
Facility ID (FID or PWS) <u>399134120</u>		
License/Permit/Monitoring # <u>41003</u>		
Original Well Owner <u>Badger Minerals LLC</u>		
Present Well Owner <u>" "</u>		
Mailing Address of Present Owner <u>414 10th Ave</u>		
City of Present Owner <u>Menominee</u>	State <u>MI</u>	ZIP Code <u>49858</u>

Reason for Removal from Service <u>Exhaustion DDH</u>	WI Unique Well # of Replacement Well
--	--------------------------------------

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☒ Borehole / Drillhole	Original Construction Date (mm/dd/yyyy) <u>06/22/20</u> If a Well Construction Report is available, please attach.
---	--

Construction Type:

- ☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (specify):

Formation Type:

- ☒ Unconsolidated Formation ☒ Bedrock

Total Well Depth From Ground Surface (ft.) <u>448'</u>	Casing Diameter (in.) <u>2.98"</u>
Lower Drillhole Diameter (in.) <u>2.36"</u>	Casing Depth (ft.) <u>120'</u>

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? 0/K

5. Material Used to Fill Well / Drillhole

Material <u>Portland Cement</u>

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☒ Yes ☐ No ☐ N/A
Liner(s) removed?	☐ Yes ☐ No ☒ N/A
Liner(s) perforated?	☐ Yes ☐ No ☒ N/A
Screen removed?	☐ Yes ☐ No ☒ N/A
Casing left in place?	☐ Yes ☒ No ☐ N/A
Was casing cut off below surface?	☐ Yes ☐ No ☒ N/A
Did sealing material rise to surface?	☒ Yes ☐ No ☐ N/A
Did material settle after 24 hours?	☐ Yes ☒ No ☐ N/A
If yes, was hole retopped?	☐ Yes ☐ No ☒ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes ☐ No ☒ N/A

Required Method of Placing Sealing Material

- ☐ Conductor Pipe-Gravity ☒ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips) ☐ Other (Explain):

Sealing Materials

- ☒ Neat Cement Grout ☐ Concrete
☐ Sand-Cement (Concrete) Grout ☐ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

- ☐ Bentonite Chips ☐ Bentonite - Cement Grout
☐ Granular Bentonite ☐ Bentonite - Sand Slurry

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>448'</u>	<u>13 Sacks</u>	<u>6 gal / 1 sack</u>

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <u>Badger Minerals LLC</u>	License # <u>41003</u>	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>06/22/20</u>	DNR Use Only	
Street or Route <u>414 10th Ave</u>	City <u>Menominee</u>	State <u>MI</u>	ZIP Code <u>49858</u>	Telephone Number <u>(906) 352-4024</u>
Signature of Person Doing Work <u>[Signature]</u>			Date Received	Noted By
Comments			Date Signed <u>7/6/20</u>	

RB-20-02

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- ☐ Drinking Water ☐ Watershed/Wastewater ☐ Remediation/Redevelopment
☐ Waste Management ☒ Other: EAS/7

1. Well Location Information

County <u>Oncider</u>	WI Unique Well # of Removed Well	Hicap #
Latitude / Longitude (see instructions) <u>45.547192</u> N <u>-89.126895</u> W	Format Code ☒ DD ☐ DDM	Method Code ☒ GPS008 ☐ SCR002 ☐ OTH001
1/4 SW 1/4 NW or Gov't Lot #	Section <u>4</u>	Township <u>35 N</u>
Well Street Address <u>NA</u>	Range <u>11</u>	☒ E ☐ W
Well City, Village or Town <u>Schoepke Twp.</u>	Well ZIP Code	
Subdivision Name	Lot #	

2. Facility / Owner Information

Facility Name <u>Schoepke Project</u>
Facility ID (FID or PWS) <u>399134120</u>
License/Permit/Monitoring # <u>41003</u>
Original Well Owner <u>Bader Minerals LLC</u>
Present Well Owner <u>"</u>
Mailing Address of Present Owner <u>414 10th Ave</u>
City of Present Owner <u>Mendota</u>
State <u>MI</u>
ZIP Code <u>49858</u>

Reason for Removal from Service

Exploratory DDH

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well	Original Construction Date (mm/dd/yyyy) <u>06/22/20</u>
☐ Water Well	If a Well Construction Report is available, please attach.
☒ Borehole / Drillhole	
Construction Type:	
☒ Drilled	☐ Driven (Sandpoint)
☐ Other (specify):	☐ Dug

Formation Type:

☒ Unconsolidated Formation ☒ Bedrock

Total Well Depth From Ground Surface (ft.) 522'

Casing Diameter (in.) 2.98"

Lower Drillhole Diameter (in.) 2.36"

Casing Depth (ft.) 80'

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)?

Depth to Water (feet)
U/K

5. Material Used to Fill Well / Drillhole

Portland Cement

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed?	☒ Yes	☐ No	☐ N/A
Liner(s) removed?	☐ Yes	☐ No	☒ N/A
Liner(s) perforated?	☐ Yes	☐ No	☒ N/A
Screen removed?	☐ Yes	☐ No	☒ N/A
Casing left in place?	☐ Yes	☒ No	☐ N/A
Was casing cut off below surface?	☐ Yes	☐ No	☒ N/A
Did sealing material rise to surface?	☒ Yes	☐ No	☐ N/A
Did material settle after 24 hours?	☐ Yes	☒ No	☐ N/A
If yes, was hole retopped?	☐ Yes	☐ No	☒ N/A
If bentonite chips were used, were they hydrated with water from a known safe source?	☐ Yes	☐ No	☒ N/A

Required Method of Placing Sealing Material

☐ Conductor Pipe-Gravity	☒ Conductor Pipe-Pumped
☐ Screened & Poured (Bentonite Chips)	☐ Other (Explain):

Sealing Materials

☒ Neat Cement Grout	☐ Concrete
☐ Sand-Cement (Concrete) Grout	☐ Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

☐ Bentonite Chips	☐ Bentonite - Cement Grout
☐ Granular Bentonite	☐ Bentonite - Sand Slurry

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>522'</u>	<u>12 bags</u>	<u>6 gal / 1 sack</u>

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing <u>Bader Minerals LLC</u>	License #	Date of Filling & Sealing or Verification (mm/dd/yyyy) <u>06/22/20</u>	DNR Use Only	
Street or Route <u>414 10th Ave</u>	City <u>Mendota</u>	State <u>MI</u>	ZIP Code <u>49858</u>	Date Received
Telephone Number <u>(906) 352-4024</u>	Signature of Person Doing Work <u>[Signature]</u>	Comments	Date Signed <u>7/6/20</u>	Noted By

LB-20-01

Well / Drillhole / Borehole Filling & Sealing Report

Form 3300-005 (R 4/2015)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

☒ **Verification Only of Fill and Seal**

Route to DNR Bureau:

☐ Drinking Water

☐ Watershed/Wastewater

☐ Remediation/Redevelopment

☐ Waste Management

☒ Other: EAS/7

1. Well Location Information

County Oncida WI Unique Well # of Removed Well _____ Hicap # _____

Latitude / Longitude (see instructions) 45.535485 N -89.117693 W
Format Code ☒ DD ☐ DDM Method Code ☒ GPS008 ☐ SCR002 ☐ OTH001

1/4 SW 1/4 NE Section 9 Township 35 N Range 11 E ☒ W

Well Street Address NA

Well City, Village or Town Schoepke Twp Well ZIP Code _____

Subdivision Name _____ Lot # _____

Reason for Removal from Service Exploratory DDH WI Unique Well # of Replacement Well _____

3. Filled & Sealed Well / Drillhole / Borehole Information

☐ Monitoring Well ☐ Water Well ☒ Borehole / Drillhole
Original Construction Date (mm/dd/yyyy) 6/26/20
If a Well Construction Report is available, please attach.

Construction Type:
☒ Drilled ☐ Driven (Sandpoint) ☐ Dug
☐ Other (specify): _____

Formation Type:
☒ Unconsolidated Formation ☒ Bedrock

Total Well Depth From Ground Surface (ft.) 403' Casing Diameter (in.) 2.98"

Lower Drillhole Diameter (in.) 2.36" Casing Depth (ft.) 40

Was well annular space grouted? ☐ Yes ☒ No ☐ Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) 0/K

5. Material Used to Fill Well / Drillhole

From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Surface	<u>403'</u>	<u>9 bags</u>	<u>6gal/1 sack</u>

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing			License #		Date of Filling & Sealing or Verification (mm/dd/yyyy)		DNR Use Only	
Street or Route			City		State		ZIP Code	
<u>Budger Minerals LLC</u>			<u>41003</u>		<u>6/26/20</u>		<u>7/20/20</u>	
<u>414 10th Ave</u>			<u>Menominee</u>		<u>MI</u>		<u>49858</u>	
Telephone Number <u>906 752-4024</u>			Signature of Person Doing Work <u>[Signature]</u>		Date Signed <u>7/20/20</u>		Comments _____	