Portable Restroom Vehicle Requirements

Revised 07/13/2023 SSW



Lettering—One Side of Vehicle

Each licensee shall display on at least one side of the septage vehicle the words "Wisconsin Sanitary Licensee" and immediately under those words "License No." with the number of its license.

Important Note: Letters and numbers must be at least 2 inches high, and lettering and numbering must be in distinct color contrast to its background.



Reference: subd. NR 113.06(2)(m)2.,Wis. Adm. Code

IMPORTANT: If the portable restroom vehicle is used <u>solely</u> for servicing portable restrooms, then several exemptions may apply.

Exemption 1. Shutoff Valves for Suction Hoses

Typically, hoses and pipes shall be connected, sealed, capped, or clean with water between uses.

Vehicle is used solely for servicing and transporting portable restrooms

Alternative Option → two shutoff valves

- One valve located at the tank, and
- Other shutoff valve located on the wand end of the suction hose



Reference: par NR 113.06(2)(k), Wis. Adm. Code

Exemption 2. Business Sticker Placement

Alternative Option → flexible sticker location

- Vehicle solely used for servicing and transport of portable restrooms
- Placement of the sticker prevents visibility (ex: obstructed by portable restrooms during transport)
- Alternative sticker location must be approved by DNR





Reference: subd. NR 113.06(2)(m)1.,Wis. Adm. Code

Exemption 3. Lettering-Capacity (Gallons)

Alternative Option → no lettering required for small capacity tanks

- Capacity lettering requirement does not apply if tank capacity <u>less than or equal to 1,000 gallons</u> AND the vehicle is used solely for servicing and transporting of portable restrooms
- Volume does not include clear water.

IMPORTANT: Tank capacity lettering no longer required for these vehicles.







Reference: subd. NR 113.06(2)(m)3.,Wis. Adm. Code

Questions??

Email: <u>DNROpCertSeptage@Wisconsin.gov</u>

As part of your email, indicate the septage business name and septage business license number.