Northeast Lakeshore Volunteer Monitoring Program Northeast Lakeshore TMDL 2024 Data Summary



February 17th, 2025

WDNR Contacts

Katherine Rynish, Project Coordinator – WDNR (920) 296-5126 Katherine.Rynish@wisconsin.gov

Keith Marquardt, NEL TMDL Project Manager – WDNR (920) 303-5435

KeithA.Marquardt@wisconsin.gov

Andrew Hudak, East District Water Resources Field Supervisor – WDNR (920) 662-5117

Andrew.Hudak@wisconsin.gov

Craig Helker, Water Quality Biologist – WDNR (414) 550-2970 Craig.Helker@wisconsin.gov

Table of Contents

Project OverviewProject Overview	3
Project Goals	
Median Total Phosphorus by Monitoring Site	
Annual Median Total Phosphorus Concentrations by Monitoring Site	5
Annual Median Total Suspended Solids Concentrations by Monitoring Site	6
Annual Median Dissolved Reactive Phosphorus Concentrations by Monitoring Site	7
Annual Median Total Nitrogen Concentrations by Monitoring Site	۶

Project Overview

The Northeast Lakeshore (NEL) Volunteer Monitoring Program started in 2023 and is in support of the NEL Total Maximum Daily Load (TMDL). The program started with 12 surface water monitoring sites, and in 2024 seven sites were added for a total of 19 sites on 18 different rivers/streams throughout the NEL region. These rivers and streams contribute nutrients and sediment directly to Lake Michigan. The NEL is approximately 2,000 square miles and includes eight counties (Brown, Calumet, Door, Fond du lac, Kewaunee, Manitowoc, Ozaukee, and Sheboygan). There are three major river basins within the NEL: Kewaunee, Manitowoc, and Sheboygan basins.

The volunteer monitoring program relies on citizen volunteers to collect monthly surface water samples, there were 17 volunteers in the program in 2024. The samples are taken once a month during the growing season (May-October) and are analyzed for total phosphorus (TP), total suspended solids (TSS), dissolved reactive phosphorus (DRP), and total nitrogen (TN).


Phosphorus and sediment cause numerous impairments to waterways, including low dissolved oxygen concentrations, degraded habitat, and excessive turbidity. These impairments adversely impact fish and aquatic life, water quality, recreation, and potentially navigation.

Phosphorus is an essential nutrient for plant growth. However, when excess amounts are introduced to a system, excess algae and aquatic plants can occur. Total phosphorus is a key indicator of water quality.

Project Goals

- 1) Increase public awareness and involvement of water quality issues by engaging the public in citizen science.
- 2) The collection of reliable surface water quality data to assess long-term water quality trends/successes.
- 3) Evaluate nutrient and sediment concentrations in the tributaries and streams discharging to Lake Michigan.
- 4) Monitor the health of the watershed overtime.
- 5) Provide a basis for evaluation of the long-term effectiveness of implementation of the NEL TMDL; are there water quality improvements in watersheds with the implementation of best management practices?
- 6) Share water quality data broadly among stakeholders to collectively assess water quality.


Median Total Phosphorus by Monitoring Site



Median Total Phosphorus (mg/L)				
Мар #	Monitoring Site	2023-2024	2024	
1	Silver Creek at Willow Rd	0.057	0.056	
2	Kewaunee River at Hillside Rd	0.131	0.111	
3	East Twin River at Steiners	0.066	0.086	
	Corners Rd			
4	West Twin River at CTH V	0.080	0.108	
5	Branch River at N Union Rd	0.073	0.094	
6	South Branch Manitowoc River at	0.251	0.278	
	Lemke Rd			
7	Silver Creek at CTH LS	0.140	0.157	
8	Pine Creek at CTH T	0.165	0.154	
9	Sheboygan River at STH 57	0.141	0.155	
10	Onion River at Ourtown Rd	0.201	0.202	
11	Pigeon River at STH 42	0.194	0.226	
12	Mullet River at Sumac Rd	0.075	0.092	
13	Stony Creek at CTH S (C)	-	0.106	
14	Ahnapee River at CTH X near		0.060	
	Forestville	-		
15	School Creek- 100ft below bridge	_	0.711	
	off Rendezvous Rd	_		
16	East Twin River at CTH J	-	0.057	
17	Devils River at CTH R	-	0.106	
18	Branch River at CTH J	-	0.133	
19	Fisher Creek- upstream of STH 32	-	0.217	


The median is calculated for rivers and streams in accordance with Wisconsin Consolidated Assessment and Listing Methodology (WisCALM) protocol. Rivers and streams tend to have high variability in concentrations and medians are used for datasets with high variability.

Annual Median Total Phosphorus Concentrations by Monitoring Site




TP WQC stands for TP Water Quality Criteria, which is 0.075mg/L for all sites except Sheboygan River. Sheboygan River TP WQC is 0.100 mg/L.

Annual Median Total Suspended Solids Concentrations by Monitoring Site



TSS Target is defined in the NEL TMDL as 12mg/L.

Annual Median Dissolved Reactive Phosphorus Concentrations by Monitoring Site



TP WQC stands for TP Water Quality Criteria, which is 0.075mg/L for all sites except Sheboygan River. Sheboygan River TP WQC is 0.100 mg/L.

Annual Median Total Nitrogen Concentrations by Monitoring Site

