

- 1-inch diameter except those marked with orange paint or within the orange-painted exclusion in Stand 2189-114.
- OPTIONAL Harvest Area in Stand 2190-29 east of 62714, designated with double-sided orange paint line. Invasives present.
- Stands 2189-09, 114, 214 & OPTIONAL: Harvesting and hauling may only occur under frozen ground conditions.
- No mechanical activities allowed within Stand 2190-23 from April 1st to October 1st.
- Harvesting may occur during dry, firm, or frozen ground at the discretion of the timber sale administrator in all other stands.



# Good Neighbor Authority Wisconsin Department of Natural Resources

Eagle River/Florence Ranger District Chequamegon-Nicolet National Forest

### HABANERO - Prospectus Tract #: 8002-02-23

Location: Oneida County, WI Sale Area: 57 acres

Town	Range	Section	Description
38N	11E	23	E1/2
38N	11E	24	SWNE, NWSE, SWSE, SESW, NWSW
38N	11E	25	NENW, NWNE

#### **Estimated Volumes and Values:**

Species	Volume			
Aspen pulp	2450 T			
Balsam fir pulp <sup>1</sup>	700 T			
Mixed hardwood pulp <sup>2</sup>	370 T			
Minimum advertised bid:	\$26,484.00			

All volume estimates were obtained using cubic cruise' volume estimating system. Oneida County base stumpage rates used for aspen and balsam fir product values. Forest County base stumpage rate used for mixed hardwood product value.

- 1. Balsam fir pulp contains 83% balsam fir, 16% spruce (including 3.6 MBF) and 1% tamarack.
- Mixed hardwood pulp contains 89% red maple (including 3.3 MBF) and 11% paper birch (including 0.6 MBF).

#### **General Harvest Information and Special Conditions:**

- No sale work may begin without prior notification and an on-site meeting with the sale administrator.
- Billing for pulp and bolt products will use a mill scale ticket system.
- No bid bond required. A performance bond of 15% of the total sale bid value will be required.
- The contract period is 3 YEARS, ending June 30th, 2026.
- Cutting areas are bounded by orange and red paint lines or established roads. See sale map.
- Harvesting in cutting areas (stands) must be completed prior to moving to another cutting area.
   Cutting must be concurrent for all species including required 1-5" diameter stems.
- Reasonable care shall be taken to avoid unnecessary damage to residual trees and regeneration.
- Utilization to at least a 4-inch top.
- The harvesting of any portion of a tree that lies outside the physical ownership of the Forest Service
  will not be allowed. Trees lying across the property line must be bucked at the ownership line and all
  portions of the tree that reside on the private side of the line must be left in place. Conversely, the
  remaining portion of the tree that lies within the physical ownership of the Forest Service may be
  harvested and utilized.
- Equipment must be cleaned and inspected before entering and leaving sale area to prevent the introduction/spread of invasive species.
- All slash shall be pulled 10 feet from the edge of all roads, trails, private land, wetlands and riparian
  areas, and shall be lopped and scattered to lie within 2 feet of the ground for 100 feet from WI-32. All
  other slash shall be lopped and scattered to lie within 4 feet of the ground.
- In all harvest areas, do not cut standing snags unless they pose a safety risk.
- See cutting prescriptions and seasonal restrictions listed on the map.

#### **Road and Skid Trails:**

- Flagged Temporary Road, TMP189009 (0.06-mile), from 616314 to access Stand 2189-09 will be purchaser's responsibility to construct.
- Invasive Area: Due to the presence of reed canary grass, portions of 62714 and 2955 to access OPTIONAL Harvest Area in Stand 2190-29 may only be used under frozen ground conditions.
   Remaining segments of roads may be used during surface firm or frozen conditions.
- Purchaser required to post signs on public trails and roads entering active harvest areas alerting recreationalists of harvest activities.
- Purchaser is responsible to obtain written permission from local town to deck wood on town roads.
- Chequamegon-Nicolet Forest Plan requires that all native surfaced approaches to paved or graveled roads have 100 ft. of gravel, 6 in. deep, 12 ft. wide laid down when used during non-frozen conditions.
- All landings and skid trails will be blocked to vehicular access after use.
- Any new temporary roads or turn-arounds will need approval by the timber sale administrator.
- The location and clearing widths of all Temporary Roads shall be agreed to in writing before construction is started. "Temporary Roads" are roads other than Specified Roads that are constructed by Purchaser for the purpose of harvesting included timber.
- Temporary Roads shall have the road base constructed to a width of 12 feet or narrower, and with
  vegetative clearing of tree and brush not to exceed a width of 25 feet. Exceptions to the 12-foot
  maximum width of the road base may be granted by the sale administrator. Exceptions would
  typically be granted for sections of temporary roads where tight turns, curves, and terrain create a
  need so that trucks and equipment can be operated safely.
- Hunter Walking Trails are present throughout this sale. These trails may be used for timber sale access but must be left slash and rut-free post-harvest to facilitate future mowing.
- The following Hunter Walking Trails must be bermed if they are used for trucking: 3155A, 616311, 616274, and 616320. In order to berm trails as required, Purchaser shall, at locations designated by the Sale Administrator, construct one berm at least four feet in height and shall be made with dirt mixed with rocks, stumps, logs, root-wads, or slash and shall be constructed without creating a defined trench.
- The following roads must be double-bermed if they are used for trucking: 616273, 616275, 616314, 616318, 616319, and TMP189009. In order to double-berm roads as required, Purchaser shall, at locations designated by the Sale Administrator, construct **two berms** at approximately 75-foot intervals with scattered slash and logging debris between the mounds. Berms shall be at least four feet in height and shall be made with dirt mixed with rocks, stumps, logs, root-wads, or slash and shall be constructed without creating a defined trench.
- All road maintenance and rehabilitation post-harvest is the purchaser's responsibility.

#### **Road Restrictions List:**

Dood	Termini		0 - 1 -	Description of Bostoisticas			
Road	From	То	Code	Description of Restrictions			
WI-32	3155	2955	0	State Highway. Signage required while sale active.			
3155* WI-32		3155A	0	Open Hunter Walking Trails. Use during surface firm or			
3156*	WI-32	616274		frozen conditions. Signage required while sale active.			
2955	WI-32	62714	0	Open Road. Use during surface firm or frozen conditions. Signage required while sale active.			
2955 Invasives	62714	Edge of Sale	O, A	Snowmobile Trail. Invasives present. Use only under frozen ground conditions. Hauling prohibited on Snowmobile Trails on Federal Holidays, weekends (noon Friday through midnight Sunday), and between Christmas and New Year's Day. At all times during the			
62714 Invasives	2955	Edge of Sale	R, A	snowmobile season, keep at least 4" of packed snow on the trail. Keep trail ROW (10' from edge of trail) free of debris resulting from purchaser's operations.  Signage required while sale is active.			
2019	3155	Edge of Sale					
616273	3156	End of Use					
616275	3156	End of Use	R	Closed Roads. Use during surface firm or frozen			
616314 616318	WI-32	TMP189009		conditions. Double-berm if used for trucking.			
	3155	End of Use					
616319	3155	End of Use					
3155A*	3155	End of Use					
616274*	3156	End of Use	R, A	Closed Hunter Walking Trails. Use during surface firm			
616311*	3155	End of Use	K, A	or frozen conditions. Single-berm if used for trucking.			
616320*	3155	End of Use					
TMP189009	616314	Stand 2189-09	U	Temp Road Construction. Use during surface firm or frozen conditions.			
2019	WI-32	Edge of Sale	Р	Do not use for sale access.			

<sup>\*</sup>Hunter Walking Trails

<u>Code</u>	<u>Use Limitations</u>
Α	Public use restriction
0	Road may be used without restriction, unless unreasonable damage is caused
Р	Use prohibited
R	Hauling restricted
U	Unsuitable for hauling prior to completion of agreed reconstruction

#### **Road Maintenance Requirements Summary:**

- Purchaser shall maintain roads, commensurate with Purchaser's use. Roads must be left in as good
  or better condition than existed prior to harvest. Performance of road maintenance work by Purchaser
  may be required prior to, during, or after each period of use. The timing of work accomplishment shall
  be based on Purchaser's operating schedule and road conditions. Specific required road
  maintenance specifications are included below.
- Purchaser shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary below:

Road	Termini		Miles	<u>Timing:</u> Pre Haul During	Applicable Road Maintenance Specifications			
	From	То		Post Haul	8110	8420	8130	
WI-32	3155	2955	1.02	N/A	None Red	uired – Stat	e Highway	
3155*	WI-32	3155A	0.81	All Above	Х	Х	Х	
3156*	WI-32	616274	0.45	All Above	Х	Х	Х	
2955	WI-32	62714	0.16	All Above	Х	Х	Х	
2955 Invasives	62714	Edge of Sale	0.03	During		Х		
62714 Invasives	2955	Edge of Sale	0.04	During		Х		
2019	3155	Edge of Sale	0.03	All Above	Х	Х		
616273	3156	End of Use	0.12	During Post Haul	Х	Х		
616275	3156	End of Use	0.09	During Post Haul	Х	Х		
616314	WI-32	TMP189009	0.20	During Post Haul	Х	Х		
616318	3155	End of Use	0.26	During Post Haul	Х	Х		
616319	3155	End of Use	0.10	During Post Haul	Х	Х		
3155A*	3155	End of Use	0.10	During Post Haul	Х	Х		
616274*	3156	End of Use	0.10	During Post Haul	Х	Х		
616311*	3155	End of Use	0.20	During Post Haul	Х	Х		
616320*	3155	End of Use	0.51	During Post Haul	Х	Х		
TMP189009	616314	Stand 2189-09	0.06	All Above	Х	Х	Х	

<sup>\*</sup>Hunter Walking Trails

Specification No.	Specification little				
T-8110	Maintenance Blading/Grading				
T-8420	Cutting Roadway Vegetation				

T-8130 Spot Surface Course Placement/Replenishment

- <u>T-8110</u>: Maintenance Blading/Grading is keeping an aggregate surfaced roadbed in a condition to facilitate traffic and provide proper drainage. It includes maintaining the crown, inslope or outslope of the traveled way, turnouts, and shoulder; repairing berms; blending approach road intersections; and cleaning drainage dips and lead-off ditches.
- <u>T-8420</u>: Cutting Roadway Vegetation includes removal of brush, trees and other vegetative growth from within the clearing limits. This may include brush mowing of shoulders to prevent larger growth which would inhibit travel in the future.
- <u>T-8130:</u> Spot Surface Course Placement/Replenishment includes subgrade preparation, furnishing, hauling, spreading and shaping materials in accordance with the requirements.

Last modified by KD: 8/28/2023 1:43 PM

**Note:** In order to fill and save this form electronically, it must be opened using Adobe Reader or Acrobat software. Save a copy of the file, open Adobe Reader, select File > Open and browse for the file you saved.

State of Wisconsin Department of Natural Resources dnr.wi.gov

## **Timber Sale Bid**

Form 2400-049 (R 07/22)

<b>Notice:</b> Completion of this form is mandatory. The Department will not recognize your bid unless you complete and submit this form. Personal information collected will be used for program administration and may be provided to requesters as required by Wisconsin's Public Records law [ss. 19.31-19.39, Wis. Stats.].					Date				
Bidder Name							_		
Street Address				City			State	ZIP Code	
Property Name (if any) Chequamegon-Nicolet National Forest - Eagle River - Florence District GNA							Number 8002-02-23		
Date and Hour of Bid Ope	ening				Minimum Acceptab	le Bid (op	otional)		
September 14th, 2023	@ 9:00 AM	1				\$26,4	84.00		
Species-All bids includ Sum bids must be by		Utilization Spe (4 inch/Whole		Estimated Volume	Volume Units (tons/cords/mbf)	Price Per l		Total Bid Value on Estimated Volume	
Aspen pulp		4 inc	ch	2,450	T				
Balsam fir pulp		4 inc	ch .	700	T				
Mixed hardwood pulp		4 inc	ch	370	T				
			The awar	d shall be bas	sed on this TOTAL E	ID AMO	UNT:		
Performance Bond	Will be in t	the form of: (sele	ect one)				•		
	O Perso	onal Check			Assurance Bond				
	○ Certif	fied Check/Mone	ey Order	Certificate of Deposit					
	O Irrevo	ocable Letter of	Credit	Assignment of Savings Account					
I understand that any or performance and ability the bid opening to sub execute it or work und Failure to forfeit the 10% the event the highest bid	to complete mit an acce er it, I will b penalty wil dder can not	contracts. I also eptable perform be required to form I result in being or will not sign	o understan nance bond. orfeit to the considered in the contract,	d that if I am I also under Department neligible to bid the award ma	the winning bidde stand that if I am a an amount equal to don any state timbe ay be made to the ne	r, I have warded o 10% of r sales fo	6 week the cor my tot or a two	ntract and fail to al bid amount. -year duration. In	
By checking this box,	I certify that	I hold a Wiscon	ısin Master L	ogger Certific	ation.				
Notice: I understand:			Signature of Bidder						
Utilization specifications and estimated volumes are listed in the prospectus which is available upon request from the Department.			Bidder's Name (Please Print or Type)  Phone Number (include area code)						
A copy of the standard timber sales contract which must be entered into is available upon request from the Department.				Email Address					