

1:15,840

KD 8/28/2023



Good Neighbor Authority

Wisconsin Department of Natural Resources

Eagle River/Florence Ranger District Chequamegon-Nicolet National Forest

HILLBILLY - Prospectus Tract #: 8002-03-23

Location: Forest County, WI Sale Area: 105 acres

Town	Range	Section	Description
39N	13E	4	NESW, SESW, SWSE, NWSE, SWNE
39N	13E	5	NESW, SESW, SWSE
39N	13E	8	NWNE, SWNE, NWSE, SWSE, SESE
39N	13E	9	SWSW, SESW, NWSW, NESW, SWNW

Estimated Volumes and Values:

Species	Volume				
Aspen pulp	3100 T				
Mixed hardwood pulp1	600 T				
Balsam fir pulp	360 T				
Spruce pulp	220 T				
Minimum advertised bid:	\$28,406.00				

All volume estimates were obtained using the 'sticks plus trees' volume estimating system. Forest County base stumpage rates used for product values.

1. Mixed hardwood pulp volume includes approximately 35% red maple, 26% hard maple, 17% paper birch, 16% cherry, 2% basswood, 2% elm, 1% ash and 1% ironwood.

General Harvest Information and Special Conditions:

- No sale work may begin without prior notification and an on-site meeting with the sale administrator.
- Billing for pulp products will use a mill scale ticket system.
- No bid bond required. A performance bond of 15% of the total sale bid value will be required.
- The contract period is 3 YEARS, ending June 30th, 2026.
- Cutting areas are bounded by orange and red paint lines or established roads (see map).
- Harvesting in cutting areas (stands) must be completed prior to moving to another cutting area. Cutting must be concurrent for all trees including required submerchantable (1 to 5 inch diameter) stems as designated in the cutting prescriptions.
- Reasonable care shall be taken to avoid unnecessary damage to residual trees and regeneration.
- Utilization to at least a 4-inch top.
- The harvesting of any portion of a tree that lies outside the physical ownership of the Forest Service will not be allowed. Trees lying across the property line must be bucked at the ownership line and all portions of the tree that reside on the private side of the line must be left in place. Conversely, the remaining portion of the tree that lies within the physical ownership of the Forest Service may be harvested and utilized.
- Equipment must be cleaned and inspected before entering and leaving sale area to prevent the introduction/spread of invasive species.
- All slash shall be pulled 10 feet from the edge of all roads, trails, private land, wetlands and riparian areas, and shall be lopped and scattered to lie within **2 feet** of the ground for 100 feet from Windsor Dam Road (2159). All other slash shall be lopped and scattered to lie within **4 feet** of the ground.
- Do not cut standing dead trees unless they pose an operational hazard.
- See cutting prescriptions and seasonal restrictions listed on the map.

Road and Skid Trails:

- Invasive Area: Due to the presence of garlic mustard, a portion of 61324 may only be used during frozen ground conditions (see map). Remaining segments of 61324 may be used during surface firm or frozen conditions.
- Purchaser required to post signs on public trails and roads entering active harvest areas alerting recreationalists of harvest activities.
- Purchaser is responsible to obtain written permission from local town to deck wood on town roads.
- Chequamegon-Nicolet Forest Plan requires that all native surfaced approaches to paved or graveled roads have 100 feet of gravel, 6 inches deep, 12 feet wide laid down when used during non-frozen conditions.
- All landings and skid trails will be blocked to vehicular access after use.
 - Temporary road construction will be purchaser's responsibility.
 - 1. TMP057024-1 (0.01 mi): landing along Windsor Dam (2174) and access to Stand 2057-324.
 - 2. TMP057024-2 (0.51 mi): access to Stands 2057-424 & 2057-524.
- Any new temporary roads or turn-arounds will need approval by the timber sale admin.
- The location and clearing widths of all Temporary Roads shall be agreed to in writing before construction is started. "Temporary Roads" are roads other than Specified Roads that are constructed by Purchaser for the purpose of harvesting included timber.
- Temporary Roads shall have the road base constructed to a width of 12 feet or narrower, and with vegetative clearing of tree and brush not to exceed a width of 25 feet. Exceptions to the 12-foot maximum width of the road base may be granted by the sale administrator. Exceptions would typically be granted for sections of temporary roads where tight turns, curves, and terrain create a need so that trucks and equipment can be operated safely.
- Hunter Walking Trails are present throughout this sale. These trails may be used for timber sale access but must be left slash and rut-free post-harvest to facilitate future mowing.
- The following Hunter Walking Trails must be bermed if they are used for trucking: 2174C & 2637. In order to berm trails as required, Purchaser shall, at locations designated by the Sale Administrator, construct one berm at least four feet in height and shall be made with dirt mixed with rocks, stumps, logs, root-wads, or slash and shall be constructed without creating a defined trench.
- All road maintenance and rehabilitation post-harvest is the purchaser's responsibility.

Road	Termi	ini	Codo	Description of Restrictions		
Road	From	То	Code			
Windsor Dam (2174)	2039	2637	0	Town Road/ATV Route. Signage required when sale is active.		
2039	Windsor Dam (2174)	McDonald Creek		Open Roads. Use during surface firm or frozen conditions. Signage required when sale is active.		
2174N	Windsor Dam (2174)	Private Boundary	ο			
613212	2039	End of Use				
2174A	Windsor Dam (2174)	61324				
2651	Windsor Dam (2174)	Edge of Sale		Closed Roads. Use during surface		
2651B	2651	Stand 2057-11	R			
612371	2651	End of Use		firm or frozen conditions.		
612373	2651	Edge of Sale				
6132111	Windsor Dam (2174)	2651				
2174C*	Windsor Dam (2174)	617131	R, A	Closed Hunter Walking Trails. Use during surface firm or frozen		
2637*	2637* Windsor Dam (2174) 617129			conditions. Single-berm if used for trucking.		

Road Restrictions List:

Dead	Termi	ni	Ocale	Description of Restrictions		
Road	From	То	Code			
2174B*	Windsor Dam (2174)	61324				
2652*	Windsor Dam (2174)	End of Use				
613210*	2039	2174A				
61325*	61324	61327				
61327*	61324	End of Use				
61328*	613210	61327				
61329*	613210	61328	R, A	Closed Hunter Walking Trails. Use		
617127*	2637	617129		during surface firm or frozen conditions.		
617128*	617129	Berm				
617129*	61324	2637				
617130*	Windsor Dam (2174)	2637				
617131*	2174C	617130				
617166*	Windsor Dam (2174)	2652				
61324*	2174A	61327				
61324*	61323	2174B				
61324* Invasives	61327	61323	R	Invasive Area: Use only during frozen ground conditions.		
TMP 057024-1	Windsor Dam (2174)	Stand 2057-324	U	Temp Road Construction. Use		
TMP 057024-2	2652	Stand 2057-424	U	during surface firm or frozen conditions.		
612375	Windsor Dam (2174)	End of Use	Р	Do not use for sale access.		

*Hunter-walking trails

Code	Use	Limitatio	ns
0000	000	Eminatio	

- A Public use restriction
- O Road may be used without restriction, unless unreasonable damage is caused
- P Use prohibited
- R Hauling restricted
- U Unsuitable for hauling prior to completion of agreed reconstruction

Road Maintenance Requirements Summary:

- Purchaser shall maintain roads, commensurate with Purchaser's use. Roads must be left in as good or better condition than existed prior to harvest. Performance of road maintenance work by Purchaser may be required prior to, during, or after each period of use. The timing of work accomplishment shall be based on Purchaser's operating schedule and road conditions. Specific required road maintenance specifications are included below.
- Purchaser shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary below:

Road	Term	Miles	Timing: Pre Haul	Applicable Road Maintenance Specifications			
iteuu	From	То		During Post Haul	8110	8420	8130
Windsor Dam (2174)	2039	2637	0.70	N/A	None Required - Town R		
2039	Windsor Dam (2174)	McDonald Creek	1.00	All Above	Х	Х	Х
2174N	Windsor Dam (2174)	Private Boundary	0.16	All Above	Х	Х	Х
613212	2039	End of Use	0.21	All Above	Х	Х	Х
2174A	Windsor Dam (2174)	61324	0.17	During Post Haul	Х	Х	Х
2651	Windsor Dam (2174)	Edge of Sale	0.70	During Post Haul	х	х	Х
2651B	2651	Stand 2057-11	0.45	During Post Haul	Х	Х	Х
612371	2651	End of Use	0.49	During Post Haul	Х	Х	
612373	2651	Edge of Sale	0.26	During Post Haul	Х	Х	
6132111	Windsor Dam (2174)	2651	0.11	During Post Haul	Х	Х	
2174C*	Windsor Dam (2174)	617131	0.18	During Post Haul	Х	Х	Х
2637*	Windsor Dam (2174)	617129	0.46	During Post Haul	Х	Х	Х
2174B*	Windsor Dam (2174)	61324	0.20	During Post Haul	Х	Х	Х
2652*	2652* Windsor Dam (2174) End of Use		0.22	During Post Haul	Х	х	Х
613210*	613210* 2039 217		0.62	During Post Haul	Х	Х	
61325*	61325* 61324		0.41	During Post Haul	Х	Х	
61327*	61327* 61324		0.48	During Post Haul	Х	Х	
61328*	61328* 613210		0.42	During Post Haul	Х	Х	
61329*	329* 613210 61328		0.11	During Post Haul	Х	Х	
617127*	2637	617129	0.52	During Post Haul	Х	Х	
617128*	617129	Berm	0.16	During Post Haul	Х	Х	
617129*	61324	2637	0.42	During Post Haul	Х	Х	
617130*	Windsor Dam (2174)	2637	0.22	During Post Haul	Х	Х	
617131*	2174C	617130	0.19	During Post Haul	Х	Х	
617166*	Windsor Dam (2174)	2652	0.25	During Post Haul	Х	х	
61324*	2174A	61327	0.33	During Post Haul	Х	Х	
61324*	61323	2174B	0.12	During Post Haul	Х	Х	
61324* Invasives	61327	61323	0.50	During		Х	
TMP 057024-1	Windsor Dam (2174)	Stand 2057-324	0.01	All Above	Х	Х	Х
TMP 057024-2	2652	Stand 2057-424	0.51	All Above	Х	Х	Х

*Hunter-walking trails

Specification No.	Specification Title
T-8110	Maintenance Blading/Grading
T-8420	Cutting Roadway Vegetation
T-8130	Spot Surface Course Placement/Replenishment

- <u>T-8110</u>: Maintenance Blading/Grading is keeping an aggregate surfaced roadbed in a condition to facilitate traffic and provide proper drainage. It includes maintaining the crown, inslope or outslope of the traveled way, turnouts, and shoulder; repairing berms; blending approach road intersections; and cleaning drainage dips and lead-off ditches.
- <u>**T-8420</u>: Cutting Roadway Vegetation** includes removal of brush, trees and other vegetative growth from within the clearing limits. This may include brush mowing of shoulders to prevent larger growth which would inhibit travel in the future.</u>
- <u>T-8130:</u> Spot Surface Course Placement/Replenishment includes subgrade preparation, furnishing, hauling, spreading and shaping materials in accordance with the requirements.

Last modified by KD: 8/28/2023 1:49 PM

Note: In order to fill and save this form electronically, it must be opened using Adobe Reader or Acrobat software. Save a copy of the file, open Adobe Reader, select File > Open and browse for the file you saved.

State of Wisconsin Department of Natural Resources <u>dnr.wi.gov</u>

Bidder Name

Timber Sale Bid

Form 2400-049 (R 07/22)

Notice: Completion of this form is mandatory. The Department will not recognize your bid unless you complete and submit this form. Personal information collected will be used for program administration and may be provided to requesters as required by Wisconsin's Public Records law [ss. 19.31-19.39, Wis. Stats.].

Date

Street Address				City	City			ZIP Code
Property Name (if any) Chequamegon-Nicolet National Forest - Eagle River - Florence District GNA						Tra	Tract Number 8002-03-23	
Date and Hour of Bid Op	ening				Minimum Acceptable Bid (optional)			
September 14th, 2023	@ 9:00 AN	1				\$28,406.	00	
Species-All bids including Lump Utilization Species Sum bids must be by species (4 inch/Whole T			Estimated Volume	Volume Units (tons/cords/mbf)	Price Bid Per Unit		Total Bid Value on Estimated Volume	
Aspen pulp		4 inc	h	3,100	Т			
Mixed hardwood pulp)	4 inch		600	Т			
Balsam fir pulp		4 inch		360	Т			
Spruce pulp		4 inch		220	Т			
			The awar	d shall be ba	sed on this TOTAL B	BID AMOUN	T:	
Performance Bond	Will be in t	he form of: (sele	ct one)					
O Personal Check				◯ Assurance Bond				
Certified Check/Money Order			(Certificate of Depo	osit			
O Irrevocable Letter of Credit			Credit	Assignment of Savings Account				

I understand that any or all bids may be rejected and that consideration and awarding of a contract will be based upon my past performance and ability to complete contracts. I also understand that if I am the winning bidder, I have 6 weeks from the date of the bid opening to submit an acceptable performance bond. I also understand that if I am awarded the contract and fail to execute it or work under it, I will be required to forfeit to the Department an amount equal to 10% of my total bid amount. Failure to forfeit the 10% penalty will result in being considered ineligible to bid on any state timber sales for a two-year duration. In the event the highest bidder can not or will not sign the contract, the award may be made to the next highest qualified bid.

By checking this box, I certify that I hold a Wisconsin Master Logger Certification.

Notice: I understand:

Utilization specifications and estimated volumes are listed in the prospectus which is available upon request from the Department.

A copy of the standard timber sales contract which must be entered into is available upon request from the Department.

Signature of Bidder
Bidder's Name(Please Print or Type)
Phone Number (include area code)
—
Email Address