



Good Neighbor Authority Prospectus Wisconsin Department of Natural Resources

Eagle River-Florence Ranger District - Chequamegon-Nicolet National Forest

LAUTERMAN TIMBER SALE

Tract #8002-01-25, 192 acres

Location: T40N R16E S30, 31; T39N R16E S6 - Florence County, WI

Estimated Volumes:

Species-Product	Volume			
Aspen Pulp ¹	5300 T			
Mixed Conifer Pulp ²	1450 T			
Mixed Hardwood Pulp ³	1400 T			
Basswood Pulp	450 T			
Jack Pine Pulp	120 T			
Comingled Red Pine ⁴	450 T			
Basswood Logs	44 MBF			
Mixed Hardwood Logs ⁵	16 MBF			
Hard Maple Logs	13 MBF			
MINIMUM ACCEPTABLE BID:	\$63,893.00			

Volume estimates were obtained using 'ForestMetrix' volume estimating system. Wild Rivers State Lands base stumpage rates used for product values.

- 1. Aspen pulp: Contains 5% balsam poplar
- Mixed conifer pulp: 43% black spruce, 42% white spruce,14% balsam fir, and 1% white pine
- Mixed hardwood pulp: 48% hard maple, 28% black cherry, 13% elm, 4% ash, 3% white birch, 2% ironwood, and 2% red maple
- 4. Comingled red pine: 70% logs and 30% pulp
- Mixed hardwood logs: 70% black cherry, 18% white birch, 7% red maple, and 5% elm

Tree Marking and Boundary Designations:

- Orange: leave or boundary trees
- Red: private property boundary
- Yellow: skid route cut trees

Cutting Prescriptions:

☐ Unit #1- Clearcut all stands (192 ac): Harvest all trees greater than 2-inch except trees marked with orange.

Sale boundary trees marked with orange chevrons, individual reserve trees with orange diagonal slash, reserve islands with orange rings serving as the island boundaries.

--- Skid Route - SKD304760, SKD304746, SKD304913: Harvest all trees marked in yellow, as needed for access.

Seasonal Restrictions:

- Harvesting/hauling may only occur under frozen ground in Stands 3047-7, 46; 3048-13; 3049-2, 7, 13, 17.
- Harvesting may occur under dry-firm-frozen ground in Stands 3047-60 (After October 1st) & 3048-14, at the
 discretion of the sale administrator.
- No hauling or skidding allowed on ski trails except along designated haul route and at skid crossings.
 - Haul route overlaps ski trail along access to 710246 and the southern block.
 - In Stand 3047-60, late fall or early winter harvesting is preferred to avoid a ski trail closure.
 - Two crossings perpendicular to the ski trail are allowed to access the eastern portions of Stand 3047-60.
- All pine products cut between May 1st and September 1st must be removed from the sale area within three
 weeks from time of cutting. Pine cut during the remainder of the year must be removed before May 1st.

General Harvest Information:

- The contract period ends June 30th, 2029.
- No bid bond required. A performance bond of 15% of the total sale bid value will be required.
- No sale work may begin without prior notification and an on-site meeting with the sale administrator.
- Reasonable care shall be taken to avoid unnecessary damage to residual trees and regeneration.
- Billing for pulp and any bolt products will use a mill scale ticket system. Logs may be mill scaled or field scaled, at the discretion of the timber sale administrator.
- Do not cut standing dead trees unless they pose an operational hazard.
- Utilization to at least a 4-inch top.
- The harvesting of any portion of a tree that lies outside the physical ownership of the Forest Service will not be allowed. Trees lying across the property line must be bucked at the ownership line and all portions of the tree that reside on the private side of the line must be left in place. Conversely, the remaining portion of the tree that lies within the physical ownership of the Forest Service may be harvested and utilized.
- Equipment must be cleaned and inspected before entering and leaving sale area to prevent the introduction or spread of invasive species.
- All slash shall be pulled 10 feet from the edge of all roads, trails, wetlands and riparian areas, and shall be lopped and scattered to lie within 2 feet of the ground for 150 feet from ski trails.
- All other slash shall be lopped and scattered to lie within 4 feet of the ground.

Roads and Skid Trails:

- Hunter-Walking Trails are present throughout this sale. These trails may be used for timber sale access but
 must be left slash and rut-free post-harvest to facilitate future mowing. Purchaser required to post signs on
 public trails and roads entering active harvest areas alerting recreationists of harvest activities.
- **Invasives along haul route**: Due to the presence of garlic mustard, roads/trails south of second gate may only be used when frozen.
- Chequamegon-Nicolet Forest Plan requires that all native surfaced approaches to paved or graveled roads have 100 feet of gravel, 6 inches deep and 12 feet wide when used non-frozen.
- Any new temporary roads or turn-arounds will need approval by the timber sale admin.
- The location and clearing widths of all Temporary Roads shall be agreed to in writing before construction is started. "Temporary Roads" are roads other than Specified Roads that are constructed by Purchaser for harvesting included timber.
- Temporary Roads shall have the road base constructed to a width of 12 feet or narrower, and with vegetative
 clearing of tree and brush not to exceed a width of 25 feet. Exceptions to the 12-foot maximum width of the
 road base may be granted by the sale administrator. Exceptions would typically be granted for sections of
 temporary roads where tight turns, curves, and terrain create a need so that trucks and equipment can be
 operated safely.
- The following roads must be double-bermed after use: 710246 (near the northern edge of stand 3049-02), SKD304913 (near the northern edge of stand 3049-13), and SKD304760 (at the intersection of 2551). To double-berm roads as required, Purchaser shall, at locations designated by the Sale Administrator, construct two berms at approximately 75-foot intervals with scattered slash and logging debris between the mounds. Berms shall be at least 4 feet in height and shall be made with dirt mixed with rocks, stumps, logs, root-wads, or slash and shall be constructed without creating a defined trench.
- All road maintenance and rehabilitation post-harvest is the purchaser's responsibility. Please refer to the sample contract for this sale for specific road maintenance specifications.

Road Restrictions List:

Road	Termini		Miles	Code	Description of Destrictions		
Roau	From	То	MIIIE2	Code	Description of Restrictions		
WI-70	-	-	-	0	State Highway. Signage required while sale active.		
2551 (N)	WI-70	Gate 2	1.12	R, A	Closed Hunter-Walking Trail. Use only when surface firm or frozen.		
<u>2551 (S)</u>	Gate 2	2551C	0.24	R, A	Closed Hunter-Walking Trail. <u>Invasives present</u> . Use only when frozen .		
2551B	2551	Edge of Sale	0.40	R, A			
710257	710258	2551B	0.06	R, A	Closed Hunter-Walking Trail. Use only when surface firm or frozen.		
710258	2551	End of Use	0.35	R, A	710259 currently overgrown.		
710259	2551	End of Use	0.43	R, A			
SKD304760**	2551	3047-60	0.08	R	Skid Trail. Use when surface firm or frozen. **Double-berm after use. Only harvest trees along yellow paint line needed to access stand.		
<u>3729A</u>	End of Sale	End of Sale	0.04	R, P	Closed Road. Invasives present on haul route. Use only when frozen.		
<u>710246</u>	2551C	SKD304913	0.53	R, P	For Little Porky Ski Trail sections, signage required while sale is active.		
<u>2551C</u>	2551	710246	0.38	R, P	**Double-Berm 2551C after use, near the north edge of stand 3049-02.		
SKD304746	710246	3047-46	0.11	R, P	Skid Trail. Invasives present on haul route. Use only when frozen.		
SKD304913**	710246	3049-13	0.24	R, P	Only harvest trees along yellow paint line needed to access stand. **Double-berm after use near the edge of stand 3049-13.		
Little Porky Ski Trail	2551	710296	0.60	Р	Do not use for sale access. Only designated right angle crossings allowed across ski trail to access eastern portions of Stand 3047-60. If		
Chipmunk Ski Trail	Little Porky Ski Trail	Chipmunk Rapids Road	1.72	Г	harvested during winter, this section of trail should be closed to cross country skiing.		

Code Use Limitations

- A Public use restriction
- O Road may be used without restriction, unless unreasonable damage is caused
- R Hauling restricted
- P Use Prohibited

Road Maintenance Requirements Summary:

- Purchaser shall maintain roads, commensurate with Purchaser's use. Roads must be left in as good or better
 condition than existed prior to harvest. Performance of road maintenance work by Purchaser may be required
 prior to, during, or after each period of use. The timing of work accomplishment shall be based on Purchaser's
 operating schedule and road conditions. Specific required road maintenance specifications are included below.
- Purchaser shall maintain roads in accordance with the following Contract Road Maintenance Requirements Summary below:

Road	Tern	Miles	Timing: Pre-Haul	Applicable Road Maintenance Specifications				
	From	То	Willes	During Post-Haul	8110	8130	8420	8620
2551	WI-70	2551C	1.36	All Above	Х	Х	Х	-
2551B	2551	Edge of Sale	0.40	All Above	Х	Х	Х	-
710257	710258	2551B	0.06	All Above	Х	Х	Х	-
710258	2551	End of Use	0.35	All Above	Х	Х	Х	-
710259	2551	End of Use	0.43	All Above	Х	Х	Х	-
SKD304760**	2551	3047-60	0.08	All Above	-	-	Х	XX
3729A	710245	End of Sale	0.04	All Above	Х	Х	Х	-
710246	2551C	SKD304913	0.53	All Above	Х	Х	Х	XX
2551C**	2551	710246	0.38	All Above	Х	Х	Х	-
SKD304746	710246	3047-46	0.11	All Above	-	-	Х	
SKD304913**	710246	3049-13	0.24	All Above	-	-	Х	XX

- <u>T-8110</u>: Maintenance Blading/Grading is keeping an aggregate surfaced roadbed in a condition to facilitate traffic and provide proper drainage. It includes maintaining the crown, inslope or outslope of the traveled way, turnouts, and shoulder; repairing berms; blending approach road intersections; and cleaning drainage dips and lead-off ditches.
- <u>T-8130</u>: Spot Surface Course Placement/Replenishment includes subgrade preparation, furnishing, hauling, spreading, and shaping materials in accordance with the requirements.
- <u>T-8420</u>: Cutting Roadway Vegetation includes removal of brush, trees and other vegetative growth from within the clearing limits. This may include brush mowing of shoulders to prevent larger growth which would inhibit travel in the future.
- <u>T-8620</u>: **Miscellaneous Maintenance** includes maintenance of miscellaneous structures includes cattle guards, gates (this includes all types of closure devices such as logs, rocks, dirt berms, dirt and slash berms, metal gates, etc), signs, and other similar structures that have been previously installed to insure safe and efficient operation of the road.

State of Wisconsin Department of Natural Resources dnr.wi.gov

Timber Sale Bid

Form 2400-049 (R 07/22)

Notice: Completion of this form is mandatory. The Department will not recognize your bid unless you complete and submit this form. Personal information collected will be used for program administration and may be provided to requesters as required by Wisconsin's Public Records law [ss. 19.31-19.39, Wis. Stats.].							Date		
Bidder Name									
Street Address			City		[State	ZIP Code		
Property Name (if any) Chequamegon-Nicolet National F	e Name n				Tract Number 8002-01-25				
Date and Hour of Bid Opening				Minimum Acceptabl	e Bid (opti	ional)			
September 10, 2025 at 9:00AM				\$63,893.00					
Species-All bids including Lump Sum bids must be by species	Utilization Spec (4 inch/Whole T		Estimated Volume	Volume Units (tons/cords/mbf)	Price E Per Ui		Total Bid Value on Estimated Volume		
Aspen Pulp	4 inch	1	5,300	tons					
Mixed Conifer Pulp	4 inch	1	1,450	tons					
Mixed Hardwood Pulp	4 inch	1	1,400	tons					
Basswood Pulp	4 inch		450	tons					
Jack Pine Pulp	4 inch		120	tons					
Comingled Red Pine	4 inch	1	450	tons					
Basswood Logs	Logs		44	mbf					
Mixed Hardwood Logs	Logs		16	mbf					
Hard Maple Logs	Logs		13	mbf					
		The awar	d shall be bas	sed on this TOTAL B	ID AMOU	JNT:			
Performance Bond Will be in	the form of: (selec	ct one)							
O Perso	Personal Check Assurance Bond								
○ Certino		Certificate of Deposit							
○ Irrevo	ocable Letter of C	redit		Assignment of Sav	vings Acco	ount			
I understand that any or all bids may performance and ability to complete the bid opening to submit an acceexecute it or work under it, I will be Failure to forfeit the 10% penalty will the event the highest bidder can not By checking this box, I certify that	e contracts. I also eptable performa be required to for Il result in being co t or will not sign th	understan ance bond. rfeit to the onsidered in the contract,	d that if I am I also under Department neligible to bid the award ma	the winning bidderstand that if I am a an amount equal to don any state timbe ay be made to the ne	r, I have 6 warded tl o 10% of i r sales for	week he con my tot a two	is from the date of atract and fail to al bid amount. year duration. In		
By checking this box, i certily that	i i noid a vviscoris	III Waster L							
in the prospectus which is available upon request from the			Signature of Bidder						
			Bidder's Name (Please Print or Type) Phone Number (include area code)						
A copy of the standard timber sales contract which must be entered into is available upon request from the Department.			Email Address						
entered into is available upon red									