

## NH-ALSF TRACT NO. 30-20 Minnie Bambi

### Vilas County

### Town 43 North, Range 7 East (Presque Isle Township)

Section 36 - NWNE, SWNE, SENE, NW1/4, NESW, NWSW, SWSW, GL01, NESE, NWSW, GL02, GL03

No bid bond is required.

15% of the total sale bid value will be required for performance bond.

The cutting area is approximately 263 acres.

The contract period is  $\underline{3}$  years.

All trees that will yield one or more 100-inch sticks to a 4" top diameter will be cut and utilized.

Whole tree utilization or biomass harvesting is NOT allowed.

# ESTIMATED VOLUME (TONS) MINIMUM TOP DIAMETER

<u>SPECIES</u>	<u>4"</u>
White Pine <sup>1</sup>	3100
Balsam Fir <sup>2</sup>	1400
Aspen	5650
Red Oak <sup>3</sup>	95
Mixed Hardwood <sup>4</sup>	1250

### Total Minimum Bid Value: \$115,955.00

Note: Total sale volume equates to 43.8 tons/acre or 19.6 cords/acre.

#### Special Conditions:

- 1. Oak Wilt Restriction south of Hwy B: No harvest activities or road construction allowed April 15 July 15.
- 2. All pine products cut between May 1 and September 1 must be removed from the sale area within three weeks from time of cutting. Pine products cut during the remainder of the year must be removed prior to May 1 of each year.
- 3. Zone A: Sale activity south of the buried utilities corridor is limited to daylight hours only during summer months to minimize impacts to nearby campers.
- 4. Cutting must be concurrent for all species.
- 5. Do not cut, knock down or utilize any dead trees unless they pose an operational safety risk.
- 6. Slash within 50 feet of all roads and trails must be lopped and/or scattered to lie within two feet of the ground and be pulled back 10' behind the tree line concurrently with cutting.
- 7. Follow WI BMP's for water quality at all times. No equipment is allowed within 15 feet of ephemeral ponds or open water. Avoid wetlands as much as possible and only operate within them during very dry times with timber matting or under frozen ground conditions.
- 8. The snowmobile trail must be kept free of debris, snow covered in winter, and left in good condition for vehicle traffic at all times.
- 9. Roads and landings must be approved by the forester in advance of use.

Approximately 55% white pine and 45% red pine. Includes potential for 185 MBF of white pine and 165 MBF of red pine sawlogs. (Wt. conv. 2.165 tons/cord)

<sup>&</sup>lt;sup>2</sup> Approximately 94% balsam fir, 5% white spruce, and 1% jack pine. Includes potential for 6 MBF of white spruce sawlogs. (Wt. conv. 2.118 tons/cord)

<sup>&</sup>lt;sup>3</sup> Includes potential for 2 MBF of red oak sawlogs.

<sup>&</sup>lt;sup>4</sup> Approximately 43% red maple, 31% white birch, 23% hard maple, and 3% yellow birch. Includes potential for 6 MBF of red maple, 4 MBF of white birch, and 6 MBF of hard maple sawlogs. (Wt. conv. 2.383 tons/cd)