


05/29/87
Revision No. 2
Closure Plan

APPENDIX B

Design Calculations




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: _____ DATE: _____ CHKD BY: _____ DATE: _____
PROJECT NAME: KOPPERS-SUPERIOR, WIS. SIT
PROJECT NO. 87-38-68 SHEET _____ OF _____
DESCRIPTION: _____

CALCULATION BRIEF
CLOSURE PLAN- KOPPERS; SUPERIOR, WIS. PLANT

TABLE OF
CONTENTS

<u>SECTION</u>	<u>PAGE</u>
REFERENCES	ii
FINAL COVER DESIGN	
I CLEAN CLOSURE	1
II CONTINGENCY PLAN	
TOPSOIL	4
FILL	4
GRANULAR DRAINAGE LAYER/PIPING	5
CLAY CAP	6
GEOTEXTILES	8
HELP MODEL OUTPUT	9
SURFACEWATER MANAGEMENT PLAN	
WATERSHED ANALYSIS / HYDROGRAPHS	21
CHANNEL DESIGN	48
CULVERT ANALYSIS	53
DESIGN CALCULATIONS / CONSIDERATIONS	
SETTLEMENT	54
SLOPE STABILITY	62
FREEZE THAW	63
EROSION POTENTIAL	64




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: DATE:
PROJECT NAME: KOPPERS-SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET OF
DESCRIPTION DESIGN CALCS./SURFACE WATER
IMPOUNDMENT CLOSURE PLAN

REFERENCES

- 1) OPEN CHANNEL HYDRAULICS, CHOW, 1959.
- 2) FDN. ANALYSIS AND DESIGN, BOWLES, 1977 (2ND ED.).
- 3) NAVFAC DM-7.1 DESIGN MANUAL, 1985.
- 4) HANDBOOK OF STEEL DRAINAGE AND HIGHWAY CONSTRUCTION PRODUCTS, AISI, 1983.
- 5) ~~HYDROLOGY AND SEDIMENTATION~~
~~MINED LANDS, HANNA, BARTFIELD,~~
- 6) RAINFALL FREQUENCY ATLAS OF THE UNITED STATES, TECHNICAL PAPER NO. 40; MAY, 1961.
- 7) STANDARDIZED PROCEDURES FOR PLANTING VEGETATION ON COMPLETED SANITARY LANDFILLS, EPA-600/2-83-055; JULY, 1983
- 8) HYDROLOGY FOR ENGINEERS, LINSLEY, KOHLER, AND PAULHUS, MCGRAW-HILL, 2ND EDITION.




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/27/87 CHKD BY: J.E. DATE: 5/27/87
PROJECT NAME: KOPPEZS - SUPERIOR, MIS. SITE
PROJECT NO. 87-38-68 SHEET 1 OF 20
DESCRIPTION: DESIGN CALCULATIONS
- IMPOUNDMENT CLOSURE

FINAL COVER DESIGN CALCULATIONS

I. CLEAN CLOSURE



- SINCE VERTICAL PERCOLATION THROUGH THE TOPSOIL / FILL WOULD NOT PRODUCE ANY SIGNIFICANT AMOUNTS OF UNDESIRABLE MATERIALS, NO MIGRATION ANALYSES ARE PERFORMED.
- THE COVER IS DESIGNED TO PROMOTE DRAINAGE AND MANAGE FLOWS. REFER TO SOIL LOSS COMPUTATIONS AND SETTLEMENT ESTIMATES FOR ADDITIONAL SUPPORTING DESIGN ANALYSES.
- COMPACTION, GOOD SURFACE DRAINAGE, AND VEGETATION ARE ANTICIPATED TO REDUCE IMPACTS FROM FREEZE/THAW CYCLES. REFER TO SURFACE WATER PLAN.

Title of run = WATERSHED VII HYDROGRAPH

Watershed data

Hydraulic length = .03 miles
Elevation change = 7 feet.
Area = .25 acres
Concentration time = 2.093058E-02 hours
Curve number = 90


Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = .2871107 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.000
5.000	0.035	0.001
5.500	0.035	0.001
6.000	0.035	0.001
6.500	0.044	0.002
7.000	0.044	0.003
7.500	0.044	0.003
8.000	0.044	0.004
8.500	0.057	0.005
9.000	0.062	0.006
9.500	0.070	0.008
10.000	0.079	0.010
10.500	0.101	0.013
11.000	0.136	0.019
11.500	0.211	0.032
12.000	1.672	0.287
12.500	0.317	0.104
13.000	0.163	0.040
13.500	0.119	0.027
14.000	0.092	0.021
14.500	0.066	0.015
15.000	0.066	0.014
15.500	0.066	0.014
16.000	0.066	0.014
16.500	0.040	0.009
17.000	0.040	0.009
17.500	0.040	0.009
18.000	0.040	0.009
18.500	0.040	0.009

19/3


time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.009
19.500	0.040	0.009
20.000	0.040	0.009
20.500	0.026	0.006
21.000	0.026	0.006
21.500	0.026	0.006
22.000	0.026	0.006
22.500	0.026	0.006
23.000	0.026	0.006
23.500	0.026	0.006
24.000	0.026	0.006
24.500	0.000	0.001
25.000	0.000	0.000




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/27/87 CHKD BY: T.F. DATE: 5/27/87
PROJECT NAME: KOPPERS-SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 2 OF 20
DESCRIPTION: DESIGN CALCULATIONS
- IMPOUNDMENT CLOSURE

II CONTINGENCY PLAN



- POTENTIAL MIGRATION OF PRECIPITATION THROUGH THE LANDFILL IS EVALUATED THROUGH USE OF THE HYDROLOGIC EVALUATION OF LANDFILL PERFORMANCE MODEL (H.E.L.P.). THE MODEL IS ALSO USED TO DEFINE DESIGN CRITERIA FOR THE DRAINAGE LAYER TO MINIMIZE ANY HEAD BUILD-UP ON THE CLAY CAP AND THUS EFFECTIVELY REDUCE THE POTENTIAL FOR PERCOLATION THROUGH THE BARRIER LAYER.
- REFER TO SOIL LOSS AND SETTLEMENT COMPUTATIONS FOR ADDITIONAL DESIGN ANALYSES. REFER TO THE SURFACEWATER MANAGEMENT PLAN FOR SUPPORTING COMPUTATIONS.




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS


BY: JM/G DATE: 5/27/87 CHKD BY: TE DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 3 OF 20
DESCRIPTION: DESIGN CALCULATIONS
- IMPOUNDMENT CLOSURE

H.E.L.P. MODEL INPUT / ASSUMPTIONS

1) DEFINITIONS:



- 2) SOIL PROPERTIES ARE ASSUMED BASED ON SITE SOIL INFORMATION (CLASSIFICATION TESTING AND VISUAL CLASSIFICATIONS). IN THE CASE OF THE DRAINAGE LAYER, PROPERTIES ARE DEVELOPED TO MINIMIZE MIGRATION.
- 3) CLIMATOLOGICAL DATA FOR ST. CLOUD, MINNESOTA IS ASSUMED DUE TO THE RELATIVELY CLOSE PROXIMITY TO THE SITE (ABOUT 100 MILES). IT IS ASSUMED THAT THIS DATA (1974 THROUGH 1978) IS REPRESENTATIVE FOR THE PURPOSE OF ESTIMATING RAINFALL PERCOLATION AND DRAINAGE LAYER EFFICIENCY.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/27/87 CHKD BY: TE DATE: 5/27/87
PROJECT NAME: KOPPEFS - SUPERIOR, WS. SITE
PROJECT NO. 87-38-68 SHEET 4 OF 20
DESCRIPTION: DESIGN CALCULATIONS
- IMPOUNDMENT CLOSURE

EVALUATION OF FINAL COVER COMPONENTS / SYSTEM:

IN REFERENCE TO THE HELP MODEL OUTPUT
(ATTACHED):

LAYER 1 - TOPSOIL

REFER TO SURFACE WATER MANAGEMENT PLAN
FOR RELATED DESIGN CALCULATIONS.

LAYER 2 - FILL (COMPACTED)

NO PERTINENT DESIGN CALCULATIONS

LAYER 3 - GRANULAR DRAINAGE LAYER / PIPING

A. TOTAL AMOUNT OF INFILTRATION TO DRAIN
(DRAINAGE FROM TOP BARRIER)

- AVG. MONTHLY TOTAL (PEAK IN MAY):

$$= 0.168 \text{ IN} \times \frac{\text{FT}}{12 \text{ IN}} \times 70,000 \text{ FT}^2$$

$$= 980 \text{ FT}^3 / 30 \text{ DAYS} (33 \text{ FT}^3 / \text{D})$$

- PEAK DAILY DRAINAGE

$$= \underline{103.2 \text{ FT}^3 / \text{DAY}} (0.001 \text{ CFS}) \quad \text{GOVERNS DESIGN}$$

B. CAPACITY OF 4" ϕ PVC PIPE:

USING MANNINGS EQN. ($n = 0.009$ - REF #1)


$$S = 0.005 \text{ FT/FT} \quad (\text{ASSUME FULL FLOW})$$

$$Q = \frac{1.49}{n} A R^{2/3} S^{1/2}$$

$$= \frac{1.49}{0.009} (0.087) \left(\frac{0.087}{1.05} \right)^{2/3} (0.005)^{1/2}$$

$$= 0.19 \text{ CFS} = 16,724 \text{ CF/DAY} (125,000 \text{ G/D})$$

16,724 \gg 103 \rightarrow THEREFORE PIPE IS ADEQUATE.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/27/87 CHKD BY: T.E. DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 5 OF 20
DESCRIPTION DESIGN CALCULATIONS
- IMPOUNDMENT CLOSURE

C. CHECK PERFORATIONS CAPACITY:

SAY $\frac{1}{4}$ " ϕ SPACED 3" APART (4 / FOOT)

$$\text{AREA} = 0.00034 \text{ FT}^2 / \text{HOLE}$$

$$\text{TOTAL LENGTH OF PIPE} = 1050 \text{ L.F.}$$

ESTIMATE 8,400 HOLES FOR THE TOTAL LENGTH OF PIPE; BOTH SIDES OF PIPE.

ASSUME ORIFICE FLOW THROUGH THE HOLE PERFORATIONS:

$$Q = C A \sqrt{2gh}$$

Q \equiv FLOW (cfs)

C \equiv FRICTION COEFF. (USE 0.632)

A \equiv AREA OF FLOW

g \equiv 32.2 FT/S²

h \equiv HEAD - USE AN AVG. HEAD OF 0.5 IN. (0.04 FT)


$$\begin{aligned} Q &= (0.632)(0.00034 \text{ FT}^2)(2)(32.2)(0.04 \text{ FT})^{1/2} \\ &= 0.00034 \text{ cfs} = 30 \text{ CF/D / HOLE} \times 8400 \text{ HOLES} \\ &= 250,000 \text{ CF / DAY} \end{aligned}$$

WHICH IS \gg 103 CF/D SO HOLES ARE ADEQUATE FOR PIPE.

D. CHECK CAPACITY OF DRAINAGE LAYER:

ASSUME LAYER IS USCS CLASS'N. OF GP (SAND-GRAVEL MIX). FROM REF. # 8
APPLYING DARCY'S EQN:

$$Q = K_p A S$$



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/27/87 CHKD BY: TE DATE: 5/27/87 6
PROJECT NAME: KOPPERS - SUPERIOR NLS. SITE
PROJECT NO. 87-38-68 SHEET 6 OF 20
DESCRIPTION DESIGN CALCULATIONS
- IMPOUNDMENT CLOSURE

WHERE $K_p \equiv$ PERMEABILITY (MEINZER UNITS OF
 $\leq 10,000$ FOR SAND/GRAVEL MIXES
 $S \equiv$ SLOPE OF HYD. GRADIENT
SAY 2 IN. HEAD (PEAK VALUE)
OVER 125 FEET OR 0.0013 FT/FT
 $A \equiv$ FLOW AREA FOR A 100 FT - WIDE
SECTION OF SLOPE (12" THICK)
 $= 1 \times 100 \text{ FT} = 100 \text{ FT}^2$

$$Q = 10,000 \frac{\text{GAL}}{\text{DAY-FT}^2} \times 100 \text{ FT}^2 \times 0.0013$$


$$= 1300 \text{ GAL/DAY FOR } 100' \text{ OF SLOPE}$$

BUT WITH 4 SIDES OF PIPE FLOWING
(1100' LF) $Q_T = 14,300 \text{ GAL/DAY} = 1911 \text{ CF/DAY}$

1911 CF/D \gg 103 CF/DAY THEREFORE
GRAVEL/SAND LAYER IS ADEQUATE TO
DRAIN MIGRATING PERCOLATION IN LESS THAN
ONE DAY. DRAINAGE LAYER IS ADEQUATE.

LAYER 4 - CLAY CAP.

IN ACCORDANCE WITH THE PERTINENT
REGULATIONS THE CLAY CAP WILL BE (FINAL)
24 INCHES THICK AND AT LEAST 1×10^{-7} CM/S
IN-PLACE PERMEABILITY (SATURATED).



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS


BY: JMG DATE: 5/27/87 CHKD BY: T.E DATE: 5/27/87
PROJECT NAME: KOPPEES - SUPERIOR, NIS. SITE
PROJECT NO. 87-38-68 SHEET 7 OF 20
DESCRIPTION: DESIGN CALCULATIONS
IMPOUNDMENT CLOSURE

PERCOLATION FROM BASE OF COVER: (CONTINGENCY)

AS PRESENTED BY THE HELP MODEL OUTPUT, THE PERCOLATION IS ESTIMATED AT ABOUT AN AVERAGE OF 3200 CU. FT. OF PERCOLATION PER YEAR. THIS REPRESENTS ONLY 2% OF THE PRECIPITATION AND IS JUDGED TO BE INSIGNIFICANT RELATIVE TO THE SURROUNDING ENVIRONMENTAL CONDITIONS; THE 24-INCH THICK CLAY CAP IS ADEQUATE.

HEAD ON CLAY: (CONTINGENCY)

AS PRESENTED BY THE HELP MODEL OUTPUT THE HEAD OF MIGRATED PRECIPITATION ON THE CLAY CAP (UNDER PEAD DAILY RAINFALL CONDITIONS) IS ONLY 1.7 INCHES WHICH IS SIGNIFICANTLY LESS THAN THE CRITERIA FOR "BOTTOM" LINERS (12 INCHES) AND THEREFORE THE DRAINAGE SYSTEM (GRANULAR ZONE / PIPING) IS ADEQUATE.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/27/87 CHKD BY: J.E. DATE: 5/27/87 8
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 8 OF 20
DESCRIPTION DESIGN CALCULATIONS
IMPOUNDMENT CLOSURE

GEOTEXTILES (IN CASE OF CONTINGENT CLOSURE)

USE ONE OF THE FOLLOWING NON-WOVEN FILTER FABRICS AS A SEPERATING MEDIA:

- BETWEEN THE FILL AND TOP OF THE DRAINAGE LAYER;
- BETWEEN THE DRAINAGE LAYER AND TOP OF CLAY; AND,
- BETWEEN THE CLAY AND UNDERLYING FILL.

- MIRIFI 180N (8 OZ./YD²)
 - SUPAC BNP (8 OZ./YD²)
 - BIDIM U34 (8 OZ./YD²)
 - AEF 880 (8 OZ./YD²)
- OR AN APPROVED EQUAL. INSTALL AS PER MANUFACTURER.

REFER TO DESIGN DWGS. FOR DETAILS.

9/20

H.E.L.P. MODEL OUTPUT

KOPPERS SUPERIOR, WIS. SITE
SURFACE IMPOUNDMENT CLOSURE
FINAL COVER DESIGN

FAIR GRASS

LAYER 1 -----

VERTICAL PERCOLATION LAYER THICKNESS	=	18.00 INCHES
EVAPORATION COEFFICIENT	=	3.100 MM/DAY**0.5
POROSITY	=	0.4460 VOL/VOL
FIELD CAPACITY	=	0.3380 VOL/VOL
WILTING POINT	=	0.2210 VOL/VOL
EFFECTIVE HYDRAULIC CONDUCTIVITY	=	0.03150000 INCHES/HR

LAYER 2 -----

VERTICAL PERCOLATION LAYER THICKNESS	=	30.00 INCHES
EVAPORATION COEFFICIENT	=	3.100 MM/DAY**0.5
POROSITY	=	0.5297 VOL/VOL
FIELD CAPACITY	=	0.4667 VOL/VOL
WILTING POINT	=	0.3550 VOL/VOL
EFFECTIVE HYDRAULIC CONDUCTIVITY	=	0.00205000 INCHES/HR

LAYER 3

10/20

LATERAL DRAINAGE LAYER

SLOPE	=	5.00 PERCENT
DRAINAGE LENGTH	=	125.0 FEET
THICKNESS	=	12.00 INCHES
EVAPORATION COEFFICIENT	=	3.300 MM/DAY**0.5
POROSITY	=	0.3760 VOL/VOL
FIELD CAPACITY	=	0.2180 VOL/VOL
WILTING POINT	=	0.1310 VOL/VOL
EFFECTIVE HYDRAULIC CONDUCTIVITY	=	7.09000015 INCHES/HR

LAYER 4

BARRIER SOIL LAYER

THICKNESS	=	24.00 INCHES
EVAPORATION COEFFICIENT	=	3.100 MM/DAY**0.5
POROSITY	=	0.5200 VOL/VOL
FIELD CAPACITY	=	0.4500 VOL/VOL
WILTING POINT	=	0.3600 VOL/VOL
EFFECTIVE HYDRAULIC CONDUCTIVITY	=	0.00014200 INCHES/HR

LAYER 5

VERTICAL PERCOLATION LAYER

THICKNESS	=	60.00 INCHES
EVAPORATION COEFFICIENT	=	3.100 MM/DAY**0.5
POROSITY	=	0.5297 VOL/VOL
FIELD CAPACITY	=	0.4667 VOL/VOL
WILTING POINT	=	0.3550 VOL/VOL
EFFECTIVE HYDRAULIC CONDUCTIVITY	=	0.00205000 INCHES/HR

GENERAL SIMULATION DATA

SCS RUNOFF CURVE NUMBER	=	80.00
TOTAL AREA OF COVER	=	70000. SQ. FT
EVAPORATIVE ZONE DEPTH	=	10.00 INCHES
EFFECTIVE EVAPORATION COEFFICIENT	=	3.100 MM/DAY**0.5
UPPER LIMIT VEG. STORAGE	=	4.4600 INCHES
INITIAL VEG. STORAGE	=	2.7950 INCHES

11/2

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
11.73	14.61	24.74	39.43	54.73	66.54
71.70	68.83	58.69	44.00	28.71	16.89

MONTHLY MEANS SOLAR RADIATION, LANGLEYS PER DAY

JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
161.64	235.39	339.16	445.14	524.94	557.17
533.19	459.44	353.67	249.69	169.90	137.67

LEAF AREA INDEX TABLE

DATE	LAI
1	0.00
130	0.00
144	0.61
159	0.99
173	0.99
187	0.99
202	0.99
216	0.99
230	0.89
244	0.65
259	0.32
273	0.17
366	0.00

FAIR GRASS

WINTER COVER FACTOR = 0.60

MONTHLY TOTALS FOR 74

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION (INCHES)	0.09 2.25	0.83 3.20	0.88 1.97	1.16 1.58	3.26 1.29	4.36 0.54
RUNOFF (INCHES)	0.000 0.000	0.000 0.693	0.000 0.573	0.000 0.218	0.015 0.208	0.240 0.000
EVAPOTRANSPIRATION (INCHES)	0.090 2.243	0.830 2.505	0.489 1.333	2.136 0.509	2.708 0.740	4.392 0.517
PERCOLATION FROM TOP BARRIER (INCHES)	0.0000 0.0945	0.0000 0.0444	0.0000 0.0192	0.0000 0.0095	0.0037 0.0848	0.0711 0.0976

12/2

PERCOLATION FROM BASE OF COVER (INCHES)	0.0000 0.0374	0.0000 0.0471	0.0000 0.0404	0.0000 0.0326	0.0017 0.0363	0.0133 0.0574
DRAINAGE FROM TOP BARRIER (INCHES)	0.000 0.012	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.029	0.014 0.019
DRAINAGE FROM BASE OF COVER (INCHES)	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000

ANNUAL TOTALS FOR 74

	(INCHES)	(CU. FT.)	PERCENT
PRECIPITATION	21.41	124892.	100.00
RUNOFF	1.945	11345.	9.08
EVAPOTRANSPIRATION	18.493	107874.	86.37
PERCOLATION FROM TOP BARRIER	0.4248	2478.	1.98
PERCOLATION FROM BASE OF COVER	0.2662	1553.	1.24
DRAINAGE FROM TOP BARRIER LAYER	0.074	431.	0.35
DRAINAGE FROM BASE OF COVER	0.000	0.	0.00
SOIL WATER AT START OF YEAR	60.92	355355.	
SOIL WATER AT END OF YEAR	61.47	358586.	
SNOW WATER AT START OF YEAR	0.00	0.	
SNOW WATER AT END OF YEAR	0.08	458.	
ANNUAL WATER BUDGET BALANCE	0.00	0.	0.00

13/2

MONTHLY TOTALS FOR 75

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION (INCHES)	2.39 0.21	0.40 4.83	1.75 2.27	3.69 1.08	3.02 3.24	5.78 0.28
RUNOFF (INCHES)	0.000 0.000	0.000 1.535	0.000 0.000	0.812 0.184	0.000 0.000	0.429 0.000
EVAPOTRANSPIRATION (INCHES)	0.803 0.975	1.123 2.265	2.244 2.646	2.250 0.918	3.781 1.022	4.854 0.804
PERCOLATION FROM TOP BARRIER (INCHES)	0.0389 0.1132	0.0163 0.0761	0.0084 0.1036	0.0122 0.0820	0.1090 0.0000	0.1080 0.0000
PERCOLATION FROM BASE OF COVER (INCHES)	0.0601 0.0816	0.0448 0.0838	0.0377 0.0831	0.0280 0.0903	0.0414 0.0693	0.0615 0.0481
DRAINAGE FROM TOP BARRIER (INCHES)	0.000 0.083	0.000 0.007	0.000 0.059	0.001 0.018	0.227 0.000	0.208 0.000
DRAINAGE FROM BASE OF COVER (INCHES)	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000

ANNUAL TOTALS FOR 75

PERCOLATION FROM BASE OF COVER (INCHES)	0.0320	0.0202	0.0146	0.0095	0.0066	0.0043
	0.0030	0.0020	0.0013	0.0009	0.0006	0.0004
DRAINAGE FROM TOP BARRIER (INCHES)	0.000	0.000	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000	0.000	0.000
DRAINAGE FROM BASE OF COVER (INCHES)	0.000	0.000	0.000	0.000	0.000	0.000
	0.000	0.000	0.000	0.000	0.000	0.000

ANNUAL TOTALS FOR 76

	(INCHES)	(CU. FT.)	PERCENT
PRECIPITATION	14.93	87092.	100.00
RUNOFF	0.944	5505.	6.32
EVAPOTRANSPIRATION	15.657	91335.	104.87
PERCOLATION FROM TOP BARRIER	0.0000	0.	0.00
PERCOLATION FROM BASE OF COVER	0.0955	557.	0.64
DRAINAGE FROM TOP BARRIER LAYER	0.000	0.	0.00
DRAINAGE FROM BASE OF COVER	0.000	0.	0.00
SOIL WATER AT START OF YEAR	60.85	354953.	
SOIL WATER AT END OF YEAR	60.74	354346.	
SNOW WATER AT START OF YEAR	1.66	9703.	
SNOW WATER AT END OF YEAR	0.00	0.	
ANNUAL WATER BUDGET BALANCE	0.00	5.	0.01

16/20

MONTHLY TOTALS FOR 77

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION (INCHES)	0.58 4.34	0.98 5.26	3.03 3.15	3.17 2.65	3.48 4.03	3.50 1.23
RUNOFF (INCHES)	0.000 0.216	0.000 1.657	0.000 0.330	0.100 0.705	0.000 0.000	0.000 0.000
EVAPOTRANSPIRATION (INCHES)	0.580 3.581	0.328 2.326	2.285 2.795	2.998 1.521	3.075 1.206	4.528 0.804
PERCOLATION FROM TOP BARRIER (INCHES)	0.0000 0.1168	0.0000 0.0690	0.0000 0.1038	0.0324 0.1129	0.1126 0.1036	0.1117 0.1088
PERCOLATION FROM BASE OF COVER (INCHES)	0.0003 0.0774	0.0002 0.0834	0.0001 0.0797	0.0041 0.0935	0.0300 0.0929	0.0545 0.1017
DRAINAGE FROM TOP BARRIER (INCHES)	0.000 0.096	0.000 0.004	0.000 0.224	0.037 0.315	0.348 0.222	0.247 0.112
DRAINAGE FROM BASE OF COVER (INCHES)	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000

ANNUAL TOTALS FOR 77

	(INCHES)	(CU. FT.)	PERCENT
PRECIPITATION	35.40	206500.	100.00
RUNOFF	3.008	17547.	8.50
EVAPOTRANSPIRATION	26.027	151826.	73.52
PERCOLATION FROM TOP BARRIER	0.8716	5085.	2.46
PERCOLATION FROM BASE OF COVER	0.6177	3603.	1.74
DRAINAGE FROM TOP BARRIER LAYER	1.606	9368.	4.54
DRAINAGE FROM BASE OF COVER	0.000	0.	0.00
SOIL WATER AT START OF YEAR	60.74	354346.	
SOIL WATER AT END OF YEAR	61.80	360507.	
SNOW WATER AT START OF YEAR	0.00	0.	
SNOW WATER AT END OF YEAR	3.09	17996.	
ANNUAL WATER BUDGET BALANCE	0.00	-2.	0.00

17/2

MONTHLY TOTALS FOR 78.

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION (INCHES)	0.38 5.68	0.17 2.81	0.81 4.66	3.49 0.14	3.14 0.95	4.85 1.02
RUNOFF (INCHES)	0.000 0.730	0.000 0.000	0.000 0.925	0.001 0.000	0.029 0.000	1.362 0.000
EVAPOTRANSPIRATION (INCHES)	0.803 4.946	1.123 2.774	2.285 1.952	2.993 0.652	2.824 0.869	4.343 0.802
PERCOLATION FROM TOP BARRIER (INCHES)	0.0791 0.1120	0.0248 0.1076	0.0128 0.0807	0.0884 0.1128	0.1090 0.1077	0.1071 0.1025

PERCOLATION FROM BASE OF COVER (INCHES)	0.1005 0.0932	0.0756 0.0995	0.0630 0.0935	0.0584 0.0987	0.0730 0.0999	0.0830 0.1053
DRAINAGE FROM TOP BARRIER (INCHES)	0.013 0.076	0.000 0.035	0.000 0.071	0.129 0.380	0.265 0.239	0.144 0.083
DRAINAGE FROM BASE OF COVER (INCHES)	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000

ANNUAL TOTALS FOR 78

	(INCHES)	(CU. FT.)	PERCENT
PRECIPITATION	28.10	163917.	100.00
RUNOFF	3.047	17775.	10.84
EVAPOTRANSPIRATION	26.368	153811.	93.83
PERCOLATION FROM TOP BARRIER	1.0506	6128.	3.74
PERCOLATION FROM BASE OF COVER	1.0436	6088.	3.71
DRAINAGE FROM TOP BARRIER LAYER	1.434	8365.	5.10
DRAINAGE FROM BASE OF COVER	0.000	0.	0.00
SOIL WATER AT START OF YEAR	61.80	360507.	
SOIL WATER AT END OF YEAR	60.70	354075.	
SNOW WATER AT START OF YEAR	3.09	17996.	
SNOW WATER AT END OF YEAR	0.40	2306.	
ANNUAL WATER BUDGET BALANCE	0.00	0.	0.00

19/20

AVERAGE MONTHLY TOTALS FOR 74 THROUGH 78

	JAN/JUL	FEB/AUG	MAR/SEP	APR/OCT	MAY/NOV	JUN/DEC
PRECIPITATION (INCHES)	0.86 2.88	0.64 3.34	1.65 2.68	2.49 1.18	2.77 1.93	4.67 0.68
RUNOFF (INCHES)	0.000 0.189	0.000 0.777	0.000 0.366	0.183 0.221	0.009 0.042	0.595 0.000
EVAPOTRANSPIRATION (INCHES)	0.616 2.910	0.916 2.085	1.927 1.913	2.459 0.821	2.626 0.805	4.320 0.648
PERCOLATION FROM TOP BARRIER (INCHES)	0.0236 0.0873	0.0082 0.0594	0.0042 0.0615	0.0266 0.0634	0.0669 0.0592	0.0796 0.0630
PERCOLATION FROM BASE OF COVER (INCHES)	0.0386 0.0585	0.0282 0.0632	0.0231 0.0596	0.0200 0.0632	0.0305 0.0598	0.0433 0.0626
DRAINAGE FROM TOP BARRIER (INCHES)	0.003 0.054	0.000 0.009	0.000 0.071	0.033 0.143	0.168 0.098	0.122 0.043
DRAINAGE FROM BASE OF COVER (INCHES)	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000

AVERAGE ANNUAL TOTALS FOR 74 THROUGH 78


(INCHES) (CU. FT.) PERCENT

20/2

PRECIPITATION	25.76	150243.	100.00
RUNOFF	2.381	13889.	9.24
EVAPOTRANSPIRATION	22.046	128601.	85.59
PERCOLATION FROM TOP BARRIER	0.6029	3517.	2.34
PERCOLATION FROM BASE OF COVER	0.5506	3212.	2.14
DRAINAGE FROM TOP BARRIER LAYER	0.743	4336.	2.89
DRAINAGE FROM BASE OF COVER	0.000	0.	0.00

PEAK DAILY VALUES FOR 74 THROUGH 78

	(INCHES)	(CU. FT.)
PRECIPITATION	2.36	13766.7
RUNOFF	1.419	8277.0
PERCOLATION FROM TOP BARRIER	0.0094	54.8
PERCOLATION FROM BASE OF COVER	0.0053	31.2
DRAINAGE FROM TOP BARRIER LAYER	0.018	103.2
DRAINAGE FROM BASE OF COVER	0.000	0.0
HEAD ON TOP BARRIER LAYER	1.7	
HEAD ON BASE OF COVER	0.0	
SNOW WATER	3.28	19104.8
MAXIMUM VEG. SOIL WATER (VOL/VOL)	0.4031	
MINIMUM VEG. SOIL WATER (VOL/VOL)	0.2210	




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87 (21)
PROJECT NAME: KOPPERS - SUPERIOR SITE
PROJECT NO. 87-38-68 SHEET 1 OF 33
DESCRIPTION SURFACEWATER MANAGEMENT
PLAN - IMPOUNDMENT CLOSURE

INTRODUCTION

THE RUNOFF CONTROL AND MANAGEMENT SYSTEM HAS BEEN DESIGNED TO MANAGE STORMWATER RUNOFF (SURFACEWATER) TO MINIMIZE EROSION AND SEDIMENTATION. THE RUNOFF MANAGEMENT COMPUTATIONS FOLLOW AND ARE BASED ON THE FOLLOWING GENERAL CRITERIA/ASSUMPTIONS:

- 1) SOIL CONSERVATION SERVICE (SCS) METHODS ARE APPLICABLE TO THE SITE. A TYPE II STORM DISTRIBUTION IS ASSUMED FOR THE RAINFALL ANTICIPATED DURING THE 25-YEAR FREQUENCY/24-HOUR DURATION STORM. UPLAND CURVE METHODOLOGY IS ASSUMED IN CONSTRUCTING SYNTHETIC (UNIT AND WATERSHED) HYDROGRAPHS.
- 2) MANNINGS EQUATION IS USED IN COMPUTING OPEN-CHANNEL FLOW CHARACTERISTICS.
- 3) EXISTING CHANNELS, DIVERSIONS, AND CULVERTS ARE EVALUATED AND UPGRADED AS DICTATED BY THE CALCULATIONS. ONLY WATERSHEDS CONTRIBUTING SIGNIFICANT RUNOFF IN THE IMMEDIATE VICINITY OF THE IMPOUNDMENTS (WITHIN




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

(22)

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 2 OF 33
DESCRIPTION SURFACEWATER MANAGEMENT
PLAN - IMPOUNDMENT CLOSURE

THE KOPPERS PROPERTY) ARE INCORPORATED INTO THIS MANAGEMENT PLAN.

- 4) IT IS ASSUMED THAT DUE TO THE RELATIVELY SMALL WATERSHED AREA TOTAL (17.8 ACRES) AND "UNDISTURBED" PERCENTAGE OF AREA; THAT NO ADDITIONAL SEDIMENTATION BASIN(S) WILL BE REQUIRED. EXISTING WATERSHEDS ARE ASSUMED TO BE STABILIZED, HOWEVER, HYDROGRAPHS WERE DEVELOPED BASED ON SCS "DISTURBED" WATERSHED TYPE AS CONSERVATIVE.




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: TE DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR WIS. SITE
PROJECT NO. 87-38-68 SHEET 3 OF 33
DESCRIPTION SURFACEWATER MANAGEMENT
PLAN - IMPOUNDMENT CLOSURE

WATERSHED SUMMARY

WATERSHED NO.	APPROX. AREA (ACRES)	TOTAL RELIEF (FT.)	HYDRAULIC LENGTH (FT.) MILES	PEAK (2) DISCHARGE QP (CFS)
I	0.66	10	0.08 400	0.9
II (1)	0.55	6	0.05 250	0.6
III	0.35	8	0.06 300	0.4
IV	1.84	11	0.14 750	2.9
V	1.56	14	0.11 600	2.8
VI	1.44	9	0.15 800	3.1
VII	0.25	7	0.03 150	0.3
VIII	3.70	5	0.27 1400	5.1
IX	3.60	5	0.27 1400	5.0
X	2.25	2	0.16 850	4.3
XI	1.62	4	0.10 550	3.3
TOTAL	17.82			

(1) WATERSHED II IS ACTUALLY (2) SUBWATERSHEDS OF APPROXIMATELY EQUAL AREA.
(2) REFER TO HYDROGRAPHS FOR EACH WATERSHED ATTACHED




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: E DATE: 5/27/87
PROJECT NAME: KOPPEB-SUPERIOR, MS. SITE
PROJECT NO. 87-38-68 SHEET 4 OF 33
DESCRIPTION: SURFACEWATER MANAGEMENT
PLAN - IMPOUNDMENT CLOSURE

CHANNEL/WATERSHED SUMMARY

CHANNEL NO.	REACH	CONTRIBUTING WATERSHEDS	TOTAL CONTRIBUTING ACREAGE
C-1	—	VIII	3.7
C-2	—	IX	3.6
C-3	A	X	2.3
	B	X; XI	3.9
	C	I, II, III, IV, VIII, IX, X, XI	14.6
	D	I, II, III, IV, V, VIII, IX, X, XI	16.1
C-4	—	I, II, VIII, IX,	8.5
C-5	—	VI	1.4
C-6	—	I THROUGH XI	17.82
D-1	—	I, II	1.21
D-2	—	II, III	0.90

SINCE THE TIME STEP USED IN DEVELOPING THE HYDROGRAPHS IS RELATIVELY HIGH (0.5 HOURS) THE LAG TIME REQUIRED FOR FLOW FROM HYDROGRAPH GENERATION POINT TO POINT OF INTEREST IS ASSUMED TO BE NEGLIGIBLE. HYDROGRAPHS FOR EACH CHANNEL ARE DEVELOPED BY DIRECTLY SUPERIMPOSING EACH WATERSHED HYDROGRAPH WITH NO LAG TIME (ALL BEGINNING AT TIME = 0.0 HRS.). THIS PROCEDURE IS CONSIDERED TO BE CONSERVATIVE SINCE THE PEAK DISCHARGES ARE LIKELY TO OCCUR AT DIFFERENT TIMES FOLLOWING THE START OF THE RAINFALL.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 5 OF 33
DESCRIPTION: SURFACEWATER MANAGEMENT
PLANS - IMPOUNDMENT CLOSURE

BASED ON THE CHANNEL/WATERSHED SUMMARY,
THE FOLLOWING IS A SUMMARY OF DESIGN FLOWS
FOR THE SITE CHANNELS/DIVERSIONS:

<u>CHANNEL/ DIVERSION</u>	<u>PEAK DISCHARGE (CFS)⁽¹⁾</u>	<u>DESIGN DISCHARGE (CFS)</u>
C-1	5.1	6
C-2	5.0	5
C-3A	4.3	5
C-3B	7.6	8
C-3C	22.5	23
C-3D	25.3	26
C-4	11.6	12
C-5	3.1	4
C-6	28.8	29
D-1	1.5	2
D-2	1.0	1

ASSUME ALL CHANNEL/DIVERSION SIDE SLOPES ARE
2H:1V

(1) SUMMATION OF INDIVIDUAL PEAK FLOWS FOR
WATERSHEDS CONTRIBUTING TO THESE CHANNELS/DIVERSIONS.

Title of run = WATERSHED I HYDROGRAPH

Watershed data

Hydraulic length = .08 miles
Elevation change = 10 feet.
Area = .66 acres
Concentration time = .1089395 hours
Curve number = 80

6/33

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = .8679722 cfs
Discharge volume = .130711 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.000
5.000	0.035	0.000
5.500	0.035	0.000
6.000	0.035	0.000
6.500	0.044	0.000
7.000	0.044	0.000
7.500	0.044	0.000
8.000	0.044	0.000
8.500	0.057	0.002
9.000	0.062	0.005
9.500	0.070	0.009
10.000	0.079	0.013
10.500	0.101	0.022
11.000	0.136	0.037
11.500	0.211	0.071
12.000	1.672	0.868
12.500	0.317	0.362
13.000	0.163	0.144
13.500	0.119	0.099
14.000	0.092	0.077
14.500	0.066	0.056
15.000	0.066	0.053
15.500	0.066	0.054
16.000	0.066	0.054
16.500	0.040	0.036
17.000	0.040	0.033
17.500	0.040	0.033
18.000	0.040	0.033
18.500	0.040	0.033

②

7/33

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.033
19.500	0.040	0.033
20.000	0.040	0.033
20.500	0.026	0.024
21.000	0.026	0.022
21.500	0.026	0.022
22.000	0.026	0.022
22.500	0.026	0.022
23.000	0.026	0.022
23.500	0.026	0.022
24.000	0.026	0.022
24.500	0.000	0.004
25.000	0.000	0.000

Title of run = WATERSHED II HYDROGRAPH

8/33

Watershed data

Hydraulic length = .05 miles
Elevation change = 6 feet
Area = .55 acres
Concentration time = .0694912 hours
Curve number = 80

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = .6303053 cfs
Discharge volume = .1980469 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.000
5.000	0.035	0.000
5.500	0.035	0.000
6.000	0.035	0.000
6.500	0.044	0.000
7.000	0.044	0.000
7.500	0.044	0.000
8.000	0.044	0.000
8.500	0.057	0.002
9.000	0.062	0.004
9.500	0.070	0.006
10.000	0.079	0.010
10.500	0.101	0.016
11.000	0.136	0.027
11.500	0.211	0.052
12.000	1.672	0.630
12.500	0.317	0.259
13.000	0.163	0.104
13.500	0.119	0.071
14.000	0.092	0.055
14.500	0.066	0.041
15.000	0.066	0.038
15.500	0.066	0.039
16.000	0.066	0.039
16.500	0.040	0.026
17.000	0.040	0.023
17.500	0.040	0.024
18.000	0.040	0.024
18.500	0.040	0.024

9/33

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.024
19.500	0.040	0.024
20.000	0.040	0.024
20.500	0.026	0.017
21.000	0.026	0.016
21.500	0.026	0.016
22.000	0.026	0.016
22.500	0.026	0.016
23.000	0.026	0.016
23.500	0.026	0.016
24.000	0.026	0.016
24.500	0.000	0.002
25.000	0.000	0.000

Title of run = WATERSHED III HYDROGRAPH

Watershed data

Hydraulic length = .06 miles
Elevation change = 8 feet.
Area = .35 acres
Concentration time = 7.911016E-02 hours
Curve number = 80

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = .4177919 cfs
Discharge volume = .1980469 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.000
5.000	0.035	0.000
5.500	0.035	0.000
6.000	0.035	0.000
6.500	0.044	0.000
7.000	0.044	0.000
7.500	0.044	0.000
8.000	0.044	0.000
8.500	0.057	0.001
9.000	0.062	0.002
9.500	0.070	0.004
10.000	0.079	0.006
10.500	0.101	0.010
11.000	0.136	0.018
11.500	0.211	0.034
12.000	1.672	0.418
12.500	0.317	0.173
13.000	0.163	0.069
13.500	0.119	0.047
14.000	0.092	0.037
14.500	0.066	0.027
15.000	0.066	0.026
15.500	0.066	0.026
16.000	0.066	0.026
16.500	0.040	0.017
17.000	0.040	0.016
17.500	0.040	0.016
18.000	0.040	0.016
18.500	0.040	0.016

10/33

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.016
19.500	0.040	0.018
20.000	-0.040	0.016
20.500	0.026	0.011
21.000	0.026	0.011
21.500	0.026	0.011
22.000	0.026	0.011
22.500	0.026	0.011
23.000	0.026	0.011
23.500	0.026	0.011
24.000	0.026	0.011
24.500	0.000	0.002
25.000	0.000	0.000

11/3

3

12/3:

Title of run = WATERSHED IV HYDROGRAPH

Watershed data

Hydraulic length = .14 miles
 Elevation change = 11 feet.
 Area = 1.84 acres
 Concentration time = .2404618 hours
 Curve number = 80

Storm data

SCS Type 2 storm, 24 hour storm
 Total precipitation = 4.4 inches
 Storm duration = 24 hours
 Unit hydrograph type = Disturbed
 Max. Discharge = 2.867888 cfs
 Discharge volume = .1980469 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.000
5.000	0.035	0.000
5.500	0.035	0.000
6.000	0.035	0.000
6.500	0.044	0.000
7.000	0.044	0.000
7.500	0.044	0.000
8.000	0.044	0.001
8.500	0.057	0.007
9.000	0.062	0.016
9.500	0.070	0.029
10.000	0.079	0.045
10.500	0.101	0.073
11.000	0.136	0.124
11.500	0.211	0.239
12.000	1.672	2.868
12.500	0.317	1.230
13.000	0.163	0.645
13.500	0.119	0.367
14.000	0.092	0.276
14.500	0.066	0.202
15.000	0.066	0.188
15.500	0.066	0.186
16.000	0.066	0.187
16.500	0.040	0.128
17.000	0.040	0.117
17.500	0.040	0.113
18.000	0.040	0.114
18.500	0.040	0.114

③
13/3:

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.114
19.500	0.040	0.115
20.000	0.040	0.115
20.500	0.026	0.085
21.000	0.026	0.079
21.500	0.026	0.077
22.000	0.026	0.077
22.500	0.026	0.077
23.000	0.026	0.077
23.500	0.026	0.078
24.000	0.026	0.078
24.500	0.000	0.016
25.000	0.000	0.004
25.500	0.000	0.000

Title of run = WATERSHED V HYDROGRAPH

14/3

Watershed data

Hydraulic length = .11 miles
Elevation change = 14 feet.
Area = 1.56 acres
Concentration time = .1039138 hours
Curve number = 90

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = 2.835549 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.001
5.000	0.035	0.005
5.500	0.035	0.010
6.000	0.035	0.014
6.500	0.044	0.022
7.000	0.044	0.028
7.500	0.044	0.032
8.000	0.044	0.037
8.500	0.057	0.052
9.000	0.062	0.064
9.500	0.070	0.079
10.000	0.079	0.097
10.500	0.101	0.133
11.000	0.136	0.193
11.500	0.211	0.322
12.000	1.672	2.836
12.500	0.317	1.092
13.000	0.163	0.404
13.500	0.119	0.273
14.000	0.092	0.211
14.500	0.066	0.153
15.000	0.066	0.145
15.500	0.066	0.145
16.000	0.066	0.145
16.500	0.040	0.096
17.000	0.040	0.087
17.500	0.040	0.087
18.000	0.040	0.087
18.500	0.040	0.088

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.088
19.500	0.040	0.088
20.000	0.040	0.088
20.500	0.026	0.063
21.000	0.026	0.059
21.500	0.026	0.059
22.000	0.026	0.059
22.500	0.026	0.059
23.000	0.026	0.059
23.500	0.026	0.059
24.000	0.026	0.059
24.500	0.000	0.009
25.000	0.000	0.000

Title of run = WATERSHED VI HYDROGRAPH

16/3:

Watershed data

Hydraulic length = .15 miles
Elevation change = 9 feet.
Area = 1.44 acres
Concentration time = .2063783 hours
Curve number = 90

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = 3.083282 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.001
5.000	0.035	0.006
5.500	0.035	0.010
6.000	0.035	0.015
6.500	0.044	0.024
7.000	0.044	0.031
7.500	0.044	0.036
8.000	0.044	0.041
8.500	0.057	0.058
9.000	0.062	0.071
9.500	0.070	0.088
10.000	0.079	0.108
10.500	0.101	0.148
11.000	0.136	0.214
11.500	0.211	0.355
12.000	1.672	3.083
12.500	0.317	1.220
13.000	0.163	0.556
13.500	0.119	0.322
14.000	0.092	0.242
14.500	0.066	0.177
15.000	0.066	0.165
15.500	0.066	0.163
16.000	0.066	0.163
16.500	0.040	0.110
17.000	0.040	0.100
17.500	0.040	0.098
18.000	0.040	0.098
18.500	0.040	0.099

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.099
19.500	0.040	0.099
20.000	-0.040	0.099
20.500	0.026	0.072
21.000	0.026	0.067
21.500	0.026	0.066
22.000	0.026	0.066
22.500	0.026	0.066
23.000	0.026	0.066
23.500	0.026	0.066
24.000	0.026	0.066
24.500	0.000	0.012
25.000	0.000	0.002
25.500	0.000	0.000

17/33

(
20/3

Title of run = WATERSHED VIII HYDROGRAPH

Watershed data

Hydraulic length = .27 miles
Elevation change = 5 feet.
Area = 3.7 acres
Concentration time = .6686658 hours
Curve number = 90

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = 5.141358 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.002
5.000	0.035	0.010
5.500	0.035	0.021
6.000	0.035	0.033
6.500	0.044	0.052
7.000	0.044	0.072
7.500	0.044	0.088
8.000	0.044	0.103
8.500	0.057	0.135
9.000	0.062	0.171
9.500	0.070	0.212
10.000	0.079	0.263
10.500	0.101	0.346
11.000	0.136	0.489
11.500	0.211	0.773
12.000	1.672	5.141
12.500	0.317	4.607
13.000	0.163	2.361
13.500	0.119	1.642
14.000	0.092	1.065
14.500	0.066	0.624
15.000	0.066	0.501
15.500	0.066	0.465
16.000	0.066	0.450
16.500	0.040	0.363
17.000	0.040	0.303
17.500	0.040	0.284
18.000	0.040	0.273
18.500	0.040	0.269

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.269
19.500	0.040	0.269
20.000	0.040	0.269
20.500	0.026	0.228
21.000	0.026	0.197
21.500	0.026	0.188
22.000	0.026	0.182
22.500	0.026	0.180
23.000	0.026	0.180
23.500	0.026	0.180
24.000	0.026	0.180
24.500	0.000	0.097
25.000	0.000	0.035
25.500	0.000	0.016
26.000	0.000	0.005
26.500	0.000	0.000

Title of run = WATERSHED IX

22/33

Watershed data

Hydraulic length = .27 miles
Elevation change = 5 feet.
Area = 3.6 acres
Concentration time = .6686658 hours
Curve number = 90

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = 5.002402 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.002
5.000	0.035	0.009
5.500	0.035	0.020
6.000	0.035	0.032
6.500	0.044	0.051
7.000	0.044	0.070
7.500	0.044	0.086
8.000	0.044	0.100
8.500	0.057	0.131
9.000	0.062	0.166
9.500	0.070	0.207
10.000	0.079	0.256
10.500	0.101	0.337
11.000	0.136	0.475
11.500	0.211	0.752
12.000	1.672	5.002
12.500	0.317	4.482
13.000	0.163	2.297
13.500	0.119	1.598
14.000	0.092	1.037
14.500	0.066	0.607
15.000	0.066	0.488
15.500	0.066	0.452
16.000	0.066	0.437
16.500	0.040	0.354
17.000	0.040	0.294
17.500	0.040	0.277
18.000	0.040	0.266
18.500	0.040	0.261

23/3

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.262
19.500	0.040	0.262
20.000	0.040	0.262
20.500	0.026	0.222
21.000	0.026	0.192
21.500	0.026	0.183
22.000	0.026	0.177
22.500	0.026	0.175
23.000	0.026	0.175
23.500	0.026	0.175
24.000	0.026	0.175
24.500	0.000	0.094
25.000	0.000	0.034
25.500	0.000	0.016
26.000	0.000	0.004
26.500	0.000	0.000

(8)
24/3:

Title of run = WATERSHED X HYDROGRAPH

Watershed data

Hydraulic length = .16 miles
Elevation change = 2 feet.
Area = 2.25 acres
Concentration time = .4822956 hours
Curve number = 90

Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = 4.340721 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.002
5.000	0.035	0.008
5.500	0.035	0.016
6.000	0.035	0.024
6.500	0.044	0.037
7.000	0.044	0.049
7.500	0.044	0.059
8.000	0.044	0.068
8.500	0.057	0.092
9.000	0.062	0.114
9.500	0.070	0.143
10.000	0.079	0.177
10.500	0.101	0.237
11.000	0.136	0.339
11.500	0.211	0.551
12.000	1.672	4.341
12.500	0.317	2.347
13.000	0.163	1.355
13.500	0.119	0.838
14.000	0.092	0.477
14.500	0.066	0.340
15.000	0.066	0.299
15.500	0.066	0.285
16.000	0.066	0.281
16.500	0.040	0.209
17.000	0.040	0.184
17.500	0.040	0.173
18.000	0.040	0.169
18.500	0.040	0.170

25/3

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.170
19.500	0.040	0.170
20.000	0.040	0.170
20.500	0.026	0.133
21.000	0.026	0.121
21.500	0.026	0.116
22.000	0.026	0.114
22.500	0.026	0.114
23.000	0.026	0.114
23.500	0.026	0.114
24.000	0.026	0.114
24.500	0.000	0.040
25.000	0.000	0.015
25.500	0.000	0.004
26.000	0.000	0.000

Title of run = WATERSHED NO. HYDROGRAPH

26/3

Watershed data

Hydraulic length = .1 miles
Elevation change = 4 feet.
Area = 1.62 acres
Concentration time = .1685072 hours
Curve number = 90


Storm data

SCS Type 2 storm, 24 hour storm
Total precipitation = 4.4 inches
Storm duration = 24 hours
Unit hydrograph type = Disturbed
Max. Discharge = 3.336141 cfs
Discharge volume = .2750078 acre ft

time, hr	rainfall, in	hydrograph, cfs
0.000	0.000	0.000
0.500	0.022	0.000
1.000	0.022	0.000
1.500	0.026	0.000
2.000	0.026	0.000
2.500	0.026	0.000
3.000	0.026	0.000
3.500	0.031	0.000
4.000	0.031	0.000
4.500	0.035	0.001
5.000	0.035	0.006
5.500	0.035	0.011
6.000	0.035	0.016
6.500	0.044	0.026
7.000	0.044	0.033
7.500	0.044	0.038
8.000	0.044	0.044
8.500	0.057	0.061
9.000	0.062	0.075
9.500	0.070	0.094
10.000	0.079	0.115
10.500	0.101	0.157
11.000	0.136	0.229
11.500	0.211	0.380
12.000	1.672	3.336
12.500	0.317	1.305
13.000	0.163	0.505
13.500	0.119	0.329
14.000	0.092	0.252
14.500	0.066	0.184
15.000	0.066	0.172
15.500	0.066	0.172
16.000	0.066	0.173
16.500	0.040	0.115
17.000	0.040	0.104
17.500	0.040	0.104
18.000	0.040	0.104
18.500	0.040	0.104

27/3

time, hr	rainfall, in	hydrograph, cfs
19.000	0.040	0.104
19.500	0.040	0.104
20.000	0.040	0.104
20.500	0.026	0.075
21.000	0.026	0.070
21.500	0.026	0.070
22.000	0.026	0.070
22.500	0.026	0.070
23.000	0.026	0.070
23.500	0.026	0.070
24.000	0.026	0.070
24.500	0.000	0.012
25.000	0.000	0.000
25.500	0.000	0.000



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: — DATE: 5/27/87
PROJECT NAME: KOPPEFS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 28 OF 33
DESCRIPTION SURFACEWATER MANAG'T. PLAN
- IMPOUNDMENT CLOSURE

CHANNEL SCHEDULE

<u>CHANNEL/ DIVERSION</u>	<u>REACH</u>	<u>DESIGN FLOW (CFS)</u>	<u>BOTTOM SLOPE (%)</u>	<u>TOTAL DESIGN (2) DEPTH (FT)</u>	<u>FLOW (3) VELOCITY (FPS)</u>	<u>MANNINGS η (NO UNITS)</u>
C-1	—	6	0.2 ⁽¹⁾	3.0	1.6	0.03 (GRASS)
C-2	—	5	0.5 ⁽¹⁾	2.5	2.2	0.03
C-3	A	5	0.33	2.5	1.9	0.03
C-3	B	8	0.33	3.0	2.1	0.03
C-3	C	23	0.33	4.0	2.7	0.03
C-3	D	26	0.40	4.0	3.0	0.03
C-4	—	12	0.5 ⁽¹⁾	3.0	2.7	0.03
C-5	—	4	1 ⁽¹⁾	2.0	2.7	0.03
C-6	—	29	0.5 ⁽¹⁾	4.0	3.3	0.03
D-1	—	2	1	2.0	2.2	0.03
D-2	—	1	1	1.5	1.9	0.03


ALL CHANNELS/DIVERSIONS HAVE 2H:1 SIDE SLOPES WHICH ARE VEGETATED. ALL CHANNELS/DIVERSIONS ARE TRIANGULAR IN CROSS-SECTION (BOTTOM WIDTH = 0 FT).

(1) BOTTOM SLOPE APPROXIMATED BY SLOPE EXISTING IN FIELD (AS PER JUNE, 1984 SITE TOPO).

(2) TOTAL DEPTH (D_t) = FLOW DEPTH (D_f) + FREEBOARD (D_{fb})
WHERE $D_{fb} = \sqrt{CY}$

$Y \equiv D_f$ AND $C \equiv 1.5$ (AS PER REF. NO. 1)

(3) SINCE ALL CHANNEL/DIVERSION VELOCITIES ARE ≤ 4 FPS GRASS LINING EROSION PROTECTION IS ADEQUATE.




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

(49)

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87
 PROJECT NAME: KOPPERS - SUPERIOR M.S. SITE
 PROJECT NO. 87-38-68 SHEET 29 OF 33
 DESCRIPTION SURFACEWATER MANAG'T. PLAN
- IMPOUNDMENT CLOSURE

CHANNEL CALCULATIONS



Title of run: CHANNEL C-1

Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	1.4
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0020
Manning's n.....	=	0.0300
CFS.....	=	6.00
Cross section area (sqft)...	=	3.7
Hydraulic radius.....	=	0.6
fps.....	=	1.61
Froude number.....	=	0.242

$$D_f = 1.4 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 1.4} = 1.4 \text{ Ft}$$

$$D_t = 2.8 \text{ Ft}$$

SAY 3.0 Ft.

Title of run: CHANNEL C-2


Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	1.1
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0050
Manning's n.....	=	0.0300
CFS.....	=	5.00
Cross section area (sqft)...	=	2.3
Hydraulic radius.....	=	0.5
fps.....	=	2.15
Froude number.....	=	0.366

$$D_f = 1.1 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 1.1} = 1.3 \text{ Ft}$$

$$D_t = 2.4 \text{ Ft}$$

SAY 2.5 Ft



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

50

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, NIS. SITE
PROJECT NO. 87-38-68 SHEET 30 OF 33
DESCRIPTION SURFACE WATER MANAG'T. PLAN
- IMPOUNDMENT CLOSURE

Title of runs: CHANNEL C-6

Solving for..... = DEPTH (NORMAL)
Channel shape..... = Triangle
Flow depth (ft)..... = 2.1
First Side slope..... = 2.0000
Second Side slope..... = 2.0000
Slope of diversion..... = 0.0050
Manning's n..... = 0.0300
CFS..... = 29.00
Cross section area (sqft)... = 8.7
Hydraulic radius..... = 0.9
fps..... = 3.34
Froude number..... = 0.407

$$D_f = 2.1 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 2.1} = 1.8 \text{ Ft}$$

$$D_t = 3.9 \text{ Ft}$$

$$\underline{\underline{\text{SAY } 4.0 \text{ Ft}}}$$

Title of runs: DIVERSION D-1

Solving for..... = DEPTH (NORMAL)
Channel shape..... = Triangle
Flow depth (ft)..... = 0.7
First Side slope..... = 2.0000
Second Side slope..... = 2.0000
Slope of diversion..... = 0.0100
Manning's n..... = 0.0300
CFS..... = 2.00
Cross section area (sqft)... = 0.9
Hydraulic radius..... = 0.3
fps..... = 2.22
Froude number..... = 0.477

$$D_f = 0.7 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 0.7} = 1.0 \text{ Ft}$$

$$D_t = 1.7 \text{ Ft}$$

$$\underline{\underline{\text{SAY } 2.0 \text{ Ft}}}$$

Title of runs: DIVERSION D-2


Solving for..... = DEPTH (NORMAL)
Channel shape..... = Triangle
Flow depth (ft)..... = 0.5
First Side slope..... = 2.0000
Second Side slope..... = 2.0000
Slope of diversion..... = 0.0100
Manning's n..... = 0.0300
CFS..... = 1.00
Cross section area (sqft)... = 0.5
Hydraulic radius..... = 0.2
fps..... = 1.87
Froude number..... = 0.457

$$D_f = 0.5 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 0.5} = 0.8 \text{ Ft}$$

$$D_t = 1.3 \text{ Ft}$$

$$\underline{\underline{\text{SAY } 1.5 \text{ Ft}}}$$



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

(51)

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 31 OF 33
DESCRIPTION SURFACEWATER MANAG'T. PLAN
- IMPOUNDMENT CLOSURE

Title of run: CHANNEL C-3D

Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	2.1
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0040
Manning's n.....	=	0.0300
CFS.....	=	26.00
Cross section area (sqft)...	=	8.7
Hydraulic radius.....	=	0.9
fps.....	=	2.99
Froude number.....	=	0.364

$$D_f = 2.1 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 2.1} = 1.8 \text{ Ft}$$

$$D_t = 3.9 \text{ Ft}$$

SAY 4.0 Ft

Title of run: CHANNEL C-4

Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	1.5
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0050
Manning's n.....	=	0.0300
CFS.....	=	12.00
Cross section area (sqft)...	=	4.5
Hydraulic radius.....	=	0.7
fps.....	=	2.68
Froude number.....	=	0.386

$$D_f = 1.5 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 1.5} = 1.5 \text{ Ft}$$

$$D_t = 3.0 \text{ Ft}$$

SAY 3.0 Ft

Title of run: CHANNEL C-5


Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	0.9
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0100
Manning's n.....	=	0.0300
CFS.....	=	4.00
Cross section area (sqft)...	=	1.5
Hydraulic radius.....	=	0.4
fps.....	=	2.65
Froude number.....	=	0.501

$$D_f = 0.9 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 0.9} = 1.2 \text{ Ft}$$

$$D_t = 2.1 \text{ Ft}$$

SAY 2.0 Ft



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

(52)

BY: JMG DATE: 5/25/87 CHKD BY: T.E DATE: 5/27/87
PROJECT NAME: KOPPERS - SUPERIOR, WLS. SITE
PROJECT NO. 87-38-68 SHEET 32 OF 33
DESCRIPTION SURFACEWATER MANAG'T. PLAN
-IMPOUNDMENT CLOSURE

Title of run: CHANNEL C-3A

Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	1.2
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0033
Manning's n.....	=	0.0300
CFS.....	=	5.00
Cross section area (sqft).....	=	2.7
Hydraulic radius.....	=	0.5
fps.....	=	1.85
Froude number.....	=	0.302

$$D_f = 1.2 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 1.2} = 1.3 \text{ Ft}$$

$$D_t = \underline{\underline{2.5 \text{ Ft}}}$$

Title of run: CHANNEL C-3B

Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	1.4
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0033
Manning's n.....	=	0.0300
CFS.....	=	8.00
Cross section area (sqft).....	=	3.9
Hydraulic radius.....	=	0.6
fps.....	=	2.07
Froude number.....	=	0.310

$$D_f = 1.4 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 1.4} = 1.4 \text{ Ft}$$

$$D_t = 2.8 \text{ Ft}$$

$$\underline{\underline{\text{SAY } 3.0 \text{ Ft}}}$$

Title of run: CHANNEL C-3C


Solving for.....	=	DEPTH (NORMAL)
Channel shape.....	=	Triangle
Flow depth (ft).....	=	2.1
First Side slope.....	=	2.0000
Second Side slope.....	=	2.0000
Slope of diversion.....	=	0.0033
Manning's n.....	=	0.0300
CFS.....	=	23.00
Cross section area (sqft).....	=	8.5
Hydraulic radius.....	=	0.9
fps.....	=	2.70
Froude number.....	=	0.331

$$D_f = 2.1 \text{ Ft}$$

$$D_{fb} = \sqrt{1.5 \times 2.1} = 1.8 \text{ Ft}$$

$$D_t = 3.9 \text{ Ft}$$

$$\underline{\underline{\text{SAY } 4.0 \text{ Ft}}}$$



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: T.E. DATE: 5/27/87 CHKD BY: JMG DATE: 5/27/87
PROJECT NAME: Koppers Superior site
PROJECT NO. 87-32-62 SHEET 33 OF 33
DESCRIPTION SURFACEWATER MANAG'T. PLAN
-IMPOUNDMENT CLOSURE

Culvert A 12" CMP $Q = 5.0$ cfs.

Assume inlet controls and pipe projects from fill

$$\frac{HW}{D} = 2.8 \rightarrow HW = 2.8'$$

using inlet control
nomograph p189
Handbook of Steel
Drainage + Highway
Construction Products

Approximate elevation of head water is $671' + 2.8' = 673.8'$

Approximate road elevation is $674'$ so culvert is acceptable as is.

Culvert B. 12" CMP $Q = 4.3$ cfs

Same assumptions as in Culvert A

$$\frac{HW}{D} = 2.0 \rightarrow HW = 2.0'$$

Approximate elevation of head water is $672' + 2' = 674'$

Approximate road elevation is $674'$ so culvert is acceptable as is.

Culvert C 12" steel pipe $Q = 5.1$ cfs.

Same assumptions as above

$$\frac{HW}{D} = 2.83 \rightarrow HW = 2.83'$$

Approximate elevation of head water is $671' + 2.83' = 673.83'$

Approximate road elevation is $674'$ so culvert is acceptable as is


Culvert D

36" C.M.P. $Q = 29$ cfs.

Same assumptions as above

$$\frac{HW}{D} = .95 \rightarrow HW = (3)(.95) = 2.85'$$

culvert is acceptable as is SINCE BANKS OF
CHANNEL C-6 ARE DEEPER THAN 3'.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87 (5A)
PROJECT NAME: KOPPEZS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 1 OF 8
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE


SETTLEMENT

ESTIMATE THE SETTLEMENTS RESULTING FROM BACKFILLING THE EXCAVATED SURFACE IMPOUNDMENTS. THE PURPOSE OF THIS IS TO ACCOMMODATE ANY SETTLEMENT/SUBSIDING INTO THE DESIGNED FINAL COVER TO MAINTAIN ITS INTEGRITY. THIS WILL ESSENTIALLY REALIZE 1) A DECREASED POTENTIAL FOR LEAKAGE (THROUGH THE COVER) DUE TO POSSIBLE CRACKING AND 2) INCREASED RUNOFF POTENTIAL BY MAINTAINING AN ADEQUATE UNIFORM SLOPE.

ANALYSIS ASSUMPTIONS: THE FOLLOWING ASSUMPTIONS ARE MADE REGARDING SETTLEMENT:

1. BASED ON PREVIOUS SUBSURFACE EXPLORATION AT THE SITE ⁽¹⁾ THE ATTACHED SITE PLAN AND TYPICAL SECTION ARE ASSUMED REPRESENTATIVE OF SITE CONDITIONS.
- 2.) SITE CONDITIONS ARE ASSUMED TO CONSIST OF THE FOLLOWING GENERAL SOILS, AND (BASED ON THE LIMITED TEST DATA AND OUR EXPERIENCE WITH SIMILAR SOILS, THE

(1) SURFACE IMPOUNDMENT EXPLORATIONS, LINER INTEGRITY AND DIKE STABILITY PERA PART B PERMIT APPLICATION, EXISTING LAGOONS, SUPERIOR, WISCONSIN, BY GAI CONSULTANTS, 2/6/85



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS


BY: MG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87 (36)
PROJECT NAME: KOPPERS - SUPERIOR, NIS SITE
PROJECT NO. 87-38-68 SHEET 3 OF 8
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

SUPERIOR SITE SOILS) ARE JUDGED TO POTENTIALLY CONTRIBUTE THE FOLLOWING TYPES OF DEFORMATION/COMPRESSION (REFER TO TYPICAL SECTION):

ELEV. 645± TO ELEV. 665± : STIFF TO VERY STIFF CLAY
ELEV. 615± TO ELEV. 645± : INTERLAYERED SAND, GRAVEL, AND CLAY (MED DENSE TO VERY STIFF)

BOTH MAJOR SITE STRATA COULD POTENTIALLY CONTRIBUTE PRIMARY AND SECONDARY CONSOLIDATION AS WELL AS ELASTIC SETTLEMENT COMPONENTS. THESE ARE ASSESSED BELOW.


- 3) ASSUMING A NATURAL GROUND SURFACE OF APPROXIMATELY ELEV. 670±; OVEREXCAVATION OF SOIL AND COMPACTED BACKFILL OPERATIONS WILL NOT APPRECIABLY ADD ADDITIONAL LOAD TO THE UNDERLYING CLAYS THAT HAVE NOT ALREADY BEEN IMPOSED BY THE ORIGINAL OVERBURDEN. FURTHER, SITE SOILS ARE VERY LIKELY TO BE HIGHLY OVERCONSOLIDATED DUE TO GLACIAL MOVEMENTS IN THE REGION. THIS IS EXEMPLIFIED BY THE RELATIVELY STIFF/DENSE CONSISTENCIES SHOWN IN THE BORINGS OF PREVIOUSLY REFERENCED REPORT. ASSUME SITE CLAYS ARE OVERCONSOLIDATED. FURTHER ASSUME THAT THE SOILS MOST LIKELY TO CONSOLIDATE WOULD BE THOSE IMMEDIATELY UNDERLYING THE IMPOUNDMENTS (i.e. EL 645 - EL 665).



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87 ⁽⁵⁷⁾
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 4 OF 8
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

- 4) ASSUME THAT SUITABLE COHESIVE FILLS WITHIN THE OVEREXCAVATED / EXCAVATED IMPOUNDMENTS WILL BE PLACED AND COMPACTED (CONTROLLED FILL) ACCORDING TO GOOD ENGINEERING PRACTICES. TO MINIMIZE SETTLEMENTS, INCREASE DENSITY, PROVIDE EROSION RESISTANCE, AND INCREASE SHEAR STRENGTH. THE FILL / COVER SYSTEM IS NOT ANTICIPATED TO CONTRIBUTE ANY SIGNIFKANT COMPRESSIBILITY SINCE IT IS A CONTROLLED FILL MATERIAL. HOWEVER, AS WITH ALL FILLS, VARIABILITY MAY BE ACCOUNTED FOR BY CONSERVATIVELY ASSUMING THAT THE COMPACTED FILL COULD POTENTIALLY SETTLE 1% (TOTAL OF THE FILL THICKNESS. THIS WILL BE SUPERIMPOSED ON CONSOLIDATION AND ELASTIC SETTLEMENTS.
- 5.) ASSUME THE EXISTING DIKES WILL EITHER REMAIN IN-PLACE OR BE REPLACED WITH CONTROLLED FILL. IN ANY CASE, THE INCREASED LOAD WILL BE INSIGNIFICANT COMPARED TO THE IMPOUNDMENT FILL AND THESE WILL NOT CONTRIBUTE TO ANY SETTLEMENTS.
- 6) ASSUME TIME RATE OF SETTLEMENT TO BE INSIGNIFICANT FOR THIS APPLICATION
- 7) MAXIMUM SETTLEMENTS ARE ESTIMATED FOR THE THICKEST FILL (HIGHEST LOAD) AREAS. SETTLEMENTS (POTENTIAL) AT THE OUTER LIMITS OF THE FILL WILL BE ZERO; VARYING LINEARLY BETWEEN THESE POINTS.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMB DATE: 5/25/87 CHKD BY: T.E. DATE: 5/27/87 (38)
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 97-38-68 SHEET 5 OF 8
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

SOIL PROPERTIES (REFER TO GAI TESTING)

STIFF TO V. STIFF CLAY

$$\gamma_T \approx 115 \text{ PCF}$$

$$\bar{N} \text{ (AVG. BLOW COUNT)} \approx 6 \text{ BPF (BLOWS PER FOOT)}$$

$$*E_s \text{ (STATIC MODULUS OF ELASTICITY)} \approx 450 \text{ KSF}$$

$$*) \text{ (POISSONS RATIO)} = 0.3$$

*SEE REFERENCE NO. 2, PG 35

CONSOLIDATION PARAMETERS:


FROM GAI TESTING (ATTERBERG LIMITS) $LL = 81\%$
FROM REFERENCE NO. 2, PG 51 GLACIAL CLAYS
MAY OFTEN BE APPROXIMATED AT

$$C_c \approx 0.009 (LL - 10)$$

$C_c \approx 0.009 (81 - 10) = 0.64$ (CONSERVATIVELY HIGH,
HOWEVER, ASSUMING OVERCONSOLIDATION,

$C_{cr} \approx 0.1 C_c = 0.1 (0.64) = 0.064$ (CONSERVATIVELY
HIGH)
FROM REFERENCE NO. 3; PG 7.1-22

$$e \approx e_0 \approx 0.6 \text{ (CONSERVATIVE)}$$




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: T.E DATE: 5/27/87 59
 PROJECT NAME: KOPPERS - SUPERIOR, MS. SITE
 PROJECT NO. 87-38-68 SHEET 6 OF 8
 DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

SETTLEMENT CALCULATIONS

- EXISTING VERTICAL STRESSES:

ASSUMING AN EXISTING GROUND SURFACE OF
 EL 667 (APPROX. BASE OF IMPOUNDMENT)
 679.5'



ASSUME NO OVERBURDEN LOAD DUE TO IMPOUNDMENT MATERIAL OR LIQUID.

- CHANGE IN STRESS: ($\Delta \sigma_v'$)

MAXIMUM HEIGHT OF FILL = $(679.5 - 667) = 12.5$ FT
 (ASSUME NO DISSIPATION OF VERTICAL STRESS WITH DEP)

$$\Delta \sigma_v' = 120 \text{ PCF} \times 12.5 \text{ FT} = \underline{1500 \text{ PSF}}$$


$$\text{TOTAL SETTLEMENT (S}_T\text{)} = \underset{\substack{\uparrow \\ \text{ELASTIC}}}{S_i} + \underset{\substack{\uparrow \\ \text{PRIMARY} \\ \text{CONSOLIDATION}}}{S_c} + \underset{\substack{\uparrow \\ \text{SECONDARY} \\ \text{COMPRESSION} \\ \text{(CREEP)}}}{S_s}$$

$$S_i = q B \frac{1-\nu^2}{E_s} I_w$$

(REFERENCE NO. 2; pg 157)

ASSUME $B = 200 \text{ FT}^*$; $q = 0.75 \text{ TSF}$; $I_w = 1.2$

* B IS THE LEAST DIMENSION OF THE 350' x 200' LOADED AREA.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: T.F. DATE: 5/27/87 (6)
PROJECT NAME: KOPPERS - SUPERIOR WLS. SITE
PROJECT NO. 87-38-68 SHEET 7 OF 8
DESCRIPTION: DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

$$S_c = (1.5 \text{ KSF})(1.2) \frac{(1 - 0.3^2)}{450 \text{ KSF}} (200 \text{ Ft})$$
$$= \underline{0.73 \text{ Ft (9 INCHES)}}$$

ASSUMING OVERCONSOLIDATION:

$$S_c = C_{CR} \frac{H_o}{1 + e_o} \log \frac{\sigma'_{v0} + \Delta \sigma'_v}{\sigma'_{v0}}$$
$$= (0.064) \frac{(20 \text{ Ft})}{1.6} \log \left(\frac{1150 + 1500}{1150} \right)$$
$$= (0.064) (12.5) (0.36)$$
$$= \underline{0.29 \text{ Ft (3.5 INCHES)}}$$

SECONDARY COMPRESSION IS ASSUMED TO BE NEGLIGIBLE COMPARED WITH THE MAGNITUDE OF SETTLEMENTS ESTIMATED AS A RESULT OF ELASTIC AND PRIMARY COMPRESSION.

ESTIMATE OF CONTROLLED FILL SETTLEMENT:

TOTAL FILL THICKNESS \approx 12.5 Ft


ASSUME 1% COMPRESSION (TYPICAL)

$$12.5 \text{ Ft} \times 0.01 = \underline{1.5 \text{ INCHES}} \text{ (MAXIMUM)}$$

$$S_t = S_i + S_c + S_s + 1.5 \text{ INCHES}$$

$$= 9 + 3.5 + 0 + 1.5 = \underline{14 \text{ INCHES (1.2 Ft.)}}$$

NOTE THAT THIS IS A CONSERVATIVE VALUE OF THE MAXIMUM POTENTIAL SETTLEMENT AS A RESULT OF THE (ASSUMED) CONSERVATIVE SOIL PARAMETERS. BASED ON AVAILABLE LAB DATA, THE HIGH PLASTICITY OF THE SITE CLAYS*




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: JF. DATE: 5/27/87 ⁽⁶⁾
PROJECT NAME: KOPPERS - SUPERIOR, NLS. SITE
PROJECT NO. 87-38-68 SHEET 8 OF 8
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

ARE LIKELY TO PRECLUDE THE DEVELOPMENT OF POTENTIAL SETTLEMENT CRACKING, SHOULD THE CLOSED SITE REQUIRE A CLAY CAP CLOSURE. A 14-INCH SETTLEMENT (MAXIMUM) WOULD ONLY REDUCE THE COVER SLOPE FROM 5% (DESIGN) TO ABOUT 4% ASSUMING ONLY SETTLEMENT AT THE CENTER. IN ACTUALITY, SETTLEMENT COULD BE EXPECTED TO OCCUR OVER THE FULL SLOPE AS A FUNCTION OF FILL THICKNESS. IT IS THEREFORE REASONABLE THAT THE SETTLED SLOPES WOULD BE ON THE ORDER OF 5%.

ALTHOUGH THERE IS A GENERAL LACK OF AVAILABLE SITE SOIL LABORATORY DATA, IT IS OUR JUDGEMENT THAT THE OVERCONSOLIDATED SITE CLAYS MAY EXPERIENCE LESS THAN HALF OF THE MAXIMUM POTENTIAL SETTLEMENT CALCULATED ABOVE. CONSEQUENTLY, FINAL SLOPES WILL HAVE GRADES OF AT LEAST 3% AND THE INTEGRITY OF A CONTINGENT CLOSURE (INCLUDING A CLAY COVER) WILL BE MAINTAINED. THIS IS FURTHER SUPPORTED BY THE FACT THAT THE MAJORITY OF THE SETTLEMENT IS (THEORY-BASED) ELASTIC COMPRESSION, A PORTION OF WHICH WILL OCCUR IMMEDIATELY UPON LOADING; PRIOR TO CLAY PLACEMENT IN THE CASE OF THE CONTINGENCY PLAN.

* $PL = 41$, $PI \approx 40\%$ AS PER GAI LAB DATA.




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: TE DATE: 5-23-87 (62)
PROJECT NAME: KOPPER'S - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 1 OF 1
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

SLOPE STABILITY CONSIDERATIONS

SINCE THE CLOSED IMPOUNDMENTS WILL BE CONSTRUCTED WITH 5% SLOPES, (2.9°) IT IS HIGHLY UNLIKELY THAT UNSTABLE SLOPE CONDITIONS WILL DEVELOP WITHIN THE COMPACTED FILL. BY INSPECTION, THE SLOPES ARE VERY STABLE AND WILL AID IN MAINTAINING THE CLOSURE COVER INTEGRITY.

ADDITIONALLY, AS A RESULT OF THE EXCAVATED IMPOUNDMENTS (BOTTOM EL. 667±) A TYPICAL BEARING CAPACITY FAILURE IS VERY UNLIKELY DUE TO THE EMBEDMENT OF THE FILL IN THE STIFF SITE SOILS. THE SLOPES ARE ADEQUATELY STABLE AS DESIGNED.




ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: --- DATE: --- (63)
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 1 OF 1
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

FREEZE/THAW CONSIDERATIONS

BASED ON INFORMATION OBTAINED FROM THE CITY OF SUPERIOR, WISCONSIN, ENGINEERING DEPARTMENT AND BUILDING INSPECTION DEPARTMENT, THE ENGINEERING DESIGN FROST DEPTH FOR FOUNDATIONS IN THE CITY OF SUPERIOR IS 5 FEET. THEREFORE, THE FINAL COVER FOR THE IMPOUNDMENT CLOSURE IS DESIGNED TO BE A MINIMUM OF 5 FEET THICK TO "INSULATE" THE 24-INCH THICK CLAY CAP IN THE CASE OF A CONTINGENT CLOSURE. IN THIS CASE, THE DRAINAGE PIPING (INVERT) IS SIMILARLY COVERED BY 5 FEET AND IS THUS PROTECTED FROM SIGNIFICANT FREEZING.

THE OUTSLOPE DISCHARGE POINT OF THE PIPING IS, OBVIOUSLY, LESS THAN 5' BELOW GROUND HOWEVER, SHOULD THE SYSTEM FLOW DURING THE ANTICIPATED "WET SEASON", THE POSSIBILITY OF PIPE CLOGGING (BY ICE) IS SIGNIFICANTLY REDUCED DUE TO ABOVE-FREEZING TEMPERATURES DURING THE SPRING/SUMMER/FALL.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMG DATE: 5/25/87 CHKD BY: --- DATE: 5/28/87
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 1 OF 5
DESCRIPTION: DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

(64)

EROSION POTENTIAL EVALUATION

ESTIMATE GROSS SOIL EROSION BY THE
UNIVERSAL SOIL LOSS EQUATION (USLE)





Figure 5.3. Average annual values of the rainfall-erosivity factor, R. (Stewart et al., 1975)


REF. NO. 5

SITE WATERSHED $\hat{=}$ 1.8 ACRES.



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: JMS DATE: 5/25/87 CHKD BY: --- DATE: --- (65)
PROJECT NAME: KOPPERJ - SUPERIOR, WIS. SITE
PROJECT NO. 87-38-68 SHEET 2 OF 5
DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE




ASSUME ABOUT 20% SILT/FINE SAND IN TOPSOIL AND NEAR-SURFACE SUBSOILS, AND ABOUT 30% SAND, AND 4% ORGANICS.

FINE GRANULAR/ VERY SLOW PERMEABILITY.

ERODIBILITY
FACTOR → $K \approx 0.16$

SLOPE FACTOR (LS)

AVERAGE SLOPE LENGTH (1 SEGMENT) = 150 FT
AT AN AVG. SLOPE OF 5%



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

(60)

BY: MG DATE: 5/25/87 CHKD BY: — DATE: 5-22-87
 PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
 PROJECT NO. 87-38-68 SHEET 3 OF 5
 DESCRIPTION DESIGN CALCULATIONS -
IMPONDMENT CLOSURE

CROP MANAGEMENT AND RUNOFF CONTROL FACTORS


ASSUMING CLOSURE BEGINS IN JANUARY:

- A.) JAN 1 TO FEB 1
EXCAVATION / TESTING / BACKFILLING
- B.) FEB 1 TO MARCH 1
COMPACTED SLOPES W/ MULCH
- C.) MARCH 1 TO MAY 1
SEED (PERMANENT) 1ST 60-DAY
- D.) MAY 1 TO DEC 31
PERMANENT VEGETATION (2-12 MONTHS)

Table 5.4 Typical C_e Factor Values Reported in the Literature.*

Condition	C_e factor
1. Bare soil conditions	
freshly disked to 6-8 inches	1.00
after one rain	0.89
loose to 12 inches smooth	0.90
loose to 12 inches rough	0.80
compacted bulldozer scraped up and down	1.30
same except root raked	1.20
compacted bulldozer scraped across slope	1.20
same except root raked across	0.90
rough irregular tracked all directions	0.90
seed and fertilizer, fresh, unprepared seedbed	0.64
same after six months	0.54
seed, fertilizer and 12 months chemical	0.38
not tilled algae crusted	0.01
tilled algae crusted	0.02
compacted fill	1.24-1.71
undisturbed except scraped	0.66-1.30
scarified only	0.76-1.31
sawdust 2 inches deep; disked in	0.61
2. Asphalt emulsion	
1250 gallons/acre	0.02
1210 gallons/acre	0.01-0.019
605 gallons/acre	0.14-0.57
302 gallons/acre	0.28-0.60
151 gallons/acre	0.65-0.70
3. Dust binder	
605 gallons/acre	1.05
1210 gallons/acre	0.29-0.78
4. Other chemicals	
1000 lb fiber glass roving with 60-150 gallons/acre	0.01-0.05
Aquatrin	0.68
Aerospray 70, 10 percent cover	0.94
Cornsol AE	0.30-0.48
Petroset SB	0.40-0.66
FVA	0.66
Terra-Tack	0.71-0.90
wood fiber slurry, 1000 lb/acre fresh	0.66
wood fiber slurry, 1400 lb/acre fresh	0.05
wood fiber slurry, 3500 lb/acre fresh	0.01-0.02
	0.10
5. Seedings¹	
temporary, 0 to 60 days ²	0.40
temporary, after 60 days	0.05
permanent, 0 to 60 days ²	0.40
permanent, 2 to 12 months	0.05
permanent, after 12 months	0.01
6. Brush	
	0.35
7. Erosion blanket with plastic net	
	0.04-0.10
1. If plantings are used with mulches, use the minimum C_e values. 2. If dry weather occurs at planting and emergence is a problem, extend the 0-60 days to a period when rainfall normally occurs.	
* National Cooperative Highway Research Program, 1976.	

REF. NO. 5



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

67

BY: JMG DATE: 5/25/87 CHKD BY: T.E. DATE: 5-28-87
 PROJECT NAME: KOPPERS- SUPERIOR, WIS. SITE
 PROJECT NO. 87-38-68 SHEET 4 OF 5
 DESCRIPTION DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

SEE TABLE BELOW

TIME PERIOD	ACTIVITY	(1) % AVG. ANNUAL R	CR	Cs	WEIGHTED Cp = CR x Cs x (1)
A	EXC/BACKFILL	0	1.0	1.48	0
B	COMPACT/MULCH	0	1.0	0.35	0
C	SEED (1 ST 2 mos.)	3	1.0	0.40	1.2
D	SEED (PERM)	97	1.0	0.05	4.85


$$\bar{C}_P = \frac{6.05}{100} = 0.061$$

TOTAL
 $\bar{C}_S = 0.023$ $\bar{C}_R = 1.0$

Table S.1 Percentage of the Average Annual Erosion Index Value Which Will Occur on a Given Date after January 1. Computed for the Geographic Area Given in Figure S.3. (Adapted from Wichner and Smith, 1963)

Date	Geographic Area																																	
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	
Jan. 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	3	2	2	1	1	0	1	0	0	0	0	0	0	0	0
20	0	0	0	0	1	0	0	2	2	1	2	0	0	0	0	0	1	2	2	2	5	4	3	4	2	3	1	3	0	1	0	1	0	1
Feb. 1	0	0	0	0	2	0	1	3	4	2	3	0	1	0	0	1	2	3	3	3	7	7	5	7	3	4	2	4	1	2	1	2	3	
10	0	0	0	1	3	0	2	4	5	3	4	0	1	1	1	2	2	4	5	4	9	9	7	8	4	5	3	5	2	3	1	2	3	
20	0	0	0	1	4	0	3	5	7	4	6	0	1	1	1	3	3	5	7	5	12	11	9	11	6	7	4	6	3	3	1	3	4	
March 1	0	1	0	2	4	0	3	7	9	6	7	0	1	2	2	4	3	6	9	7	14	13	11	13	7	9	5	7	4	3	2	3	6	
10	0	1	1	3	5	0	4	9	12	8	8	1	2	3	3	5	4	8	12	9	15	16	13	15	9	12	7	9	5	4	3	4	8	
20	0	2	1	4	7	0	5	11	14	10	9	1	3	4	4	6	5	9	14	12	17	19	16	18	11	14	8	10	6	5	3	5	9	
April 1	0	3	2	5	10	1	6	14	17	12	10	2	3	5	5	8	6	11	17	14	19	22	18	20	13	16	10	12	7	6	4	6	11	
10	1	4	3	7	13	2	8	18	21	15	13	3	4	6	7	10	7	13	19	15	21	25	21	23	15	19	12	9	7	5	7	13		
20	2	5	4	9	17	4	10	22	25	18	15	4	5	8	9	12	8	16	22	17	24	29	24	26	17	22	15	16	10	8	6	8	14	
May 1	3	7	6	12	21	8	14	28	29	22	18	5	7	10	11	14	11	20	26	19	26	33	27	29	19	25	18	17	11	10	7	10	15	
10	5	9	9	16	26	13	22	34	33	27	23	8	10	12	14	17	13	25	30	21	28	37	30	32	22	28	21	20	13	13	10	12	17	
20	7	13	15	21	32	20	32	41	38	33	29	11	14	16	18	21	16	30	33	24	31	41	33	34	25	32	24	22	14	16	14	14	18	
June 1	11	19	23	27	37	27	40	48	42	39	34	16	19	20	23	24	20	35	37	27	34	44	35	37	28	36	26	25	17	19	17	21	21	
10	18	25	33	34	43	34	47	53	46	44	38	23	28	25	28	30	25	40	41	31	37	48	38	45	32	40	29	28	20	23	21	20	21	
20	27	33	43	41	49	40	53	57	50	49	42	30	40	31	34	39	32	45	45	36	41	52	41	45	36	44	33	32	24	29	27	25	28	
July 1	36	42	51	47	54	43	57	60	54	53	46	38	47	38	40	44	39	50	50	41	47	55	45	51	40	48	37	36	30	35	33	32	32	
10	45	51	58	52	58	50	60	63	57	55	49	46	54	47	47	53	47	54	54	47	54	59	49	56	44	54	42	41	38	40	39	39	37	
20	54	58	64	57	61	55	63	65	59	58	53	54	59	55	53	59	55	58	59	55	61	63	54	62	48	61	49	48	46	47	47	45	41	
Aug. 1	62	67	70	62	64	60	67	67	62	61	57	62	65	62	60	64	63	63	64	62	68	67	60	68	53	68	57	56	54	55	55	51	46	
10	72	74	75	66	67	65	70	70	65	64	60	70	71	68	67	68	70	67	68	73	70	65	73	58	73	66	63	61	63	63	57	52	48	
20	81	80	80	70	70	70	72	73	67	67	64	78	76	74	73	74	76	71	73	74	77	72	70	77	63	78	74	70	66	69	70	63	58	
Sept. 1	90	85	84	75	74	74	76	77	70	70	68	84	81	79	79	78	81	74	77	79	80	75	74	80	69	81	80	76	75	75	76	68	64	
10	93	89	88	80	78	79	78	80	72	74	71	88	86	83	83	83	85	77	79	83	82	77	78	82	75	84	85	81	81	80	81	73	69	
20	96	93	91	85	83	84	81	83	75	78	75	91	90	87	87	85	88	81	82	86	84	79	81	84	82	86	89	84	85	83	85	77	73	
Oct. 1	98	95	93	89	87	89	85	85	78	82	79	94	93	90	91	88	91	84	84	88	86	81	83	87	88	88	92	87	89	86	88	81	77	
10	99	97	95	93	90	94	90	88	80	86	83	96	95	93	93	91	93	87	86	90	88	82	85	88	91	89	93	89	92	88	91	84	80	
20	100	98	96	95	93	97	95	90	83	88	86	97	97	95	94	93	94	90	88	91	89	84	87	90	93	90	94	91	94	90	93	87	82	
Nov. 1	100	99	97	97	95	98	98	92	85	91	89	98	98	96	95	95	95	92	90	92	90	86	88	92	94	91	95	93	95	93	94	89	85	
10	100	100	98	98	96	99	99	94	88	93	92	98	98	97	96	96	96	94	92	94	92	88	90	93	95	92	95	96	95	96	91	88	88	
20	100	100	99	99	97	100	99	96	90	95	94	99	99	98	97	97	97	96	94	95	93	91	91	95	95	94	96	96	97	96	94	91	91	
Dec. 1	100	100	100	100	98	100	99	98	93	97	96	99	99	99	98	98	98	97	95	96	94	94	93	97	96	95	97	97	98	97	98	96	91	
10	100	100	100	100	99	100	100	99	95	98	98	100	100	99	99	99	98	98	97	97	96	96	95	98	97	97	98	98	98	98	98	97	96	
20	100	100	100	100	100	100	100	100	98	99	99	100	100	100	100	100	99	99	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98	98

REF. NO. 5



ALMES & ASSOCIATES INC.
CONSULTING ENGINEERS

BY: M16 DATE: 5/25/87 CHKD BY: —E— DATE: 5-22-87 (68)
PROJECT NAME: KOPPERS - SUPERIOR, WIS. SITE
PROJECT NO. BT-38-68 SHEET 5 OF 5
DESCRIPTION: DESIGN CALCULATIONS -
IMPOUNDMENT CLOSURE

Results

Rainfall erosivity factor = 110
Soil erodability factor = .16
Number of watershed segments = 1
Segment 1 slope-length factor = .6562086
Watershed slope-length factor = .6562086
Crop management factor = .061
Erosion control practice factor = 1
Watershed area = 1.8 acres

Soil loss = .7045055 tons/acre-year (INITIAL CONSTRUCTION TO 12 MONTHS)
Soil loss = 1.26811 tons/year

ALTHOUGH MAXIMUM SLOPES ARE $\leq 5\%$, THE ANTICIPATED SOIL LOSS IS < 2 TONS/ACRE-YEAR AND IS THEREFORE JUDGED TO BE TOLERABLE. NOTE THAT UNDER LONG-TERM CONDITIONS, (> 12 MONTHS AFTER PERMANENT SEEDING) THE SOIL LOSS IS REDUCED SIGNIFICANTLY FROM THE VALUE CALCULATED.

05/29/87
Revision No. 2
Closure Plan

APPENDIX C

Sprayfield Closure Plan

Revised 08/27/87

I. FACILITY/CONTACT INFORMATION

Owner/Operator's name: Koppers Company, Inc.
Facility EPA ID No.: WID006179493
Address: Koppers Co., Inc.
P.O. Box 397
Superior, Wisconsin 54880
Telephone Number: Plant - (715) 392-2221
Koppers (Pgh.) - (412) 227-2000
Keystone - (412) 733-9500

CONTACTS

Koppers Company, Inc., Superior, Wisconsin Plant

Mr. David Shaw - Plant Manager

Mr. Warren Dolsen - Assistant Plant Manager

Keystone Environmental Resources, Inc.

R. J. Anderson - Environmental Program Manager

R. M. Morosky - Project Manager

II. Introduction

It is Koppers contention that the sprayfield at its Superior, Wisconsin facility is not a RCRA hazardous waste unit. Although Koppers hereby reserves all of its rights to challenge the classification of the sprayfield as a hazardous waste unit, this plan is submitted pursuant to Chapter 181 of the Wisconsin Administration Code and comments received from the Wisconsin Department of Natural Resources (WDNR).

Subject to its legal rights as recorded above, Koppers intends to follow the guidelines as established in the aforementioned regulations when closing the sprayfield. These guidelines and the task associated with the closure of the sprayfield are described in the following sections of this document.

III. General Description

The spray irrigation field was constructed in the mid 1970's. Water from the second surface impoundment of the two stage series is discharged to the sprayfield. A map (attachment 1.0) locates the spray irrigation field relative to the surface impoundments and the plant facilities.

IV. Partial and Final Closure Activities

Koppers will begin closure of the sprayfield after November 8, 1988. Closure activities will proceed in conjunction with closure of the surface impoundments.

The sprayfield closure process includes the biodegradation of any wastewater constituents and the monitoring of soils and soil pore liquids to determine when closure activities are complete. In the event that this process is not feasible, additional closure activities will be implemented. The following sections detail the tasks for closure.

V. Closure Performance Standard

The closure plan for the spray irrigation field was designed such that the facility should not require further maintenance or control. However, a contingent plan is also presented in this document in the event clean closure using the described methodology is not feasible.

The plan ensures the treatment of wastewater constituents to sufficient levels so as to eliminate threats to human health and the environment. This includes the migration or potential escape of contaminants to the groundwater, surface waters or to the atmosphere. Contaminated materials generated during closure and equipment decontamination will be disposed of in an approved hazardous waste facility.

VI. Contents of Closure Plan

The designated project supervisor for the surface impoundment closure will also oversee the closure of the spray irrigation field. Personnel requirements will include a drilling contractor and sampling laboratory personnel. Plant personnel will perform all other site work necessary to effect a clean closure as described below.

1.0 Reconnaissance Survey

Closure of the sprayfield will be initiated once flow from the surface impoundments is terminated as described in the Closure Plan for the Surface Impoundments. At that time, the soils within the sprayfield will be evaluated to determine the existence and extent of any wastewater constituents. Initially, samples will be taken from ten locations within the sprayfield and analyzed for naphthalene, phenols and oil and grease. This will provide a basis for closure operations. The sample points are located on a grid system as seen in attachment 2.0 but may be slightly modified to include areas affected by the spray.

The evaluation will begin with a comprehensive field reconnaissance survey to quantify the constituent levels in the sprayfield soils and to locate a suitable area outside of the sprayfield for background sampling. Background samples for impoundment closure may be used if acceptable to the WDNR. After the sprayfield has been inspected visually, the grid system may be modified to locate soil core sample points in more appropriate areas.

1.1 Soil Sampling (To confirm clean closure)

One or more background soil samples will be taken from an area unaffected by plant operation but representative of sprayfield soils. This sample will be statistically compared to a minimum of 10 soil core samples taken within the sprayfield area. Attachment 2.0 locates the 10 soil sample locations. The exact sample locations may vary slightly to ensure that the area of influence of the spray

nozzles is included. The samples will be analyzed individually in order to develop a contaminate gradient diagram for the area. If "hot spots" exist they may be excavated and disposed of in an approved RCRA disposal site. A statistical analysis approach to sampling and data evaluation similar to those described in TEST METHODS FOR EVALUATION OF SOLID WASTE, PHYSICAL/CHEMICAL METHODS, SW-846 (U.S. EPA 1982b) will be used when developing the program. Samples will be taken uniformly across the grid shown in Attachment 2.0.

1.2 Water Samples

In addition to soil core samples, soil pore liquid samples may be taken if the moisture level is sufficient. Groundwater monitoring currently being conducted at the site will continue.

1.3 Sample Analysis

All samples, both soil and water, will be analyzed for constituents found to be present in the plant wastewater and additional parameters as listed with their respective EPA test method in Table 1.0. The chemical analyses on all of the samples will be performed by an approved laboratory. Typical QA/QC procedures can be found in Appendix A of this document.

If the evaluation indicates that there is an appreciable difference between background soils and sprayfield soil or if the initial screening indicates significant contamination closure will proceed in the manner described below. An appreciable difference is defined as two standard deviations from the background sample(s).

2.0 Closure Procedure

Adjustments to nutrients and pH will be made such that biodegradation is maximized. The soil will then be tilled and seeded with a non-food chain vegetative cover and the wastewater delivery system will be modified to deliver

05/29/87
Revision No. 2
Closure Plan

"clean" water to provide necessary soil moisture. The soil moisture will be maintained at a level to support the growth of the vegetative cover and to enhance the biodegradation of constituents. The existing berm will also be maintained to prevent run-off and run-on.

05-29-87
Revision No. 2
Closure Plan
Revised 08/27/87

TABLE 1
ANALYTICAL PARAMETERS FOR SOIL SAMPLES
KOPPERS COMPANY, INC.
SUPERIOR, WI PLANT

<u>Parameter</u>	<u>Test Method</u>	<u>Parameter</u>	<u>Test Method</u>
pH	9045	arsenic	7060
conductivity	9050	barium	6010
Total Organic Carbon (TOC)	Walky-Black	cadmium	6010
phenol	8040	chromium	6010
pentachlorophenol	8040	lead	7421
2-chlorophenol	8040	magnesium	6010
p-chloro-m-cresol	8040	selenium	7740
2,4-dimethylphenol	8040	zinc	6010
2,4-dinitrophenol	8040	copper	6010
trichlorophenols	8040		
tetrachlorophenols	8040		
chrysene	8310		
naphthalene	8310		
fluoroanthene	8310		
benzo(b)fluoranthene	8310		
benzo(a)anthracene	8310		
dibenzo(a)anthracene	8310		
acenaphthalene	8310		
indeno(1,2,3-cd)pyrene	8310		
benzo(a)pyrene	8310		
Total polychlorinated dioxins	8280		
2,3,7,8-Tetrachlorodibenzo-p-dioxin	8280		
benzene	8020		

2.1 Monitoring

In order to monitor the biodegradation progress, Koppers periodically will analyze the soils and soil-pore liquids, for the indicator parameters described in section 1.0. Certification of closure will be pursued once it is determined that there is no appreciable difference between the sprayfield and background soil. Clean closure will be confirmed when all ten soil core samples are analyzed for the table 1.0 parameters and results fall within two standard deviations of the background analyses.

2.2 Decontamination or Disposal of Equipment

Once the sprayfield soils are determined to be clean or if the contingent plan is implemented, the piping for the water delivery system will be removed, cut into small pieces and disposed of in a proper manner.

2.3 Personnel Protection Area

The personnel protection area provided for the surface impoundment closure will also be used during the sprayfield closure. At a minimum, the area will include a clean change area, lockers and shower facilities.

3.0 Maximum Waste Inventory

Because the sprayfield receives only treated wastewater, it is difficult to predict the amount, if any, of residual constituents that may be present at the time of closure.

4.0 Closure Schedule

As of the date of preparation of this revised plan, an exact date has not been set

for the closure of the sprayfield. Initiation of closure is dependant upon the construction and start-up of the new wastewater treatment facility and the initiation of surface impoundment closure. Closure of the sprayfield will be initiated within sixty (60) days of final discharge to the sprayfield. Closure task durations are listed in Table 2.0.

The exact amount, if any, of residual contamination will determine the work effort required for closure and thereby affect the closure schedule. Also, adverse site weather conditions will likely delay the closure. Once the closure procedures detailed in this document are approved and the task durations are determined to be realistic, it may become apparent that an extension will be necessary. At this time, Koppers will request an extension.

VIII. Contingent Closure Plan

1.0 Elimination of Waste

Koppers plans to use the procedures previously discussed to decontaminate the sprayfield. However, if clean closure becomes impossible by the described method, the following activities will be implemented.

2.0 Excavation

Contingent closure of the sprayfield will be achieved by excavation of contaminated soils. The process will proceed as described in the surface impoundment closure plan. First areas proven to be contaminated during the site evaluation will be excavated, segregated and disposed of in an approved landfill.

3.0 Final Cover Design and Construction (Contingent Closure)

Contingent Closure of the sprayfield will be achieved by in situ capping after excavation of contaminated soils. The closure process will proceed as described in the surface impoundment closure plan. A clay barrier cap will be installed over all or a portion of the sprayfield if clean-closure is infeasible.

Revised 08/27/87

TABLE II

SCHEDULE FOR CLOSURE OF SPRAYFIELD

KOPPERS
SUPERIOR, WISCONSIN PLANT

<u>TASK</u>	<u>DURATION</u>
First soil sampling/analysis and lysimeter installation	Sept. 15 - Nov. 15, 1988
pH and nutrient adjustments Tilling and seeding; water system modifications	Oct. 15 - March 15, 1989
Second soils and soil pore liquids sampling/analysis	March 15 - May 15 ⁽¹⁾
Evaluate and submit necessary data for regulatory concurrence of clean-closure	May 15 - Aug. 15
Decision to continue or, if necessary, contingent closure	---

(1) Due to cold weather conditions, soil sampling will not continue through January and February.

In Situ Capping

The subgrade within the sprayfield area will be proffrolled with a heavy rubber tired or tracked vehicle to stabilize the surface materials and locate any soft spots requiring additional work. The layers are to be applied in lifts approximately 6 to 8 inches in thickness and to be compacted with equipment that can produce or exceed the Standard Proctor Compaction energy. Soils should be within 2 percent of optimum moisture content to achieve desired density. Each lift will be compacted to 100 percent of the maximum dry density as determined by the Standard Proctor Compaction test (ASTM D-698). A field density and moisture content test will be conducted on each lift to verify that this degree of compaction is achieved. The final lifts are to be graded to contours that blend with the final contours of the surface impoundments.

A geotextile membrane will be placed on top of the first layer of fill to provide support to the impervious clay cap layer. The clay layer will be 24 inches thick and will have a minimum permeability of 1.0×10^{-7} cm/sec and will extend a minimum of 2 feet beyond the sprayfield boundary. The layer will be graded such that a 3 percent slope exist from a center line crown. The clay soils will be compacted to 100 percent of maximum dry density (ASTM D-698) at, or above the 2 percent optimum moisture content. Field density and moisture content test will be conducted on each lift to again verify that the proper degree of compaction is achieved.

A second geotextile membrane and a synthetic impervious liner will be placed on top of the clay cap. To collect the lateral drainage, a 4 inch perforated drain pipe will be provided around the periphery of the layer. Appendix C details the calculations that show the efficiency of the capping system. These calculations apply to both the surface impoundment cap and the sprayfield cap designs.

Attachment 2.0 illustrates a typical cross section of the closure cover for the surface impoundments and the sprayfield. Finally, an 18 inch layer of topsoil will be graded to a minimum of 3 percent and seeded with a non-food crop vegetative cover to prevent erosion. Sheet drainage from the sprayfield will be directed to existing and/or newly installed drain swales that will also accept the discharge of the 6 inch perimeter drain.

Seeding and fertilizing of the sprayfield area will be performed in conjunction with the seeding program for the surface impoundment closure.

IX. Post-Closure Requirements

If clean closure is not achieved by either biodegradation or excavation then, post-closure care will proceed as describe in section IX of the surface impoundment closure plan. Installation of additional monitoring wells in the sprayfield area may be implemented if deemed necessary at the time of closure.

X. Certification of Closure

Upon completion of closure, Koppers will submit to the WDNR a certification and construction documentation report by an independent state of Wisconsin registered engineer that the facility has been closed in accordance with the specifications of the approved closure plan. Koppers will maintain a copy of the approved Closure Plan and all revisions to the Plan until certification of closure completeness has been accepted by WDNR.

In order to expedite the certification process, Koppers may certify both the impoundment and sprayfield closure as one project. However, if timing of each program is such that this will delay the certification of either of the projects then Koppers may choose to certify each project individually.

XI Sampling and Analysis Plan

1.0 Introduction

This sampling and analysis plan provides guidance for monitoring the closure operations and confirming clean sprayfield closure at the Koppers Co., Inc., Superior, Wisconsin facility. Naphthalene, phenols and oil and grease will be used as indicator parameters to monitor closure progress. Final confirmation of clean closure will include all of the soil analyses found in Table 1.0 and the groundwater monitoring program already in-place at the site.

2.0 Soil Sampling

Soil sampling will consist of background, preliminary and final sprayfield samples. All samples will be taken by qualified sampling personnel and will be analyzed by an approved laboratory.

2.1 Background Soil Sampling and Analysis

Four background soil samples will be taken in an area that is upgradient and unaffected by site activities. The sample points will be located during an extensive site reconnaissance and will be submitted to the WDNR for approval prior to sampling.

Continuous samples will be taken using a two inch split spoon sampler and/or auger. If approved by the WDNR, these samples may be used for confirming clean closure of both the sprayfield and impoundments, as such, sampling would begin at the surface and continue to a depth four feet below the impoundment bottom. The sample would be separated into two parts to be representative of the sprayfield and impoundment soils. If use of the same background sample location for confirming clean closure of both the sprayfield and impoundments is not approved by WDNR,

then individual representative locations will be selected.

Samples will be analyzed for all of the parameters listed in Table 1.0. The respective EPA test method included in Table 1.0 and the QA/QC procedure in Appendix A will be followed.

2.2 Preliminary Sprayfield Sampling and Analysis

Preliminary sprayfield soil samples will be taken from the ten sample locations shown in Attachment 2.2. Borings will be to a depth of four feet with split spoon samples taken at 0-12, 12-24, 24-36, and 36-48 inches. The first two samples will be analyzed initially and the remaining will be analyzed as needed. Samples will be taken at the beginning, middle and end of the biorestitution process. Additional samples may be taken, if necessary, to monitor any excavation operations.

Samples will be analyzed for naphthalene, phenols and oil and grease following the QA/QC procedures in Appendix A and the respective EPA methodology listed in Table 1.0.

2.3 Confirmation of Clean Sprayfield Closure

The confirmation of clean sprayfield closure will involve both soil and groundwater sampling and analysis. Groundwater monitoring already in-place at the site should be sufficient to verify that no adverse groundwater effects are being caused by the sprayfield.


Soil samples will be taken at the same ten locations used for preliminary monitoring but with a 1/2 foot sampling interval for a total of four feet. The soil samples will be analyzed for the Table 1.0 parameters using the above mentioned protocol.

2.4 Equipment Decontamination Sampling and Analysis

Because most of the equipment used for closure activities will be used during the normal course of plant operation, visual verification of clean is sufficient to place it back into service. Expendible equipment will be disposed of in an appropriate manner.

2.5 Surface Water Sampling and Analysis

Impoundments and sprayfields are designed to prevent run-on and run-off which eliminates any surface water pathway for contaminant migration. For this reason, no surface water sampling and analysis is required.



ATTACHMENT 2.0
 PLAN OF SPRAYFIELD
 SAMPLING LOCATIONS
 SUPERIOR, WISCONSIN



LEGEND
 ▲ SPRAYFIELD SAMPLING POINT

KOPPERS COMPANY, INC.
 7/18/97

05/29/87
Revision No. 2
Closure Plan

APPENDIX D

**SAMPLING AND ANALYSIS PLAN
KOPPERS COMPANY, INC.
SUPERIOR, WISCONSIN**

Revised 08/27/87

1.0 Introduction

This sampling and analysis plan provides guidance for monitoring the closure operations and confirming clean impoundment and sprayfield closure at the Koppers Company, Inc., Superior, Wisconsin facility. Napthalene, phenols and oil and grease will be used as indicator parameters to monitor closure progress. Final confirmation of clean closure will include all of the soil analyses found in Table 1.0 and the groundwater monitoring program already in-place at the site.

2.0 Soil Sampling

Soil sampling will consist of background, preliminary and final impoundment samples. All samples will be taken by qualified sampling personnel and will be analyzed by an approved laboratory.

2.1 Background Soil Sampling and Analysis

Four background soil samples will be taken in an area that is upgradient and unaffected by site activities. The sample points will be located during an extensive site reconnaissance and will be submitted to the WDNR for approval prior to sampling.

Continuous samples will be taken using a two inch split spoon samples and/or auger. Sampling will begin once the elevation of the impoundment bottom is reached and will continue for an additional depth of four feet. If approved by the WDNR, these samples may also be used for confirming clean closure of the sprayfield and, as such, sampling would begin at the surface and continue to a depth four feet below the impoundment bottom elevation. Each sample would be separated into two parts to be representative of the sprayfield and impoundment soils. If use of the same background sample location for confirming clean closure of both the sprayfield and impoundments is not approved by the WDNR, then individual

representative locations will be selected.

Samples will be analyzed for all of the parameters listed in Table 1.0. The respective EPA test method included in Table 1.0 and the QA/QC procedure in Appendix A will be followed.

2.2 Preliminary Impoundment Soil Sampling and Analysis

Preliminary impoundment soil samples will be taken from the sample points located on the map in attachment 2.2. Five samples are to be taken from each impoundment bottom and one sample from each dike wall of each impoundment. The dike wall samples will be horizontal borings. Both the dike wall and bottom borings will be for four feet with samples taken at 0-12, 12-24, 24-36 and 36-48 inches. The 0-12 and 12-24 inch samples will be analyzed first and the remaining samples will be analyzed later, if necessary, to determine the extent of contamination.

All samples will be analyzed for naphthalene, phenols and oil and grease. These parameters were chosen because they are representative of K001 sludge and should be a good indication of the extent of contamination. Again, the QA/QC procedure in Appendix A and the respective EPA test method listed in Table 1.0 will be used.

2.3 Confirmation of Clean Impoundment Closure

The confirmation of clean impoundment closure will involve both soil and groundwater sampling and analysis. Groundwater monitoring already in-place at the site will be used to demonstrate that the impoundments are causing no adverse effect on the groundwater. Additional soil sampling and analysis will be required.

Soil samples will be taken at the same locations used for preliminary evaluation and from eight additional locations. The additional sample locations are also shown

05/29/87
Revision No. 2
Closure Plan
Revised 08/27/87

on the site map in Attachment 2.2. Nine bottom borings and four sidewall borings will be made in each impoundment. Two inch split spoon samples will be taken at 1/2 foot intervals for a total of 4 feet.

Samples will be analyzed for all of the parameters listed in Table 1.0.

2.5 Water Sampling and Analysis


Groundwater sampling and analysis plans are detailed in Section IX Part 3.0.

Impoundments and sprayfields are designed to prevent run-on and run-off which eliminates any surface water pathway for contaminant migration. For this reason, no surface water sampling and analysis is required.

2.6 Sludge Sampling and Analysis

A grab sample of the impoundment sludge will be taken and analyzed prior to disposal to verify that the sludge can be designated a K001 waste. The sludge sample will be analyzed for polynuclear aromatic hydrocarbons (PAH), phenols and pentachlorophenol, which are the primary constituents of K001. The following analytical methods will be used:

- o PAH -- EPA 8100
- o Phenol -- EPA 8040
- o Pentachlorophenol -- EPA 8040



B.2



State of Wisconsin

DEPARTMENT OF NATURAL RESOURCES

Carroll D. Besadny
Secretary

BOX 7921
MADISON, WISCONSIN 53707

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

October 1, 1987

IN REPLY REFER TO: 4430

Mr. James R. Batchelder, Vice President & Manager
Technical and Environmental Services
Tar and Wood Products Sector
Koppers Co., Inc.
Pittsburg, PA 15219

SUBJECT: Hazardous Waste Closure and Long-Term Care Plan
Conditional Approval
Koppers Co., Inc. - Surface Impoundment
EPA ID: WID006179493

*File
Superior*

Dear Mr. Batchelder:

The Department of Natural Resources has completed its review of your report entitled "Closure and Post-Closure Plan for the Koppers Co., Inc. Hazardous Waste Management Facility, Superior, Wisconsin - Surface Impoundments, EPA ID. No. WID006179493". This report was prepared by Keystone Environmental Resources, Inc. of Monroeville, Pennsylvania and submitted on June 1, 1987 with revisions received on August 28, 1987. We are informing you that your closure and long-term care plan is conditionally approved. Based on our review, we have determined that the closure and long-term care plan requirements found in ch. 181, Wis. Adm. Code will be adequately addressed, provided the conditions set forth in the attached approval report are met.

The conditions of approval are necessary to insure that the construction, closure and long-term care activities called for in the closure plan are properly designed and implemented. Prior to any construction activities being initiated on any of the items discussed in the closure plan, all conditions associated with that construction activity shall be addressed to the Department's satisfaction. All contractors at the site shall be provided with a copy of this conditional approval as part of their contract document. Please review this approval report carefully.

5910

Mr. James Batchelder

2.

If you have any questions regarding the conditional approval, please contact Ed Lynch at (608) 266-3084.

Sincerely,



Paul P. Didier, P.E., Director
Bureau of Solid Waste Management

RK:ED:jm
Attachment

cc: North West District - Gary LeRoy
Brule Area Office - Director
Hazardous Waste - Ed Lynch - SW/3
Residuals Management - Jim Brownell - SW/3
Industrial Wastewater Section - Greg Hill - WW/2
RCRA Permitting - EPA Region V - Chuck Slaustas - 5HS/13
RCRA Enforcement - EPA Region V - 5HE/12
Systems Management Section - SW/3
Dave Shaw - Koppers Co., Inc. - Superior
Robert Anderson - Keystone Env. Res.
Ron Morosky - Keystone Env. Res.
Ron O'Toole - Keystone Env. Res.
Terry Kirchner - Keystone Env. Res.

8673W

5910

BEFORE THE
STATE OF WISCONSIN
DEPARTMENT OF NATURAL RESOURCES

CONDITIONAL APPROVAL
CLOSURE AND LONG-TERM CARE PLAN
KOPPERS CO., INC. - SURFACE IMPOUNDMENTS
WID006179493

GENERAL INFORMATION

Authorized Contacts:

Mr. Dave Shaw - Plant Manager
Mr. Warren Dolson - Assistant Plant Manager
Koppers Company, Inc.
P.O. Box 397
Superior, WI 54880
(715) 392-2221

Property Owner and Operator:

Koppers Company, Inc.
436 7th Avenue
Koppers Building
Pittsburg, PA 15219

Location of Site:

The Koppers facility is located approximately 2 miles southeast of Superior, Wisconsin in sections 12 and 13, T48N, R13W, Town of Superior, Douglas County. The site is located adjacent to the intersection of Hwys. A and Z.

Report Prepared by:

Robert J. Anderson, Environmental Program Manager
Ronald M. Morosky, Project Manager
Keystone Environmental Resources
440 College Park Drive
Monroeville, PA

Site Description:

Koppers Company, Inc. began operation at its Superior facility in 1928. The entire site occupies approximately 112 acres. The wood treating facility and waste handling facility are located on a smaller portion near the northern end. The majority of the site is used for storage of treated and untreated wood. Currently, the plant uses creosote for the pressure treatment of railroad cross ties. The use of pentachlorophenol (PCP) preservative was

discontinued in the early part of 1982. Other wood products, such as coals and pilings may also be produced.

The surface impoundments were constructed in the mid-1970's. The only hazardous waste generated is K001 waste (bottom sediment sludge from the treatment of wastewaters from wood preserving processes using creosote or pentachlorophenol). The surface impoundments are preceded by oil/water separation and flow equalization. Hydrocarbon material removed prior to the surface impoundments is reused in the wood treating process. As such, the amount of contaminants that flow into the surface impoundment is minimized.

Each impoundment is a regular shaped rectangle which measures approximately 127 feet by 170 feet on the inside top of the dike measurement. The bottom of the impoundments are about 7 feet below the top of the dike with side slopes of about 3 horizontal to 1 vertical (3:1). The total bottom area of each lagoon is roughly 40,672 square feet and the maximum hydraulic volume is 294,550 cubic feet (2,203,234 gallons). The facility is located in an area generally designated for agricultural use.

Site Geology

The geologic materials beneath the Superior site vicinity consists of a thick section of Pleistocene with some Holocene age sediments overlaying Precambrian bedrock. The top of the bedrock underlying the Superior, Wisconsin area is reported in local water well logs to be between 170 to 210 feet below the land surface. The bedrock consist of flat-lying quartz sandstone.

The Pleistocene section consist of the Copper Falls and Miller Creek formations (Mickelson, et al., 1984). The Copper Falls formation is found approximately 100 feet to 140 feet below the land surface with an average thickness of 40 feet. The Miller Creek formation overlies the Copper Falls and consist of those materials from the ground surface to a depth of approximately 100 feet to 140 feet.

The Copper Falls formation consists of reddish to brownish sandy sediment. The majority of the Copper Falls consist of sandy till. However, a large amount of sand and gravel deposited by glacial meltwater streams occur interbedded with in the till deposits.

The Miller Creek formation consists predominantly of red clay till. However, up to approximately one-quarter of the formation probably consists of bedded reddish silt and clay deposited in glacial lakes. It occurs interbedded within the till. Small amounts of interbedded sand and gravel also occur. The Miller Creek formation consists of two members; the Hanson Creek Member (lower) and the Douglas Member (upper).

Both are composed predominantly of clay till. However, the Hanson Creek till is siltier and browner than the Douglas till. The blue green clay unit identified in the local water supply well logs may be the upper most portion of Hanson Creek Member. It may be a lake bed deposit that was exposed when lake levels decreased and clay was subject to drying.

On-site geologic investigations of the site conducted by GAI Consultants in 1985 describe the subsurface geology as lake bed deposits composed of unlaminated red-brown clay containing discontinuous layers of silt and sand. Ten soil borings were drilled to variable depths, each terminating in red-brown clay. The borings ranged in depth from 30 to 60 feet. The clay was probably deposited by glacial ice rather than within a lake because it is unlaminated.

The following characteristics were observed in the underlying deposits. The upper (0 to 5 feet) consist of fill material deposits and topsoil. Underlying the fill is red-brown highly plastic, unlaminated clay, with thin vertical, hairline fractures in-filled with a greenish-gray clay-like material. The fractured clay continued to a maximum depth of 18 feet, but generally was less than 15 feet.

Below the fractured clay, a similar red-brown highly plastic, unlaminated clay was present ranging from 15 feet to further than 60 feet below the surface. Fractures and the gray clay in-fillings were absent. Very little organic matter was detected. Where sand, silt or gravel layers were not detected the clay continued to the bottom of all borings.

Eight of the soil borings encountered variable amounts of sand, silt and gravel deposits within the unfractured clay. The sand was multicolored, subangular and generally poorly sorted with samples exhibiting layers or bedding. The sand found between 35 feet and 45 feet depths exhibited fining up sequence with gravel on the bottom grading to a coarse to medium sand with fine sand and silt on top. The sandy units had a variable range in thickness of 1 inch to 10 feet. Two soil borings encountered only trace amounts of these deposits.

Below and between the sandy units the red-brown highly plastic, unlaminated, unfractured clay was observed. The bottom of the clay unit was not detected by these soil borings.

A recent regional study of the area by Clayton (1984) reported the clay sequence to be part of the Douglas till. The till was described as red-brown clay deposited during the end of the Wisconsin glacial stage.

Site Construction:

The goal of this closure activity is to remove all hazardous wastes and contaminated soils from the area where the surface impoundments are located and thereby achieve clean closure (Section V). In the event all wastes or contaminated soils cannot be removed, then the site will be closed in accordance with the requirements for a hazardous waste landfill and the site will be capped. Closure activities will begin in April 1988 and be completed by October 1989 (Attachment 5.1-1; Section VI).

Closure of the surface impoundments at the site include removal of all free liquids from them, removal of all K001 bottom sediment (sludge) and as much contaminated soil as feasible. It is anticipated that approximately 300 cubic yards of sludge is present and that approximately 1,900 cubic yards of

contaminated soil will be removed. This hazardous waste will be shipped to an engineered, secured hazardous waste landfill.

Once the hazardous waste and contaminated soils have been removed, a preliminary soil investigation (Section VII) will be conducted to determine the extent and existence of any residual hazardous contaminants. The results of the preliminary investigation will be used to decide whether to pursue a clean closure. If a decision is made to pursue clean closure additional soil sampling will take place. If clean closure is achieved, then existing perimeter fencing will be removed, and the surrounding berms will be excavated. The impoundment excavation will be backfilled with unclassified soil fill paced in 8 inch lifts and compacted to 95% density. Following fill placement, an 18 inch thick topsoil material will be placed above the soil fill. The site will then be raked, seeded and mulched to minimize erosion. Plan sheet A103034 shows final grades for a clean closure.

If clean closure cannot be achieved, then the contingent closure plan must be implemented. The contingent closure (Section VIII) calls for backfill of the surface impoundment excavation with unclassified soil material (predominantly cohesive soils) to a specified grade. A non-woven geotextile will be placed above the soil fill. A composite cap will then be placed over the site. This cap will consist of a clay barrier with a minimum thickness of 24 inches, a synthetic flexible membrane liner (FML), a non-woven geotextile, a drainage layer with a minimum thickness of 12 inches, a non-woven geotextile, suitable unclassified cohesive fill with a minimum thickness of 30 inches, and a topsoil layer with a minimum thickness of 18 inches. The cap will be graded to a minimum 3% slope and be raked, seeded, and mulched to minimize erosion. Total cap thickness will be at least seven feet thick. Plan sheet A103032 shows final grades for closure using the contingent closure plan.

Long Term Care:

The long term care period for this facility is 30 years commencing from the date of Department approval of the construction documentation submittal. The post closure activities include inspections and maintenance of the site, inspection and maintenance of the groundwater monitoring system and implementing the groundwater monitoring plan. Requirements of the groundwater monitoring plan may be reduced in the future.

FINDINGS OF FACT

The Department finds that:

1. Koppers Co., Inc. owns and operates a hazardous waste facility in Section 12 of T48N, R14W, Town of Superior, Douglas County, Wisconsin. The current surface impoundments and spray irrigation field has been used since the mid 1970's.
2. Koppers Co., Inc. submitted to the U.S. EPA a Resource Conservation and Recovery Act (RCRA) notification form informing EPA of hazardous waste generation, transportation and storage activities at their Superior,

Wisconsin facility on August 18, 1980. Koppers submitted a RCRA Part A application on November 18, 1980 and was subsequently granted interim status to store hazardous waste by U.S. EPA.

3. The Department reviewed the Koppers Co. RCRA Part A application and accompanying material that compromised the ch. NR 181, Wis. Adm. Code, interim license application and granted Koppers an interim license on April 1, 1985.
4. On April 1, 1985 the Department "called in" the Koppers Co. Feasibility Report for the surface impoundments and container storage area. The Feasibility Report was due on December 31, 1985.
5. The hazardous waste surface impoundments are subject to the Landfill and Surface Impoundment Standards found in s. NR 181.44, Wisconsin Administrative Code and Groundwater and Leachate Monitoring Standards found in s. NR 181.49, Wisconsin Administrative Code.
6. On January 2, 1986, Koppers Co. submitted a feasibility report for the hazardous waste surface impoundments and container storage facility. Numerous revisions to report were made in response to Department notices of the completeness.
7. On September 5, 1986, Koppers Co. withdrew the feasibility report for the surface impoundments and on September 23, 1986 notified of their intent to close the surface impoundments.
8. The information submitted in connection with the closure and long-term care plan review includes the following:
 - a. The "Closure and Post Closure Plan for the Koppers Co., Inc. Hazardous Waste Management Facility - Superior Wisconsin" submitted on June 1, 1987 with revisions received on August 28, 1987. Prepared by Keystone Environmental Resources, Monroeville, Pennsylvania.
 - b. The "Koppers Co., Inc. Closure Plan - Surface Impoundments - Spray Field - Superior, Wisconsin" submitted on December 18, 1986. Prepared by Koppers Co., - Pittsburgh, Pennsylvania.
 - c. The "Feasibility Report - Koppers Co., Inc. - Superior, Wisconsin" covering the surface impoundments and container storage submitted on January 2, 1986. Prepared by Woodward-Clyde Consultants, Chicago, Illinois.
 - d. The "Geology and Groundwater Hydrogeology Investigation for Koppers Co., Inc., Wood Treating Plant, Superior, Wisconsin" submitted on January 3, 1986. Prepared by Woodward-Clyde Consultants, Chicago, Illinois.
9. Department and related correspondences/documents considered in review of the closure and post-closure plant.
 - a. The Department's July 28, 1987 closure plan notice of incompleteness.

- b. The Department's April 1, 1987 closure plan notice of noncompliance.
- c. Other Department correspondence to Koppers dated January 26, 1986, August 4, 1986, and April 11, 1986, Department memorandums dated March 26, 1987 and July 24, 1986, and related file material.
- d. Chapter NR 181, Wisconsin Administrative Code

CONCLUSIONS OF LAW

1. The closure and long-term care plan has been prepared in accordance with applicable Wisconsin Statutes and Administrative Codes. The Department has the authority to determine closure, long-term, and termination standards for hazardous waste facilities pursuant to ss. 144.441(1m) and 144.62(8)(e), Stats. These requirements are listed in ss. NR 180.42(8) and (9) and 181.44(12) and (14) and 181.49, Wis. Adm. Code.
2. Koppers Co., Inc. is an existing hazardous waste facility as defined in s. 144.61(5m), Stats., and operates a hazardous waste surface impoundment as defined in s. NR 181.04(94), Wis. Adm. Code.
3. Listed hazardous wastes as defined in s. NR 181.16, Wis. Adm. Code are stored in the Koppers Co., Inc. surface impoundment. Hazardous waste means any solid waste as defined by the Department as hazardous under s. 144.62(2), Stats., and is defined in s. NR 181.12, Wis. Adm. Code.
4. Section 144.64(2)(c), Stats., allows the Department to issue an interim license to the owner or operator of the hazardous waste facility in existence on November 19, 1980 if the person applies for a license and complies with the restrictions prescribed by rule or special order by the Department pending the decision on the issuance of a final operating license. Koppers Co., Inc. was granted an interim license by the Department on April 1, 1985.
5. Section NR 181.42(8)(d), Wis. Adm. Code, requires the Department to approve, deny or modify a closure plan. The Koppers Co., Inc. Closure and Long-Term Care Plan, as modified by the conditions of this approval, meets the requirements of ss. NR 181.42(8) and (9) and ss. NR 181.44(12) and (14), Wis. Adm. Code. The closure and long-term care plan as conditionally approved will comply with those sections.
6. The environmental monitoring program as conditionally approved in the closure and long-term care plan will comply with the groundwater monitoring requirements of s. NR 181.49, Wis. Adm. Code.

CONDITIONS OF APPROVAL

General

1. All site construction, documentation and closure and post closure activities of the Koppers Co., Inc. surface impoundments shall be in accordance with the Revised Closure and Post-Closure Plan and accompanying plan sheets of engineering drawings as prepared by Keystone Environmental

Resources, ch. NR 181, Wisconsin Administrative Code and the Conditions of Approval contained in this Conditional Approval Report. In the event of any discrepancies, the Conditions of Approval contained herein shall take precedence. Any proposed changes to the closure and post-closure plan or this approval shall be presented to the Department in writing. If the Department feels these changes are compatible with the proper closure and long-term care of the site, an addendum will be added to this approval indicating acceptance of those changes. Department approval is necessary prior to implementation of any changes.

2. A copy of the Modified Closure and Long-term Care Plan and a set of engineering drawings and this modified approval shall be retained at the facility's office at all times and shall be used by the individuals responsible for proper closure and long-term care of the surface impoundments. Individuals responsible for construction, closure and long-term care shall be informed of the conditions required in this approval. A copy of this conditional approval and report shall be included with all contractor construction documents.
3. The Department reserves the right to require changes to any conditions of this approval should an evaluation of the groundwater monitoring results, construction documentations or site inspections by District or Bureau staff reveal that changes are necessary.
4. All reports and investigations called for in this approval shall be prepared by a Professional Engineer registered in the state of Wisconsin. Koppers Co., Inc. shall submit all these reports and investigations called for in this approval in a timely fashion on the dates stated herein.
5. The schedule of events leading to closure of the surface impoundments are included in this condition. If for any reason Koppers Co., Inc. cannot meet the dates of this schedule, the Department shall be notified in writing why the action has not been completed.

Schedule For Closure of Surface Impoundments

<u>Task</u>	<u>Duration</u>
<u>1988</u>	
Preliminary removal standing liquid	April 1 - Aug. 15,
Wastewater treatment system start-up and final receipt of waste in surface impoundments	Aug. 15 - Aug. 25,
Final removal of standing liquid	Aug. 25 - Sept. 15,
Accumulate and remove K001 sludge	Sept. 15 - Oct. 15,
Remove visibly contaminated subgrade soil	Oct. 15 - Nov. 15,

Impoundment subgrade preliminary soil sampling/analysis	Oct. 15 - Nov. 15,
Background soil sampling/analysis	Oct. 15 - Nov. 15,
<u>1989</u>	
Evaluate data and decide to pursue clean or contingent closure	Nov. 15 - Feb. 15,
If clean closure, sample and analyze for Table 1.0 parameters	Feb. 15 - May 15,
Regulatory response	May 15 - June 15,
If clean closure: Remove additional subgrade (if if necessary), backfill, cover, seed and decontaminate equipment	June 15 - Sept. 15,
If contingent closure: Backfill, cover (RCRA cap) seed and decontaminate equipment	June 15 - Sept. 15,
Completion of Closure Certification	Sept. - Oct. 15,
<p>6. Any well that is abandoned as a result of closure shall be abandoned in accordance this condition. Proper abandonment of monitoring devices shall seal the well completely in order to prevent future contamination of groundwater. The sealing materials used shall be continuous, physically and chemically stable and have a hydraulic conductivity of less than 1×10^{-7} cm/sec. The exact location of abandoned wells and borings and the date and the method of abandonment shall be documented in writing. The abandonment method shall also be documented by photographs. All monitoring wells shall be abandoned and documented in accordance with ss. NR 141.25, Wis. Adm. Code. A report documenting that the monitoring devices have been properly abandoned shall be submitted with the construction documentation report.</p>	
<p>7. Koppers Co., Inc. shall have a competent resident inspector on site during the entire closure period.</p>	
<p>8. Koppers Co., Inc. shall inform the Department of any hazardous waste treatment activities that occur on site during closure. This includes the treatment of any K001 sludge by mixing with flyash or kiln dust. The Department shall be provided with a specific treatment plan which covers treatment location, treatment type, treatment structure and mixing ratio between the sludge and absorbant material.</p>	
<p>9. Koppers Co., Inc. shall provide the Department with all sampling and analytical results from the soil investigations done to determine if clean closure is feasible.</p>	

10. Koppers Co., Inc. shall contact the Department for approval of the location of the background soil borings.

Groundwater Monitoring and Long-term Care Conditions

11. Koppers Co., Inc. shall submit the results of the annual analysis report required by s. NR 181.49(6)(j)6., Wis. Adm. Code, for its entire groundwater monitoring system as soon as they become available.

12. Koppers Co., Inc. shall maintain a groundwater monitoring plan as required by s. NR 181.49, Wis. Adm. Code. The following wells will be the ch. NR 181, Wis. Adm. Code, monitoring wells.

Upgradient (Background)

W-4A
W-4B
W-4C

Downgradient

L-15 R-5D
L-2S R-6D
L-4S L-4D
W-5 R-7D
 R-8D (W-6)
 R-9D

A well information form is needed for well R-5D, when that well is constructed.

13. Wells W-5, R-5D, R6-D, R-7D and R-9D must be sampled for the entire s. NR 181.16 Table VI (40 CFR Appendix IX is acceptable), hazardous constituents list.

To determine the existing level of Table VI (Appendix IX) constituents present in the groundwater, all wells will then be monitored an additional three times (on a monthly basis for all detected Table VI (Appendix IX) constituents, hazardous constituents listed under EPA hazardous waste number K001, indicator parameters, and several welfare parameters. This shall include the following:

Parameters

<u>Indicator and Welfare Drinking Water Standards</u>	<u>Hazardous Constituents For Which K001 is Listed</u>	<u>Detected Table VI Hazardous Constituents</u>
pH	Pentachlorophenol	Methylene Chloride
Conductivity	Phenol	Acetone
Temperature	2-Chlorophenol	Bis (2-Ethylhexyl)- phthalate
Total Dissolved Solids	P-Chloro-M-Cresol	Aluminum
Hardness	2,4-Dimethylphenyl	Arsenic
Nitrate	2,4-Dinitrophenol	Cadmium
Chloride	Trichlorophenol	Calcium
Ammonia	Tetrachlorophenol	Chromium
Total Organic	Creosote	Chromium
	Chrysene	Cobalt
		Copper

Carbon
Chemical Oxygen
Demand

Naphthalene
Fluoranthene
Benzo (b) Fluoranthene
Benzo (a) Pyrene
Indeno (1,2,3-cd) Pyrene
Benz (a) Anthracene
Dibenz (a) Anthracene
Acenciphthalene

Iron
Lead
Manganese
Nickel
Potassium
Selenium
Sodium
Vanadium
Zinc

In addition, there have been Table VI (Appendix IX) detects upgradient in the background wells. Koppers Co., Inc. must determine the source of the constituents in these wells as it is unlikely these wells are influenced by the surface impoundments.

14. All samples collected for laboratory analysis shall be filtered in the field using a 0.45 micron inline filter unless otherwise approved by the Department. It appears that the analyses for inorganic Appendix IX parameters were performed on unfiltered samples, because the concentrations were extremely high (for example, iron averaged approximately 94 mg/l). If subsequent sampling rounds show that the actual concentrations of any of these metals at the facility are within the limits that can reasonably be expected in this clay environment, upon the request of Kopper's, the Department will drop those metals from the required list of parameters in Condition 13.
15. Once Koppers Co., Inc. has completed the analysis, a background value for each constituent detected must be established. This information must be submitted to the Department for review and concurrence. Once background has been established, the Department will establish groundwater protection standards for each detected constituent.
16. Background values for the parameters listed in Condition 13 shall be calculated by using 4 rounds of dated collected from wells unaffected by the site. In the past it appeared that wells W-4A, W-4B, and W-4C would be suitable background wells. However, hazardous constituents have been detected in these wells. Though they may not have been impacted by the surface impoundments, they probably do not represent background conditions.
17. Once site background has been established, samples shall be collected quarterly from each upgradient and each downgradient well analyzed for the parameters listed in Condition 13, the background data to determine whether any statistically significant different exists. The data and the test calculations shall be submitted to the Department quarterly. As proposed by Koppers, the Cochran's approximation to the Behrens - Fisher student's t-test shall be used to perform the statistical comparisons. The procedures described in NR 181.49(6)(h)1.a., Wis. Adm. Code. Upon written request from Koppers Company, the Department will consider approving a statistical test which requires 1 lab analysis per well per quarter rather than 4 analyses as required by the Cochran's approximation to the Behrens - Fisher student's t-test.

18. Groundwater elevations shall be measured in all monitoring wells on a quarterly basis. The measurements shall be made before the wells are purged or sampled.
19. Koppers Co. Inc. shall monitor all ch. NR 181, Wis. Adm. Code, compliance monitoring wells listed in Condition 12 for detected parameters on a quarterly basis and compare them to background. If a groundwater protection standard is exceeded, then Koppers Co., Inc. shall notify the Department and propose a corrective action program as outlined in s. NR 181.49(6)(j), Wis. Adm. Code.
20. Koppers Co., Inc. shall submit a revised ch. NR 181, Wis. Adm. Code groundwater monitoring plan reflecting these conditions and the requirements of s. NR 181.49(b) must be submitted within 45 days of the date of this approval. Koppers Co., Inc. may suggest minor revisions to these conditions in that plan submittal.

Financial Responsibilities

21. If clean closure cannot be attained and the contingent closure plan is implemented, Koppers Co., Inc. shall submit a long-term care plan specifying the inspection, maintenance and care of the facility during its 30 year post-closure care period.
22. Closure and Long-Term Care (NR 181.42(10), WAC).

The closure costs presented are underestimated due to conditions of this closure plan. Revised cost estimates based upon the cost of closing the surface impoundments in accordance with the conditions of this closure and long-term care plan must be submitted. These costs must assume the most expensive closure will take place. The long-term care cost estimate must be covered in the proof mechanism. The revised cost estimates and proof mechanism shall be submitted within 45 days of the date of this approval.

23. Liability Requirement (NR 181.42(11), WAC)

Koppers Co., Inc. must obtain liability insurance coverage for non-sudden accidental occurrences in the amount of \$3 million per occurrence with an annual aggregate of at least \$6 million, exclusive of legal defense costs. As part of the revisions to ch. NR 181, Wis. Adm. Code, a financial net worth test may be used. Koppers Co. is responsible for having this coverage now and proof of coverage must be submitted within 45 days of the date of this letter.

Construction Documentation

24. A Construction Documentation Report verifying and documenting all aspects of site construction shall be prepared following completion of construction. The report shall include the following information at a minimum:

- a. Plan sheets documenting: the extent of excavation and fill, all groundwater monitoring devices; grade and sidewall elevations of the cap including spot elevations; the location and types of testing performed; the locations of drainage ditches, access roads, berms; and any other pertinent information. In addition, invert elevations shall be provided on all gradient control and collection pipes.
- b. Cross-sections shall be constructed to document the certified area. The drawings shall consist of a minimum of one north-south cross-section and one east-west cross-section. The cross-sections shall include base grades and final grades.
- c. A comprehensive narrative explaining how construction of the project was accomplished along with an analysis of the data obtained during the soil investigation program. This report shall also include an appendix containing all the raw data from the field and laboratory soil testing performed.
- d. A series of 35 mm color prints documenting all major aspects of site construction.
- e. A letter under the seal of a registered professional engineer certifying that the site has been constructed in substantial compliance with the approved plans. Any deviations from the approved plans shall be noted.

Contingent Cap

25. The cap shall be constructed in accordance with the design specified in the closure and long-term care plan and the engineering plan sheets and as modified by the conditions of this approval. The cap shall consist of non-woven geotextile, a minimum 2 foot thick recompacted clay layer, a non-woven geotextile, a flexible membrane liner consisting of 40 mil high density polyethylene (HDPE), a minimum 1 foot thick granular drainage layer, a non-woven geotextile, a minimum of 2.5 foot thick soil fill layer and a minimum 1.5 foot thick layer of topsoil. The final cover will be seeded, fertilized and mulched.
26. The flexible membrane line (FML) shall be at a minimum 40 mil high density polyethylene (HDPE) and not polyvinyl chloride (PVC). The FML shall be designed, tested and installed as specified in conditions.
27. Documentation Testing for The Clay Cap Shall be as Follows:
 - a. Density testing shall be performed on a 100-foot grid pattern for each lift with the grid pattern offset on each subsequent lift. A lift shall not exceed eight inches in thickness after compaction. At least five densities shall be conducted per lift for each acre of clay placed. The testing locations shall be offset on each successive lift.

- b. A minimum of one undisturbed soil sample per 1,000 cubic yards shall be retrieved and analyzed for Atterberg limits, grain size (to the two micron particle size), moisture content, and dry density. Laboratory hydraulic conductivity tests shall be performed on at least one undisturbed sample.
- c. A Modified Proctor curve shall be developed for the clay and again if visible changes in soil quality are observed in order that density testing can be correlated to the appropriate soil type.
- d. The clay component, drainage blanket, cover material and topsoil thickness shall be verified on a 100 foot grid pattern. This may be satisfied with a survey after each increment of construction.

Material Specifications

28. Clay

The clay cap shall meet the following specifications:

Classification:	CL or CH under the Unified Soil Classification System
Thickness:	Minimum of 2 feet for the cap
Permeability:	Less than or equal to 1×10^{-7} cm/sec.
Liquid Limit:	30% or greater
Plasticity Index:	15% or greater
Compaction:	95% standard Proctor
Grain Size:	P200 Content of 50% by weight or greater

Documentation testing of the final clay capping material shall be as follows:

- a. Three density tests per acre per lift.
- b. One undisturbed soil sample per acre shall be retrieved and analyzed for grain size, Atterberg limits, moisture content, dry density and permeability.
- c. Verification of clay cap thickness on a 100-foot grid pattern.
- d. A standard Proctor curve shall be developed for each major soil type in order that density testing can be correlated to the appropriate soil type.

29. Drainage Layer

A minimum 1 foot thick granular drainage blanket shall be placed over the membrane. The drainage materials shall meet the following specifications:

- a. Grain size; P200 content of 5% or less,
- b. Permeability: 1×10^{-3} cm/sec or greater,

- c. Verification of drainage layer thickness on a 100 foot grid pattern,
- d. Two permeability tests to document the permeability, and
- e. Uniformity Coefficient: 6 or less.

30. Topsoil and Seed Mixture

Documentation testing of topsoil, seed, fertilizer and mulch placement shall consist of the following:

- a. One grab sample of topsoil per acre shall be analyzed for soil pH and classified under the USDA soil classification system.
- b. Verification of thickness on a 100-foot grid pattern.
- c. The amount and type of fertilizer, seed and mulch used per acre.
- d. A short narrative which explains how the seed bed was prepared and a summary of how placement of the seed, fertilizer and mulch were accomplished.
- e. A series of 35 mm slides or color prints which document the work.

HDPE Membrane Requirements

31. The Department shall be notified in writing of the identities and qualifications of the geomembrane supplier, membrane installation contractor, and any other contractors involved in the project as soon as they are selected. The geomembrane information must be approved by the Department prior to implementing any membrane-related work. The following minimum information shall be included:
- a. Identification of polymers and admixtures, quality control for the raw materials, fabrication methods, and quality control of geomembrane panels prior to shipment. Include sources of resins, all compounding materials, panel fabricators, and specific factory testing and seaming methods, as applicable, with detailed description of the processes.
 - b. Quality control for transporting and storing the membrane panels.
 - c. An experience record of the installer including contacts for projects previously completed within the last five years, including name, address, and phone number of contacts, type of application, and acreage completed.
 - d. The proposed equipment to be used in membrane installation, including machinery used in panel layout, sand drainage blanket placement, membrane seaming and testing, and soil processing.

- e. Quality control for seams, including identification of the destructive and nondestructive testing equipment with standards which define seam failure.
32. Koppers Co., Inc. shall provide for Departmental review a fabrication plan prior to commencing installation of the membrane liner. The fabrication plan shall include the following:
- a. Size and configuration of all panels to be assembled with a panel identification scheme.
 - b. General location and type of all seams.
 - c. Construction details for all membrane related work, including:
 - i. Minimum panel overlap,
 - ii. Penetration and attachment details for any points of membrane puncture, and
 - iii. Panel anchoring methods.
33. Upon receipt of all HDPE membrane, Koppers Co., Inc. shall obtain samples as specified and test the samples for the following chemical and physical properties as specified to verify that the correct material has been delivered. Representative samples shall be taken from each membrane thickness. Data should be recorded and reported to the Department with the site construction documentation report.
- a. Thickness: 1 per 50,000 ft²
 - b. Density: 1 per 50,000 ft²
 - c. Melt Index: 1 per 50,000 ft²
 - d. Tensile and Elongation Properties (include copies of stress-strain diagrams from lab) ASTM D638
2 per lot
(for each thickness)
 - e. Modulus of Elasticity (include copies of stress-strain diagrams from lab) ASTM D882
2 per lot
(for each thickness)
 - f. Environmental Stress Crack ASTM D1693
(Five samples from the polymer used to fabricate the geomembrane)

HDPE Site Construction

34. Installation of the HDPE membrane shall not proceed at temperatures below 40°. There shall be no seaming of the HDPE during rainy weather.

35. Field seaming shall be performed by qualified seamers under the director supervision of a master seamer. The master seamer shall have experience seaming or performing quality control on a minimum of 1,000,000 square feet of HDPE membranes of 40 mil or greater thickness using the proposed field seaming method.
36. All geofabric installed in the site which will be exposed to sunlight for more than five days shall be UV resistant. Documentation of the fabric's UV resistance shall be included in the construction documentation report.

HDPE Quality Control

37. Destructive and nondestructive seam testing on all HDPE membrane installation shall be performed on the seams as follows:
 - a. Nondestructive seam testing shall be performed on all seams over their full length and on all areas that have been repaired or where the membrane has been penetrated.
 - b. Nondestructive same testing shall be performed using the vacuum test method or other method approved by the Department.
 - c. Test seams for each seaming machine shall be made once each day at a minimum. Each seamer shall perform at least one test seam each day. A portion of each test seam shall be tested in the field for shear and peel and the other portion sent to a laboratory for testing.
 - d. Field tests shall be performed using standardized specimen sizes in tensile testing machines with quantitative recording of test results.
 - e. The test seam sample sent to the laboratory shall be labeled with a date, ambient temperature, seamer, and whether the test seam passed the field test.
 - f. The test seam samples sent to the laboratory shall be tested for:

Peal Adhesion	ASTM D413
Bonded Seam Strength	ASTM D3083
38. Daily inspector's summary reports shall be prepared for each day that significant construction is either attempted or accomplished at the site. The reports shall described construction practices employed for membrane installation, collection piping placement, sand blanket placement and revegetation work accomplished. Outline drawings on 8 1/2" by 11" paper shall be prepared as necessary to record construction progress. The reports shall contain the following information:
 - a. Amount and location of membrane placed. Changes from the fabrication plan should be noted.
 - b. Identification of the panel numbers for the panels installed.

- c. Location of field seams completed.
 - d. Results of test seams.
 - e. Location and results of nondestructive seam testing.
 - f. Location of repairs made and results of the nondestructive testing of these repairs.
 - g. Location of samples taken for destructive testing.
39. A construction documentation report shall be submitted to the Department for review and approval. This shall be submitted with other construction documents. The site construction documentation report must be signed and stamped by a professional engineer registered in Wisconsin and an opinion given as to whether the site has been constructed in substantial compliance with the approved plans. The report shall include:
- a. Plan view(s) utilizing a one foot contour interval and showing the location of all items constructed with spot elevations shown for the actual grades implemented on approximate 100 foot intervals.
 - b. Plan view(s) of piping layout used with spot elevations provided.
 - c. Results of the chemical and physical testing performed on the membrane as designated in Condition 33.
 - d. Location, type, manufacturer, trade name, quantity and installation methods for any geotextiles used. A sample of each geotextile used shall be included in the construction documentation report.
 - e. Copies of the daily field installation reports kept throughout construction.
 - f. A series of 35 millimeter photographs documenting all aspects of site construction and membrane placement with photos of all points of membrane penetration.
 - g. Cross-section drawings, one lengthwise and one crosswise through the cap showing membrane placement, drainage layers, collection system, anchor trenches, and other pertinent site features.
 - h. A statement from the geomembrane inspector giving an opinion the geomembrane integrity at the end of geomembrane placement.

Spray Irrigation Field

40. Koppers Co., Inc. shall implement the closure plan for its spray irrigation field as discussed in the closure plan report. The results of that closure and all actions taken shall be incorporated into the construction documentation report covering covering closure of the surface impoundments.

CONDITIONAL APPROVAL

Based on the foregoing findings of fact and conclusions of law, the Department hereby conditionally approves the closure and long-term care plan for the Koppers Co., Inc. surface impoundment. This is based on the premise that all conditions required by this approval are met.

NOTIFICATION OF APPEALS RIGHTS

If you believe that you have a right to challenge this decision, you should know that Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed.

For judicial review of a decision pursuant to sections 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review shall name the Department of Natural Resources as the respondent.

This notice is provided pursuant to section 227.48(2), Wis. Stats.

Dated: 9/30/87

DEPARTMENT OF NATURAL RESOURCES

For the Secretary

Paul P. Didier
Paul P. Didier, P.E., Director
Bureau of Solid Waste Management

Edward K. Lynch
Edward K. Lynch, P.E.
Environmental Engineer
Hazardous Waste Management Section
Bureau of Solid Waste Management

James Brownell
James Brownell, Hydrogeologist
Residuals Management and Land
Disposal Section
Bureau of Solid Waste Management

8673W

B.3



State of Wisconsin

DEPARTMENT OF NATURAL RESOURCES

File SUPERIOR

Carroll D. Besadny
Secretary

BOX 7921
MADISON, WISCONSIN 53707

October 21, 1987

IN REPLY REFER TO: 4430

Mr. James R. Batchelder, Vice President and Manager
Technical and Environmental Services
Tar and Wood Products Sector
Koppers Co., Inc.
Pittsburg, PA 15219

SUBJECT: Hazardous Waste Closure and and Long-Term Care Plan
Koppers Co., Inc. - Surface Impoundment
Condition Clarification
EPA I.D. WID 006179493

Dear Mr. Batchelder:

This letter is to clarify the intent of one of the conditions listed in the closure and long-term care plan approval issued by the Wisconsin Department of Natural Resources on October 1, 1987. Condition 17 of that letter included several typographical mistakes which were not corrected prior to the approval being issued. As a result, the Department is at this time clarifying that condition. The condition is meant to read as follows:

"17. Once site background has been established, samples shall be collected quarterly from each upgradient and each downgradient well and analyzed for the parameters listed in Condition 13. This data shall then be statistically compared to the background data to determine whether any statistically significant differences exist. The data and test calculations shall be submitted to the Department quarterly. As proposed by Koppers, the Cochran's approximation to the Behrens-Fisher student's T-test shall be used to perform the statistical comparisons following the procedures described in s. NR 181.49(6)(h)1.a., Wis. Adm. Code. Upon written request from Kopper's Co., the Department will consider approving a statistical test which requires one lab analysis per quarter per well rather than four analyses as required by Cochran's approximation to the Behrens-Fisher student's T-test."

Please review this condition carefully and amend it to the previously issued plan approval. We regret any confusion this may have caused.


5910

Mr. James R. Batchelder - October 21, 1987

2.

If you have any questions regarding this condition, please contact either Ed Lynch at (608) 266-3084 or Jim Brownell at (608) 267-3534.

Sincerely,



Barbara J. Zellmer, Unit Leader
Hazardous Waste Regulatory Unit
Hazardous Waste Management Section
Bureau of Solid Waste Management

BJZ:d1/9156W

cc: Gary LeRoy - NWD
Director - Brule Area Office
Ed Lynch, Hazardous Waste - SW/3
Jim Brownell, Residuals Management - SW/3
Greg Hill, Industrial Wastewater - WW/2
Rick Karl, EPA Region V - RCRA Enforcement 5HE/12
Chuck Slaustas - EPA Region V - RCRA Permitting, 5HS/13
Systems Management Section - SW/3
Dave Shaw - Koppers Co., Inc., Superior
Robert Anderson - Keystone Environmental Resources
Ron Morolsky - Keystone Environmental Resources
Ron O'Toole - Keystone Environmental Resources
Terry Kirchner - Keystone Environmental Resources

5910

B.4

NOV 20 1989

Beazer

86-106

November 17, 1989

FEDERAL EXPRESS

Mr. Edward K. Lynch, P.E.
Wisconsin Department of
Natural Resources
Hazardous Waste Management Section
Bureau of Solid Waste Management
101 South Webster Street, GEF II
Madison, WI 53707

Re: Construction Documentation Report
Surface Impoundments
Koppers Industries, Inc.
Superior, Wisconsin


Dear Mr. Lynch:

Enclosed please find five (5) copies of the Construction Documentation Report describing the closure of the surface impoundment system for the above-referenced facility. The report also contains the engineer's and operator's certification of closure. Please note that information to be included as Appendix G is not available at this time and will be forwarded to you upon receipt for inclusion.

BM&S is anxious in obtaining agency approval of this closure report in an expeditious manner so as to reduce our required financial assurance currently demonstrated through a letter of credit.

Please call if you have any questions.

Sincerely,



Matthew C. Plautz, P.E.
Program Manager-Environmental Services

MCP/cr
Enclosures

cc: B. Nolan
R. Hamilton
R. Vorpe
J. Batchelder (KII) [1 copy enclosure]
J. Heller (KII) [1 copy enclosure]
M. Bollinger (Keystone)
W. Ice (Keystone)
A. Tipton (EPA IV) [1 copy enclosure]

VOLUME I
CONSTRUCTION DOCUMENTATION REPORT
SURFACE IMPOUNDMENT CLOSURE
KOPPERS INDUSTRIES, INC.
SUPERIOR, WISCONSIN

Prepared for:

BEAZER MATERIALS AND SERVICES, INC.
PITTSBURGH, PENNSYLVANIA

Prepared by:

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
3000 TECH CENTER DRIVE
MONROEVILLE, PENNSYLVANIA 15146

PROJECT NO: 178275-04

NOVEMBER 1989

DCC#R299

**TABLE OF CONTENTS
VOLUME I**

	<u>Page</u>
LIST OF TABLES	iii
LIST OF FIGURES	iii
1.0 INTRODUCTION	1-1
2.0 PROJECT PERSONNEL	2-1
3.0 SUMMARY OF IMPOUNDMENT CLOSURE ACTIVITIES	3-1
4.0 CLOSURE ACTIVITIES	4-1
4.1 Health and Safety.....	4-1
4.2 Preconstruction Meetings.....	4-2
4.3 Groundwater Monitoring.....	4-2
4.3.1 Well Decommissioning.....	4-2
4.3.2 Monument Installation.....	4-3
4.3.3 Well Installation.....	4-3
4.4 Impoundment Subgrade.....	4-4
4.4.1 Evaluation.....	4-4
4.4.2 Preparation for Construction.....	4-9
4.5 Unclassified Soil Fill.....	4-11
4.6 Clay Barrier Soil.....	4-12
4.7 Synthetic Membrane.....	4-14
4.8 Drainage Layer Construction.....	4-16
4.9 Unclassified Cover Soil.....	4-18
4.10 Topsoil Placement.....	4-19
4.11 Seeding and Mulching.....	4-20
4.12 Drainage Improvements.....	4-21
5.0 CERTIFICATION	5-1
6.0 DEED NOTICE	Map Pocket
7.0 POST CLOSURE CARE	7-1
ATTACHMENT 1	Sludge Removal Report
ATTACHMENT 2	Closure Construction Photographs
ATTACHMENT 3	As-Built Drawings

VOLUME II

APPENDICES

A	Boring Logs/Well Construction Diagrams
B	Subgrade Laboratory Analytical Results
C	Keystone Inspection Reports
D	Daily Field Reports
E	Field and Laboratory Test Results
F	Materials and Suppliers List
G	Synthetic Membrane Certification Report

LIST OF TABLES

3-1	Project Milestone Dates.....	3-1a
4-1	Monitoring Well Physical Data Summary For Wells Decommissioned in August, 1988	4-3a
4-2	Monitoring Well Physical Data Summary For Wells MW-1S, MW-4S and MW-4D.....	4-4a
4-3	Observations of Visible/Odororous Indications of Chemical Constituent Presence	4-5b
4-4	Summary of Subgrade and Background Sampling Analyses	4-6a
4-5	Summary of Laboratory Tests - Atterberg, Permeability, and Classification.....	4-9a
4-6	Summary of Field Nuclear Gage Test Results.....	4-12a
4-7	Geomembrane Test Results - Field Seams	4-15a

LIST OF FIGURES

1-1	Site Vicinity Map.....	1-2a
1-2	Site Plan.....	1-2b
4-1	Plan Map of Existing Well and Boring Locations	4-3b
4-2	Impoundment Soil Sampling Locations.....	4-4b
4-3	Background Soil Sampling Locations.....	4-5a
4-4	Surface Impoundment Closure Liner	4-16a


1.0 INTRODUCTION

This Construction Documentation Report, titled "Surface Impoundment Closure - Koppers Industries, Inc., Superior, Wisconsin" has been prepared to conform to the requirements contained in the conditional approval by the Wisconsin Department of Natural Resources (WDNR) on October 1, 1987 of "Closure and Post-Closure Plan for the Koppers Company, Inc. Hazardous Waste Management Facility, Superior, Wisconsin - Surface Impoundments - EPA I.D. No. WID006179493 ("the Plan") dated August 27, 1987. The location of the Koppers Industries site is shown on Figure 1-1. Figure 1-2 shows the location of the surface impoundments on the plant property. "The Plan" was prepared in accordance with the requirements of the Wisconsin Administrative Code, Chapter 181.

This report will provide information required by conditions 24 and 33 through 39 in the above noted Conditional Approval and includes:

- o Listing of project personnel
- o Documentation of sludge removal from the surface impoundments
- o Plans and cross-sections to document the extent of excavation and fill and to document the certified area
- o Construction narrative explaining how the project was accomplished
- o Description of well decommissioning
- o Technical description of cap construction
- o Color print photo documentation
- o Letter of Certification under the seal of a registered professional engineer

- o Appendices containing daily field reports, inspection reports, materials and services suppliers lists, and field and laboratory test results; the Appendices have been bound separately as Volume II.



REFERENCE:

SUPERIOR, WIS.—MINN.

NE/4 SUPERIOR 15' QUADRANGLE
N 4637.5—W 9200 17.5

1954

PHOTOREVISED 1983

DMA 2577 II NE—SERIES V861

SCALE (FEET)





FIGURE 1-1

SITE VICINITY MAP
SUPERIOR WOOD PLANT
SUPERIOR, WI

C67641



2.0 PROJECT PERSONNEL

The principal organizations and individuals involved in the project were as follows:

Owner:

Koppers Industries, Inc.
Superior, WI
John Heller - Plant Manager
David Shaw - Plant Manager

Project/Construction Manager:

Keystone Environmental Resources, Inc.
Monroeville, PA
Diane Smith - Hydrogeologist
Bill Ice - Project Manager
Walt Kuenzi - Certifying Engineer
James Thomas - Health & Safety Manager
Richard Van Tassel - Geotechnical Engineer

Geotechnical Testing, Observations, & Consulting:

STS Consultants, Ltd.
Superior, WI
Fred TePaske - Engineering Technician

Contractor:

J. R. Jensen & Son, Inc.
Superior, WI
Keith Jensen - President

Liner Subcontractor:

Geo-Synthetics, Inc. (GSI)
Pewaukee, WI
Eric Snow - Field Supt.

Surveyor:

Seaway Engineering Co.

Duluth, MN

John Hinzmann, Jr. - PE&LS

Throughout the project, representatives from the above organizations met as needed; to plan the work activities, to discuss the status of the work, and to review the progress of construction activities.

David Shaw, the former Koppers Plant Manager, served as Construction Coordinator and Resident Inspector, with Fred TePaske of STS Consultants on board to follow geotechnical aspects and observe construction practices. Both prepared daily field reports which were distributed to serve as a communication tool and to support subsequent documentation.

3.0 SUMMARY OF IMPOUNDMENT CLOSURE ACTIVITIES

It must be noted herein that certain predecessor events required as part of the "Closure" had already occurred prior to Jensen's arrival on site. As early as April 1988, dewatering operations had commenced with K-001 sludge and bottom sediment removal completed by August 3, 1988. This phase of the work was performed directly between the owner and another contractor with no participation by Keystone Environmental Resources, Inc. However, since this work is considered an integral part of the closure, its documentation is included in this report. (See Attachment 1).


Also, during August 1988, a Keystone hydrogeologist obtained soil samples and supervised the decommissioning of eleven wells around the impoundments. These activities are documented in a subsequent section of this report.

Keystone prepared bid packages, secured proposals, and assisted the owner in awarding construction contracts during August 1988. The scope of work was based strictly on the Closure Plan dated August 27, 1987, and DNR's "conditional approval letter" dated October 1, 1987.

Early in September 1988, Keystone's Health and Safety Department conducted a Hazardous Workers Operation Training Program at Superior, WI for all personnel to be involved in the work.

Concurrent with the above, Keystone's engineers held a series of preconstruction meetings with J.R. Jensen & Sons, STS Consultants, and Seaway Engineering to review details of the work to be performed and to prepare and agree on a schedule for completing each task. (See Table 3-1.) Expected accountability and administrative procedures to be followed were also covered at these meetings.

Site mobilization and actual field work by Jensen began on September 12, 1988. During the first two days, embedded pipes were removed and the dike separating the two impoundments was partially removed to permit easy access between the two areas. The areas were proof-rolled and reworking of the fill was required at several soft spots to achieve the desired compact condition prior to placement of fill material.



NOTE: Scheduled dates established by Contractor on 9/9/88

Activity Bar/Early Dates
Critical Activity
Progress Bar

STATUS
ACTUAL
CRITICAL


TABLE 3-1
KOPPERS-SUPERIOR, WI
SURFACE IMPOUNDMENT CLOSURE

Sheet 1 of 2

Project Start : 12SEP88
Project Finish: 8NOV88
Data Date: 12SEP88
Plot Date: 23FEB89

PREPARED BY: N. KUENZL 170276-04

Date	Revision	Checked	Approved



Activity Bar/Early Dates
 Critical Activity
 Progress Bar

STATUS
 [Symbol] ACTUAL
 [Symbol] ESTIMATE

TABLE 3-1
 KOPPERS-SUPERIOR, WI
 SURFACE IMPOUNDMENT CLOSURE

Sheet 2 of 2

PREPARED BY: W. KUENZI 178275-04

Project Start : 5JUN89
 Project Finish: 29AUG89
 Data Date: 5JUN89
 Plot Date: 26OCT89

Date	Revision	Checked	Approved

After Seaway's baseline survey, unclassified fill was hauled in, dumped, layered with a D-6 dozer, and compacted with a vibratory sheepsfoot to grade per plan. This unit of work started September 15, but was not completed until October 2, 1988, due to excessive periods of precipitation.

Placement of the 24-inch layer of clay barrier soil, handled in a similar fashion, began October 4, 1988, and was completed four days later. Sand was used with a road grader to smooth out rough spots prior to placing the liner.

GSI mobilized to the site on October 10, 1988. On the following day (Oct. 11), GSI placed and seamed 16 panels of HDPE liner. The balance of the synthetic membrane was placed and seamed. All seams were leak tested and repaired as required the following two days. Concurrently, Jensen assisted by excavating and backfilling the anchor trenches.

Jensen placed the first layer of geotextile fabric on October 14, 1988, followed by placement of underdrain pipes and 12-inch drainage layer. A second layer of geotextile was placed on top of the drainage material.

Unclassified fill hauling, placement, and compaction started on October 18, 1988 for the 30-inch depth of soil fill called for on top of the drainage layer. Due to periods of rainfall, this unit of work was not completed until October 28.

Topsoil placement and rough grading of this material was completed on November 4, 1988. Remaining work (final drainage improvement, seeding, and mulching) was rescheduled for late spring 1989 due to rapidly approaching winter weather.

Jensen re-mobilized during June 1989 with the placement of an additional 438 cubic yards of top soil and completion of rough grading.

Seaway Engineering established final grades which were approved by Keystone in August 1989. Jensen completed final touch-up work on August 25 prior to arrival of their landscape sub-contractor, Kerrick Sod Co.

All activities related to vegetation work (lime, fertilizer, seed and mulch) by Kerrick were completed on August 29, 1989. Ample subsequent rainfall resulted in a successful level of germination over the entire surface area as observed by Keystone on October 4, 1989.

4.0 CLOSURE ACTIVITIES

4.1 Health and Safety

At the time of bid solicitation, a site-specific Health and Safety Plan was prepared and included as part of the bid document to insure that contractors would be alerted to the project health and safety requirements. Additionally, after the contract was awarded, a special 24-hour health and safety training program was conducted by Keystone's Health and Safety Department for contractor's personnel. This presentation was amplified by covering the content of the Health and Safety Plan including:

Personnel Decontamination Procedures.

Air Monitoring.

Personnel Protective Equipment.

Emergency Procedures (First Aid, Fire, Etc.).

Material Safety Data Sheets.

Levels of Protection.

During removal of abandoned pipes and a manhole, and also during preparation of the subgrade (modified Level C), Keystone provided an on-site health and safety representative to conduct organic vapor monitoring utilizing the HNu photoionization analyzer. Observations indicated that respirators were not required.

During the balance of the project (Level D), the owner's plant manager served as the on-site health and safety officer. No injuries or problems were encountered.

4.2 Preconstruction Meetings

Prior to project mobilization, Keystone representatives met with participating organizations/contractors to insure that the work would be executed efficiently and in strict accordance with the plans and specifications. Three meetings were held to:

- a. Identify the participants and responsibilities of each member of the team.
- b. Review the scope of work (owner's responsibility - contractor's responsibility, etc.)
- c. Select locations for imported materials.
- d. Establish construction schedule.
- e. Promulgate reporting requirements.
- f. Discuss potential suppliers of commercial materials.
- g. Review Health and Safety Plans.
- h. Clarify inspection and testing requirements.
- i. Agree on frequency of survey to verify grades.

Memos from the three preconstruction meetings are contained in Appendix C.

4.3 Groundwater Monitoring

4.3.1 Well Decommissioning

During the week of August 1, 1988, 11 wells (L-1S, L-2S, L-3S, L-3M, L-4S, L-4M, L-4D, L-5S, L-5M, L-5DR, and L-17) were decommissioned so that they would not interfere with the capping of the surface impoundments. A physical data summary of

these wells is presented in Table 4-1. The locations of these 11 abandoned wells are shown in Figure 4-1.

The decommissioning procedure involved removing the steel protective casings and cutting the PVC riser pipe off at ground level. In several cases, the PVC well pipe was entirely removed from the ground because it was lodged inside the steel protective casing. Any well pipe remaining below the surface was filled with cement-bentonite grout which was allowed to cure for 24 hours. All of the S-series wells were then drilled out with 4 1/4 inch ID hollow stem augers to their total depths. All of the M-series and D-series wells were drilled out with 4 1/4 inch ID hollow stem augers to a depth of ten feet. Finally, the borehole was filled with cement-bentonite grout.

4.3.2 Monument Installation

Three surveying monuments were also installed per the specifications of Seaway Engineering Company of Duluth, Minnesota, the surveying contractors. The approximate locations of these three monuments are shown on Figure 4-1; they were located near the impoundments for use in the construction and surveying of the impoundment cap.

The monuments were installed by drilling an eight foot deep boring at each location and inserting a six inch diameter cardboard tube into each boring. At the location of Mon-1, the tube was successfully inserted to a depth of seven feet and one-half inch. At Mon-2, the tube was inserted to a depth of six feet and at Mon-3 it was inserted to a depth of eight feet. A concrete company was then called to cement the surveyors monuments (aluminum caps over rebar) in place within each cardboard tube. Mon-3 was subsequently destroyed by the contractor during the construction of the cap for the impoundments.

4.3.3 Well Installation

The locations of all existing and decommissioned monitoring wells in the vicinity of the surface impoundments at the Superior site are shown on Figure 4-1.

In April 1988, a Keystone hydrogeologist supervised the drilling and logging of boring R-5D. Originally, this location was to be the site of a monitoring well to be screened


TABLE 4-1

MONITORING WELL PHYSICAL DATA SUMMARY
FOR WELLS DECOMMISSIONED IN AUGUST, 1988

SUPERIOR, WISCONSIN
KOPPERS INDUSTRIES, INC.


Well No.	Installation Date	Depth of Boring (Ft.)	Well Screen Type	Screened Interval		PVC Measuring Point Elevation (Ft. Above MSL)
				(Ft.)	(Geologic Material)	
L-1S	6/84	12.0	2" PVC	2.0-12.0	Clay	678.59
L-2S	6/84	12.0	2" PVC	2.0-12.0	Clay	678.58
L-3S	6/84	12.0	2" PVC	2.0-12.0	Clay	678.14
L-3M	6/84	25.5	2" PVC	14.8-24.8	Clay	677.22
L-4S	6/84	12.0	2" PVC	2.0-12.0	Clay	678.82
L-4M	6/84	25.0	2" PVC	15.0-25.0	Clay	677.64
L-4D	6/84	60.0	2" PVC	25.0-35.0	Sand	677.24
L-5S	6/84	18.0	2" PVC	5.0-15.0	Clay	678.41
L-5M	6/84	25.0	2" PVC	15.0-25.0	Clay	677.75
L-5DR	8/86	46.5	2" PVC	35.5-45.5	Sand	676.48
L-17	7/84	15.0	2" PVC	5.0-15.0	Clay	676.72

Note: The wells were installed under the supervision of GAI Consultants, Inc. of Monroeville, PA.



LEGEND

- ◆ - MONITORING WELL LOCATION
- ◆ - DECOMMISSIONED WELL LOCATION
- ▲ - APPROXIMATE BORING LOCATION
- ⊕ - MONUMENT LOCATION



KEYSTONE
ENVIRONMENTAL RESOURCES, INC.

FIGURE 4-1
PLAN MAP OF EXISTING WELL AND BORING LOCATIONS SUPERIOR, NJ

ALL-500

within the sand unit found within 35 to 50 feet below the ground surface at the Superior site. However, during drilling no sand unit was encountered at the chosen location after split-spoon sampling had been performed to a depth of 59 feet. Keystone obtained permission from WDNR to grout the boring. Thus, no well was installed at location R-5D; the boring log for boring R-5D is located in Appendix A.

In November 1988, Keystone subcontracted Wisconsin Test Drilling, Inc. of Schofield, Wisconsin to supervise the installation of three wells, MW-1S, MW-4S and MW-4D, in the vicinity of the impoundments. Wells MW-1S and MW-4S were screened within the clay unit, while well MW-4D was screened within the sand. The locations of these newly installed wells are shown on Figure 4-1. The boring logs for these wells are located in Appendix A. Table 4-2 presents a physical data summary for these three wells. A fourth well, MW-2S was to be installed within the clay unit, however, marshy ground conditions precluded installation of this well in November, 1988. This well is scheduled to be installed on November 6-7, 1989.

4.4 Impoundment Subgrade

4.4.1 Evaluation

Closure of the two surface impoundments at the Superior site was initiated during July 1988. The removal of all impoundment sludge and visibly contaminated soils was completed on August 2, 1988, allowing the subgrade sampling activities to take place after this time. Because the impoundment system is being closed as a landfill, and the sludges and visibly contaminated soil had been removed, the subgrade sampling program was designed to characterize subgrade soil quality after excavation, and to gather data to determine if any potential effect on human health or the environment could exist after closure. Background soil samples were also collected to provide information on soil quality unaffected by the surface impoundment.


Subgrade sampling was conducted at 12 locations which had previously been approved by the Wisconsin Department of Natural Resources (WDNR), as shown in Figure 4-2. Four borings were located in the bottom of each of the two impoundments (LB-1 through LB-8). The remaining four borings (LB-9 through LB-12) were located on the berms of the impoundments. Two background borings (BB-

TABLE 4-2**MONITORING WELL PHYSICAL DATA SUMMARY
FOR WELLS MW-1S, MW-4S AND MW-4D****SUPERIOR, WISCONSIN
KOPPERS INDUSTRIES, INC.**

Well No.	Installation Date	Depth of Boring (Ft.)	Well Screen Type	Screened Interval		PVC Measuring Point Elevation (Ft. Above MSL)
				(Ft.)	(Geologic Material)	
MW-1S	11/88	22.5	2" PVC	12.0-22.0	CLAY	676.84
MW-4S	11/88	27.5	2" PVC	11.5-21.5	CLAY	677.89
MW-4D	11/88	46.5	2" PVC	35.3-45.3	SAND	678.18

NOTES:

- (1) Wells installed under supervision of Wisconsin Test Drilling, Inc. in November, 1988.
- (2) Screen slot size is 0.01 inches.
- (3) Elevations surveyed in November, 1988.



LEGEND

 - IMPONDMENT SUBGRADE SAMPLING LOCATION

SCALE (FEET)
 0 60 120



KEYSTONE
 ENVIRONMENTAL RESOURCES, INC.

FIGURE 4-2
 IMPONDMENT SUBGRADE SAMPLING LOCATIONS
 SUPERIOR, MI

1 and BB-2) were located in the approximate locations shown in Figure 4-3. Wisconsin Test Drilling, Inc. was subcontracted for the soil boring/sampling. An engineering type ATV drill rig (CME 45) was used to perform these borings.

The borings located in the bottom of the two impoundments (LB-1 through LB-8) were sampled by hydraulically pushing a Shelby Tube sampler or three-inch split-spoon from the ground surface to a 1.0 foot depth interval, and then hydraulically pushing a two inch split spoon from 1.0 to 3.0 feet. The borings located on the berm (LB-9 through LB-12) were advanced using hollow stem augers. Split-spoons were hydraulically pushed 1.5 to 2.0 feet; samples were collected continuously to the termination of the boring. The two background borings (BB-1 and BB-2) were advanced by hydraulically pushing a three-inch split-spoon continuously to the termination of the boring. Soil samples collected in the field were trimmed and logged according the Burmeister soil classification system, placed in clean glass jars, and stored at the Superior plant. Any visible or odorous indication of the presence of chemical constituents in these samples was noted. When split-spoons were used, they were decontaminated between samples with soapy water, followed by a clean water rinse and rinses with acetone and distilled water. After completion of each boring located in the bottom of the surface impoundments, the small holes were backfilled and the top six inches were sealed with bentonite. Borings located in the berms of the impoundments were grouted upon completion, and the background borings were entirely filled with bentonite. Boring logs for all impoundment and background borings are contained in Appendix A. Descriptions of visible or odorous indications of the constituents of concern are located in Table 4-3.

The uppermost 35 to 50 feet of unconsolidated material which lies beneath the ground surface at the site consists of a Quaternary red-brown clay deposit. This deposit has been interpreted to represent lake bottom sediments deposited beneath a floating year-round ice cover, thus explaining the lack of varves or laminations within this clay. Gray silt pockets or streaks observed in the past and also evident in the impoundment borings may be consistent with the lake bottom interpretation for these sediments. The bottom of this clay has not been penetrated by any borings at the site. At depths ranging from 35 to 50 feet below ground surface, a semi-continuous sand deposit characteristic of a meltwater stream deposit is present. Local information indicates that bedrock is present at 170 to 210 feet below the surface at the site.



LEGEND

- ◆ - EXISTING MONITORING WELL LOCATION
- ◆ - ABANDONED MONITORING WELL
- ▲ - PREVIOUS SOIL BORING
- ▲ - BACKGROUND BORING LOCATION



FIGURE 4-3
BACKGROUND BORING LOCATIONS
SUPERIOR, WI

TABLE 4-3**OBSERVATIONS OF VISIBLE/ODOROUS INDICATIONS OF
CHEMICAL CONSTITUENT PRESENCE****SUPERIOR, WISCONSIN
KOPPERS INDUSTRIES, INC.**

<u>Boring</u>	<u>Observation</u>
LB-1	Creosote odor at 0.0-1.0 ft.
LB-2	Creosote odor at 0.0-1.0 ft.
LB-3	Creosote odor at 0.0-1.0 ft.
LB-4	No odor, no visible indications
LB-5	Creosote odor at 0.0-1.0 ft.
LB-6	Creosote odor at 0.0-1.0 ft., Slight creosote odor at 1.0-2.0 ft., Very slight creosote odor at 2.0-3.0 ft.
LB-7	Very slight creosote odor at 0.0-1.0 ft.
LB-8	Creosote odor at 0.0-1.0 ft.
LB-9	Slight creosote odor at 3.5-5.5 ft., Strong creosote odor and creosote patches at 5.5-9.5 ft., Slight creosote odor at 9.5-10.5 ft., Very slight creosote odor at 10.5-11.5 ft.
LB-10	No odor, no visible indications
LB-11	No odor, no visible indications
LB-12	No odor, no visible indications
BB-1	No odor, no visible indications
BB-2	No odor, no visible indications

As seen in the boring logs, the red-brown clay to clay and silt is the predominant unit present at all locations. A trace of light gray silt pockets/streaks was observed at all locations and traces of organics present as plant material or decomposed organics were present at most locations. Layers of discontinuous fine sand up to one inch thick were observed in boring LB-12 only. At the background boring locations, two to three feet of fill was present just above the red-brown clay unit.

Selected subgrade and soil samples were submitted for laboratory analysis. For LB-1 through LB-8, located in the bottom of the impoundments, the 0.0 to 1.0 foot sample was selected for analysis. Using an average surface elevation for these eight borings, and knowing the elevation of each of the borings located on the berms of the impoundments, a sample which would be located at the same elevation as the 0.0 to 1.0 foot sample in the impoundment bottoms was collected for analysis in each of the four borings in the berms. Thus, in LB-9 and LB-12, the 8.5 to 9.5 foot interval was analyzed, in boring LB-10 the 9.0 to 10.0 foot interval was analyzed and in LB-11 the 7.5 to 8.5 foot interval was selected for analysis. The depth interval for the samples to be analyzed in the background borings was selected in a similar matter. Thus, for both BB-1 and BB-2, the 6.5 to 7.5 foot depth interval was submitted for analysis. The termination depth of the borings located on the impoundment berms and the background borings was two feet below the depth of the sample selected for laboratory analysis.

All samples to be submitted for laboratory analysis were placed in iced coolers and shipped overnight to Keystone's Analytical Laboratory in Monroeville, Pennsylvania. All of the collected samples were analyzed for polynuclear aromatic hydrocarbons, phenolics, oil and grease, arsenic, chromium, copper, lead and zinc. Analytical results for these samples are contained in Appendix B.

Table 4-4 lists the total polynuclear aromatic compounds and total phenolics levels found in each sample. Of the total phenolics listed, phenol was the constituent most commonly found; it was present in eight samples. Pentachlorophenol and 4-nitrophenol were each present in five samples and 2,4-dimethylphenol was found in four samples. Of the polynuclear aromatic compounds, phenanthrene, naphthalene and fluoranthene were the constituents most commonly found at elevated

TABLE 4-4
SUMMARY OF SUBGRADE AND BACKGROUND SAMPLING ANALYSES

**SUPERIOR, WISCONSIN
KOPPERS INDUSTRIES, INC.**

<u>Sample</u>	<u>Total Polynuclear Aromatic Compounds (ug/Kg)</u>	<u>Total Phenolics (ug/Kg)</u>
LB-1, 0.0-1.0 ft.	48389	2373
LB-2, 0.0-1.0 ft.	220.2	ND
LB-3, 0.0-1.0 ft.	82613	751
LB-4, 0.0-1.0 ft.	745.2	1162
LB-5, 0.0-1.0 ft.	1857	88.0
LB-6, 0.0-1.0 ft.	15113	844
LB-7, 0.0-1.0 ft.	903.6	178
LB-8, 0.0-1.0 ft.	1168.17	420
LB-9, 8.5-9.5 ft.	171590	1529
LB-10, 9.0-10.0 ft.	1617.3	898
LB-11, 7.5-8.5 ft.	94.3	71.2
LB-12, 8.5-9.5 ft.	ND	185
BB-1, 6.5-7.5 ft.	ND	ND
BB-2, 6.5-7.5 ft.	22.97	872

NOTE:

(1) ND indicates not detected.

concentrations as compared to the other polynuclear aromatic compound constituents.

In addition, oil and grease was detected in four borings. These concentrations were 176 mg/Kg in LB-3, 59.4 mg/Kg in LB-4, 73.6 mg/Kg in LB-6 and 215 mg/Kg in LB-9. Boring LB-9 showed the highest levels of chemical constituents of concern and also was the only boring at which visible creosote was present. It is believed that the discontinuous creosote patches which were observed in the LB-9 sample were present in the soil before the construction of the impoundments and were not the result of migration through the berm, but rather the results of previous operations.

The two borings located in the southern half of the southern-most impoundment, LB-1 and LB-3, contain relatively high levels of total polynuclear aromatic compounds and total phenolics. Considering the other borings, no obvious spatial patterns are apparent. LB-6 had relatively high levels of total polynuclear aromatic compounds and total phenolics. One background boring sample, BB-2, contained a total phenolic level of 872 ug/Kg, comprised entirely of phenol. The presence of phenol in the background sample may indicate that the phenol levels in the impoundment samples may not be present entirely as a result of the treatment of wastewater in the impoundments. Phenols and phenolic compounds occur naturally in all soils; they are generated in part from decomposition of vegetation.

The levels of total polynuclear aromatic compounds are most likely higher than the total phenolics levels because of their relative sorption/solubility differences. Polynuclear aromatic hydrocarbons are strongly adsorbed onto soils and phenolics are generally more water soluble, although the individual phenolics constituents vary widely in solubility.

Each soil sample was also analyzed for total arsenic, total chromium, total copper, total lead, and total zinc. Considering first total arsenic, several samples (including LB-9 which showed the highest level of total polynuclear aromatic compounds) had concentrations below the detection limits for arsenic. The highest level of arsenic, 3150 ug/Kg, was present in sample LB-11. One background sample, BB-1, contained 1080 ug/Kg arsenic. Arsenic is found naturally in soils; the mean value of arsenic in dry soils is reported to be 6 ppm which is equivalent to 6000 ug/Kg.

Total chromium was present in all soil samples tested; both background soil samples had levels very similar to the subgrade samples. Levels of chromium did not vary significantly across the site; the range of values was 30,000 ug/Kg in LB-5 to 45,600 ug/Kg in LB-9.

Total copper also was present in every tested soil sample. With the exception of sample LB-1, which had a total copper level of 84,600 ug/Kg, concentrations were similar. Excluding LB-1, total copper levels ranged from 40,100 ug/Kg in BB-2 to 53,900 ug/Kg in LB-8. Again, spatial trends did not appear significant.

Total lead levels showed the most variation of all metals tested. Background sample BB-1 had the highest lead concentration; 76,680 ug/L. The only other three samples with this order of magnitude lead level were LB-1, LB-3 and LB-9, which had the highest total polynuclear aromatic compound concentrations. Other soil samples had values ranging from 6650 ug/L in LB-4 to 9140 ug/L in LB-8.

Total zinc was found at similar levels in all samples and did not show significant spatial variation. Values ranged from 49,200 ug/L in LB-10 to 65,400 ug/L in LB-1.

Past slug testing performed in wells completed in the clay at the Superior site revealed that the hydraulic conductivity of the clay averaged 1.6×10^{-5} cm/second. In contrast, the sand layer present at the site between 35 and 50 feet below ground surface has a hydraulic conductivity in the 10^{-3} cm/second range. This range is typical for a sand deposit and is at least two orders of magnitude greater than the hydraulic conductivity calculated for the clay. Thus, the sand layer is considered the uppermost aquifer at the Superior site, while the clay acts as an aquitard.

In summary, although there is evidence of elevated levels of chemical constituents of concern in several subgrade samples, this condition is expected to remain localized due to the low permeability of the clay. The detection of creosote odors rapidly tapered off with depth, even though creosote has a low odor threshold. Groundwater samples from the abandoned 11 wells had not been degraded in quality, with the exception of well L-5S which was located in the vicinity of a previously abandoned surface impoundment. Because of the high permeability contrast between the clay unit and the underlying sand unit, the primary direction of groundwater migration within the clay and the direction of mobility of elevated

chemical constituents within soils will be vertically downward. Any appreciable lateral groundwater migration at the Superior site will occur through the sand unit, which is currently being monitored.

4.4.2 Preparation for Construction

To prepare for the construction, several activities were performed and included the evaluation of clay and drainage material borrow sources, proof rolling the subgrade, and the removal of buried pipes at the impoundment dike. These activities are described in this section.

Clay Borrow Source

The project team members inspected the lands from which the contractor proposed to obtain clay soil required to backfill the surface impoundments and construct the clay closure cap. Two samples of clay soil were obtained from the area of the proposed borrow area. A visual inspection of the borrow source and soil indicated that it was a highly plastic clay and there appeared to be a sufficient quantity available to fulfill project requirements.

Soils laboratory tests were performed on the samples to obtain geotechnical parameters. Grain size and Atterberg limit tests were performed to obtain quantitative data to describe the soils. Moisture density tests were performed to determine the degree of compaction that could be achieved during construction. In addition, Permeability tests were performed to confirm the coefficient of permeability was low enough for a closure cap. The results of these tests are presented in Table 4-5.

The results of these tests are presented in the report where the specific soil layer is discussed. In summary, the borrow source can be described as a red-brown clay, trace of sand, highly plastic, and can be compacted to a dry density in excess of 90 pounds per cubic foot. The results of the soils tests, performed by the STS on a subcontract basis, are presented in Appendix E.

TABLE 4-5

SUMMARY OF LABORATORY TESTS
Atterberg, Permeability, and Classification
SUPERIOR, WI SITE

Layer	Sample	Source (1)	LL	Atterberg PL	PI	Permeability (cm/sec) (2)	Soil Type (3)	Comments
Soil Fill	A1-B1	B	80.8	24.5	56.3		CH	
	A1-B2	B	70.7	22.6	48.1		CH	
	A1-C1	S	70.6	25.7	44.9		CH	
	A1-C2	N	71.4	25.3	46.1		CH	
	A1-C3	N	74.0	24.4	49.6		CH	
	A1-C4	S	68.4	24.5	43.9		CH	
	A1-C5	N	82.4	24.3	58.1		CH	
	A1-C6	N	70.7	22.0	48.7		CH	
	A1-C7	S	73.7	23.1	50.2		CH	
A1-C8	S	95.8	28.8	67.0		CH		
Clay Barrier	A2-B1	B	91.0	26.2	64.8	2.81×10^{-8}	CH	
	A2-B2	B	79.4	24.0	55.4	2.58×10^{-9}	CH	
	A2-C1-1	N	76.0	26.0	50.0	4.00×10^{-9}	CH	First Lift
	A2-C1-2	S	90.0	29.0	61.0	2.30×10^{-9}	CH	First Lift
	A2-C2-1	N	84.0	29.0	55.0	2.50×10^{-9}	CH	Second Lift
	A2-C2-2	S	84.0	29.0	55.0	2.50×10^{-9}	CH	Second Lift
	A2-C3-1	S	81.3	24.6	56.7	7.36×10^{-8}	CH	Third Lift
	A2-C3-2	N	80.1	24.2	55.9	1.70×10^{-9}	CH	Third Lift
Drainage Layer (4)	A3-B2	B				1.47×10^{-2}	SP	Cu = 2.4, Cc = 0.96(5)
	A3-B3	B				3.89×10^{-2}	SP	Cu = 2.2, Cc = 0.84
	A3-B4	B					SP	Cu = 2.5, Cc = 0.91
	A3-C1-1	S					SP	Cu = 2.1, Cc = 0.89
	A3-C1-2	N					SP	Cu = 2.4, Cc = 0.73

TABLE 4-5 (Continued)

Layer	Sample	Source (1)	LL	Atterberg PL	PI	Permeability (cm/sec) (2)	Soil Type (3)	Comments
Cover Soil	A4-C1	N	92.3	28.1	64.2		CH	
	A4-C2	S	89.9	26.7	63.2		CH	
	A4-C3	N	91.1	26.6	64.5		CH	
Topsoil	A5-B1	B	73.2	40.4	32.8		MH	
	A5-B2	B	75.6	42.1	33.5		MH	
	A5-C1	N	77.3	40.7	36.6		MH	
	A5-C2	S	73.6	36.1	37.5		MH	

NOTES:

- (1) - Source code: B = borrow, N = North Impoundment, S = South Impoundment.
- (2) - Permeability testing: Clay - Falling Head, Granular - Constant Head; Borrow sample - remolded, Field sample - undisturbed.
- (3) - Soil type determined by Unified Soil Classification System (USCS).
- (4) - Borrow sample A3-B1 was from another borrow source not used for construction.
- (5) - Cu = Uniformity coefficient, Cc = Coefficient of curvature.

Drainage Layer Materials

The initial borrow sources proposed by the Contractor for drainage material, the "Patterson Pit", was inspected and evaluated. The banks of the pit showed signs of having high percentages of silt and widely varying distributions of particle sizes. A soil sample had been previously obtained by the contractor so no sample was taken. It was judged that this material would require screening to remove the fine materials and it was not recommended as a source for the drainage layer materials. The contractor was instructed to find another source of material suitable for the drainage layer.

The Contractor subsequently found a source of suitable sand and gravel that fulfilled the requirements for drainage layer materials. Drainage layer materials were obtained from the "Allen pit", located on Highway B, in Douglas County.

Three samples of material from this borrow source were obtained and soils laboratory tests performed. Three sieve analyses, two Standard Proctors, and two permeability tests were performed on the Allen pit materials. The test results are presented in Table 4-5 and are summarized as follows:

Grain Size	silt or clay	0%
	fine to coarse sand	85%
	fine to coarse gravel	15%
Uniformity Coef.		2.2 to 2.5
Standard Proctor		100 to 104 PCF; 7% Wc
Permeability (cm/sec)		$1.5 \text{ to } 3.9 \times 10^{-2}$

The amended closure plan required less than 5% passing the number 200 sieve, a uniformity coefficient less than 6, and a permeability greater than 1×10^{-3} centimeters per second (cm/sec). Based upon these results, the materials fulfilled the requirements for drainage materials as prescribed in the closure plan and were approved for the closure construction.

Site Preparation and Proof-rolling

To ready the impoundments to receive fill materials, some preparatory work was required to remove rainfall that had collected and to dry out the in situ soils. The plant personnel pumped out the ponded rainfall and discharged it onto the spray evaporation field. Air drying and discing of the wet soils was performed by the contractor to improve the condition of the soils. These efforts improved the condition of the soils so that the proof-rolling activities could be accomplished. The proof-rolling of the subgrade is shown on Photograph No. 1 (Photographs are presented in Attachment 2).

Removal of Buried Pipes and Center Dike

Some buried pipes in the center dike area and perimeter walls of the impoundments were uncovered and removed as shown on Photograph No. 2. In addition, higher portions of the center dike were cut down to permit the backfilling of the impoundments and to construct the full thickness of the closure cap. Photograph No. 3 shows the excavation of the higher portions of the center dike. The materials excavated were placed and compacted on the bottom of the impoundments to prepare the impoundments to receive imported backfill. The pipes were cleaned and removed from the impoundments.

These activities were accomplished to prepare the impoundments for the subsequent backfilling operations and closure cap construction.

4.5 Unclassified Soil Fill

The clay soil from the approved borrow source was placed, conditioned, and compacted in the soil fill zone of the cap construction. The compaction of the first layer of unclassified soil fill is illustrated by Photograph No. 4. The clay soils were wetter than the optimum moisture content and required drying prior to the compaction effort. To obtain the proper moisture condition, the soil was spread over the work area, disced with farm equipment to break down clods and increase the soil surface area. The soils were disced repeatedly until the soil was dried, and clods broken down enough to enable compaction.

The soils were spread over the fill area by a dozer and compacted with a self-propelled compactor as shown by Photograph No. 5. The conditioned soils were compacted in lifts of about 8 inches thickness using a self-propelled compactor. The compactor had a "sheeps-foot" type drum and an oscillator to apply dynamic forces to the soils. Inspection of the soil conditioning and compaction work was performed by STS's inspector who was experienced in working with the local soils to construct engineered embankments. A compacted surface of the unclassified soil fill zone is shown on Photograph No. 6. The extent of this embankment zone is illustrated on cross-sections of the "as-built" drawings, which are contained in Attachment 3.

During these operations, field nuclear density testing was performed to assure the construction met the requirements of the closure plan. Thirty-five field nuclear-density tests were performed to assure the compacted soil fill met the dry density requirement of at least 95 percent for compacted clay soil. As presented in Table 4-6, all field tests showed the compacted densities fulfilled the dry density requirement and the moisture content was slightly wetter than the optimum of 24 percent.

In addition to the field density tests, samples of the compacted fill were obtained to perform geotechnical tests in a soils laboratory. Eight samples were obtained, four from each surface impoundment at various levels of the backfilling operation. These samples were tested in the soils laboratory for grain size and Atterberg limits. The results of these tests are presented in Appendix E and are summarized in Table 4-5. These results indicate the soil materials were essentially the same as the red-brown, highly plastic clay that was approved for the closure cap construction.

4.6 Clay Barrier Soil

The clay barrier soil was constructed of soils from the approved borrow for clay soil fill. The red-brown clay soil was tested and approved for use as the low permeability fill to form the barrier clay zone of the closure cap. The soil type, plasticity, maximum density and permeability test results fulfilled project requirements as discussed under Section 4.4.2, above.

Since the soil fill and the barrier clay soil are the same material, and the placement, conditioning, and compaction operations were the same, there is no potential for the migration of fines from one soil zone to the other. Accordingly, there was no need

TABLE 4-6

**SUMMARY OF FIELD NUCLEAR GAGE TEST RESULTS
SUPERIOR, WI SITE**

Layer	Total Test Number	Range of Density (pcf)	Range of Maximum Density (%)	Mean Density (pcf)	Mean Percent Optimum (%)	Mean Water Content (%)
NORTH IMPOUNDMENT						
Soil Fill	18	89.8 to 92.4	95 to 98	90.8	95.8	28.8
Clay Barrier Layer	8	90.2 to 93.0	95 to 98	91.0	95.6	29.4
Drainage Sand Layer	3	95.6 to 96.3	95 to 96	95.9	95.3	6.6
Cover Soil	8	90.3 to 92.5	95 to 97	91.2	95.9	28.5
Topsoil	5	69.6 to 71.4	91 to 93	70.7	92.0	35.4
SOUTH IMPOUNDMENT						
Soil Fill	17	89.7 to 96.9	95 to 100	91.7	96.5	28.2
Clay Barrier Layer	7	90.5 to 96.7	95 to 100	92.9	97.4	27.2
Drainage Sand Layer	3	95.5 to 96.4	95 to 96	95.8	95.3	6.2
Cover Soil	7	90.8 to 92.6	96 to 97	91.7	96.7	28.0
Topsoil	5	68.9 to 70.3	90 to 91	69.7	90.8	35.3

for the geotextile filter fabric between these two layers and it was omitted with the concurrence of Wisconsin Department of Natural Resources.

Along with the field density tests, additional soils laboratory tests were performed to assure the soils from the borrow source was suitable for barrier clay soil. Two samples were obtained and grain size, Atterberg limits, Standard Proctors, and permeability tests were performed to document that the soil was appropriate for the intended construction. The results of these tests are presented in Appendix E for samples A2-B1 and A2-B2. These results are summarized as follows:

<u>Test</u>	<u>Sample A2-B1</u>	<u>Sample A2-B2</u>
Standard Proctor	92 PCF 29% Wc	92 PCF 27% Wc
Grain Size	5% Sand 95% Fines	5% Sand 95% Fines
Atterberg Limits	91% LL 26% PL 65% PI	79% LL 24% PL 55% PI
Permeability (cm/sec)	2.8×10^{-8}	2.6×10^{-9}

The above data indicates that this source of clay barrier soil fulfills the regulatory requirements for a permeability less than 1×10^{-7} cm/sec.

The clay barrier soil was placed, conditioned and compacted in lifts of about 8 inches thickness and the operations are shown by Photograph No. 7. The construction methods were the same as for the unclassified soil fill zone. Construction inspection and quality assurance testing was performed by the field representative of the certifying engineer. The results of the field nuclear density tests for each compacted layer are presented in Appendix E and summarized in Table 4-6. The fifteen field density tests indicate that all dry densities exceeded the requirement of 95 percent of maximum dry density.

In addition, samples of the compacted fill were obtained and tested in the soils laboratory to confirm the soils were the same as approved for construction and that in-place permeabilities of the constructed fill were less than the regulatory requirement for clay barrier soil. These test results are summarized in Table 4-5 and indicate that the permeability of the constructed fill was less than the required 1×10^{-7} cm/sec.

This soil zone was constructed in three lifts of 8 inches each to yield the required 2 feet thickness of clay barrier soil. The thickness and extent of the of the barrier clay soil is shown on the "as-built" plan and cross-section drawings. The top layer was brought to the required elevations and graded to provide the 5 percent slope designated in the approved closure plan. The surface of the barrier clay soil zone is illustrated by photograph No. 8.

4.7 Synthetic Membrane

Subsequent to the approval of the barrier clay soil construction, the "impermeable" membrane was installed. In preparation for the liner, an anchor trench was excavated around the perimeter of the impoundment as shown on the detail of the approved design. This trench was excavated two feet higher and offset six feet along the south, west and north edges of the clay barrier soil. The anchor trench excavation along the western edge is shown on Photograph No. 9. Along the eastern perimeter the trench was offset nine feet and about one foot higher than the barrier soil layer as shown on Photograph No. 10. The extent of the impermeable membrane installation is shown on the "as-built" plan and cross-section drawings.

In addition to the anchor trench construction, a leveling course of sand was spread over the clay soil layer to fill small depressions in the clay soil surface. The placement of this sand cushion is shown on Photograph No. 11 and the cushion is also evident in Photographs No. 9 and 10, cited above. This thin layer was recommended by the membrane installer (Geo-Synthetics, Inc.) to provide uniform bedding for the liner. This layer was placed to a thickness of from 0 to 2 inches, the thicker zones at the edges near the anchor trench.

Geo-Synthetics rolled out the 40 mil thickness of HDPE liner material to cover the clay barrier soil and to extend down into the anchor trench. Photograph No. 12

shows the liner in place along the southern edge of the impoundment. The liner material panels were spread out from the southern edge, progressing to the north with about 4 inch overlaps for seaming purposes. Sand filled bags were placed on the liner to prevent it from being moved and/or overturned by the wind. Photograph No. 13 shows the liner in place on the sand cushion and lying in the anchor trench.

The northern edge of the installed liner is illustrated by Photograph No. 14. A view of the complete liner installation is shown on Photograph No. 15, looking from the south in a northerly direction. The rolls of geotextile material are shown distributed on the geomembrane for installation.

After a sufficient number of panels were laid out, the panels were joined using the seaming tool as shown by Photograph No. 16. The seaming tool was a self propelled, hot shoe tool manufactured by National Seal Company, the membrane manufacturer. The seaming tool made two simultaneous parallel fusion welded seams with an air channel between the welds. This air channel was used to pressure test the fusion welds in the quality assurance testing of the field seams. Seaming was only done when air temperatures were above 40^oF as required by the closure plan.

After the entire membrane was installed, seamed and tested, areas where the air channel leaked during the pressure test were located and patched using the extrusion welding technique. In addition, test strips of the field seams were cut out and sent to the laboratories for QA/QC testing of the field seams. Replacement patches were fixed to the liner using the extrusion welding technique. An extrusion welded patch is shown by Photograph No. 17.

The test strips were tested by the installer and also by STS to determine construction quality. The tests results of the membrane and field welds performed by STS for the certifying engineer are presented in Appendix E and summarized in Table 4-7. These results indicated that the seams did not peel-off fail but that the base material failed at the grips which applied the testing forces.

In addition to the tests on the field seams, samples of the geomembrane were tested to confirm the synthetic material fulfilled the project specifications. Samples of the membrane were tested to confirm the thickness, density, strength, and moduli of elasticity.

TABLE 4-7
GEOMEMBRANE TEST RESULTS
FIELD SEAMS
SUPERIOR, WI SITE

Seam ID	Strength At Yield (lbs.) (1)	Peel Adhesion (lbs.) (1)	Peel Adhesion Test Remarks
#2	114	82	Both samples broke @ edge of bonded area.
	124	84	
#8	122	84	Both samples broke @ edge of bonded area.
	100	80	
#15	115	63	Both samples 1/8" peel, then broke @ edge of bonded area.
	121	57	
#19	124	88	Both samples broke @ edge of bonded area.
	117	79	

NOTES:

(1) - 1" wide test specimen load value.

The results of these tests are presented in Appendix E and are summarized in Table 4-7. The membrane panels, seams, and test sample locations are shown in Figure 4-4. These results indicate that the synthetic membrane materials furnished and installed at the project fulfill the specifications for the project. The extent and position of the installed impermeable membrane can be inferred from the anchor trench locations shown on the attached "as-built" section drawing.



4.8 Drainage Layer Construction

After the membrane liner was installed, the drainage layer zone of the closure cap was constructed. Atop the membrane a layer of non-woven geotextile material was placed to protect the membrane from the drainage layer materials. The weight of the geotextile material was 10 ounces per square yard, spun bonded, polypropylene material manufactured by Exxon Corporation. This material exceeded the approved requirements which called for minimum of 8 ounce per square yard material.

Photograph No. 18 shows the rolls of geotextile unrolled over the geo-membrane with a lap of at least 18 inches for adjacent sheets. The geotextile was also anchored in the anchor trench which surrounded the perimeter of the closure cap. This construction was performed under the direction of the membrane installer and inspected by the field representative of the certifying engineer (STS's construction inspector).

The infiltrate collection pipe was placed on the geotextile as shown in Photograph No. 19. The schedule 40, four inch diameter polyvinyl chloride pipe was placed with the perforated holes in the downward position. The pipe was installed to slope downward from the western side of the impoundments to the discharge points located at the drainage ditch situated on the eastern side of the impoundments.

The drainage layer was then carefully placed atop the protective geotextile layer. As can be seen on Photograph No. 20, the granular material was placed and spread carefully using a light dozer. The full thickness of the sand / gravel drainage layer material was placed and spread over the geotextile. The material was spread by a small dozer in a lifting manner, insuring that the geotextile was not displaced as the granular materials were spread.



NOT TO SCALE

FIGURE 4-4
 SURFACE IMPOUNDMENT
 CLOSURE LINER
 SUPERIOR, WI

Drawn by: EJS
 November 1, 1988
 Geo-Synthetics, Inc.

The placement of the drainage layer was inspected by the construction inspector and advice was provided by the geomembrane installer. The full thickness of the drainage material was assured by manual excavations to confirm that the full one foot thickness was placed. Field density tests (see Table 4-6) performed during construction indicate that the placed density of the drainage layer materials exceeded the prescribed 95 percent of maximum density.

Samples of the furnished materials were obtained and laboratory sieve tests performed to confirm the materials fulfilled project requirements. The results of the tests are presented in Appendix E and are summarized on Table 4-5. These tests indicate that the furnished materials were essentially the same as the approved materials and should perform as intended in the approved closure cap design. As shown on Table 4-5, the permeability of the drainage layer is expected to exceed the required 1×10^{-2} cm/sec.

After the granular materials were placed, the top layer of the geotextile was placed to cover the granular drainage layer materials. The 10 ounce per square yard, non-woven polypropylene filter fabric manufactured by Exxon corporation was unrolled on the surface of the granular drainage layer materials. Adjacent sheets were lapped a minimum of 18 inches as specified on the approved drawings. The sand filled bags were distributed over the surface and the cover layer of unclassified fill placed to protect the geotextile from turning over and/or displacement by the action of the wind. The placed drainage layer material and geotextile filter fabric, being covered with the unclassified cover soil, are shown on Photograph No. 21.

The anchor trench was backfilled, fixing the edges of the drainage layer and thereby completing the drainage layer construction. Periodic inspection of all operations of the drainage layer construction was performed by STS's construction inspector, as a representative of the certifying engineer. The completed drainage layer is shown on the photographs in Attachment 2 and the "as-built" plan and cross-section drawings in Attachment 3.

4.9 Unclassified Cover Soil

The clay soil from the approved borrow source was used as fill in the unclassified soil fill zone which overlies the drainage layer. This material was placed, conditioned, and compacted in the same manner as the other layers of clay soil. The first layer was placed carefully to prevent displacing or damaging the geo-textile material covering the drainage layer. The placement of the first lift of this soil zone is shown on Photograph No. 22. As can be seen, the drainage layer materials, geo-textile and soil fill are being completed in the proper sequence.

Successive lifts of the clay soil were placed until the full 30 inch thickness of this unclassified soil fill zone was constructed. The final surface of this layer of the closure cap is shown in Photograph No. 23. Also shown is the survey team taking level readings to ascertain the final grade of this zone. The surface of this layer also reflects the grade required for the surface of the closure cap.

The thickness and grade of this zone of the closure cap are illustrated on the as-built drawings. In general, the constructed thickness was about the required 30 inches and the grade of the top surface had the required 5 % slope. Some warping and deviations are evident near the edges of the cap to accommodate the irregular shape of the adjacent, unaltered soils.

The quality of the constructed fill was determined by field density tests performed on each lift of the fill. The results of these tests are presented in Appendix E and are summarized in Table 4-6. A total of 15 nuclear density tests were performed on this fill zone, 8 on the northern and 7 on the southern impoundment. The percent of optimum dry for all these tests equal or exceed the required 95 percent value.

In addition to the field density tests, samples of the soil were tested in the soils laboratory to confirm the soil met the requirements for this fill zone. The results of the tests are summarized on Table 4-5 and indicate that this soil can be characterized as a red-brown clay, having a high plasticity. The grain size tests indicate that the particle size distribution of this soil was very uniform and similar to that of the approved borrow source material for clay fill.

4.10 Topsoil Placement

Samples of soil were obtained from the source proposed by the contractor. These samples were tested in a soils laboratory to determine its suitability for use as the topsoil zone. Grain size, Atterberg limit, Standard Proctor, and fertility tests were performed on the soil samples to confirm that it would fulfill project requirements and support vegetation.

The results of these tests are presented in Appendix E and are summarized in Table 4-5. These tests indicate that the topsoil can be classified as a brown silt, trace of sand and highly plastic (MH according to the U.S.C.S.). In addition, the soil can be compacted to a maximum dry density of about 77 pounds per cubic foot at an optimum moisture content of 33 percent.

The soil fertility tests indicate the recommended amounts of soil supplements required per acre to support vegetation and to raise the soil pH. Based on the two samples tested, no lime is required for a pH of 6.0, and 2700 to 4300 pounds per acre of lime are required to raise the pH to 6.5. The amount of phosphorus required ranges between 54 and 68 pounds of P/2-O/5 per acre for grasses and legume grasses, respectively. Based upon these tests results, the topsoil was approved for project use.

The topsoil was placed on the completed unclassified fill layer as shown on Photograph No. 24. The topsoil was subsequently compacted to achieve a density of a least 90 percent of the maximum dry density. Field density tests using a nuclear densometer were performed on each lift of the topsoil. The results are presented in Appendix E and are summarized in Table 4-6 as follows, for 10 tests - all dry densities meet the 90 % requirement with the maximum value of 93 %.

In addition, QA/QC tests on two samples obtained during construction indicate that the properties of the topsoil did not change significantly during the construction. The material tested as brown silt, trace of sand with high plasticity.

The topsoil was placed, spread and compacted before the end of the 1988 construction season. Final grading of the topsoil materials, tilling of the seed bed, adding soil amendments, and seeding remain to be accomplished in the next construction season. Survey data was obtained by Seaway and confirmed that

additional topsoil would be required to complete the cap construction. The surface of the placed topsoil is shown on Photograph No. 25, depicting the end of the 1988 construction season.

Jensen remobilized during June 1989 to complete the closure construction. Jensen placed, spread, and compacted approximately 438 cubic yards of additional topsoil material. In addition, grading was completed to shape the cap to satisfy slope and grade requirements. The topsoil construction work was completed by the end of June 1989.

The completed construction was surveyed by Seaway Engineering in July 1989. Keystone developed as-built drawings based on the Seaway survey data. The final grades were approved by Keystone in August 1989

4.11 Seeding and Mulching

A professional seeding contractor (Kerrick Sod Company) was procured by Jensen and scheduled for the end of August 1989. Jensen finish graded the cap in preparation for the seeding operation during the week of August 26, 1989. The seeding contractor arrived on-site and completed the work on August 29, 1989.

The seeding operations entailed adjusting the topsoil chemistry, placing the seed mix, and finally placing a mulch ground cover. Lime and fertilizer were distributed over the topsoil using a mechanical broadcast spreader. The seed mix was prepared and placed onto the cap area by hydroseeding. The hay mulch was then blown onto the cap area and set into position by anchor discing. In anchor discing the discs are set straight with the direction of travel thereby cutting the hay and slightly pushing the hay into the soil. The application rates for each material used during the seeding operation are shown in the table below.

SEEDING OPERATION MATERIALS SUMMARY

ITEM		APPLICATION RATE
Seed Mixture	Perennial Rye	80 Lbs./Acre
	Tall Fescue	75 Lbs./Acre
	Birdsfoot Trefoil	30 Lbs./Acre
Fertilizer, 5-10-5		30 Lbs./1000 SF
Lime		2200 Lbs./Acre
Hay Mulch		2000 Lbs./Acre

During October 1989, 5 weeks after seeding, a site inspection was completed to examine the cap construction area. The grasses were growing over the entire capped area as shown on Photograph No. 26, looking northward. Photograph No. 27, looking southward, shows a closer view of the grasses. No barren or eroded areas were observed on the cap area.

4.12 Drainage Improvements

The drainage channel adjacent to the closure cap on the eastern side was enlarged to improve the drainage which serves the project area. To increase the capacity of this drainage channel, the invert of the channel was lowered and the ditch widened. A view of this construction is shown on Photograph No. 28.

The drainage channels south of the impoundments did not need improvement because their cross sections already exceeded the design cross section. Along the western side of the closure cap, a drainage channel and flow plain is present and the top of the closure cap slopes to this channel. It is proposed that this area has sufficient capacity and a new channel is not required along this side. The existing drainage capacity probably far exceeds the proposed capacity of the drainage channel in this area.

Based upon the size and location of the existing drainage channels, and the manner in which the finished cap drains to the adjacent drainage channels, it appears that the

present constructed drainage system will fulfill project requirements. Subsequent to completion of the closure cap construction and vegetation work, some channel cleaning and improvements might be required to maintain the capacity of the existing drainage system.

The improvements of the eastern drainage channel completed the construction activities for 1988 at the impoundment closure cap construction. The Winter season's snow, as shown by Photograph No. 25, caused the construction to cease for calendar year 1988.

During the cap grading and topsoil placement work of June 1989, some additional grading of the cap-drainage channel edge was completed. This work was necessary to provide a uniform drainage channel profile for surface water drainage from the cap.

During the October 1989 site inspection, the condition of the drainage channels and pipe outlets were observed. The drainage channel were free of any debris or obstructions and were nearly dry. Photograph No. 29, looking southward, shows the cap-drainage channel edge. The exposed end of the pipe outlets were clear and the flow path appeared to be unobstructed. No water was flowing from the pipes.

5.0 CERTIFICATION

See the attached forms.

PROFESSIONAL ENGINEER CERTIFICATION OF CLOSURE


I, Walter Kuenzi, P.E. being a Registered Professional Engineer in accordance with the State of Wisconsin statutes and codes related to Professional Engineers, do hereby certify to the best of my knowledge, information and belief that,

Name & Location: Koppers Industries, Inc. Superior, Wisconsin
Facility: Surface Impoundments (Closure)
EPA ID No.: WID006179493

is constructed and prepared in accordance with the Facility's approved closure plan and as reflected in the documents, statements, designs and plans contained in the final report entitled:

Construction Documentation Report - Surface
Impoundment Closure

Walter Kuenzi
Walter Kuenzi, P.E. () 11/3/09
2103 Legendary Lane
Allison Park, PA 15101
(412)487-2798
November - 1989



OPERATOR CERTIFICATION OF CLOSURE

I, Matthew C. Plautz, P.E., Program Manager
(~~Owner~~ or Operator)

Beazer Materials and Services, Inc., 436 Seventh Ave., Pittsburgh, PA 15219
(Name and Address)

hereby state and certify that, to the best of my knowledge and belief, that the

Koppers Industries, Inc. Hazardous Waste Management Facility

Superior Wisconsin, Surface Impoundments EPA I.D. No. WID006179493
(Hazardous Waste Management Unit(s))

has been closed in accordance with the facilities closure plan, and that closure was completed on the 29th day of August, 1989.

Matthew C. Plautz
Signature

10/23/89
Date

6.0 DEED NOTICE

See the attached documentation detailing the status of the deed notice. The appropriate notification will be added to the property record within 60 days of certification.



Phone: 412/825-9600

3000 Tech Center Dr., Monroeville, PA 15146

Fax: 412/825-9699

October 19, 1989

Mr. John Hinzmann, Jr.
Seaway Engineering Company
831 East Second Street
Duluth, Minnesota 55805

Subject: Deed Restriction for
Closed Impoundments

Dear John,

As discussed with your Keith Johnson on October 18, 1989, we are requesting a quotation for your firm to prepare a document to restrict the disturbance of lands which previously contained two impoundments. The document will be filed with the local governing body which has jurisdiction over the lands containing the Koppers Company plant south of Superior, Wisconsin.

The enclosed "Deed Notation for Closure of Surface Impoundments" describes the notice and restrictions that are to be recorded, the corners of the lands requiring the restrictions, and the necessary tie to the two permanent monuments. This enclosure presents suggestions for the deed notation. The actual document should conform to the requirements of the local authority. The document to be filed must be sealed by a registered Land Surveyor.

Request you prepare your quotation and relay the costs by telephone to me as soon as possible. Our goal is to receive a copy of the filing document on or before October 27, 1989.

If you have any questions, do not hesitate to call me for any required clarifications.

Very truly yours,

Richard L. Van Tassel

Enclosure

NOTATION TO DEED OF CLOSURE OF SURFACE IMPOUNDMENTS

**KOPPERS COMPANY PLANT
HIGHWAY A, DOUGLAS COUNTY, WISCONSIN**

SUGGESTED NOTATION TO THE DEED

The area within the limits of land use restrictions was formerly a waste management unit designated U.S. EPA Identification Number WID006179493. The use of the enclosed land area is restricted and the ground must not be disturbed without the approval of the Wisconsin Department of Natural Resources. Maintenance, inspections, and environmental sampling are to be performed in conformance with the approved closure plan.

This area previously contained two (2) impoundments that were part of a process waste water treatment system. The impounded waste waters, sediments, sludges, piping systems, and visibly contaminated soils have been removed in accordance with a closure plan approved by the Wisconsin Department of Natural Resources.

This plat has been filed and recorded with the "recorders office, in the Douglas County Courthouse, Superior Wisconsin" as follows:

Deed Book Volume No. _____, Page No. _____.

SUGGESTED COORDINATES OF LAND-USE RESTRICTION

Corner	East	North
1	1,480,445	546,600
2	1,480,685	546,600
3	1,480,685	546,215
4	1,480,445	546,215


TIES TO MONUMENTS

Describe the geometry to tie the restricted area to monuments situated just north and south of the closed impoundments, Monuments Nos. 1 and 2, respectively. These "ties" should also be included on the deed notice.

Prepared by R. Van Tassel (10-17-89)

SEAWAY ENGINEERING COMPANY

831 EAST SECOND STREET
DULUTH, MINNESOTA 55805
218/722-0547



October 24, 1989

Keystone Environmental Resources, Inc.
3000 Tech Center Drive
Monroeville, PA 15146

Attention: Richard L. VanTassel

Dear Richard:

Transmitted herewith for your review are three copies of the sketch and description as per our phone conversation of 10/24/89.


Very truly yours,

A handwritten signature in cursive script, reading "Raymond O. Joki". The signature is written in dark ink and is positioned below the typed name.

Raymond O. Joki
SEAWAY ENGINEERING COMPANY

enclosure
cc: File #89044
ROJ:cm

Re: Purchase Order #1937



SCALE 1" = 100'

DESCRIPTION

A part of the NW $\frac{1}{4}$ of Section 13, Township 48 North, Range 14 West, Town of Superior, Douglas County, Wisconsin, described as follows:

Commencing at the N $\frac{1}{4}$ Corner of Section 13, thence Southerly along the Easterly line of the NW $\frac{1}{4}$ on a bearing of South 0 degrees 42 minutes 40 seconds East for a distance of 432.48 feet to a point; thence Westerly on a bearing of North 90 degrees West for a distance of 686.11 feet to the POINT OF BEGINNING; thence continue Westerly on a bearing of North 90 degrees West for a distance of 240.00 feet to a point; thence Southerly on a bearing of South 0 degrees East for a distance of 385.00 feet to a point; thence Easterly on a bearing of North 90 degrees East for a distance of 240.00 feet to a point; thence Northerly on a bearing of North 0 degrees East for a distance of 385.00 feet to the POINT OF BEGINNING.

Containing 2.12 acres.

PRELIMINARY

CENTER
SEC. 13

SEAWAY ENGINEERING CO. Consulting Engineers & Land Surveyors Duluth Minnesota	
DATE: 10/24/09	SCALE: 1" = 100'
PROJECT: [blank]	REVISION: [blank]

7.0 POST-CLOSURE CARE

Post-closure care will be carried out in accordance with the description provided in Section IX "Post-Closure Care Requirements" of the "Closure and Post-Closure Plan for the Koppers Company, Inc. Hazardous Waste Management Facility - Superior, Wisconsin - Surface Impoundments - EPA I.D. No. WID006179493" dated August 27, 1987 and the Conditions of Approval as contained in report titled "Conditional Approval - Closure and Long-Term Care Plan - Koppers Co., Inc. - Surface Impoundment WID006179493 received October 5, 1987, and the changes set forth in the WDNR report titled "Conditional Closure and Long-Term Care Plan Approval Modification for the Koppers Co., Inc. - Surface Impoundments (WID006179493" received March 17, 1988.

ATTACHMENT 1
SLUDGE REMOVAL REPORT

INTRODUCTION

This report contains documentation of the sludge removal phase of the Superior impoundments which was performed prior to major closure activities managed by Keystone Environmental Resources, Inc. The report contains:

- o A narrative description of the work performed (Prepared by Koppers plant manager Mr. David Shaw).
- o A series of progress photographs.
- o Copies of invoices processed between Koppers and its contractors (Rollins Environmental Services and Peoria Disposal Company).
- o Copies of the Hazardous Waste Manifests covering shipments of the stabilized material.

**LAGOON CLEANUP
SUPERIOR WI PLANT
September 1, 1988**

NORTH LAGOON

Dewatering of the north lagoon was started in early May, 1988 and completed by June 5, 1988. This was accomplished by closing the crossover line into the south lagoon and using a low volume skimmer pump to transfer the water into the south lagoon. After the visibly clean water was removed a gear pump was used to pump the oily water back to the wastewater system through the old lagoon feed line. (Photos 1 & 2).

At completion of dewatering, the bottom had several weeks to dry. (Photos 3 & 4). Prior to starting the removal process, there was a wet oily sludge pocket that went from the southwest corner along the west side from the northwest corner and along the north bank to the northeast corner. The northeast corner had the largest volume of sludge (about 12" to 18" deep that covered an area of about 160 square feet).

Rollins Environmental Services, Inc., was given the contract to remove the waste from the site. A meeting was held on July 12, 1988 with Rich Strand and Brad Smith of Rollins, Jim Sykes of Pheifer Bros. Construction, and David Shaw of Koppers Company. Rollins subcontracted Pheifer Bros. to supply and operate the equipment used for solidification and removal of the sludge. The meeting was for the following:

1. Inspection of the site.
2. Line up supplies for cleanup.
3. To cover equipment decontamination procedures and view the area where the equipment would be decontaminated.
4. To line up admix for solidification.
5. To go over the health and safety plan.

Rollins equipment arrived on the site on Monday, July 18, 1988. They had a small cat and a backhoe. Both pieces of equipment had wide low compression tracks, both operators were experienced in waste cleanup and had the required forty hours of OSHA training prior to arrival at Superior.

Cleanup of the north lagoon was started at about 10:30 AM on Tuesday the 18th of July. Two loads of admix were dumped into the north lagoon (one in the northwest corner and one in the northeast corner). The cat operator made one shallow cut on the surface the first day and then allowed the bottom to dry before making a final cut (Photos 5 & 6).

The sludge was moved to the north and west sides of the lagoon. This allowed the dry sludge to be mixed with the wetter material and cut down on the usage of admix.

The material was then moved to the west side and then to the southwest corner of the lagoon, there it was stabilized by thoroughly mixing with the admix. The deeper northwest corner was dug down to where it appeared all visible contamination was removed (Photos 7 & 8).

Tuesday, the lagoon bottom was skimmed again with the bulldozer. At this time you could see oil in the clay cracks in the northwest corner, so more material was removed from this section. The bottom was also dressed with the bulldozer. Wednesday, more seepage was noted near the northeast corner so more material was removed (Photo 9).

On Thursday the contractors left the site at about 11:00 am. The north was clean except for removal of the accumulated material. We were not permitted to go to a landfill yet and the south lagoon still had water in it (Photo 10).

SOUTH LAGOON

We started spraying onto the sprayfield at a rate of 7,000 gallons per day on April 1, 1988. We sprayed at this rate until June 27, 1988. From June 27 to July 22, we sprayed 15,000 gallons per day. Chuck Olson, WDNR, and Greg Hill, WDNR, gave us permission to increase the discharge to 15,000 gallons per day so we would be able to meet the August 8th deadline for disposal of K001.

On July 23 we started pumping the water left in the south lagoon into the treating plant, by Monday July 25 the south lagoon was completely dewatered (Photo 11).

The sludge did not have a creosote smell, it smelled more like decayed organic material. The sludge was not oily except in the northeast corner where the crossover from the north lagoon entered the south lagoon.

The cleanup of the south lagoon began at about 9:00 am. on Monday, the 25th of July. Pat Murray, of Rollins, replaced Brad Smith as supervisor for Rollins. Admix was dumped in the northwest corner. Using the bulldozer, the admix and sludge was moved toward the east and south side of the lagoon (Photos 12 and 13).

The sludge was then moved into a narrow strip along the south side of the lagoon where it was worked toward the southwest corner of the lagoon. Admix was dumped into the southwest corner. The backhoe sat in the southwest corner and mixed the sludge as the bulldozer pushed it to him. The cleanup, except for removal of the soils, was complete by July 27, 1988 (Photos 14, 15, 16 and 17).

We began shipping waste on July 29, 1988. Trucks were loaded in this order:

July 28	3 trucks
July 29	19 trucks
July 30	14 trucks
August 1	17 trucks
August 2	9 trucks

A total of 62 truckloads of material was shipped from Superior.

The equipment was decontaminated August 3 and was removed from the site at about 2:00 pm. August 3, 1988.

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
NORTH LAGOON



PHOTO 1 SKIMMER



PHOTO 2 SKIMMER PUMP

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
NORTH LAGOON



PHOTO 3 BOTTOM SLUDGE



PHOTO 4 BOTTOM SLUDGE (CLOSE-UP)

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
NORTH LAGOON



PHOTO 5 DUMPING ADMIXTURE



PHOTO 6 PUSHING SLUDGE TO ADMIXTURE PILES

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
NORTH LAGOON



PHOTO 7 MIXING SLUDGE WITH ADMIXTURE



PHOTO 8 CLEANING BOTTOM TO FINAL GRADE

SUPERIOR, WISCONSIN
NORTH LAGOON



PHOTO 9 DEEPER SEEPAGE - N.E. CORNER



PHOTO 10 FINAL GRADE - ALL SLUDGE REMOVED

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
SOUTH LAGOON



PHOTO 11 LAGOON DEWATERED



PHOTO 12 PUSHING SLUDGE SOUTH AND EAST

SUPERIOR, WISCONSIN
SOUTH LAGOON



PHOTO 13 PUSHING SLUDGE SOUTHWARD



PHOTO 14 SLUDGE MIXING - S.W. CORNER

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
SOUTH LAGOON



PHOTO 15 SLUDGE MIXING



PHOTO 16 PUSHING SLUDGE TO BACKHOE

KUPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN
SOUTH LAGOON



PHOTO 17 LAGOON BOTTOM AFTER CLEANUP




ROLLINS ENVIRONMENTAL SERVICES (FS) INC.
 135 E. St. Charles Rd., Unit C
 Carol Stream, IL 60188

NO: 400428
 CUST. NO: 260092
 DATE: 8-19-88
 PAGE: 1 of 1
 Plus Attachment

INVOICE

Koppers Company, Inc.
 Purchasing Dept.
 801 Koppers Building
 Pittsburgh, PA 15219
 Attention: Jack L. Stephenson

RECEIVED



CUSTOMER REFERENCE: 14-8-50523 STREAM NO. & DESCRIPTION: Project 6034 Superior, WI CARRIER REFERENCE: Salesman 30/89

B/L NO. B/L DATE MFST. NO.	PRICE CODE	DESCRIPTION	QUANTITY	UM	UNIT PRICE	AMOUNT
	2150	TREATMENT, TRANSPORTATION, SITE SERVICES; All work necessary to remove waste from Koppers Company, Superior, WI Per attached Backup				
					(See Attachment)	
					TOTAL INVOICE	

cc: Koppers Company
 Superior, WI

TERMS: Net due upon receipt of invoice. A service charge of 1.5% per month will be charged on past due amounts.

INQUIRIES: Please call Chris Klimusko at (312) 260-9470 with any questions.

SHIP TO: P. O. Box 98793
 Chicago, Illinois 60693

6L 5850 Detail 2

SUS Detail Blank

 * INVOICE *

CUSTOMER: KOPPERS COMPANY, SUPERIOR, WI
 CUSTOMER ORDER NO.: 14-8-50523
 DATE: AUGUST 19, 1988

SALESMAN: GANCE/KURZWE
 SALESMAN # 089/030

ITEM DESCRIPTION	QUANTITY	UNITS	UNIT PRICE	AMOUNT
MOBILIZATION	1	LS		
STABILIZATION	1358.04	TONS		
ADMIX USED	220.23	TONS		
PRIMARY DISPOSAL (PDC)	1358.04	TONS		
PRIMARY TRANSPORT	1358.04	TONS		
SECONDARY DISPOSAL (CWM)	0	TONS		
SECONDARY TRANSPORT	0	TONS		

DATE	ADMIX (LOADS)	ADMIX (TONS)	DISPOSAL (LOADS)	DISPOSAL (TONS)
13-Jul-88	6	138.37		
19-Jul-88	4	81.86		
29-Jul-88			3	68.71
30-Jul-88			18	401.92
01-Aug-88			14	292.99
02-Aug-88			20	460.205
03-Aug-88			5	96.45
04-Aug-88			2	37.76
	10	220.23	62	1358.04



Peoria Disposal Company

P.O. Box 9071 Peoria, Illinois 61614 309-686-8033

INVOICE 27112

Account No. 40179	Supplier No./Vendor No.	Requisition No.	Purchase Order No. 14-152527	Terms Net 30	Date 7/31/88
-----------------------------	-------------------------	-----------------	--	------------------------	------------------------

Date	Load Ticket No.	Quantity	Units	Hours	Travel Hrs.	Rate	Description	Amount
7/29/88	212485	20	Yards				Disposal	
	852							
	853							
7/30	854							
	855							
	856							
	857							
	858							
	859							
	860							
	861							
	862							
	863							
	864							
	865							
	866							
	867							
	868							
	869							
	870							
	872							
		420	Yards			6.06	TEPA Charges	

Previous Balance	Payments	Credits	Delinquency Charge	PLEASE PAY THIS AMOUNT
------------------	----------	---------	--------------------	-------------------------------

PLEASE RETAIN THIS ORIGINAL PORTION FOR YOUR RECORDS

A DELINQUENCY CHARGE WILL BE ADDED OF 1% PER MONTH - 18% PER ANNUM.




Peoria Disposal Company

P.O. Box 9071 Peoria, Illinois 61614 309-686-8033

INV NO, 27112

Service Address
880586 Koopers, Superior

Shipping Address
Koppers Company Inc.
Purchasing Agent
436 7th Ave.
Pittsburgh, PA 15219
Attn: Jack L. Stephenson



TERMS: **Net 30**

Invoice Date	7/31/88
Balance Due	
Amount Paid	\$

RECEIVE PROPER CREDIT PLEASE RETURN THIS PORTION WITH YOUR REMITTANCE.



Peoria Disposal Company

P.O. Box 9071 Peoria, Illinois 61614 309-686-8033

INVOICE 27405

PAGE 1

Invoice No. 60179		Supplier No./Vendor No.		Requisition No.		Purchase Order No. 14-8-50527		Terms Net 30		Date 8/15/88	
Date	Load Ticker No.	Quantity	Units	Hours	Travel Hrs.	Rate	Description	Amount			
8/01/88	212487	20	Yards				Disposal				
	873	"									
	874	"									
	875	"									
	876	"									
	877	"									
	878	"									
	879	"									
	880	"									
	881	"									
	883	"									
	884	"									
	885	"									
	886	"									
8/02/88	882	"									
	887	"									
	888	"									
	889	"									
	890	"									
	891	"									
	892	"									
	893	"									
	894	"									
	895	"									
	896	"									
	897	"									
	898	"									

PLEASE PAY THIS AMOUNT CONT

PLEASE RETAIN THIS ORIGINAL PORTION FOR YOUR RECORDS

A DELINQUENCY CHARGE WILL BE ADDED OF 1% PER MONTH - 18% PER ANNUM.



Peoria Disposal Company

P.O. Box 9071 Peoria, Illinois 61614 309-686-8033

INV NO. 27405

Service Address

880586- Superior

Billing Address

Koppers Company Inc.
Att: Jack Stephenson
Purchasing Agent
436 7th Ave
Pittsburgh, PA 15219

TERMS: Net 30

Invoice Date	8/15/88
Balance Due	
CONT	
Amount Paid	\$

RECEIVE PROPER CREDIT PLEASE RETURN THIS PORTION WITH YOUR REMITTANCE.



Peoria Disposal Company

P.O. Box 9071 Peoria, Illinois 61614 309-686-8033

INVOICE 27405

Page 2

Account No. 40179	Supplier No./Vendor No.	Requisition No.	Purchase Order No. 14-8-50527	Terms Net 30	Date 8/15/88
----------------------	-------------------------	-----------------	----------------------------------	-----------------	-----------------

Date	Load Ticket No.	Quantity	Units	Hours	Travel/Hrs.	Rate	Description	Amount
8/2/88	2124899	20	Yards				Disposal	
	900	"						
	2128530	"						
	531	"						
	532	"						
	533	"						
	534	"						
8/03/	535	"						
	537	"						
	538	"						
	540	"						
	541	"						
8/4/	536	"						
	539	"						
		820	Yards				IEPA Charges	

Previous Balance	Payments	Credits	Delinquency Charge	PLEASE PAY THIS AMOUNT
------------------	----------	---------	--------------------	-------------------------------

PLEASE RETAIN THIS ORIGINAL PORTION FOR YOUR RECORDS

A DELINQUENCY CHARGE WILL BE ADDED OF 1% PER MONTH - 18% PER ANNUM.



Peoria Disposal Company

P.O. Box 9071 Peoria, Illinois 61614 309-686-8033

INV NO. 27405

Service address

880586-Superior

TERMS: Net 30

Business

Koppers Company, Inc.
 Attn: Jack Stephenson
 Purchasing Agent
 436 7th Ave.
 Pittsburgh, PA 15219

40179

Invoice Date	8/15/88
Balance Due	
Amount Paid	\$

RECEIVE PROPER CREDIT PLEASE RETURN THIS PORTION WITH YOUR REMITTANCE.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID0061799-493**

Manifest Document No. **10001**

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2124851

4. Generator's Phone (715) **392-2221**

B. Illinois Generator's ID # **9550375302**

5. Transporter 1 Company Name
Dart Trucking Co., Inc.

6. US EPA ID Number
OHD009865825

C. Illinois Transporter's ID **800) 426-0895**

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4394 Southport Road
Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID # **14381200**

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.	EPA HW Number	Authorization Number
0	0.1 D.T	20	2		81805810	XX
						XX
						XX
						XX

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
07 28 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

DAVID FIELDS

Signature
David Fields

Date
07 28 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space
Gen. US EPA ID# (Box 1) and Gen. IL ID# (Box B) incorrect. - corrected 7-29-88 JJ. Address corrected (Box 9) also.

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

JAMES DOUGLAS

Signature
James Douglas

Date
07 29 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7 This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID0061795 493

Manifest Document No.

100002

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124852

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

1955031

5. Transporter 1 Company Name

Dart Trucking Co., Inc.

6. US EPA ID Number

OHD009865825

C. Illinois Transporter's ID

D. (800) 426-0895

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

F. () Transporter

9. Designated Facility Name and Site Address

Peoria Disposal Company
439 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility ID

12438

H. Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit Mt/Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0.01 D T

20 2

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item 11

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

David A. Shaw

Date
Month Day Year
07 28 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

ALAN JAY FURR

Signature

Alan Jay Furr

Date
Month Day Year
07 28 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date
Month Day Year

19. Discrepancy Indication Space Gen. US EPA ID # (Box 1) and Gen. IL ID # (Box B) incorrect. also address (Box 9) incorrect. - corrected 7-29-88 J.J. Ill. Transporter's ID # was in wrong box - corrected 8-1-88 J.J.

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Douglas

Signature

James Douglas

Date
Month Day Year
07 29 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED. This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0038, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID00617998493

Manifest Document No. 00003

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124853

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID # 9550312303

5. Transporter 1 Company Name

Wills Trucking

6. US EPA ID Number

OHD068913409

C. Illinois Transporter's ID

7. Transporter 2 Company Name

8. US EPA ID Number

D. (800) 348-4057

9. Designated Facility Name and Site Address

Peoria Disposal Company
4304 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

E. Illinois Transporter's ID

F. ()

G. Illinois Facility's ID

H. Facility's Phone (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	15. Handling Codes for Wastes Listed Above	
			1 = Gallons	2 = Cubic Yards
0.0.1	D. T	20	2	

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw
Date
07 28 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
JACK DeVries

Signature
Jack DeVries
Date
07 28 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature
Date
Month Day Year

19. Discrepancy Indication Space
Gen. USEPA ID# (BOX 1) and Gen. IL ID# (BOX 8) incorrect also address (BOX 9) incorrect, - corrected 7-29-88 J.J.

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
JAMES DOUGLAS
Signature
James Douglas
Date
07 29 88

#2

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179948 493 | Manifest Document No. 00004

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124854

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9151510

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
ILD981955925

C. Illinois Transporter's ID

(309) 263-2700

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

()

9. Designated Facility Name and Site Address

Peoria Disposal Company
4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

F. ()

G. Illinois Facility's ID

11538

H. Facility's Phone (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total Quantity

14. Unit

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

No.

Type

Quantity

Unit

0-0-1

D-T

202

XX

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 738

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year

07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Ken Puckett

Signature

Ken Puckett

Date

Month Day Year

07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

Wrong numbers in Box 1, B, 9.
I made the corrections.
7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date

Month Day Year

07 30 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2875

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7 This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179845 493 100005**
Manifest Document No.

2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2124855

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
9-5503-1253-6

5. Transporter 1 Company Name
Jack Gray

6. US EPA ID Number
IND042534875

C. Illinois Transporter's ID
(219) 938-7020

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address
**Peoria Disposal Company
349-494 Southport Road
Peoria, IL 61615**

10. US EPA ID Number
IL D000805812

G. Illinois Facility's ID
1143181210005

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0.01	D. T	2.0	2	8-805-216

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

b.

c.

d.

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information
Truck # 514-6

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *[Signature]* Date **072988**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **Billy D. Frederick** Signature *[Signature]* Date **7 30 88**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space
Box 1, Box B, Box 9 was wrong. I made the correction. S.C. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **Stephanie Carter** Signature *[Signature]* Date **073088**

GENERATOR

TRANSPORTER

FACILITY

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124856

4. Generator's Phone (715)

392-2221

B. Illinois Generator's ID

5. Transporter 1 Company Name

Liberty Transport

6. US EPA ID Number

ILD981955925

C. Illinois Transporter's ID

D. (309) 253-276

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
4304 Southport Road
Peoria, IL 61615

10. US EPA ID Number

IL D000805812

F. Illinois Facility's ID

G. Illinois Facility's ID

H. Facility's Phone

(309) 676-430

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit Wt/Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0-0-1 D-T

2.0

2

GENERATOR

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 736

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

Date

Month Day Year

07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Allen L. Gregory

Signature

Date

Month Day Year

07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

Wrong numbers in Box 1, B, 9
I made the corrections S.C. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Date

Month Day Year

07 30 88

FACILITY

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179946 493

Manifest Document No. 90007

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124857

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID 955031536

5. Transporter 1 Company Name

Jack Gray

6. US EPA ID Number
IND042534875

C. Illinois Transporter's ID 1297
D. (219) 938-7020 Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID 1438120063
H. Facility's Phone (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. 0	0.1	D	202
b.			
c.			
d.			

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

XX
8880588
XX
XX
XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 504-3

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
James Murphy

Signature

Date
07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space

Box 1, Box B, Box 9 were wrong.
I made the correction.
S.C. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
Stephanie Carter

Signature

Date
07 30 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved, OMB No. 2050-0038, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179945 493100008

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124858

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9-25-03

5. Transporter 1 Company Name
Dart Trucking Co., Inc.

6. US EPA ID Number
OHD009865825

C. Illinois Transporter's ID

D. (800) 426-0895

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 4094 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

F. () Transporter's ID

G. Illinois Facility's ID

143812

H. Facility's Phone
(309) 676-4393

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total Quantity

14. Unit

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0 0 1 D T

2 0 2

8/8/05 8/6

b.

c.

d.

XX
XX
XX
XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9084

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date
Month Day Year
0 7 2 9 8 8

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

George H. Hatfield

Signature

George H. Hatfield

Date
Month Day Year
7 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date
Month Day Year

19. Discrepancy Indication Space

BOX 1, BOX B, BOX 9 WAS WRONG.
I made the corrections.

S.C 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date
Month Day Year
07 30 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA

PART - 3 FACILITY

PART - 4 TRANSPORTER

PART - 5 IEPA

PART - 6 GENERATOR

REV. 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111½ Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179848 493 00009

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

4. Generator's Phone (715) 392-2221

5. Transporter 1 Company Name
Dart Trucking Co., Inc.

6. US EPA ID Number
OHD009865825

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 4304 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

A. Illinois Manifest Document Number

IL 2124859

B. Illinois Generator's ID

955035367

C. Illinois Transporter's ID

D. (800) 426-0895 Transporter's Phone

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID

1438120808

H. Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0 0 1 D T	2 0 2		XX K 0 0 1 8 1 8 0 1 5 1 6
			XX 8 1 8 0 1 5 1 6
			XX 8 1 8 0 1 5 1 6
			XX 8 1 8 0 1 5 1 6

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #9066

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Melvin E. Yantling

Signature

Melvin E. Yantling

Date

Month Day Year
07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

Box 1, Box B, Box 9 were wrong.
I made the correction.

S.C. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item #9.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date

Month Day Year
07 30 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV 7 GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111.5 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179948 493

Manifest Document No.

100010

2. Page 1

1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL-2124860

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
1955031536

5. Transporter 1 Company Name
Wills Trucking

6. US EPA ID Number
OHD068913409

C. Illinois Transporter's ID
D. (800) 348-4051

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
4304 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
143820003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Mt/Vol	15. Waste No.
a.	R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)			XX
b.		0.01	D.T.	2.02
c.				XX
d.				XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #3029

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

Date

Month Day Year
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

STAN SHAW

Signature

Date

Month Day Year
7 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

Box 1, Box B, Box 9 were wrong. I made the corrections.

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19

Printed/Typed Name

Stephanie Carter

Signature

Date

Month Day Year
07 30 88

OIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

SECTION: PART - 1 GENERATOR PART - 2 IEPA

PART - 3 FACILITY

PART - 4 TRANSPORTER

PART - 5 IEPA

PART - 6 GENERATOR

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2, Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

WID006179946 493 100011

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124861

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

19-15-15-013-1-5-2-6

5. Transporter 1 Company Name

Fort Transfer

6. US EPA ID Number

ILD062333752

C. Illinois Transporter's ID

D. (309) 263-2000

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
434 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

F. ()

G. Illinois Facility ID

1-4-3-8-2

H. Facility's Phone

(309) 676-4803

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit Mt/Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0 0 1 D T 2 0 2

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #88

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date
Month Day Year
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Richard Pfanz

Signature

Richard Pfanz

Date
Month Day Year
07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date
Month Day Year

19. Discrepancy Indication Space

Box 1, Box B, Box 9 was wrong.
I made the correction.

S.C. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Certe

Signature

Stephanie Certe

Date
Month Day Year
07 30 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179948 493		Manifest Document No. 00012		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.						
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880						A. Illinois Manifest Document Number IL 2124862								
4. Generator's Phone (715) 392-2221				6. US EPA ID Number ILD062333752		B. Illinois Generator's ID 915503258								
5. Transporter 1 Company Name Fort Transfer				8. US EPA ID Number		C. Illinois Transporter's ID (309) 263-2000								
7. Transporter 2 Company Name				10. US EPA ID Number		E. Illinois Transporter's ID								
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 4004 Southport Road Peoria, IL 61615						G. Illinois Facility's ID 1438120183								
						H. Facility's Phone (309) 676-4893								
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol				
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)						0-0-1 D T		2 0 2		XX 6 0 0 0				
b.										XX 8 0 5 8 0				
c.										XX				
d.										XX				
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge						K. Handling Codes for Wastes Listed Above in Item # 14 1 = Gallons 2 = Cubic Yards								
15. Special Handling Instructions and Additional Information Truck #87														
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.														
Printed/Typed Name David A. Shaw						Signature 			Date 07/29/88					
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name Jim Hehrman			Signature 			Date 07/29/88		
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name			Signature			Date		
19. Discrepancy Indication Space Box 1, Box B, Box 9 was wrong. The correction was made. S.C. 7/30/88														
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						Printed/Typed Name Stephanie Carter			Signature 			Date 7/30/88		

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

WID006179 ~~43~~ ~~439~~

100013

A. Illinois Manifest Document Number
IL 2124863

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

B. Illinois Generator's ID
915150345

4. Generator's Phone (715) 392-2221

5. Transporter 1 Company Name
Fort Transfer

6. US EPA ID Number
ILD062333752

C. Illinois Transporter's ID
D. (309) 263-2000

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address
Peoria Disposal Company
4304 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

F. Illinois Facility's ID
G. Facility's Phone
(309) 676-3888

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type
13. Total Quantity
14. Unit Wt/Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0-0-1 D-T 2 0 2

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #90

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Date

David A. Shaw

David A. Shaw

Month Day Year

07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

WILLIAM CRAVEN

William Craven

Month Day Year

07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

made corrections in Box 1, B. 9.
wrong ill Generator's number.
wrong Generator's USEPA ID NO. wrong address S.P. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

Date

STEPHANIE CARTEL

Stephanie Cartel

Month Day Year

07 30 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID00617993 493

Manifest Document No. 100014

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document No. L 2124864

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID 9155103

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
ILD981955925

C. Illinois Transporter's ID (309) 263-2700

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
439 1/2 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID 11438121000

H. Facility's Phone (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type 13. Total Quantity 14. Unit Wt/Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0 0 1 D T 2 0 2

b.

c.

d.

XX
XX
XX
XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #737

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date
Month Day Year
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
LOUIS A. MADDOX

Signature

Date
Month Day Year
07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date
Month Day Year

19. Discrepancy Indication Space

Wrong numbers in Box 1, Box B
Wrong address in Box 9. I made the
correction. 7/30/88 S.C.

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
Stephanie Carter

Signature

Date
Month Day Year
07 30 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179048 493 100013

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124865

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

ID 952323

5. Transporter 1 Company Name

Fort Transfer

6. US EPA ID Number

ILD062333752

C. Illinois Transporter's ID

D. (309) 263-2000

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

F. Illinois Facility's ID

ID 143820803

G. Illinois Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit

15. Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0-0-1 D-T

210

2

8-6-88

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item 11

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #92

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

RUSSELL DORRIS

Signature

Russell Dorris

Date

Month Day Year
07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

Box 1, Box B, Box 9 were wrong.
Corrections were made.

S.C. 7/30/88

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date

Month Day Year
07 30 88

Please print type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179948 493** Manifest Document No. **100016**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2124866

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID **9550915364**

5. Transporter 1 Company Name
Fort Transfer

6. US EPA ID Number
ILD062333752

C. Illinois Transporter's ID **1121471**

7. Transporter 2 Company Name

8. US EPA ID Number

D. (309) 263-2000 Transporter's Phone

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4304 Southport Road
Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID **1438120003**
H. Facility's Phone **(309) 676-4893**

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type 13. Total Quantity 14. Unit Wt/Vol

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

Waste No. **8805186**
EPA HW Number **XXK001**
Authorization Number

b.

0-0-1 D-T 2 0 2

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #94

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

072988

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

LEO RUSSELL

Signature

Leo Russell

Date

072988

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

**Box 1, Box B, Box 9 were wrong.
I made the correction S.C. 7/30/88**

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date

073088

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179943**

Manifest Document No. **00017**

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2124867

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
9-515-03-115367

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
ILD981955925

C. Illinois Transporter's ID
2207

7. Transporter 2 Company Name

8. US EPA ID Number

D. (309) 263-2700

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4349 ~~4394~~ Southport Road
Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

E. Illinois Transporter's ID

F. ()

G. Illinois Facility's ID
143820503

H. Facility's Phone
(309) 676-4393

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a.	R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)	0.01	D.T.	2.0 2
b.				8, 8, 0, 5, 8, 6
c.				
d.				

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **732**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *David A. Shaw* Date **07 29 88**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **JIM CARRINGTON** Signature *Jim Carrington* Date **07 29 88**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **Stephanie Carter** Signature *Stephanie Carter* Date **07 30 88**

Generator Copy -- PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.
This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179943	Manifest Document No. 00018	2. Page 1 of 1	Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880		6. US EPA ID Number ILD981955925		A. Illinois Manifest Document Number IL 2124868		
4. Generator's Phone (715) 392-2221		8. US EPA ID Number		B. Illinois Generator's ID 9550315307		
5. Transporter 1 Company Name Liberty Transport		10. US EPA ID Number		C. Illinois Transporter's ID 2207		
7. Transporter 2 Company Name		6. US EPA ID Number		D. (309) 263-2700 Transporter's Phone		
9. Designated Facility Name and Site Address Peoria Disposal Company 4394 Southport Road Peoria, IL 61615		8. US EPA ID Number ILD000805812		E. Illinois Transporter's ID		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		F. () Transporter's Phone		
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)		0-0-1 D-T		G. Illinois Facility's ID 1438120003		
b.				H. Facility's Phone 309 676-4893		
c.				EPA ID Number Authorization Number XX		
d.				EPA ID Number Authorization Number XX		
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge				K. Handling Codes for Wastes Listed Above in Item # 14 1 = Gallons 2 = Cubic Yards		
15. Special Handling Instructions and Additional Information Truck # 735						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name David A. Shaw		Signature <i>David A. Shaw</i>		Date 072988		
17. Transporter 1 Acknowledgement of Receipt of Materials						
Printed/Typed Name <i>Virgie Anderson</i>		Signature <i>Virgie Anderson</i>		Date 072988		
18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name		Signature		Date		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						
Printed/Typed Name <i>Stephanie Carter</i>		Signature <i>Stephanie Carter</i>		Date 073088		

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179525

Manifest Document No.

100019

2. Page 1

1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124869

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9550315867

5. Transporter 1 Company Name

Liberty Transport

6. US EPA ID Number

ILD981955925

C. Illinois Transporter's ID

2267

7. Transporter 2 Company Name

8. US EPA ID Number

D. (309) 263-2700 Transporter's Phone

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 ~~1004~~ Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

F. () Transporter's Phone

G. Illinois Facility's ID

1438120009

H. Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers	13. Total Quantity	14. Unit	15. Waste No.
No. Type		Wt/Vol	
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)	0 0 1 D T	20 2	888568
b.			
c.			
d.			

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Packaging Codes for this Material
1 - Gallons 2 - Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 733

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Jerry A Bennett

Signature

Jerry A Bennett

Date

07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date

07 30 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 3700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID0061790 *493* 100020

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124870

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9550315369

5. Transporter 1 Company Name
Wills Trucking

6. US EPA ID Number
OHD068913409

C. Illinois Transporter's ID
(800) 348-4051

7. Transporter 2 Company Name

8. US EPA ID Number

D. (800) 348-4051

Designated Facility Name and Site Address
Peoria Disposal Company
3349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID
1438120003
H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0-0-1	D. T	2 0 2	EPA HW Number XX (K) 001 Authorization Number 880586
			EPA HW Number XX Authorization Number
			EPA HW Number XX Authorization Number
			EPA HW Number XX Authorization Number

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck #3038

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
07 29 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Law Thomas

Signature

Law Thomas

Date

Month Day Year
07 29 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Stephanie Carter

Signature

Stephanie Carter

Date

Month Day Year
07 30 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179493**

Manifest Document No. **00031**

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397,
Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2124871

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
95508145367

5. Transporter 1 Company Name
Jack Gray

6. US EPA ID Number
IND042534875

C. Illinois Transporter's ID
(219) 938-7020

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
143812903

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit (M/Vol)	15. EPA ID No.	16. EPA ID No.	17. EPA ID No.
a.	R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)					
b.		0-0-1	D-T	20	2	8-8-85
c.						
d.						

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

TRUCK # G03-1

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
07-29-88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JAMES WENDORSKI

Signature
James Wendorshi

Date
07-29-88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Jones Jr.

Signature
James Jones Jr.

Date
08-01-88

TELEPHONE: 217 / 782-3637

24 HOUR EMERGENCY AND SPECIAL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

ATTENTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.
This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111's Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. *WID*
WID006179 ~~493~~ 493 Manifest Document No. 100022

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124872

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
9550310303

5. Transporter 1 Company Name
Jack Gray

6. US EPA ID Number
IND042534875

C. Illinois Transporter's ID
D. (219) 938-7020 Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
349 ~~Southport~~ Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
1438720003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0.0.1	D. T	20	2	XX EPA ID Number 81805812 Authorization Number
				XX
				XX
				XX EPA ID Number Authorization Number

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

b.				XX
c.				XX
d.				XX EPA ID Number Authorization Number

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

TRUCK # 635

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: David A. Shaw
Signature: *David A. Shaw*
Date: 072988

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: Timothy Esch
Signature: *Timothy Esch*
Date: 072988

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: _____
Signature: _____
Date: _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name: Stephanie Carter
Signature: *Stephanie Carter*
Date: 073088

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179493**
Manifest Document No. **100023**

2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124873

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
95503115367

5. Transporter 1 Company Name
Dart Trucking

6. US EPA ID Number
IOHD 009865825

C. Illinois Transporter's ID
10431

7. Transporter 2 Company Name

8. US EPA ID Number

D. () Transporter's Phone
E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt./Vol	Waste No.
a. 0-0-1	D.T	202	XXK001 EPA HW Number 880586 Authorization Number
b.			XX EPA HW Number Authorization Number
c.			XX EPA HW Number Authorization Number
d.			XX EPA HW Number Authorization Number

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above
In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

TRUCK # 9556

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *[Signature]* Date **073088**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **DAVID FIELDS** Signature *[Signature]* Date **073088**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **James Jones Jr.** Signature *[Signature]* Date **080188**

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-88

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179-493

Manifest Document No. 100024

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124874

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

15503

5. Transporter 1 Company Name

Dart Trucking

6. US EPA ID Number

ILD009865825

C. Illinois Transporter's ID

06533184

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID

143820083

H. Facility's Phone (309) 676-

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

12. Containers No. Type

0 0 1 D T

13. Total Quantity

202

14. Unit Wt/Vol

GENERATOR

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

TRUCK # 9649

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

07/30/88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

ALAN JAY FURR

Signature

Alan Jay Furr

Date

07/20/88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Jones Jr.

Signature

James Jones Jr.

Date

02/01/88

TRANSPORTER

FACILITY

3637

24 HOUR EMERGENCY AND SPECIAL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

GENERATOR PART - 2 IEPA

PART - 3 FACILITY

PART - 4 TRANSPORTER

PART - 5 IEPA

PART - 6 GENERATOR

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

Illinois Statutes, Chapter 111½, Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of risk to Center. This information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. *Out*
WID006179 493

Manifest Document No. 100025

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124875

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9 5 5 0 3 1 5 3 8 7

5. Transporter 1 Company Name
Dart Trucking

6. US EPA ID Number
10HD 00986 5825

C. Illinois Transporter's ID

D. 216 533-7841 Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

F. () Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID

1 4 3 8 1 2 0 0 0 3

H. Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit Mt/Vol

Waste No.

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0.0.1 D.T

20 2

EPA HW Number
XX 0101

8 8 0 5 8 6

b.

EPA HW Number
XX

c.

EPA HW Number
XX

d.

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

EPA HW Number
XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

TRUCK # 5084

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
07 30 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Jesse E Bone

Signature

Jesse E Bone

Date

Month Day Year
07 30 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Jones Jr.

Signature

James Jones Jr.

Date

Month Day Year
08 01 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179493**
Manifest Document No. **100026**

2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124876

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
915150315360

5. Transporter 1 Company Name
JACK GRAY

6. US EPA ID Number
IND 042534875

C. Illinois Transporter's ID
D019736-200

7. Transporter 2 Company Name

8. US EPA ID Number

D. Transporter's Phone
E. Illinois Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. 0	0	1	D.T	1
b.				
c.				
d.				

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above
In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # G03-2

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date
07/30/88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Patrick Esker

Signature

Patrick Esker

Date
7/30/88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Jones Jr.

Signature

James Jones Jr.

Date
08/01/88

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179** Manifest Document No. **493 100027**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124877

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID: **95503145369**

5. Transporter 1 Company Name
JACK GARY

6. US EPA ID Number
IND 042534875

C. Illinois Transporter's ID: **029938** Transporter's phone: **700**

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID: **1438120003** Transporter's Phone: **(309) 676-4893**

9. Designated Facility Name and Site Address
Peoria Disposal Company
1249 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID: **1438120003**

H. Facility's Phone: **(309) 676-4893**

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0.0.1	D. T	20 2	880586
			880586
			880586
			880586

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

TRUCK # 644-04

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

073088

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Kenneth E Koopman

Signature

Kenneth E Koopman

Date

073088

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date

080188

GENERATOR

TRANSPORTER

FACILITY

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-88)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179.493 <i>Out</i>	Manifest Document No. 00028	2. Page 1 1 of 1	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880				A. Illinois Manifest Document Number IL 2124878	
4. Generator's Phone (715) 392-2221				B. Illinois Generator's ID 915510315363	
5. Transporter 1 Company Name JACK Gray		6. US EPA ID Number IND 042534875		C. Illinois Transporter's ID 019738700	
7. Transporter 2 Company Name		8. US EPA ID Number		E. Illinois Transporter's ID	
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615				10. US EPA ID Number ILD000805812	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers No. Type	13. Total Quantity
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)				0 0 1 D T	20 2
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge				K. Handling Codes for Wastes Listed Above In Item # 14 1 = Gallons 2 = Cubic Yards	
15. Special Handling Instructions and Additional Information TRUCK # 644-05					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name David A. Shaw			Signature <i>David A. Shaw</i>		Date Month Day Year 07 30 88
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name RALPH E. SANDERS			Signature <i>Ralph E. Sanders</i>		Date Month Day Year 7 30 88
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name			Signature		Date Month Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.					
Printed/Typed Name Janean Wilson			Signature <i>Janean Wilson</i>		Date Month Day Year 08 01 88

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179** 493 | Manifest Document No. **00029**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124879

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
9550315382

5. Transporter 1 Company Name
JACK GROY

6. US EPA ID Number
IND 042534875

C. Illinois Transporter's ID
1297

7. Transporter 2 Company Name

8. US EPA ID Number

D. **0191938-7050** Transporter's Phone

8. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

E. Illinois Transporter's ID

F. Transporter's Phone

G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

ILD000805812

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
0.0.1	D. T	20	2	EPA HW Number: XXIK001 Authorization Number: 818051816
				EPA HW Number: XX Authorization Number: XX
				EPA HW Number: XX Authorization Number: XX
				EPA HW Number: XX Authorization Number: XX

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 644-03

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: **David A. Shaw** Signature: *[Signature]* Date: **07/30/88**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: **Ed Loomis** Signature: *[Signature]* Date: **7/30/88**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: _____ Signature: _____ Date: _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: **Janeen Wilson** Signature: *[Signature]* Date: **08/01/88**

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-99

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179493		Manifest Document No. 00030		2. Page 1 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.			
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880						A. Illinois Manifest Document Number IL 2124880					
4. Generator's Phone (715) 392-2221						B. Illinois Generator's ID 9 5 5 0 3 1 5 3 6					
5. Transporter 1 Company Name DART				6. US EPA ID Number 04D 0098 65 85		C. Illinois Transporter's ID 216533 784					
7. Transporter 2 Company Name						D. () Transporter's Phone					
8. US EPA ID Number						E. Illinois Transporter's ID					
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615						F. () Transporter's Phone					
10. US EPA ID Number ILD000805812						G. Illinois Facility's ID 1 4 3 8 1 2 0 0					
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol	
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)						No. Type		Quantity		Waste No.	
						0.0.1 D.T		20 2		XX 8 8 0 5 3 6	
b.										XX	
c.										XX	
d.										XX	
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge						K. Handling Codes for Wastes Listed Above in Item #14 1 = Gallons 2 = Cubic Yards					
15. Special Handling Instructions and Additional Information Truck # 5077											
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.											
Printed/Typed Name David A. Shaw						Signature <i>David A. Shaw</i>			Date 073088		
17. Transporter 1 Acknowledgement of Receipt of Materials											
Printed/Typed Name NORMAN FLEMING						Signature <i>Norman Fleming</i>			Date 073088		
18. Transporter 2 Acknowledgement of Receipt of Materials											
Printed/Typed Name						Signature			Date		
19. Discrepancy Indication Space											
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.											
Printed/Typed Name James Jones Jr.						Signature <i>James Jones Jr.</i>			Date 080188		

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-88)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. WID00617982X 493 Manifest Document No. 00031

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number IL 2124881

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID 9550315300

5. Transporter 1 Company Name DART

6. US EPA ID Number OHD 009865825

C. Illinois Transporter's ID 216533984

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615

10. US EPA ID Number

F. Illinois Facility's ID 1438120009

ILD000805812

H. Facility's Phone (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

Table with 4 columns: 12. Containers No., 13. Total Quantity, 14. Unit, and Waste No. Row 1: a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001) | 0 | 0.1 | D.T. | 2 | 0 | 2 | 830586

J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14 1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9202

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

Printed/Typed Name David A. Shaw Signature [Signature] Date 07/30/88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name Alan Moulton Signature [Signature] Date 07/30/88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name Signature Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name James Jones Jr. Signature [Signature] Date 8/01/88

NOIS: 217 / 782-3637

*24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED. This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179043493

Manifest Document No.
100032

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

4. Generator's Phone (715) 392-2221

5. Transporter 1 Company Name

DART

6. US EPA ID Number

10HD009865825

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

A. Illinois Manifest Document Number

IL 2124882

B. Illinois Generator's ID

9550315363

C. Illinois Transporter's ID

D. (216) 533-9841 Transporter's Phone

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID

113820003

H. Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

12. Containers

0 0 1 D T

13. Total Quantity

20

14. Unit Wt/Vol

2

GENERATOR

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9241

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date

Month Day Year
0 7 30 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

John R Smith

Signature

Date

Month Day Year
0 7 30 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Date

Month Day Year
0 8 0 2 88

OIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

ATTENTION: PART - 1 GENERATOR PART - 2 IEPA

PART - 3 FACILITY

PART - 4 TRANSPORTER

PART - 5 IEPA

PART - 6 GENERATOR

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID00617983 493** Manifest Document No. **100033**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124883

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
955031530

5. Transporter 1 Company Name
DART

6. US EPA ID Number
04D009865825

C. Illinois Transporter's ID
016533 981

7. Transporter 2 Company Name

8. US EPA ID Number

D. Illinois Transporter's ID

9. Designated Facility Name and Site Address
Peoria Disposal Company
4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

E. Illinois Transporter's ID

F. Transporter's Phone

G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Mt/Vol	15. Hazardous Waste No.
0	0	1	D T	2

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

12. Containers No.	Type	13. Total Quantity	14. Unit Mt/Vol	15. Hazardous Waste No.
0	0	1	D T	2

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in item # 14
1 - Gallons 2 - Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9089

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *[Signature]* Date **07 30 88**

TRANSPORTER 17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **John Howard** Signature *[Signature]* Date **07 30 88**

TRANSPORTER 18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

FACILITY 19. Discrepancy Indication Space

FACILITY 20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **James Jones Jr.** Signature *[Signature]* Date **08 01 88**

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. WID006179983493 Manifest Document No. 00034

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124884

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
9550315300

5. Transporter 1 Company Name
DART

6. US EPA ID Number
104D 009865825

C. Illinois Transporter's ID
036533981

7. Transporter 2 Company Name

8. US EPA ID Number

D. () Transporter's Phone

9. Designated Facility Name and Site Address

10. US EPA ID Number

E. Illinois Transporter's ID

Peoria Disposal Company
4349 ~~4349~~ Southport Road
Peoria, IL 61615

ILD000805812

F. () Transporter's Phone

G. Illinois Facility's ID
1438120003
H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit WT/Vol	15. EPA ID No.
0-0-1	D T	2 0 2	8 8 0 5 3 0
			8 8 0 5 3 0
			8 8 0 5 3 0
			8 8 0 5 3 0

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

b.
c.
d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **9255**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
07 30 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

QUILLER C. PERKINS

Signature

Quiller C. Perkins

Date

Month Day Year
07 30 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Jones Jr.

Signature

James Jones Jr.

Date

Month Day Year
08 01 88

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111½, Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID00617993 493

Manifest Document No. 00035

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124885

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9550315384

5. Transporter 1 Company Name

DART

6. US EPA ID Number

104D 009865825

C. Illinois Transporter's ID

01653-9811

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 4304 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID

1438-20003

H. Facility's Phone

(309) 676-4803

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total Quantity

14. Unit

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

No. Type

0 0 1 D T

2 0

2

b.

c.

d.

XX K 070 1

8 8 0 5 8 6

XX

XX

XX

XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9101

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year

07 30 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JOHN Felix

Signature

John Felix

Date

Month Day Year

07 30 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

08 01 88

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date

Month Day Year

08 01 88

Please print clearly. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179** Manifest Document No. **00036**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124886

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
9515703415436

5. Transporter 1 Company Name
DART

6. US EPA ID Number
OHD 009869825

C. Illinois Transporter's ID
026533989

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

10. US EPA ID Number

G. Illinois Facility's ID
4438120002

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

ILD000805812

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a.			XX
b.	0 0 1	D T	2 0 2
c.			XX
d.			XX

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **5012**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
07 30 87

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Norman Fleming JR

Signature
Norman Fleming JR

Date
07 30 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

James Jones Jr.

Signature
James Jones Jr.

Date
08 01 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. *WID006179*
WID006179 ~~988~~ 493

Manifest Document No. 00037

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL-2124887

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
955031369

5. Transporter 1 Company Name
Fort Transfer

6. US EPA ID Number
ILD062337752

C. Illinois Transporter's ID
307263-2000

7. Transporter 2 Company Name

8. US EPA ID Number

D. (307) 263-2000 Transporter's Phone
E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
439 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

F. () Transporter's Phone
G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0.0.1	D.T	2.0 2	XX K 001 880586
			XX
			XX
			XX

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above
In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 90

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
080188

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
William Cravens

Signature
William Cravens

Date
080188

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
James Jones Jr

Signature
James Jones Jr

Date
080288

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700/22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179943493** Manifest Document No. **100038**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124888

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
9550315306

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
IID 981955925

C. Illinois Transporter's ID
2247

7. Transporter 2 Company Name

8. US EPA ID Number

D. (309) 263-2700 Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 4994 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Mt/Vol	EPA HW Class	Authorization Number
a. 0	0.01	D.T.	880581	XX
b.			880581	XX
c.			880581	XX
d.			880581	XX

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **937**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *[Signature]* Date **08/01/88**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **LOUIS A. MADDOX** Signature *[Signature]* Date **8/01/88**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **James Jones Jr.** Signature *[Signature]* Date **08/01/88**

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. *WID*
WID006179 ~~493~~ 493 | Manifest Document No. 00039

2. Page 1 of 1
Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124889

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
ID 9-5-5-0-3-1-5-3-6

5. Transporter 1 Company Name
Fort Transfer

C. Illinois Transporter's ID
ID 309203-200

6. US EPA ID Number
ILD 062333752

D. Transporter's ID

7. Transporter 2 Company Name

E. Illinois Transporter's ID

8. US EPA ID Number

F. Transporter's ID

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 ~~434~~ Southport Road
Peoria, IL 61615

G. Illinois Facility's ID
ID 1-4-3-8-2-2-2

H. Facility's Phone
(309) 676-4883

10. US EPA ID Number
ILD000805812

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Mt/Vol	Waste No.
	No.	Type			
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)	0.0.1	D. T	2.0	2	8-8-0-5-3-6
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information
Truck # 89

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: David A. Shaw
Signature: *David A. Shaw*
Date: 08/01/88

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: CHARLES WILKERSON
Signature: *Charles Wilkerson*
Date: 08/01/88

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: _____
Signature: _____
Date: _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: James Jones Jr.
Signature: *James Jones Jr.*
Date: 08/01/88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179913 493** Manifest Document No. **00040**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124890

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
915150131151610

5. Transporter 1 Company Name
Fort Transfer

6. US EPA ID Number
ILD006333752

C. Illinois Transporter's ID
309263200

7. Transporter 2 Company Name

8. US EPA ID Number

D. Illinois Transporter's Phone
(309) 263-2000

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

E. Illinois Facility's ID
1438120003

F. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0	0	1	D	T
		2	0	2

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **94**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *[Signature]* Date **08/01/88**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **LEO RUSSELL** Signature *[Signature]* Date **08/01/88**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **James Jones Jr.** Signature *[Signature]* Date **08/02/88**

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179946 493		Manifest Document No. 100041		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.			
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880						A. Illinois Manifest Document Number IL 2124891					
4. Generator's Phone (715) 392-2221						B. Illinois Generator's ID 9550315389					
5. Transporter 1 Company Name Liberty Transportation						C. Illinois Transporter's ID 12297					
6. US EPA ID Number ILD 981955925						D. Transporter's Phone (309) 263-5700					
7. Transporter 2 Company Name						E. Illinois Transporter's ID					
8. US EPA ID Number						F. Transporter's Phone					
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615						G. Illinois Facility's ID 1438120003					
10. US EPA ID Number ILD000805812						H. Facility's Phone (309) 676-4893					
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol	
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)						0.01 D T		2.0		2	
b.										XX	
c.										XX	
d.										XX	
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge						K. Handling Codes for Wastes Listed Above In Item #14 1 = Gallons 2 = Cubic Yards					
15. Special Handling Instructions and Additional Information Truck # 731											
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.											
Printed/Typed Name David A. Shaw						Signature <i>[Signature]</i>			Date 080188		
17. Transporter 1 Acknowledgement of Receipt of Materials											
Printed/Typed Name FLOYD WINKEL						Signature <i>[Signature]</i>			Date 080188		
18. Transporter 2 Acknowledgement of Receipt of Materials											
Printed/Typed Name						Signature			Date		
19. Discrepancy Indication Space											
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.											
Printed/Typed Name James Jones Jr.						Signature <i>[Signature]</i>			Date 080288		

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179988 493** Manifest Document No. **100042**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124892

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
95503

5. Transporter 1 Company Name
Liberty Traw Port

6. US EPA ID Number
ILD 781955 925

C. Illinois Transporter's ID
(309) 263-2700 Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
Transporter's Phone

9. Designated Facility Name and Site Address

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
1438120903

Peoria Disposal Company
4349 4894 Southport Road
Peoria, IL 61615

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit M/Vo	Waste No.
a. 0 0 1	D T	2 0 2	XXK001 880586
b.			XX Authorization Number
c.			XX Authorization Number
d.			XX Authorization Number

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 738

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name **David A. Shaw** Signature *[Signature]* Date **09 01 88**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name **Ken Puckett** Signature *[Signature]* Date **09 01 88**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name _____ Signature _____ Date _____

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name **James Jones Jr.** Signature *[Signature]* Date **08 02 88**

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039. Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179013 499** Manifest Document No. **100043**

2. Page 1 of 1 Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124893

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID: **9550315369**

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
WID 981955 925

C. Illinois Transporter's ID: **2347**

7. Transporter 2 Company Name

8. US EPA ID Number

D. (309) 263-2700 Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
3394 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID: **1438120003**
H. Facility's Phone: **(309) 676-4803**

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. 0.01 D.T.	2.0	2	EPA HW Number: XXK0101 Authorization Number: 880586
b.			EPA HW Number: XX Authorization Number:
c.			EPA HW Number: XX Authorization Number:
d.			EPA HW Number: XX Authorization Number:

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item #14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 736

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw
Date
080188

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature
Allen L. Gregory
Date
080188

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature
[Signature]
Date
080188

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature
James Jones Jr.
Date
080288

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-88)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
WID0061792-493

Manifest Document No.
100044

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL-2124894

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
95510315350

5. Transporter 1 Company Name
Fort Trans Fer

6. US EPA ID Number
IID062333752

C. Illinois Transporter's ID
309-203-2000

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address

Peoria Disposal Company
4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility ID
309-676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol
0 0 1 D T	2 0 2	

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed in Item #14
1 = Gallons 2 = Cubic

15. Special Handling Instructions and Additional Information

Truck # 87

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
080188

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
Jim Herrman

Signature
Jim Herrman

Date
080188

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
Janeen Wilson

Signature
Janeen Wilson

Date
080288

ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

40

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0038, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179523 493

Manifest Document No. 00045

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2124895

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9550315369

5. Transporter 1 Company Name

FORT Transfer

6. US EPA ID Number

ILD06333752

C. Illinois Transporter's ID

092632000

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

F. () Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4394 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID

1438120003

H. Facility's Phone

(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type

13. Total Quantity

14. Unit WT/Vol

Waste No.

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0.01 D.T

2.0

2

EPA HW Number XXK001

Authorization Number 880586

b.

EPA HW Number XX

Authorization Number

c.

EPA HW Number XX

Authorization Number

d.

EPA HW Number XX

Authorization Number

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item #14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 88

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
08 01 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Richard Pfanz

Signature

Richard Pfanz

Date

Month Day Year
08 01 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date

Month Day Year
08 02 88

UNIFORM HAZARDOUS WASTE MANIFEST

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

1. Generator's US EPA ID No.
WID006179493

Manifest Document No.
00046

2. Page 1 of 1

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

4. Generator's Phone (715) 392-2221

5. Transporter 1 Company Name
Wills Trucking

6. US EPA ID Number
IWD 068 9134 09

8. US EPA ID Number

10. US EPA ID Number

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)
ILD000805812

A. Illinois Manifest Document Number
IL 2124896

B. Illinois Generator's ID
2550315067

C. Illinois Transporter's ID
(800) 348-4457

E. Illinois Transporter's ID

G. Illinois Facility's ID
1638120903

H. Facility's Phone
(309) 676-4893

GENERATOR

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0.0.1	D. T	2.0	2	XXK1001
				830586
				XX
				XX
				XX

b.
c.
d.

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information
Truck # 3029

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: David A. Shaw
Signature: [Signature]
Date: 08 01 88

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: STAW SHAW
Signature: [Signature]
Date: 8 01 88

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: [Blank]
Signature: [Blank]
Date: [Blank]

19. Discrepancy Indication Space
Inserted year in box 16. 8-2-88 JW

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Janean Wilson
Signature: [Signature]
Date: 08 02 88

OIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS*
PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR
OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.
Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management



Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179493		Manifest Document No. 00047		2. Page 1 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.				
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880						A. Illinois Manifest Document Number IL 2124897						
4. Generator's Phone (715) 392-2221						B. Illinois Generator's ID 9550315867						
5. Transporter 1 Company Name Wells Trucking				6. US EPA ID Number 04D0668913409		C. Illinois Transporter's ID 18844						
7. Transporter 2 Company Name				8. US EPA ID Number		D. () 348405 Transporter's Phone						
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615						10. US EPA ID Number ILD000805812						
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		
GENERATOR	a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)						0.0.1 D.T.		2.0		2	
	b.											
	c.											
	d.											
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge						K. Handling Codes for Wastes Listed Above In Item # 14 1 = Gallons 2 = Cubic Yards						
15. Special Handling Instructions and Additional Information Truck # 3038												
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.												
Printed/Typed Name David A. Shaw						Signature <i>David A. Shaw</i>			Date 08018			
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials						Signature <i>Ron Thomas</i>			Date 08018		
	Printed/Typed Name Ron Thomas						Signature <i>Ron Thomas</i>			Date 08018		
FACILITY	18. Transporter 2 Acknowledgement of Receipt of Materials						Signature			Date		
	Printed/Typed Name						Signature			Date		
19. Discrepancy Indication Space												
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.										Date		
Printed/Typed Name Janeen Wilson						Signature <i>Janeen Wilson</i>			Date 08028			

IN ILLINOIS: 217 / 782-3637 *24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS* OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2610
DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

REV. 7 GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.
This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111½ Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179493

Manifest Document No. 00048

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2124898

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
0550315307

5. Transporter 1 Company Name
Dart

6. US EPA ID Number
I0HD009865825

C. Illinois Transporter's ID
0161531

7. Transporter 2 Company Name

8. US EPA ID Number

D. () Transporter's Phone
E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
1438120003

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol.	Waste No.
a.				XX 10001
b.	0.01 D.T.	2.0	2	8180586
c.				XX
d.				XX

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9084

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: David A. Shaw
Signature: [Signature]
Date: 08/01/87

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: George H. Hatfield
Signature: [Signature]
Date: 08/01/87

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name: [Blank]
Signature: [Blank]
Date: [Blank]

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name: Janeen Wilson
Signature: [Signature]
Date: 08/02/88

GENERATOR
TRANSPORTER
FACILITY



Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-88

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
WID006179493

Manifest Document No.
00049

2. Page 1 of 1

Information in the shaded areas is required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2124899

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
955031586

5. Transporter 1 Company Name
DART

6. US EPA ID Number
I0HD 009865825

C. Illinois Transporter's ID
(216) 533-9891

7. Transporter 2 Company Name

8. US EPA ID Number

D. Illinois Transporter's ID
()

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

E. Illinois Facility's ID
103026000

F. Facility's Phone
(309) 676-7500

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0.0.1	D.T	202	8005

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

GENERATOR

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In item 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **9066**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date

Month Day Year
080188

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year
080188

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

Date

Month Day Year
080288



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179493		Manifest Document No. 100050		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880		4. Generator's Phone (715) 392-2221		6. US EPA ID Number DAD 009865825		A. Illinois Manifest Document Number IL 2124900		B. Illinois Generator's ID 8550315367	
5. Transporter 1 Company Name DART		7. Transporter 2 Company Name		8. US EPA ID Number		C. Illinois Transporter's ID DAG 533984		D. Transporter's Phone	
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615		10. US EPA ID Number ILD000805812		F. ()		E. Illinois Transporter's ID		G. Illinois Facility's ID 1438120003	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)		12. Containers No. Type 0.0.1 D.T		13. Total Quantity 2.0		14. Unit 2		Waste No. EPA HW Number X X Authorization Number 830586	
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge		K. Handling Codes for Wastes Listed Above in item #14 1 = Gallons 2 = Cubic Yards							
15. Special Handling Instructions and Additional Information Truck # 9088									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name David A. Shaw		Signature <i>David A. Shaw</i>		Date 080188					
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name William J. Sturm Jr.		Signature <i>William J. Sturm Jr.</i>		Date 080188					
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name		Signature		Date					
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.									
Printed/Typed Name Janeen Wilson		Signature <i>Janeen Wilson</i>		Date 080282					

IN ILLINOIS: 217 / 782-3637

24 HOUR EMERGENCY AND SPILL ASSISTANCE NUMBERS

OUTSIDE ILLINOIS: 800 / 424-8802 or 202 / 426-2675

DISTRIBUTION: PART - 1 GENERATOR PART - 2 IEPA PART - 3 FACILITY PART - 4 TRANSPORTER PART - 5 IEPA PART - 6 GENERATOR

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years.



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
WID006179493

Manifest Document No.
00051

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

**Koppers Company, Inc.
 PO Box 397, Superior, WI 54880**

4. Generator's Phone (**715**) **392-2221**

5. Transporter 1 Company Name

Liberty Transportation

6. US EPA ID Number
ILD981955925

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

**Peoria Disposal Company
 4349 Southport Road
 Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

A. Illinois Manifest Document Number
IL 2128530

B. Illinois Generator's ID

C. Illinois Transporter's ID

D. Transporter's Phone

E. Illinois Transporter's ID

F. Transporter's Phone

G. Illinois Facility's ID

H. Facility's Phone
(309) 676-4898

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

12. Containers
 No. Type

13. Total Quantity

14. Unit Wt/Vol

0 0 1 D T 2 0 2

GENERATOR

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above
 In Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 733

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

Date

08 01 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Jerry A Bennett

Signature

Date

08 01 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

08 01 88

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Date

08 02 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179493

Manifest Document No. 00052

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2128531

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
9, 5, 5, 0, 3, 1, 5, 3, 6, 7

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
ILD 981955925

C. Illinois Transporter's ID
D. (309) 263-2701 Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
1 4 3 8 1 2 0 0 0 9

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt./Vol	Waste No.
0	0-1 D-T	2	0 2	XXK001 8, 8, 0, 5, 8, 6
				XX
				XX
				XX

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 732

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature

Date
Month Day Year
08 01 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JIM CARRINGTON

Signature

Jim Carrington

Date
Month Day Year
08 01 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date
Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date
Month Day Year
08 02 88

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179493

Manifest Document No. 00053

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2128532

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9550363

5. Transporter 1 Company Name
Liberty Transport

6. US EPA ID Number
ILD 981955935

C. Illinois Transporter's ID

00001

7. Transporter 2 Company Name

8. US EPA ID Number

D. (309) 263-2700 Transporter's Phone

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID

1438120609

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
0	1	D-T	202

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

EPA HW Number
XXK001

Authorization Number
880586

b.

EPA HW Number
XX

Authorization Number

c.

EPA HW Number
XX

Authorization Number

d.

EPA HW Number
XX

Authorization Number

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above
In Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 735

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
08 01 88

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Virgil Anderson

Signature

Virgil Anderson

Date

Month Day Year
08 01 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date

Month Day Year
08 02 88



Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
WID006179493

Manifest Document No.
00054

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2128533

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID
9,5,5,0,3,1,5,9,6

5. Transporter 1 Company Name
DART

6. US EPA ID Number
10417009865825

C. Illinois Transporter's ID
11413

7. Transporter 2 Company Name

8. US EPA ID Number

D. (26) 533-7841 Transporter's Phone

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615**

10. US EPA ID Number

E. Illinois Transporter's ID

F. () Transporter's Phone

G. Illinois Facility's ID
1,4,3,8,1,2,0,0,0

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
0-0-1	D, T	2,0	2	XX 1500 8-8-0-5-2
				XX
				XX
				XX

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

J. Additional Descriptions for Materials Listed Above
Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # **9649**

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: **David A. Shaw** Signature: *[Signature]* Date: **08 02 8**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: **ALAN JAY FURR** Signature: *[Signature]* Date: **08 02 8**

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Signature: Date:

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: **James Jones Jr.** Signature: *[Signature]* Date: **08 02 8**

Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179493

Manifest Document No.
00055

2. Page 1
1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2128534

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID: 955031596

5. Transporter 1 Company Name

DART

6. US EPA ID Number
04D 009865825

C. Illinois Transporter's ID: 41D
D. 533 954 (Transporter's Phone)

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
F. () (Transporter's Phone)

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID: 143812000

H. Facility's Phone: (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

12. Containers	13. Total Quantity	14. Unit	15. Waste No.
No.	Type	Quantity	Wt/Vol
0	0.1 D.T	2	0

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item #14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9556

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: David A. Shaw
Signature: [Signature]
Date: 080288

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: DAVID FIELDS
Signature: [Signature]
Date: 080288

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: [Blank]
Signature: [Blank]
Date: [Blank]

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: James Jones Jr.
Signature: [Signature]
Date: 080288

GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.
This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. WID006179493		Manifest Document No. 00056		2. Page 1 of 1		Information in the shaded areas is required by Federal law, but is req. by Illinois law.	
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880				A. Illinois Manifest Document Number IL 2128535			
4. Generator's Phone (715) 392-2221				B. Illinois Generator's ID 95503153			
5. Transporter 1 Company Name Wills Trucking		6. US EPA ID Number 04D 06871 7109		C. Illinois Transporter's ID (800) 348 4051			
7. Transporter 2 Company Name		8. US EPA ID Number		E. Illinois Transporter's ID			
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615				10. US EPA ID Number ILD000805812			
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers		13. Total Quantity	
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)				No. Type		14. Unit Wt/Vol	
				0 0 1 D T		2 0 2	
b.							
c.							
d.							
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge				K. Handling Codes for Wastes Listed Above In Item # 14 1 = Gallons 2 = Cubic Yards			
15. Special Handling Instructions and Additional Information Truck # 3068							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name David A. Shaw				Signature <i>[Signature]</i>		Date 08 02 88	
17. Transporter 1 Acknowledgement of Receipt of Materials							
Printed/Typed Name ROB CHAPPER				Signature <i>[Signature]</i>		Date 08 02 88	
18. Transporter 2 Acknowledgement of Receipt of Materials							
Printed/Typed Name				Signature		Date	
19. Discrepancy Indication Space							
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.							
Printed/Typed Name JAMES JONES				Signature <i>[Signature]</i>		Date 08 03 88	



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. **WID006179493**
Manifest Document No. **00057**

2. Page 1 of 1
Information in the shaded areas is no required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2128536

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
955037586

5. Transporter 1 Company Name
Dart

6. US EPA ID Number
OH D 009865825

C. Illinois Transporter's ID
216533989

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address
Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
143872000

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers
No. Type
13. Total Quantity
14. Unit Wt/Vol

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

0 0 1 D T 2 0 2

GENERATOR

b.

c.

d.

EPA ID Number
Authorization Number
EPA ID Number
Authorization Number
EPA ID Number
Authorization Number

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 5077

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
08 02 88

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

NORMAN FLEMING

Signature

Norman Fleming

Date
08 02 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date
08 04 88

This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.
WID006179493

Manifest Document No.
00058

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
**Koppers Company, Inc.
PO Box 397, Superior, WI 54880**

A. Illinois Manifest Document Number
IL 2128537

4. Generator's Phone (**715**) **392-2221**

B. Illinois Generator's ID
955034536

5. Transporter 1 Company Name
DART

6. US EPA ID Number
04D00986585

C. Illinois Transporter's ID
016533784

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID

9. Designated Facility Name and Site Address
**Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615**

10. US EPA ID Number
ILD000805812

G. Illinois Facility's ID
143812000

H. Facility's Phone
(309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. 0	1	D T	202
b.			
c.			
d.			

a. **R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)**

GENERATOR

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14
1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 5084

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

David A. Shaw

Date

Month Day Year
08 02 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Jesse E. Bone

Signature

Jesse E. Bone

Date

Month Day Year
09 07 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date

Month Day Year
08 03 88

FACILITY



Please print or type. (Form designed for use on elite (12-pitch) typewriter.) EPA Form 8700-22 (Rev. 9-86) Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179493

Manifest Document No. 00059

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address
Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number
IL 2128538

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID 955031538

5. Transporter 1 Company Name
Dart

6. US EPA ID Number
1047009865825

C. Illinois Transporter's ID 1413
D. (26) 533-9841 Transporter's Phone

7. Transporter 2 Company Name

8. US EPA ID Number

E. Illinois Transporter's ID
F. () Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

G. Illinois Facility's ID 143812000

H. Facility's Phone (309) 676-4893

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers No. Type 13. Total Quantity 14. Unit Wt/Vol

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

0 0 1 D T 2 0 2 8 8 0 5 8

b.

c.

d.

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above in Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9262

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name
David A. Shaw

Signature
David A. Shaw

Date
Month Day Year
08 02 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name
Alan Moulton

Signature
Alan Moulton

Date
Month Day Year
08 02 88

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date
Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name
Janeen Wilson

Signature
Janeen Wilson

Date
Month Day Year
08 03 88



Please print or type. (Form designed for use on elite (12-pitch) typewriter.) EPA Form 8700-22 (Rev. 9-86) Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179493	Manifest Document No. 00060	2. Page 1 of 1	Information in the shaded areas is not required by Federal law, but is required by Illinois law.
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880			A. Illinois Manifest Document Number IL 2128539		
4. Generator's Phone (715) 392-2221			B. Illinois Generator's ID 915503125367		
5. Transporter 1 Company Name Dart		6. US EPA ID Number 104D009805825		C. Illinois Transporter's ID 016533941	
7. Transporter 2 Company Name		8. US EPA ID Number		E. Illinois Transporter's ID	
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615			10. US EPA ID Number ILD000805812		G. Illinois Facility's ID 163821009 H. Facility's Phone 309 674 4898

a.	11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers		13. Total Quantity	14. Unit Wt/Vol
		No.	Type		
	R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)	0-0-1	D-T	210	2
b.					
c.					
d.					

J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge	K. Handling Codes for Wastes Listed Above In Item # 14 1 = Gallons 2 = Cubic Yards
--	---

15. Special Handling Instructions and Additional Information
Truck # 5012

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.
If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name David A. Shaw	Signature <i>David A. Shaw</i>	Date 08 02 88
-------------------------------------	-----------------------------------	------------------

17. Transporter 1 Acknowledgement of Receipt of Materials		
Printed/Typed Name NORMAN FLEMING JR	Signature <i>Norman Fleming JR</i>	Date 08 02 88

18. Transporter 2 Acknowledgement of Receipt of Materials		
Printed/Typed Name	Signature	Date

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		
Printed/Typed Name Janee Wilson	Signature <i>Janee Wilson</i>	Date 08 04 88

REV. 7 GENERATOR COPY - PART 1-DO NOT REMOVE PART 1 FROM SET UNTIL COMPLETED.
This Agency is authorized to require, pursuant to Illinois Revised Statutes, Chapter 111 1/2 Section 21, that this information be submitted to the Agency. Failure to provide the information may result in a civil penalty against the owner or operator of not to exceed \$25,000 per day of violation. Falsification of this information may result in a fine up to \$50,000 per day of violation and imprisonment up to 5 years. This form has been approved by the Forms Management Center.



Please print or type.

(Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-86)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WID006179493		Manifest Document No. 00061		2. Page 1 1 of 1		Information in the shaded areas is not required by Federal law, but is required by Illinois law.	
3. Generator's Name and Mailing Address Koppers Company, Inc. PO Box 397, Superior, WI 54880		4. Generator's Phone (715) 392-2221		6. US EPA ID Number IHD009865825		A. Illinois Manifest Document Number IL 2128540		B. Illinois Generator's ID 95503453	
5. Transporter 1 Company Name DART		7. Transporter 2 Company Name		8. US EPA ID Number		C. Illinois Transporter's ID 016533914		D. Illinois Transporter's ID	
9. Designated Facility Name and Site Address Peoria Disposal Company 4349 Southport Road Peoria, IL 61615		10. US EPA ID Number ILD000805812		6. US EPA ID Number		E. Illinois Transporter's ID		F. Illinois Transporter's ID	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity		14. Unit		15. EPA Form Number	
a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)		0-0-1 D-T		2-0		2		XX K 001 878-0518-6	
b.								XX Authorization Number	
c.								XX Authorization Number	
d.								XX Authorization Number	
J. Additional Descriptions for Materials Listed Above Lagoon Bottom Sediment Sludge		K. Handling Codes for Wastes Listed Above In Item #14 1 = Gallons 2 = Cubic Yards							
15. Special Handling Instructions and Additional Information Truck # 9089									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name David A. Shaw					Signature <i>David A. Shaw</i>			Date 08 02 88	
17. Transporter 1 Acknowledgement of Receipt of Materials									
Printed/Typed Name John Howard					Signature <i>John Howard</i>			Date 08 02 88	
18. Transporter 2 Acknowledgement of Receipt of Materials									
Printed/Typed Name					Signature			Date	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.									
Printed/Typed Name Janeen Wilson					Signature <i>Janeen Wilson</i>			Date 08 03 88	

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

EPA Form 8700-22 (Rev. 9-88)

Form Approved. OMB No. 2050-0039, Expires 9-30-89

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

WID006179493

Manifest Document No. 00062

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but is required by Illinois law.

3. Generator's Name and Mailing Address

Koppers Company, Inc.
PO Box 397, Superior, WI 54880

A. Illinois Manifest Document Number

IL 2128541

4. Generator's Phone (715) 392-2221

B. Illinois Generator's ID

9 5 5 0 3 1 5 9 6 7

5. Transporter 1 Company Name

Dant

6. US EPA ID Number
104D 0098 058 25

C. Illinois Transporter's ID

1143

7. Transporter 2 Company Name

8. US EPA ID Number

D. 016533 9811 Transporter's Phone

9. Designated Facility Name and Site Address

Peoria Disposal Company
4349 Southport Road
Peoria, IL 61615

10. US EPA ID Number

ILD000805812

E. Illinois Transporter's ID

F. Transporter's Phone

G. Illinois Facility's ID

1 4 3 8 1 2 0 0 0 9

H. Facility's Phone

309 676-4899

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a. R.Q. Hazardous Waste, Solid, N.O.S. ORM-E, NA-9189 (K001)

12. Containers

No. Type

13. Total Quantity

14. Unit

Wt/Vol

0 0 1 D T

2 0 2

8 3 2 6 8 8

XX
XX
XX
XX

J. Additional Descriptions for Materials Listed Above

Lagoon Bottom Sediment Sludge

K. Handling Codes for Wastes Listed Above In Item # 14

1 = Gallons 2 = Cubic Yards

15. Special Handling Instructions and Additional Information

Truck # 9255

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

David A. Shaw

Signature

Date

Month Day Year
0 8 0 2 8 8

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

QUILLER C. PERKINS

Signature

Quiller C. Perkins

Date

Month Day Year
8 2 8 8

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Date

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Janeen Wilson

Signature

Janeen Wilson

Date

Month Day Year
0 8 0 3 8 8

ATTACHMENT 2

CLOSURE CONSTRUCTION PHOTOGRAPHS

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 1 PROOF-ROLLING SUBGRADE



PHOTO 2 REMOVING BURIED PIPES

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 3 EXCAVATING CENTER DIKE



PHOTO 4 FIRST LAYER OF UNCLASSIFIED SOIL FILL

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 5 SPREADING AND COMPACTING UNCLASSIFIED SOIL FILL



PHOTO 6 UNCLASSIFIED SOIL FILL ZONE

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 7 CLAY BARRIER SOIL CONSTRUCTION



PHOTO 8 FINAL GRADING AND COMPACTING CLAY BARRIER SOIL

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 9 SAND CUSHION AND ANCHOR TRENCH ALONG WEST EDGE OF CAP



PHOTO 10 SAND CUSHION AND ANCHOR TRENCH ALONG EAST EDGE OF CAP

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 11 SPREADING SAND CUSHION SOIL



PHOTO 12 HDPE LINER IN PLACE ALONG SOUTH EDGE OF CAP

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 13 LINER PLACED ON SAND CUSHION AND IN ANCHOR TRENCH



PHOTO 14 LAST LINER PANELS PLACED ON NORTHERN END OF CAP

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 15 COMPLETED LINER INSTALLATION



PHOTO 16 FUSION WELDING OF THE LINER

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN




PHOTO 17 EXTRUSION PATCH IN LINER



PHOTO 18 GEOTEXTILE (FILTER FABRIC) PLACEMENT

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 19 DRAINAGE PIPE PLACEMENT



PHOTO 20 DRAINAGE LAYER MATERIAL PLACED ON GEOTEXTILE

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 21 DRAINAGE LAYER MATERIAL WITH GEOTEXTILE



PHOTO 22 PLACING, SPREADING AND COMPACTING THE UNCLASSIFIED FILL

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 23 CHECKING ELEVATIONS OF UNCLASSIFIED SOIL FILL



PHOTO 24 PLACING TOPSOIL LAYER

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 25 SNOW COVERED TOPSOIL
END OF CONSTRUCTION FOR 1988



PHOTO 26 OVERVIEW OF COMPLETED CAP (LOOKING NORTH)

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 27 COMPLETED CAP (LOOKING SOUTH)



PHOTO 28 CONSTRUCTION OF DRAINAGE IMPROVEMENTS

KOPPERS SUPERIOR PLANT
SUPERIOR, WISCONSIN



PHOTO 29 DRAINAGE CHANNEL AT WEST CAP EDGE (LOOKING SOUTH)

Box 30046

**VOLUME II
APPENDICES**

**CONSTRUCTION DOCUMENTATION REPORT
SURFACE IMPOUNDMENT CLOSURE
KOPPERS INDUSTRIES, INC.
SUPERIOR, WISCONSIN**

Prepared for:

**BEAZER MATERIALS AND SERVICES, INC.
PITTSBURGH, PENNSYLVANIA**

Prepared by:

**KEYSTONE ENVIRONMENTAL RESOURCES, INC.
3000 TECH CENTER DRIVE
MONROEVILLE, PENNSYLVANIA 15146**

PROJECT NO: 178275-04

NOVEMBER 1989

DCC#R299

TABLE OF CONTENTS

VOLUME II

APPENDICES

- A Boring Logs/Well Construction Diagrams
- B Subgrade Laboratory Analytical Results
- C Keystone Inspection Reports
- D Daily Field Reports
- E Field and Laboratory Test Results
- F Materials and Suppliers List
- G Synthetic Membrane Certification Report

APPENDIX A

BORING LOGS/WELL CONSTRUCTION DIAGRAMS

Boring R-5D
Borings LB-1 through LB-12
Borings BB-1 and BB-2
Wells MW-1S, MW-4S and MW-4D

Project: Superior

Location: Superior, WI

Drilling Method: HOLLOW STEM AUGER
 Driller: WISCONSIN TEST DRILLING, INC.
 Geologist: D. SMITH
 Date: APRIL 7, 1988

Sample collection

G-grab T-shelby tube
 S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description
	S	2,4,4	Stiff, red-brown CLAY, trace light gray silt pockets
10	S	2,2,3	@ 10-11.5 ft. no silt pockets observed @ 10 ft. 2" thick section with little organics (plant material)
	S	2,2,3	@ 15 ft. 1" thick zone of gray clay @ 15-20 ft. clay is soft but pliable
20	S	1,1,1	@ 20-40 ft. clay is soft
	S	1,2,1	
30	S	1,2,3	
	S	1,2,4	
	S	1,4,3	
40	S	1,2,4	

Project: Superior

Location: Superior, WI

Drilling Method: HOLLOW STEM AUGER
 Driller: WISCONSIN TEST DRILLING, INC.
 Geologist: D. SMITH
 Date: APRIL 7, 1988

Sample collection
 G-grab T-shelby tube
 S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description	
	S	2,3,4	Soft, red-brown CLAY, trace light gray silt pockets	
	S	2,4,5		
	S	1,1,8		
	S	3,3,5		
	S	1,3,3		
50	S	1,3,5		
	S	1,5,6		
	S	2,4,6		
	S	2,4,7		
	S	1,1,4		Green-gray CLAY, trace silt, thin lenses
	S	4,4,7		Soft, red-brown CLAY, trace light gray silt pockets
	S	---		Green-gray CLAY, trace silt
60				Bottom of Boring at 59 feet
70				
80				

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 3, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown CLAY AND SILT, trace light gray silt pockets/streaks, trace organics (plant material)
	S		
	S		Red-brown CLAY, trace light gray silt pockets/streaks
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON
Driller: WISCONSIN TEST DRILLING, INC.
Geologist: D. SMITH
Date: AUGUST 3, 1988

Sample collection
G-grab T-shelby tube
S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown stiff CLAY, trace light gray silt pockets/streaks
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 3, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown CLAY, trace light gray silt pockets/streaks, trace dark brown streaks
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 3, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown stiff CLAY, trace light gray silt pockets/streaks
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON
 Driller: WISCONSIN TEST DRILLING, INC.
 Geologist: D. SMITH
 Date: AUGUST 3, 1988

Sample collection
 G-grab T-shelby tube
 S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown CLAY, trace light gray silt pockets/streaks @ 0-1 ft. trace fine sand
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 3, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown CLAY, trace light gray silt pockets/streaks @ 2-3 ft. trace organics
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 3, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown CLAY, trace light gray silt pockets/streaks
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON
 Driller: WISCONSIN TEST DRILLING, INC.
 Geologist: D. SMITH
 Date: AUGUST 3, 1988

Sample collection
 G-grab T-shelby tube
 S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description
	S		Red-brown CLAY, trace light gray silt pockets/streaks
	S		
	S		
			Bottom of Boring 3.0 Feet
5			
10			

Project: Superior

Location: Superior, WI

Drilling Method: HOLLOW STEM AUGER
 Driller: WISCONSIN TEST DRILLING, INC.
 Geologist: D. SMITH
 Date: AUGUST 3, 1988

Sample collection
 G-grab T-shelby tube
 S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description	
	S		Hard red-brown SILTY CLAY, trace to little silt, trace to little organics (plant fragments and decomposed plant material)	
	S			
5	S			
	S			
	S			
	S			
10	S			
	S			
				Bottom of Boring 11.5 Feet
15				
20				

Project: Superior

Location: Superior, WI

Drilling Method: HOLLOW STEM AUGER

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 3, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		Hard red-brown CLAY AND SILT, trace to little organics (plant fragments and decomposed plant material) @ 3-4.5 ft. trace orange-brown silt
	S		
	S		
5	S		Red-brown CLAY, trace light gray silt pockets trace organics (plant fragments)
	S		
	S		
	S		
	S		
10	S		Bottom of Boring 12.0 Feet
	S		
	S		
15			
20			

SCHOFIELD, WISCONSIN

FOR Keystone

Koppers

Job No. 1479

LOCATION Superior, WI Elev. _____

Boring No. MW-15

GROUND While drilling _____ Time after drilling _____
WATER Before casing removal _____ Depth to water _____
 After casing removal _____ Depth to cave-in _____

Start 11-15-88
 Unit 0-50
 Chief OZ

Sample No.	Moisture	Blows on Sampler		Sample Recovery	Total Blows	VISUAL FIELD CLASSIFICATION AND REMARKS	Casing/Probe Weight 140# Drop 30"	Unconfined Strength	Boulders	Blows on		Drilling Method
		0/6	6/12							Casing Size	Probe Size	
1	M		3			Brown, Black Red CLAY						4 1/2 HS
		5	7	.8	12							
2	M	4	5									
		7		.5	12							
3	M	4				Red CLAY						
		6	7	1.0	13							
4	M	3	3			Redish Brown CLAY						
		5		1.0	8							
5	M	4	4									
		4	4	1.5	8							
6	M	3	3									
		4		1.5	7	Brown CLAY						
7	M	4	4									
		4	6	1.5	10							
8	M	1	3									
		4		1.0	7							
						E.O.B. @ 22.5'						
						Well Set @ 22.0'						

WELL DETAIL INFORMATION SHEET

JOB NO. 1479


BORING NO. MW-1S

DATE 11-15-88

CHIEF D.7.

LOCATION Superior, WI

All depth measurements of well detail assumed to be from ground surface unless otherwise indicated.



- ① DEPTH TO BOTTOM OF WELL POINT OR SLOTTED PIPE 22.0 FEET.
- ② DEPTH OF BOTTOM OF SEAL (if installed) 9.5 FEET.
- ③ DEPTH TO TOP OF SEAL (if installed) 7.5 FEET.
- ④ LENGTH OF WELL POINT, PVC WELL SCREEN OR SLOTTED PIPE 10.0 FEET. (Circle One)
- ⑤ TOTAL LENGTH OF PIPE 14.5 FEET @ 2 IN. DIAMETER.
- ⑥ TYPE OF FILTER MATERIAL AROUND WELL POINT OR SLOTTED PIPE Flint Sand.
- ⑦ CONCRETE CAP, YES NO (Circle One)
- ⑧ HEIGHT OF WELL CASING ABOVE GROUND 2.5 FEET.
- ⑨ PROTECTIVE CASING? YES NO (Circle One)
HEIGHT ABOVE GROUND 2.5'
LOCKING CAP? YES NO (Circle One)
- ⑩ TYPE OF BACKFILL: Cement/Bentonite Grout

WATER LEVEL CHECKS

*From top of casing, if protective casing higher, take measurement from top of protective casing.

BORING #	DATE	TIME	DEPTH TO WATER	REMARKS

SCHOFIELD, WISCONSIN

FOR Keystone

Koppers

Job No. 1479

LOCATION Superior, WI

Elev. _____

Boring No. MW-4S

GROUND	While drilling	<u>14.5'</u>	Time after drilling	<u>1/2 hr.</u>	<u>24 hrs.</u>
	Before casing removal	_____	Depth to water	<u>15.4'</u>	<u>14.4'</u>
WATER	After casing removal	_____	Depth to cave-in	<u>23.7'</u>	_____

Start 11-14-88
 Unit D-50
 Chief DZ

Sample No.	Moisture	Blows on Sampler		Sample Recovery	Total Blows	VISUAL FIELD CLASSIFICATION AND REMARKS	Casing/Probe Weight <u>140#</u> Drop <u>30"</u>	Unconfined Strength	Boulders	Blows on		Drilling Method
		0/6	6/12							Casing Size	Probe Size	
1	M		2			Brown Red CLAY						4 1/2" HSA
		4	5	.5	9							
2	M	2	2									
		4		1.0	6							
3	M		5									
		6	9	1.5	15							
4	M	2	3									
		6		1.2	9							
5	M		3									
		5	6	.5	11							
6	M	2	3									
		4		1.5	7							
7	M		5									
		6	9	1.3	15							
8	M	1	2									
		5		1.5	7							
9	W		33			22.0' Red Silty Clayey M-F SAND						
		14	15		29							
10	W	18	22			25.0' Red CLAY, w/Trc. Gravel						
		25		1.5	47	26.0' Red/Brm M-F SAND						
						E.O.B. @ 27.5'						
						Well Set @ 21.5'						

WELL DETAIL INFORMATION SHEET

JOB NO. 1479


BORING NO. MW-4S

DATE 11-14-88

CHIEF D.Z.

LOCATION Superior, WI

All depth measurements of well detail assumed to be from ground surface unless otherwise indicated.



- ① DEPTH TO BOTTOM OF WELL POINT OR SLOTTED PIPE 21.5 FEET.
- ② DEPTH OF BOTTOM OF SEAL (if installed) 9.0 FEET.
- ③ DEPTH TO TOP OF SEAL (if installed) 7.0 FEET.
- ④ LENGTH OF WELL POINT, PVC WELL SCREEN OR SLOTTED PIPE 10.0 FEET. (Circle One)
- ⑤ TOTAL LENGTH OF PIPE 13.5 FEET @ 2 IN. DIAMETER.
- ⑥ TYPE OF FILTER MATERIAL AROUND WELL POINT OR SLOTTED PIPE Flint Sand.
- ⑦ CONCRETE CAP, YES NO (Circle One)
- ⑧ HEIGHT OF WELL CASING ABOVE GROUND 2.5 FEET.
- ⑨ PROTECTIVE CASING? YES NO (Circle One)
HEIGHT ABOVE GROUND 2.5'
LOCKING CAP? YES NO (Circle One)
- ⑩ TYPE OF BACKFILL: Cement/Bentonite Grout

WATER LEVEL CHECKS

*From top of casing, if protective casing higher, take measurement from top of protective casing.

BORING #	DATE	TIME	DEPTH TO WATER	REMARKS

SCHOFIELD, WISCONSIN

FOR Keystone

Koppers

Job No. 1479

LOCATION

Superior, WI

Elev.

Boring No. MW-4D

GROUND While drilling

Time after drilling

Start 11-15-88

WATER

Before casing removal

Depth to water

Unit D-50

After casing removal

Depth to cave-in

Chief DZ

Sample No.	Moisture	Blows on Sampler		Sample Recovery	Total Blows	VISUAL FIELD CLASSIFICATION AND REMARKS	Casing/Probe Weight 140# 30"	Drop	Unconfined Strength	Boulders	Blows on		Drilling Method
		0/6	6/18								Casing Size	Probe Size	
						(See Log MW-4)							4 1/4" HSA
1	W	8	15	15	24	M-F SAND, Trace of Gravel							
2		10	13	0	24	NO RECOVERY							
3		15	9	0	25								
4	W	15	40	15	82	M-F SAND							
5	W	30	22	15	62	Brown Red SAND							
6	W	35	37	15	79	Brown SAND, Trace of Gravel							
7	W	30	33	15	66								
8	W	15	12	10	29	Red CLAY							Y
		17				E.O.B. @ 46.5'							
						Well Set @ 45.3'							

WELL DETAIL INFORMATION SHEET

JOB NO. 1479


BORING NO. MW-4D

DATE 11-15-88

CHIEF D.Z.

LOCATION Superior, WI

All depth measurements of well detail assumed to be from ground surface unless otherwise indicated.



- ① DEPTH TO BOTTOM OF WELL POINT OR SLOTTED PIPE 45.3 FEET.
- ② DEPTH OF BOTTOM OF SEAL (if installed) 32.0 FEET.
- ③ DEPTH TO TOP OF SEAL (if installed) 30.0 FEET.
- ④ LENGTH OF WELL POINT, PVC WELL SCREEN, OR SLOTTED PIPE 10.0 FEET. (Circle One)
- ⑤ TOTAL LENGTH OF PIPE 37.8 FEET @ 2 IN. DIAMETER.
- ⑥ TYPE OF FILTER MATERIAL AROUND WELL POINT OR SLOTTED PIPE Flint Sand.
- ⑦ CONCRETE CAP, YES NO (Circle One)
- ⑧ HEIGHT OF WELL CASING ABOVE GROUND 2.5 FEET.
- ⑨ PROTECTIVE CASING? YES NO (Circle One)
HEIGHT ABOVE GROUND 2.5'
LOCKING CAP? YES NO (Circle One)
- ⑩ TYPE OF BACKFILL: Cement/Bentonite Grout

WATER LEVEL CHECKS

*From top of casing, if protective casing higher, take measurement from top of protective casing.

BORING #	DATE	TIME	DEPTH TO WATER	REMARKS

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 4, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		FILL (black sand, slag and cinders)
	S		
	S		Stiff red-brown CLAY, trace light gray silt pockets/streaks @ 5.5-8.5 ft. trace fine sand lenses
5	S		
	S		
	S		
	S		
10			Bottom of Boring 8.5 Feet
15			
20			

Project: Superior

Location: Superior, WI

Drilling Method: HOLLOW STEM AUGER
Driller: WISCONSIN TEST DRILLING, INC.
Geologist: D. SMITH
Date: AUGUST 3, 1988

Sample collection
G-grab **T-shelby tube**
S-splitspoon **C-rock core**

Strata Depth	Sample Depth	Blow Count	Description
	S		Hard red-brown SILT AND CLAY TO SILTY CLAY, trace organics (plant fragments and decomposed plant material), trace light gray silt pockets
	S		
5	S		
	S		
	S		Red-brown CLAY, trace light gray silt pockets
	S		
10	S		
	S		
			Bottom of Boring 10.5 Feet
15			
20			

Project: Superior

Location: Superior, WI

Drilling Method: HOLLOW STEM AUGER
 Driller: WISCONSIN TEST DRILLING, INC.
 Geologist: D. SMITH
 Date: AUGUST 3, 1988

Sample collection
 G-grab T-shelby tube
 S-splitspoon C-rock core

Strata Depth	Sample Depth	Blow Count	Description
	S		FILL (red sand, some organics)
	S		Red-brown SILTY CLAY, trace light gray silt pockets, trace organics (decomposed organics)
	S		
5	S		@5.5-7.5 ft. trace organics (plant fragments)
	S		@ 9.5-11.5 ft. trace fine sand lenses up to 1" thick.
	S		
10	S		
	S		
			Bottom of Boring 11.5 Feet
15			
20			

Project: Superior

Location: Superior, WI

Drilling Method: SPLIT SPOON

Sample collection

Driller: WISCONSIN TEST DRILLING, INC.

G-grab

T-shelby tube

Geologist: D. SMITH

S-splitspoon

C-rock core

Date: AUGUST 4, 1988

Strata Depth	Sample Depth	Blow Count	Description
	S		FILL (black sand, slag and cinders)
	S		
5	S		Stiff red-brown CLAY, trace light gray silt pockets/streaks
	S		
	S		
10			Bottom of Boring 8.5 Feet
15			
20			

APPENDIX B

SUBGRADE LABORATORY ANALYTICAL RESULTS

LB-1 through LB-8: 0.0-1.0 feet

LB-9: 8.5-9.5 feet, LB-10: 9.0-10.0 feet

LB-11: 7.5-8.5 feet, LB-12: 8.5-9.5 feet


BB-1 and BB-2: 6.5-7.5 feet

KEYSTONE ENVIRONMENTAL RESOURCES

Interoffice Correspondence

To	D. Smith	From	R. D. Hepner
Location	Monroeville	Location/	Monroeville
Subject	Superior (178275)	Date	September 6, 1988

Attached are the results of the analyses on the Lagoon Soil samples received on August 6, 1988.



R. D. Hepner

RDH/wce

Attachment

cc: R. Anderson

CHAIN OF CUSTODY RECORD

PLANT CODE	PROJECT NAME					NUMBER OF CONTAINERS	ANALYTES										REMARKS OR OBSERVATIONS	
	Soils Subgrade / Superior Lagoon closure background samples							PH (8310)	Phenols (8040)	oil & grease	As	Cr	Cu	Pb	Zn	CONDUCTIVITY		PH
SAMPLERS (Signature)		Diane Smith																
STA. NO.	DATE	TIME	PROG	GRAB	LEVEL	STATION LOCATION												
LB-1	8-3-88	9 am	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-2	"	9 am	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-3	"	9 am	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-4	"	9 am	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-5	"	3:30 pm	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-6	"	3:30 pm	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-7	"	3:30 pm	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-8	"	3:30 pm	/			0-1'	/	/	/	/	/	/	/	/	/	/	/	
LB-9	"	noon	/			8.5-9.5'	/	/	/	/	/	/	/	/	/	/	/	
LB-10	"	12:30 pm	/			9-10'	/	/	/	/	/	/	/	/	/	/	/	
LB-11	"	2:30 pm	/			7.5-8.5'	/	/	/	/	/	/	/	/	/	/	/	
LB-12	"	5:30 pm	/			8.5-9.5'	/	/	/	/	/	/	/	/	/	/	/	
BB-1	8-4-88	6:00 pm	/			6.5-7.5'	/	/	/	/	/	/	/	/	/	/	/	
BB-2	8-4-88	6:00 pm	/			6.5-7.5'	/	/	/	/	/	/	/	/	/	/	/	

Relinquished by: (Signature) <i>Diane Smith</i>	Date <i>8-3-88</i>	Time	Received by: (Signature) <i>Fedex</i>	Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: (Signature) <i>Smith</i>	Date <i>8-4-88</i>	Time <i>12:00</i>	Ice Chest Temp <i>13 °C</i>	Ice Chest #	Chain of Custody Tag #

*DISTRIBUTION: Original accompanies shipment; Copy to Coordinator Field Files.

CHAIN OF CUSTODY RECORD

PLANT CODE	PROJECT NAME <i>soils</i> <i>Superior Sprayfield closure background samples</i>	NUMBER OF CONTAINERS
SAMPLERS (Signature)	<i>Diane Smith</i>	

STA. NO.	DATE	TIME	COM. P.	GRA. B.	W. L.	STATION LOCATION	<div style="display: flex; justify-content: space-between; padding: 0 5px;"> PAH (8310) Phenols (8040) TOC As Cr Cu </div>						CONDUCTIVITY	PH	REMARKS OR OBSERVATIONS
SB-1	8-4-88	3 pm	/			0-1'	/	/	/	/	/	/	/		
SB-2	8-5-88	9 am	/			0-1'	/	/	/	/	/	/	/		
SB-3	"	10 am	/			0-1'	/	/	/	/	/	/	/		
SB-4	"	11 am	/			0-1'	/	/	/	/	/	/	/		
SB-5	"	noon	/			0-1'	/	/	/	/	/	/	/		
SB-6	8-4-88	3 pm	/			0-1'	/	/	/	/	/	/	/		
SB-7	8-5-88	9 am	/			0-1'	/	/	/	/	/	/	/		
SB-8	"	10 am	/			0-1'	/	/	/	/	/	/	/		
SB-9	"	11 am	/			0-1'	/	/	/	/	/	/	/		
SB-10	"	noon	/			0-1'	/	/	/	/	/	/	/		
BB-1	8-4-88	2 pm	/			0-1' 3-5.5'	/	/	/	/	/	/	/		
BB-2	8-4-88	5:30 pm	/			0-1' 2-3'	/	/	/	/	/	/	/		

Store the dishes for now (standby)
 CONDUCTIVITY
 PH
 separate cooler
 ask Ron Morady (9445) re: refrigerant

Relinquished by: (Signature) <i>Diane Smith</i>	Date 8-5-88	Time pm	Received by: (Signature) <i>Fedax</i>	Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Relinquished by: (Signature)	Date	Time	Received by: (Signature)	
Relinquished by: (Signature)	Date	Time	Received for Laboratory by: (Signature) <i>Anthony</i>	Date 8-6-88	Time 10:10	Ice Chest Temp 14 °C	Ice Chest #	Chain of Custody Tag #

*DISTRIBUTION: Original accompanies shipment; Copy to Coordinator Field Files.

KEYSTONE ENVIRONMENTAL RESOURCES, INC
NARRATIVE - INORGANIC ANALYSIS

I GENERAL

A. WORK ORDER M8808039
B. SAMPLE NUMBERS 88080217-242
C. SHIPPING PROBLEMS None _____

II PREPARATION

A. DIGESTION PROBLEMS None _____

III ANALYSIS

A. ANALYSIS PROBLEMS Arsenic analysis-several samples had
to be diluted 5X because of matrix
interference. _____

OTHER PROBLEMS None _____

Charles M. Kelly
PREPARATION LABORATORY MANAGER

David J. Brennan
INORGANIC ANALYSIS MANAGER

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
NARRATIVE - ORGANIC ANALYSIS

I GENERAL

A. WORK ORDER M8808039
B. SAMPLE NUMBERS 88080217-242
C. SHIPPING PROBLEMS None _____

II PREPARATION

A. EXTRACTION PROBLEMS None _____

III ANALYSIS

A. ANALYSIS PROBLEMS None _____

COMMENTS All Organic results are on an as
received basis. _____

Charles J. Miller Jr.
PREPARATION LABORATORY MANAGER

Stephen J. Ordway
ORGANIC ANALYSIS MANAGER

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
NARRATIVE - CONVENTIONAL SOIL ANALYSIS

I GENERAL

A. WORK ORDER M8808039

B. SAMPLE NUMBERS 88080217-242

C. SHIPPING PROBLEMS None _____

II ANALYSIS

A. ANALYSIS PROBLEMS None _____

OTHER PROBLEMS None _____



CONVENTIONAL SOIL ANALYSIS MANAGER

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE OF CONTENTS

PRODUCED ON 09/06/88 AT 14:41 PAGE

SAMPLE #	SOURCE	DESCRIPT	DATE-COL	DATE-REC	ORD #
88080217	LB-1 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080218	LB-2 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080219	LB-3 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080220	LB-4 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080221	LB-5 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080222	LB-6 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080223	LB-7 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080224	LB-8 0-1'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080225	LB-9 8.5-9.5	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080226	LB-10 9-10'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080227	LB-11 7.5-8.5'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080228	LB-12 8.5-9.5'	SUPERIOR LAGOON SOIL	08/03/88	08/06/88	M8808039
88080229	BB-1 6.5-7.5'	SUPERIOR LAGOON SOIL	08/04/88	08/06/88	M8808039
88080230	BB-2 6.5-7.5'	SUPERIOR LAGOON SOIL	08/04/88	08/06/88	M8808039
88080231	SB-1 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080232	SB-2 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080233	SB-3 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080234	SB-4 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080235	SB-5 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080236	SB-6 0-1'	SUPERIOR LAGOON SOIL	08/04/88	08/06/88	M8808039
88080237	SB-7 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080238	SB-8 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080239	SB-9 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080240	SB-10 0-1'	SUPERIOR LAGOON SOIL	08/05/88	08/06/88	M8808039
88080241	BB-1 3.5-5'	SUPERIOR LAGOON SOIL	08/04/88	08/06/88	M8808039
88080242	BB-2 2-3'	SUPERIOR LAGOON SOIL	08/04/88	08/06/88	M8808039

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE 1: SUMMARY OF ANALYTICAL DATA

PRODUCED ON 09/06/88 AT 14:58 PAGE

SAMPLE #	RSLT. LNE	SOURCE
% SOLIDS		
88080217	% Solids @103 C..... : 70.1	LB-1 0-1'
88080218	% Solids @103 C..... : 72.0	LB-2 0-1'
88080219	% Solids @103 C..... : 68.7	LB-3 0-1'
88080220	% Solids @103 C..... : 74.0	LB-4 0-1'
88080221	% Solids @103 C..... : 72.7	LB-5 0-1'
88080222	% Solids @103 C..... : 68.5	LB-6 0-1'
88080223	% Solids @103 C..... : 75.6	LB-7 0-1'
88080224	% Solids @103 C..... : 70.3	LB-8 0-1'
88080225	% Solids @103 C..... : 77.4	LB-9 8.5-9.5
88080226	% Solids @103 C..... : 77.7	LB-10 9-10'
88080227	% Solids @103 C..... : 73.5	LB-11 7.5-8.5'
88080228	% Solids @103 C..... : 73.2	LB-12 8.5-9.5'
88080229	% Solids @103 C..... : 73.2	BB-1 6.5-7.5'
88080230	% Solids @103 C..... : 73.6	BB-2 6.5-7.5'
88080231	% Solids @103 C..... : 67.4	SB-1 0-1'
88080232	% Solids @103 C..... : 62.9	SB-2 0-1'
88080233	% Solids @103 C..... : 57.9	SB-3 0-1'
88080234	% Solids @103 C..... : 64.3	SB-4 0-1'
88080235	% Solids @103 C..... : 58.6	SB-5 0-1'
88080236	% Solids @103 C..... : 69.2	SB-6 0-1'
88080237	% Solids @103 C..... : 60.0	SB-7 0-1'
88080238	% Solids @103 C..... : 57.3	SB-8 0-1'
88080239	% Solids @103 C..... : 59.7	SB-9 0-1'
88080240	% Solids @103 C..... : 65.3	SB-10 0-1'
88080241	% Solids @103 C..... : 75.6	BB-1 3.5-5'
88080242	% Solids @103 C..... : 73.9	BB-2 2-3'
TOTAL ORGANIC CARBON		
88080231	% TOC..... : 1.53	SB-1 0-1'
88080232	% TOC..... : 1.48	SB-2 0-1'
88080233	% TOC..... : 1.85	SB-3 0-1'
88080234	% TOC..... : 1.21	SB-4 0-1'
88080235	% TOC..... : 1.98	SB-5 0-1'
88080236	% TOC..... : 2.25	SB-6 0-1'
88080237	% TOC..... : 1.17	SB-7 0-1'
88080238	% TOC..... : 1.58	SB-8 0-1'
88080239	% TOC..... : 1.50	SB-9 0-1'
88080240	% TOC..... : 1.29	SB-10 0-1'
88080241	% TOC..... : 0.01	BB-1 3.5-5'
88080242	% TOC..... : 0.03	BB-2 2-3'

The above results are on an as received basis.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE 1: SUMMARY OF ANALYTICAL DATA

PRODUCED ON 09/06/88 AT 14:58 PAGE

SAMPLE #	RSLT. LNE	SOURCE
OIL & GREASE, TOTAL RECOVERABLE, GRAVIMETRIC		
88080217	Oil & Grease, mg/Kg. : 376	LB-1 0-1'
88080218	Oil & Grease, mg/Kg. : <50.0	LB-2 0-1'
88080219	Oil & Grease, mg/Kg. : 176	LB-3 0-1'
88080220	Oil & Grease, mg/Kg. : 59.4	LB-4 0-1'
88080221	Oil & Grease, mg/Kg. : <50.0	LB-5 0-1'
88080222	Oil & Grease, mg/Kg. : 73.6	LB-6 0-1'
88080223	Oil & Grease, mg/Kg. : <50.0	LB-7 0-1'
88080224	Oil & Grease, mg/Kg. : <50.0	LB-8 0-1'
88080225	Oil & Grease, mg/Kg. : 215	LB-9 8.5-9.5
88080226	Oil & Grease, mg/Kg. : <50.0	LB-10 9-10'
88080227	Oil & Grease, mg/Kg. : <50.0	LB-11 7.5-8.5'
88080228	Oil & Grease, mg/Kg. : <50.0	LB-12 8.5-9.5'
88080229	Oil & Grease, mg/Kg. : <50.0	BB-1 6.5-7.5'
88080230	Oil & Grease, mg/Kg. : <50.0	BB-2 6.5-7.5'
CONDUCTIVITY		
88080231	Soil Cond., umhos/cm. : 445	SB-1 0-1'
88080232	Soil Cond., umhos/cm. : 700	SB-2 0-1'
88080233	Soil Cond., umhos/cm. : 625	SB-3 0-1'
88080234	Soil Cond., umhos/cm. : 510	SB-4 0-1'
88080235	Soil Cond., umhos/cm. : 725	SB-5 0-1'
88080236	Soil Cond., umhos/cm. : 700	SB-6 0-1'
88080237	Soil Cond., umhos/cm. : 590	SB-7 0-1'
88080238	Soil Cond., umhos/cm. : 850	SB-8 0-1'
88080239	Soil Cond., umhos/cm. : 550	SB-9 0-1'
88080240	Soil Cond., umhos/cm. : 825	SB-10 0-1'
88080241	Soil Cond., umhos/cm. : 197	BB-1 3.5-5'
88080242	Soil Cond., umhos/cm. : 205	BB-2 2-3'
pH		
88080231	Soil pH, units..... : 6.67	SB-1 0-1'
88080232	Soil pH, units..... : 7.35	SB-2 0-1'
88080233	Soil pH, units..... : 6.54	SB-3 0-1'
88080234	Soil pH, units..... : 6.20	SB-4 0-1'
88080235	Soil pH, units..... : 6.88	SB-5 0-1'
88080236	Soil pH, units..... : 7.50	SB-6 0-1'
88080237	Soil pH, units..... : 7.00	SB-7 0-1'
88080238	Soil pH, units..... : 7.10	SB-8 0-1'
88080239	Soil pH, units..... : 6.67	SB-9 0-1'
88080240	Soil pH, units..... : 7.76	SB-10 0-1'
88080241	Soil pH, units..... : 8.51	BB-1 3.5-5'
88080242	Soil pH, units..... : 8.49	BB-2 2-3'

The above results are on an as received basis.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE 2: SUMMARY OF METALS DATA

PRODUCED ON 09/06/88 AT 14:54 PAGE

SAMPLE #	RSLT. LNE	SOURCE
ARSENIC (TOTAL)		
88080217	Arsenic, ug/Kg..... : 1930	LB-1 0-1'
88080218	Arsenic, ug/Kg..... : 2130	LB-2 0-1'
88080219	Arsenic, ug/Kg..... : <1000	LB-3 0-1'
88080220	Arsenic, ug/Kg..... : <5000	LB-4 0-1'
88080221	Arsenic, ug/Kg..... : 1780	LB-5 0-1'
88080222	Arsenic, ug/Kg..... : <5000	LB-6 0-1'
88080223	Arsenic, ug/Kg..... : 1810	LB-7 0-1'
88080224	Arsenic, ug/Kg..... : <5000	LB-8 0-1'
88080225	Arsenic, ug/Kg..... : <5000	LB-9 8.5-9.5
88080226	Arsenic, ug/Kg..... : 1670	LB-10 9-10'
88080227	Arsenic, ug/Kg..... : 3150	LB-11 7.5-8.5'
88080228	Arsenic, ug/Kg..... : <5000	LB-12 8.5-9.5'
88080229	Arsenic, ug/Kg..... : 1080	BB-1 6.5-7.5'
88080230	Arsenic, ug/Kg..... : <5000	BB-2 6.5-7.5'
88080231	Arsenic, ug/Kg..... : 2930	SB-1 0-1'
88080232	Arsenic, ug/Kg..... : <5000	SB-2 0-1'
88080233	Arsenic, ug/Kg..... : <5000	SB-3 0-1'
88080234	Arsenic, ug/Kg..... : <5000	SB-4 0-1'
88080235	Arsenic, ug/Kg..... : <5000	SB-5 0-1'
88080236	Arsenic, ug/Kg..... : <5000	SB-6 0-1'
88080237	Arsenic, ug/Kg..... : 5050	SB-7 0-1'
88080238	Arsenic, ug/Kg..... : 3320	SB-8 0-1'
88080239	Arsenic, ug/Kg..... : <5000	SB-9 0-1'
88080240	Arsenic, ug/Kg..... : <5000	SB-10 0-1'
88080241	Arsenic, ug/Kg..... : <5000	BB-1 3.5-5'
88080242	Arsenic, ug/Kg..... : <5000	BB-2 2-3'

The above results are on a dry weight basis.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE 2: SUMMARY OF METALS DATA

PRODUCED ON 09/06/88 AT 14:54 PAGE

SAMPLE #	RSLT. LNE	SOURCE
CHROMIUM (TOTAL)		
88080217	Chromium, ug/Kg..... : 36100	LB-1 0-1'
88080218	Chromium, ug/Kg..... : 31900	LB-2 0-1'
88080219	Chromium, ug/Kg..... : 29700	LB-3 0-1'
88080220	Chromium, ug/Kg..... : 31800	LB-4 0-1'
88080221	Chromium, ug/Kg..... : 30000	LB-5 0-1'
88080222	Chromium, ug/Kg..... : 40200	LB-6 0-1'
88080223	Chromium, ug/Kg..... : 42200	LB-7 0-1'
88080224	Chromium, ug/Kg..... : 40900	LB-8 0-1'
88080225	Chromium, ug/Kg..... : 45600	LB-9 8.5-9.5
88080226	Chromium, ug/Kg..... : 37900	LB-10 9-10'
88080227	Chromium, ug/Kg..... : 38800	LB-11 7.5-8.5'
88080228	Chromium, ug/Kg..... : 38800	LB-12 8.5-9.5'
88080229	Chromium, ug/Kg..... : 40900	BB-1 6.5-7.5'
88080230	Chromium, ug/Kg..... : 32400	BB-2 6.5-7.5'
88080231	Chromium, ug/Kg..... : 43400	SB-1 0-1'
88080232	Chromium, ug/Kg..... : 43400	SB-2 0-1'
88080233	Chromium, ug/Kg..... : 45300	SB-3 0-1'
88080234	Chromium, ug/Kg..... : 40600	SB-4 0-1'
88080235	Chromium, ug/Kg..... : 40800	SB-5 0-1'
88080236	Chromium, ug/Kg..... : 39500	SB-6 0-1'
88080237	Chromium, ug/Kg..... : 37300	SB-7 0-1'
88080238	Chromium, ug/Kg..... : 41000	SB-8 0-1'
88080239	Chromium, ug/Kg..... : 40400	SB-9 0-1'
88080240	Chromium, ug/Kg..... : 39000	SB-10 0-1'
88080241	Chromium, ug/Kg..... : 44300	BB-1 3.5-5'
88080242	Chromium, ug/Kg..... : 35700	BB-2 2-3'

The above results are on a dry weight basis.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE 2: SUMMARY OF METALS DATA

PRODUCED ON 09/06/88 AT 14:54 PAGE

SAMPLE #	RSLT. LNE	SOURCE
COPPER (TOTAL)		
88080217	Copper, ug/Kg. :	84600 LB-1 0-1'
88080218	Copper, ug/Kg. :	43500 LB-2 0-1'
88080219	Copper, ug/Kg. :	45800 LB-3 0-1'
88080220	Copper, ug/Kg. :	41400 LB-4 0-1'
88080221	Copper, ug/Kg. :	43500 LB-5 0-1'
88080222	Copper, ug/Kg. :	49100 LB-6 0-1'
88080223	Copper, ug/Kg. :	44000 LB-7 0-1'
88080224	Copper, ug/Kg. :	53900 LB-8 0-1'
88080225	Copper, ug/Kg. :	50700 LB-9 8.5-9.5
88080226	Copper, ug/Kg. :	47300 LB-10 9-10'
88080227	Copper, ug/Kg. :	49100 LB-11 7.5-8.5'
88080228	Copper, ug/Kg. :	50000 LB-12 8.5-9.5'
88080229	Copper, ug/Kg. :	48000 BB-1 6.5-7.5'
88080230	Copper, ug/Kg. :	40100 BB-2 6.5-7.5'
88080231	Copper, ug/Kg. :	41600 SB-1 0-1'
88080232	Copper, ug/Kg. :	41200 SB-2 0-1'
88080233	Copper, ug/Kg. :	47800 SB-3 0-1'
88080234	Copper, ug/Kg. :	37000 SB-4 0-1'
88080235	Copper, ug/Kg. :	44100 SB-5 0-1'
88080236	Copper, ug/Kg. :	47500 SB-6 0-1'
88080237	Copper, ug/Kg. :	37600 SB-7 0-1'
88080238	Copper, ug/Kg. :	43900 SB-8 0-1'
88080239	Copper, ug/Kg. :	43100 SB-9 0-1'
88080240	Copper, ug/Kg. :	40700 SB-10 0-1'
88080241	Copper, ug/Kg. :	47700 BB-1 3.5-5'
88080242	Copper, ug/Kg. :	46800 BB-2 2-3'

The above results are on a dry weight basis.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

TABLE 2: SUMMARY OF METALS DATA

PRODUCED ON 09/06/88 AT 14:55 PAGE

SAMPLE #	RSLT. LNE	SOURCE
LEAD (TOTAL)		
88080217	Lead, ug/Kg. :	24300 LB-1 0-1'
88080218	Lead, ug/Kg. :	6910 LB-2 0-1'
88080219	Lead, ug/Kg. :	12900 LB-3 0-1'
88080220	Lead, ug/Kg. :	6650 LB-4 0-1'
88080221	Lead, ug/Kg. :	6840 LB-5 0-1'
88080222	Lead, ug/Kg. :	8210 LB-6 0-1'
88080223	Lead, ug/Kg. :	6790 LB-7 0-1'
88080224	Lead, ug/Kg. :	9140 LB-8 0-1'
88080225	Lead, ug/Kg. :	10700 LB-9 8.5-9.5
88080226	Lead, ug/Kg. :	9020 LB-10 9-10'
88080227	Lead, ug/Kg. :	7680 LB-11 7.5-8.5'
88080228	Lead, ug/Kg. :	7720 LB-12 8.5-9.5'
88080229	Lead, ug/Kg. :	76680 BB-1 6.5-7.5'
88080230	Lead, ug/Kg. :	6700 BB-2 6.5-7.5'
ZINC (TOTAL)		
88080217	Zinc, ug/Kg. :	65400 LB-1 0-1'
88080218	Zinc, ug/Kg. :	50000 LB-2 0-1'
88080219	Zinc, ug/Kg. :	43500 LB-3 0-1'
88080220	Zinc, ug/Kg. :	49700 LB-4 0-1'
88080221	Zinc, ug/Kg. :	48900 LB-5 0-1'
88080222	Zinc, ug/Kg. :	59700 LB-6 0-1'
88080223	Zinc, ug/Kg. :	54600 LB-7 0-1'
88080224	Zinc, ug/Kg. :	61600 LB-8 0-1'
88080225	Zinc, ug/Kg. :	59800 LB-9 8.5-9.5
88080226	Zinc, ug/Kg. :	49200 LB-10 9-10'
88080227	Zinc, ug/Kg. :	59600 LB-11 7.5-8.5'
88080228	Zinc, ug/Kg. :	56300 LB-12 8.5-9.5'
88080229	Zinc, ug/Kg. :	60600 BB-1 6.5-7.5'
88080230	Zinc, ug/Kg. :	50800 BB-2 6.5-7.5'

The above results are on a dry weight basis.

TABLE 3: SUMMARY OF 8040 DATA

Sample: 88080217 Source: LB-1 0-1'
 Date Collected: 08/03/88 Description: SUPERIOR LAGOON SOIL
 Date Received: 08/06/88

	Clean up Method		
Date Extracted: 08/12/88	silica gel clean-up	___yes	___no
Date Analyzed: 09/01/88	florisil clean-up	___yes	___no
	alumina clean-up	___yes	___no
	sulfur clean-up	___yes	___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: 341
2, 4-Dinitrophenol.....	: 163
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: 381
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: 619
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 869
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080218	Source: LB-2 0-1'
Date Collected: 08/03/88	Description: SUPERIOR LAAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: <100
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

Sample: 88080219
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-3 0-1'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: 191
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: 200
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 310
Phenol.....	: 50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080220	Source: LB-4 0-1'
Date Collected: 08/03/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	

	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: 897
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 265
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080221
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-5 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/12/88
 Date Analyzed: 09/01/88

Clean up Method

silica gel clean-up ___yes ___no
 florisil clean-up ___yes ___no
 alumina clean-up ___yes ___no
 sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol... : <100
 2, 4, 6-Trichlorophenol... : <100
 2, 4-Dichlorophenol... : <50.0
 2, 4-Dimethylphenol... : <50.0
 2, 4-Dinitrophenol... : <100
 2-Chlorophenol... : <50.0
 2-Nitrophenol... : <50.0
 2-Methyl-4, 6-dinitrophenol.. : <100
 4-Nitrophenol... : <100
 4-Chloro-3-methylphenol... : <50.0
 Pentachlorophenol... : <100
 Phenol... : 88.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

Sample: 88080222	Source: LB-6 0-1'
Date Collected: 08/03/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 09/01/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 316
Phenol.....	: 528

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080223

Source: LB-7 0-1'

Description: SUPERIOR LAGOON SOIL

Date Collected: 08/03/88

Date Received: 08/06/88

Clean up Method

Date Extracted: 08/12/88

Date Analyzed: 09/01/88

silica gel clean-up	___yes	___no
florisil clean-up	___yes	___no
alumina clean-up	___yes	___no
sulfur clean-up	___yes	___no

Acid Extractable Phenolics

2,3,5,6-Tetrachlorophenol...	:<100
2,4,6-Trichlorophenol.....	:<100
2,4-Dichlorophenol.....	:<50.0
2,4-Dimethylphenol.....	:<50.0
2,4-Dinitrophenol.....	:<100
2-Chlorophenol.....	:<50.0
2-Nitrophenol.....	:<50.0
2-Methyl-4,6-dinitrophenol..	:<100
4-Nitrophenol.....	:178
4-Chloro-3-methylphenol.....	:<50.0
Pentachlorophenol.....	:<100
Phenol.....	:<50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080224
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-8 0-1'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2,3,5,6-Tetrachlorophenol...	:<100
2,4,6-Trichlorophenol.....	:<100
2,4-Dichlorophenol.....	:<50.0
2,4-Dimethylphenol.....	:<50.0
2,4-Dinitrophenol.....	:<100
2-Chlorophenol.....	:<50.0
2-Nitrophenol.....	:<50.0
2-Methyl-4,6-dinitrophenol..	:<100
4-Nitrophenol.....	:<100
4-Chloro-3-methylphenol.....	:<50.0
Pentachlorophenol.....	:197
Phenol.....	:223

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080225	Source: LB-9 8.5-9.5
Date Collected: 08/03/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	

	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 09/01/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: 165
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: 207
2, 4-Dinitrophenol.....	: 702
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: 100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 355
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080226	Source: LB-10 9-10'
Date Collected: 08/03/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	

	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: 502
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol....	: <50.0
Pentachlorophenol.....	: <100
Phenol.....	: 396

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080227	Source: LB-11 7.5-8.5'
Date Collected: 08/03/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2,3,5,6-Tetrachlorophenol...	:<100
2,4,6-Trichlorophenol.....	:<100
2,4-Dichlorophenol.....	:<50.0
2,4-Dimethylphenol.....	:<50.0
2,4-Dinitrophenol.....	:<100
2-Chlorophenol.....	:<50.0
2-Nitrophenol.....	:<50.0
2-Methyl-4,6-dinitrophenol..	:<100
4-Nitrophenol.....	:<100
4-Chloro-3-methylphenol.....	:<50.0
Pentachlorophenol.....	:<100
Phenol.....	:71.2

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

Sample: 88080228	Source: LB-12 8.5-9.5'
Date Collected: 08/03/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 09/01/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: <100
Phenol.....	: 185

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080229	Source: BB-1 6.5-7.5'
Date Collected: 08/04/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: <100
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080230	Source: BB-2 6.5-7.5'
Date Collected: 08/04/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: <100
Phenol.....	: 872

The above results are reported in ug/Kg.
 All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080231 Source: SB-1 0-1'
Date Collected: 08/05/88 Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88

Date Extracted: 08/12/88
Date Analyzed: 09/01/88

Clean up Method

silica gel clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: 7210
2, 4, 6-Trichlorophenol.....	: <1000
2, 4-Dichlorophenol.....	: <500
2, 4-Dimethylphenol.....	: <500
2, 4-Dinitrophenol.....	: <1000
2-Chlorophenol.....	: <500
2-Nitrophenol.....	: <500
2-Methyl-4, 6-dinitrophenol..	: 5880
4-Nitrophenol.....	: 4270
4-Chloro-3-methylphenol.....	: <500
Pentachlorophenol.....	: 79200
Phenol.....	: <500

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080232
 Date Collected: 08/05/88
 Date Received: 08/06/88

Source: SB-2 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/12/88
 Date Analyzed: 09/01/88

Clean up Method

silica gel clean-up ___yes ___no
 florisil clean-up ___yes ___no
 alumina clean-up ___yes ___no
 sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol... : 755
 2, 4, 6-Trichlorophenol... : <100
 2, 4-Dichlorophenol... : <50.0
 2, 4-Dimethylphenol... : 387
 2, 4-Dinitrophenol... : <100
 2-Chlorophenol... : <50.0
 2-Nitrophenol... : <50.0
 2-Methyl-4, 6-dinitrophenol.. : <100
 4-Nitrophenol... : <100
 4-Chloro-3-methylphenol... : <50.0
 Pentachlorophenol... : 4090
 Phenol... : 909

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
=====

Sample: 88080233	Source: SB-3 0-1'
Date Collected: 08/05/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 09/01/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: 844
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: 941
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 1720
Phenol.....	: 79.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080234	Source: SB-4 0-1'
Date Collected: 08/05/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: <100
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 1360
Phenol.....	: 727

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

Sample: 88080235 Source: SB-5 0-1'
 Date Collected: 08/05/88 Description: SUPERIOR LAGOON SOIL
 Date Received: 08/06/88

Clean up Method

Date Extracted: 08/12/88
 Date Analyzed: 09/01/88

silica gel clean-up	___yes	___no
florisil clean-up	___yes	___no
alumina clean-up	___yes	___no
sulfur clean-up	___yes	___no

Acid Extractable Phenolics

2,3,5,6-Tetrachlorophenol...	:391
2,4,6-Trichlorophenol.....	:<100
2,4-Dichlorophenol.....	:<50.0
2,4-Dimethylphenol.....	:569
2,4-Dinitrophenol.....	:<100
2-Chlorophenol.....	:<50.0
2-Nitrophenol.....	:<50.0
2-Methyl-4,6-dinitrophenol..	:<100
4-Nitrophenol.....	:<100
4-Chloro-3-methylphenol.....	:<50.0
Pentachlorophenol.....	:1490
Phenol.....	:<50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080236 Source: SB-6 0-1'
 Description: SUPERIOR LAGOON SOIL
 Date Collected: 08/04/88
 Date Received: 08/06/88

	Clean up Method		
Date Extracted: 08/12/88	silica gel clean-up	___yes	___no
Date Analyzed: 09/01/88	florisil clean-up	___yes	___no
	alumina clean-up	___yes	___no
	sulfur clean-up	___yes	___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: 33000
2, 4, 6-Trichlorophenol.....	: <1000
2, 4-Dichlorophenol.....	: <500
2, 4-Dimethylphenol.....	: <500
2, 4-Dinitrophenol.....	: 8900
2-Chlorophenol.....	: <500
2-Nitrophenol.....	: <500
2-Methyl-4, 6-dinitrophenol..	: 45200
4-Nitrophenol.....	: 23300
4-Chloro-3-methylphenol.....	: <500
Pentachlorophenol.....	: 47000
Phenol.....	: <500

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080237 Source: SB-7 0-1'
 Date Collected: 08/05/88 Description: SUPERIOR LAGOON SOIL
 Date Received: 08/06/88

Clean up Method

Date Extracted: 08/12/88
 Date Analyzed: 09/01/88

silica gel clean-up	___yes	___no
florisil clean-up	___yes	___no
alumina clean-up	___yes	___no
sulfur clean-up	___yes	___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: 56300
2, 4, 6-Trichlorophenol.....	: <1000
2, 4-Dichlorophenol.....	: <500
2, 4-Dimethylphenol.....	: <500
2, 4-Dinitrophenol.....	: <1000
2-Chlorophenol.....	: <500
2-Nitrophenol.....	: <500
2-Methyl-4, 6-dinitrophenol..	: 94600
4-Nitrophenol.....	: 57300
4-Chloro-3-methylphenol.....	: 5390
Pentachlorophenol.....	: 195000
Phenol.....	: <500

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080238

Source: SB-8 0-1'

Description: SUPERIOR LAGOON SOIL

Date Collected: 08/05/88

Date Received: 08/06/88

Clean up Method

Date Extracted: 08/12/88

Date Analyzed: 09/01/88

silica gel clean-up ___yes ___no
florisil clean-up ___yes ___no
alumina clean-up ___yes ___no
sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: 17200
2, 4, 6-Trichlorophenol.....	: <1000
2, 4-Dichlorophenol.....	: <500
2, 4-Dimethylphenol.....	: <500
2, 4-Dinitrophenol.....	: <1000
2-Chlorophenol.....	: <500
2-Nitrophenol.....	: <500
2-Methyl-4, 6-dinitrophenol..	: 24100
4-Nitrophenol.....	: 13600
4-Chloro-3-methylphenol.....	: 1180
Pentachlorophenol.....	: 39800
Phenol.....	: <500

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080239
 Date Collected: 08/05/88
 Date Received: 08/06/88

Source: SB-9 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/12/88
 Date Analyzed: 09/01/88

Clean up Method

silica gel clean-up ___yes ___no
 florisil clean-up ___yes ___no
 alumina clean-up ___yes ___no
 sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol... : <1000
 2, 4, 6-Trichlorophenol... : <1000
 2, 4-Dichlorophenol... : <500
 2, 4-Dimethylphenol... : <500
 2, 4-Dinitrophenol... : <1000
 2-Chlorophenol... : <500
 2-Nitrophenol... : <500
 2-Methyl-4, 6-dinitrophenol.. : <1000
 4-Nitrophenol... : <1000
 4-Chloro-3-methylphenol... : <500
 Pentachlorophenol... : 41600
 Phenol... : <500

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA
 =====

Sample: 88080240	Source: SB-10 0-1'
Date Collected: 08/05/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: 393
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: 7270
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080241	Source: BB-1 3.5-5'
Date Collected: 08/04/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 09/01/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Acid Extractable Phenolics

2, 3, 5, 6-Tetrachlorophenol...	: <100
2, 4, 6-Trichlorophenol.....	: <100
2, 4-Dichlorophenol.....	: <50.0
2, 4-Dimethylphenol.....	: <50.0
2, 4-Dinitrophenol.....	: <100
2-Chlorophenol.....	: <50.0
2-Nitrophenol.....	: <50.0
2-Methyl-4, 6-dinitrophenol..	: <100
4-Nitrophenol.....	: 112
4-Chloro-3-methylphenol.....	: <50.0
Pentachlorophenol.....	: <100
Phenol.....	: <50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 3: SUMMARY OF 8040 DATA

=====

Sample: 88080242
 Source: BB-2 2-3'
 Description: SUPERIOR LAGOON SOIL
 Date Collected: 08/04/88
 Date Received: 08/06/88

	Clean up Method
Date Extracted: 08/12/88	silica gel clean-up ___yes ___no
Date Analyzed: 09/01/88	florisil clean-up ___yes ___no
	alumina clean-up ___yes ___no
	sulfur clean-up ___yes ___no

Acid Extractable Phenolics

2,3,5,6-Tetrachlorophenol...	:<100
2,4,6-Trichlorophenol.....	:<100
2,4-Dichlorophenol.....	:<50.0
2,4-Dimethylphenol.....	:<50.0
2,4-Dinitrophenol.....	:<100
2-Chlorophenol.....	:147
2-Nitrophenol.....	:<50.0
2-Methyl-4,6-dinitrophenol..	:<100
4-Nitrophenol.....	:<100
4-Chloro-3-methylphenol.....	:<50.0
Pentachlorophenol.....	:<100
Phenol.....	:<50.0

The above results are reported in ug/Kg.

All 8040 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080217
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-1 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : 4180
 Acenaphthylene..... : 381
 Anthracene..... : 2540
 Benzo(a)anthracene... : 1380
 Benzo(a)pyrene..... : 490
 Benzo(b)fluoranthene.. : 871
 Benzo(g, h, i)perylene.. : 727
 Benzo(k)fluoranthene.. : 338
 Chrysene..... : 2020
 Dibenz(ah)anthracene.. : 1470
 Fluoranthene..... : 7360
 Fluorene..... : 3800
 Indeno(123-cd)pyrene.. : 392
 Phenanthrene..... : 14300
 Pyrene..... : 5900

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : 2240

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA
 =====

Sample: 88080218
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-2 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : <50.0
 Benzo(a)anthracene.... : <2.00
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : <2.00
 Benzo(g,h,i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : 45.0
 Fluorene..... : 22.4
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : 127
 Pyrene..... : 25.8

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080219
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-3 0-1'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method	
Date Extracted: 08/10/88	silica gel clean-up	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 08/27/88	florisil clean-up	<input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up	<input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up	<input type="checkbox"/> yes <input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: 3430
Acenaphthylene.....	: 784
Anthracene.....	: 4770
Benzo(a)anthracene....	: 2470
Benzo(a)pyrene.....	: 890
Benzo(b)fluoranthene..	: 1520
Benzo(g,h,i)perylene..	: 1140
Benzo(k)fluoranthene..	: 589
Chrysene.....	: 3400
Dibenz(ah)anthracene..	: 2320
Fluoranthene.....	: 13300
Fluorene.....	: 8290
Indeno(123-cd)pyrene..	: 630
Phenanthrene.....	: 23600
Pyrene.....	: 10100

Other Polynuclear Aromatic Compounds tested:

Carbazole.....	: <100
Naphthalene.....	: 5380

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080220
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-4 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : 119
 Acenaphthylene..... : <100
 Anthracene..... : <50.0
 Benzo(a)anthracene... : <2.00
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : <2.00
 Benzo(g,h,i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : 60.1
 Fluorene..... : 37.8
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : 187
 Pyrene..... : 29.3

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : 312

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA
=====

Sample: 88080221
Date Collected: 08/03/88
Date Received: 08/06/88

Source: LB-5 0-1'
Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
florisil clean-up yes no
alumina clean-up yes no
sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : 186
Acenaphthylene..... : <100
Anthracene..... : 90.7
Benzo(a)anthracene... : 21.7
Benzo(a)pyrene..... : 7.58
Benzo(b)fluoranthene.. : 12.9
Benzo(g,h,i)perylene.. : 21.5
Benzo(k)fluoranthene.. : 4.94
Chrysene..... : 29.3
Dibenz(ah)anthracene.. : 32.1
Fluoranthene..... : 147
Fluorene..... : 136
Indeno(123-cd)pyrene.. : 7.56
Phenanthrene..... : 501
Pyrene..... : 111

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
Naphthalene..... : 548

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA
=====

Sample: 88080222
Date Collected: 08/03/88
Date Received: 08/06/88

Source: LB-6 0-1'
Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
florisil clean-up yes no
alumina clean-up yes no
sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : 1170
Acenaphthylene..... : <100
Anthracene..... : 1070
Benzo(a)anthracene... : 339
Benzo(a)pyrene..... : 100
Benzo(b)fluoranthene.. : 172
Benzo(g, h, i)perylene.. : 165
Benzo(k)fluoranthene.. : 66.9
Chrysene..... : 452
Dibenz(ah)anthracene.. : 321
Fluoranthene..... : 2010
Fluorene..... : 1210
Indeno(123-cd)pyrene.. : 98.0
Phenanthrene..... : 5070
Pyrene..... : 1520

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
Naphthalene..... : 1350

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

Sample: 88080223
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-7 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : 51.1
 Benzo(a)anthracene... : <2.00
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : <2.00
 Benzo(g,h,i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : 36.5
 Fluorene..... : 113
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : 298
 Pyrene..... : <20.0

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : 405

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080224
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-8 0-1'
 Description: SUPERIOR LAAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/27/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : 52.4
 Benzo(a)anthracene... : 4.59
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : 2.58
 Benzo(g, h, i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : 59.1
 Fluorene..... : 131
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : 372
 Pyrene..... : 37.5

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : 509

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080225
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-9 B. 5-9.5
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/28/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : 24300
 Acenaphthylene..... : 7260
 Anthracene..... : 5220
 Benzo(a)anthracene... : 2660
 Benzo(a)pyrene..... : 674
 Benzo(b)fluoranthene.. : 1210
 Benzo(g, h, i)perylene.. : 744
 Benzo(k)fluoranthene.. : 459
 Chrysene..... : 2980
 Dibenz(ah)anthracene.. : 1470
 Fluoranthene..... : 15100
 Fluorene..... : 15900
 Indeno(123-cd)pyrene.. : 448
 Phenanthrene..... : 45000
 Pyrene..... : 11500

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : 165
 Naphthalene..... : 36500

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080226
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-10 9-10'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method
Date Extracted: 08/10/88	silica gel clean-up <input checked="" type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 08/28/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: <100
Acenaphthylene.....	: <100
Anthracene.....	: 81.9
Benzo(a)anthracene....	: 46.7
Benzo(a)pyrene.....	: 25.2
Benzo(b)fluoranthene..	: 67.8
Benzo(g, h, i)perylene..	: 74.4
Benzo(k)fluoranthene..	: 20.4
Chrysene.....	: 60.1
Dibenz(ah)anthracene..	: 104
Fluoranthene.....	: 118
Fluorene.....	: 173
Indeno(123-cd)pyrene..	: 54.6
Phenanthrene.....	: 567
Pyrene.....	: 97.2

Other Polynuclear Aromatic Compounds tested:
 Carbazole..... : <100
 Naphthalene..... : 127

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080227
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-11 7.5-8.5'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/28/88

Clean up Method

silica gel clean-up yes no
 florisol clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: <100
Acenaphthylene.....	: <100
Anthracene.....	: <50.0
Benzo(a)anthracene....	: <2.00
Benzo(a)pyrene.....	: <2.00
Benzo(b)fluoranthene..	: <2.00
Benzo(g, h, i)perylene..	: <5.00
Benzo(k)fluoranthene..	: <2.00
Chrysene.....	: <15.0
Dibenz(ah)anthracene..	: <3.00
Fluoranthene.....	: 24.0
Fluorene.....	: <20.0
Indeno(123-cd)pyrene..	: <5.00
Phenanthrene.....	: 70.3
Pyrene.....	: <20.0

Other Polynuclear Aromatic Compounds tested:

Carbazole.....	: <100
Naphthalene.....	: <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080228
 Date Collected: 08/03/88
 Date Received: 08/06/88

Source: LB-12 8.5-9.5'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/28/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : <50.0
 Benzo(a)anthracene... : <2.00
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : <2.00
 Benzo(g, h, i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : <20.0
 Fluorene..... : <20.0
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : <50.0
 Pyrene..... : <20.0

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080229
 Date Collected: 08/04/88
 Date Received: 08/06/88

Source: BB-1 6.5-7.5'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/28/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : <50.0
 Benzo(a)anthracene... : <2.00
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : <2.00
 Benzo(g, h, i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : <20.0
 Fluorene..... : <20.0
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : <50.0
 Pyrene..... : <20.0

 Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080230
 Date Collected: 08/04/88
 Date Received: 08/06/88

Source: BB-2 6.5-7.5'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method		
Date Extracted: 08/10/88	silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
Date Analyzed: 08/28/88	florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: <100
Acenaphthylene.....	: <100
Anthracene.....	: <50.0
Benzo(a)anthracene....	: <2.00
Benzo(a)pyrene.....	: <2.00
Benzo(b)fluoranthene..	: 2.27
Benzo(g,h,i)perylene..	: <5.00
Benzo(k)fluoranthene..	: <2.00
Chrysene.....	: <15.0
Dibenz(ah)anthracene..	: <3.00
Fluoranthene.....	: 20.7
Fluorene.....	: <20.0
Indeno(123-cd)pyrene..	: <5.00
Phenanthrene.....	: <50.0
Pyrene.....	: <20.0

Other Polynuclear Aromatic Compounds tested:
 Carbazole..... : <100
 Naphthalene..... : <100

The above results are reported in ug/Kg.
 All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

Sample: 88080231

Date Collected: 08/05/88
 Date Received: 08/06/88

Source: SB-1 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/28/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	<100
Acenaphthylene.....	<100
Anthracene.....	267
Benzo(a)anthracene.....	1710
Benzo(a)pyrene.....	1140
Benzo(b)fluoranthene.....	2710
Benzo(g, h, i)perylene.....	2150
Benzo(k)fluoranthene.....	949
Chrysene.....	3300
Dibenz(ah)anthracene.....	3710
Fluoranthene.....	4300
Fluorene.....	73.7
Indeno(123-cd)pyrene.....	1300
Phenanthrene.....	265
Pyrene.....	3510

Other Polynuclear Aromatic Compounds tested:
 Carbazole..... : <100
 Naphthalene..... : 196

The above results are reported in ug/Kg.
 All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

Sample: 88080232	Source: SB-2 0-1'
Date Collected: 08/05/88	Description: SUPERIOR LAGOON SOIL
Date Received: 08/06/88	
	Clean up Method
Date Extracted: 08/10/88	silica gel clean-up <input checked="" type="checkbox"/> yes <input type="checkbox"/> no
Date Analyzed: 08/28/88	florisil clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	alumina clean-up <input type="checkbox"/> yes <input type="checkbox"/> no
	sulfur clean-up <input type="checkbox"/> yes <input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: <100
Acenaphthylene.....	: <100
Anthracene.....	: 1050
Benzo(a)anthracene....	: 432
Benzo(a)pyrene.....	: 329
Benzo(b)fluoranthene..	: 794
Benzo(g,h,i)perylene..	: 640
Benzo(k)fluoranthene..	: 265
Chrysene.....	: 761
Dibenz(ah)anthracene..	: 954
Fluoranthene.....	: 829
Fluorene.....	: 97.6
Indeno(123-cd)pyrene..	: 389
Phenanthrene.....	: 323
Pyrene.....	: 878

Other Polynuclear Aromatic Compounds tested:

Carbazole.....	: <100
Naphthalene.....	: 102

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA
=====

Sample: 88080233

Date Collected: 08/05/88
Date Received: 08/06/88

Source: SB-3 0-1'
Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
Date Analyzed: 08/29/88

Clean up Method

silica gel clean-up yes no
florisil clean-up yes no
alumina clean-up yes no
sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: 127
Acenaphthylene.....	: <100
Anthracene.....	: 189
Benzo(a)anthracene....	: 414
Benzo(a)pyrene.....	: 299
Benzo(b)fluoranthene..	: 598
Benzo(g, h, i)perylene..	: 463
Benzo(k)fluoranthene..	: 167
Chrysene.....	: 489
Dibenz(ah)anthracene..	: 688
Fluoranthene.....	: 361
Fluorene.....	: <20.0
Indeno(123-cd)pyrene..	: 275
Phenanthrene.....	: 89.1
Pyrene.....	: 585

Other Polynuclear Aromatic Compounds tested:
Carbazole..... : <100
Naphthalene..... : <100

The above results are reported in ug/Kg.
All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080234

Source: SB-4 0-1'

Description: SUPERIOR LAGOON SOIL

Date Collected: 08/05/88

Date Received: 08/06/88

Date Extracted: 08/10/88

Date Analyzed: 08/29/88

Clean up Method

silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: <100
Acenaphthylene.....	: <100
Anthracene.....	: <50.0
Benzo(a)anthracene....	: 28.2
Benzo(a)pyrene.....	: 17.3
Benzo(b)fluoranthene..	: 37.1
Benzo(g,h,i)perylene..	: 41.3
Benzo(k)fluoranthene..	: 12.7
Chrysene.....	: 42.6
Dibenz(ah)anthracene..	: 73.4
Fluoranthene.....	: 69.0
Fluorene.....	: <20.0
Indeno(123-cd)pyrene..	: 26.6
Phenanthrene.....	: <50.0
Pyrene.....	: 64.4

Other Polynuclear Aromatic Compounds tested:

Carbazole.....	: <100
Naphthalene.....	: <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080235

Source: SB-5 0-1'

Date Collected: 08/05/88

Description: SUPERIOR LAGOON SOIL

Date Received: 08/06/88

Clean up Method

Date Extracted: 08/10/88

silica gel clean-up yes no

Date Analyzed: 08/29/88

florisil clean-up yes no

alumina clean-up yes no

sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	:	836
Acenaphthylene.....	:	<100
Anthracene.....	:	144
Benzo(a)anthracene....	:	346
Benzo(a)pyrene.....	:	194
Benzo(b)fluoranthene..	:	405
Benzo(g, h, i)perylene..	:	331
Benzo(k)fluoranthene..	:	140
Chrysene.....	:	383
Dibenz(ah)anthracene..	:	569
Fluoranthene.....	:	817
Fluorene.....	:	80.7
Indeno(123-cd)pyrene..	:	205
Phenanthrene.....	:	459
Pyrene.....	:	703

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100

Naphthalene..... : <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080236
 Date Collected: 08/04/88
 Date Received: 08/06/88

Source: SB-6 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/10/88
 Date Analyzed: 08/29/88

Clean up Method

silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: 657
Acenaphthylene.....	: <100
Anthracene.....	: 284
Benzo(a)anthracene....	: 2000
Benzo(a)pyrene.....	: 1350
Benzo(b)fluoranthene..	: 3030
Benzo(g, h, i)perylene..	: 2560
Benzo(k)fluoranthene..	: 924
Chrysene.....	: 3400
Dibenz(ah)anthracene..	: 4220
Fluoranthene.....	: 2890
Fluorene.....	: 495
Indeno(123-cd)pyrene..	: 1660
Phenanthrene.....	: 203
Pyrene.....	: 3040

Other Polynuclear Aromatic Compounds tested:

Carbazole.....	: <100
Napthalene.....	: <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080237

Source: SB-7 0-1'

Description: SUPERIOR LAGOON SOIL

Date Collected: 08/05/88

Date Received: 08/06/88

Clean up Method

Date Extracted: 08/11/88

Date Analyzed: 08/29/88

silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: 687
Acenaphthylene.....	: 128
Anthracene.....	: 1700
Benzo(a)anthracene....	: 2620
Benzo(a)pyrene.....	: 1300
Benzo(b)fluoranthene..	: 3610
Benzo(g, h, i)perylene..	: 2640
Benzo(k)fluoranthene..	: 1270
Chrysene.....	: 4740
Dibenz(ah)anthracene..	: 3780
Fluoranthene.....	: 8370
Fluorene.....	: 130
Indeno(123-cd)pyrene..	: 1660
Phenanthrene.....	: 408
Pyrene.....	: 7730

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100

Naphthalene..... : 231

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080238
 Date Collected: 08/05/88
 Date Received: 08/06/88

Source: SB-8 0-1'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method		
Date Extracted: 08/11/88	silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
Date Analyzed: 08/30/88	florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: 507
Acenaphthylene.....	: 199
Anthracene.....	: 1710
Benzo(a)anthracene....	: 1610
Benzo(a)pyrene.....	: 756
Benzo(b)fluoranthene..	: 1780
Benzo(g,h,i)perylene..	: 1400
Benzo(k)fluoranthene..	: 596
Chrysene.....	: 2060
Dibenz(ah)anthracene..	: 2130
Fluoranthene.....	: 2640
Fluorene.....	: 82.1
Indeno(123-cd)pyrene..	: 986
Phenanthrene.....	: 326
Pyrene.....	: 2150

Other Polynuclear Aromatic Compounds tested:
 Carbazole..... : <100
 Naphthalene..... : 302

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080239
 Date Collected: 08/05/88
 Date Received: 08/06/88

Source: SB-9 0-1'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method		
Date Extracted: 08/11/88	silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
Date Analyzed: 08/30/88	florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: 5040
Acenaphthylene.....	: 535
Anthracene.....	: 26300
Benzo(a)anthracene....	: 6440
Benzo(a)pyrene.....	: 2420
Benzo(b)fluoranthene..	: 5350
Benzo(g, h, i)perylene..	: 4550
Benzo(k)fluoranthene..	: 1950
Chrysene.....	: 8830
Dibenz(ah)anthracene..	: 6880
Fluoranthene.....	: 32800
Fluorene.....	: 4460
Indeno(123-cd)pyrene..	: 3170
Phenanthrene.....	: 11800
Pyrene.....	: 22800

Other Polynuclear Aromatic Compounds tested:
 Carbazole..... : <100
 Naphthalene..... : 1240

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

Sample: 88080240
 Date Collected: 08/05/88
 Date Received: 08/06/88

Source: SB-10 0-1'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/11/88
 Date Analyzed: 08/30/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : <50.0
 Benzo(a)anthracene... : 578
 Benzo(a)pyrene..... : 536
 Benzo(b)fluoranthene.. : 1600
 Benzo(g, h, i)perylene.. : 1400
 Benzo(k)fluoranthene.. : 420
 Chrysene..... : 1110
 Dibenz(ah)anthracene.. : 1940
 Fluoranthene..... : 338
 Fluorene..... : <20.0
 Indeno(123-cd)pyrene.. : 986
 Phenanthrene..... : <50.0
 Pyrene..... : 749

Other Polynuclear Aromatic Compounds tested:
 Carbazole..... : <100
 Naphthalene..... : 169

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080241
 Date Collected: 08/04/88
 Date Received: 08/06/88

Source: BB-1 3.5-5'
 Description: SUPERIOR LAGOON SOIL

	Clean up Method		
Date Extracted: 08/11/88	silica gel clean-up	<input checked="" type="checkbox"/> yes	<input type="checkbox"/> no
Date Analyzed: 08/30/88	florisil clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	alumina clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no
	sulfur clean-up	<input type="checkbox"/> yes	<input type="checkbox"/> no

Polynuclear Aromatic Hydrocarbons

Acenaphthene.....	: <100
Acenaphthylene.....	: <100
Anthracene.....	: <50.0
Benzo(a)anthracene....	: <2.00
Benzo(a)pyrene.....	: <2.00
Benzo(b)fluoranthene..	: <2.00
Benzo(g, h, i)perylene..	: <5.00
Benzo(k)fluoranthene..	: <2.00
Chrysene.....	: <15.0
Dibenz(ah)anthracene..	: <3.00
Fluoranthene.....	: <20.0
Fluorene.....	: <20.0
Indeno(123-cd)pyrene..	: <5.00
Phenanthrene.....	: <50.0
Pyrene.....	: 28.1

Other Polynuclear Aromatic Compounds tested:

Carbazole.....	: <100
Naphthalene.....	: <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

TABLE 4: SUMMARY OF 8310 DATA

=====

Sample: 88080242
 Date Collected: 08/04/88
 Date Received: 08/06/88

Source: BB-2 2-3'
 Description: SUPERIOR LAGOON SOIL

Date Extracted: 08/11/88
 Date Analyzed: 08/30/88

Clean up Method

silica gel clean-up yes no
 florisil clean-up yes no
 alumina clean-up yes no
 sulfur clean-up yes no

Polynuclear Aromatic Hydrocarbons

Acenaphthene..... : <100
 Acenaphthylene..... : <100
 Anthracene..... : <50.0
 Benzo(a)anthracene... : <2.00
 Benzo(a)pyrene..... : <2.00
 Benzo(b)fluoranthene.. : <2.00
 Benzo(g, h, i)perylene.. : <5.00
 Benzo(k)fluoranthene.. : <2.00
 Chrysene..... : <15.0
 Dibenz(ah)anthracene.. : <3.00
 Fluoranthene..... : <20.0
 Fluorene..... : <20.0
 Indeno(123-cd)pyrene.. : <5.00
 Phenanthrene..... : <50.0
 Pyrene..... : <20.0

Other Polynuclear Aromatic Compounds tested:

Carbazole..... : <100
 Naphthalene..... : <100

The above results are reported in ug/Kg.

All 8310 identifications are from retention data only.

APPENDIX C

KEYSTONE INSPECTION REPORTS

PRECONSTRUCTION MEETINGS

KOPPERS COMPANY, INC.
SUPERIOR, WI

SURFACE IMPOUNDMENT CLOSURE
EPA I.D. NO. WID006179463
PROJECT 178275-04

MEETING NO. 1

DATE: Wednesday, September 7, 1988

LOCATION: J. R. Jensen's office - Superior, Wisconsin

PRESENT: Keith Jensen - President, Jensen & Son
David Shaw - Plant Manager, Koppers Company, Inc.
Walt Kuenzi - Project Manager, Keystone Environmental Resources, Inc.

The following items were discussed.

- 1.1 **Koppers Team** - David Shaw, Koppers Plant Manager, will serve as Construction Coordinator and Resident Inspector. Assisting him locally will be Fred TePaske from STS (soil testing, etc.) and John Hinzmann from Seaway Engineering (surveying). Also serving to assist in overall project conformance, technical approvals, and certifications will be Richard Van Tassel and Walt Kuenzi from Keystone Environmental Resources, Inc.
- 1.2 **Contractor's Team** - Keith Jensen outlined his firm's plans for manning the project. Dale Piper will serve as site foreman, with equipment operators Bruce Buchanan and Clyde Fuller, laborers Joe Kutzler and Van Korhonen serving as the field nucleus. Truck drivers and hauling will be sublet to a local trucking firm. Keith and Jeff Jensen will serve as backup. Floyd Johnson will also assist as required.
- 1.3 **Scope of Work** - The plans and specifications were thoroughly reviewed to clear up any questions. The division of work (contractor's work, owner's work, work by others) was reiterated and the sequencing of all activities was established.
- 1.4 **Borrow Pits** - Keith Jensen, from J. R. Jensen & Son, Inc. (contractor), explained that obtaining clay from Koppers plant site would present problems that favor alternate sources. As a result, it was agreed to abandon plans to secure Koppers supplied clay. Potential sources of drainage materials and topsoil were also discussed. Samples of these materials were already on hand for inspection.

- 1.5 **Schedule** - A bar graph schedule was developed for all major categories of work after details pertaining to each element were reviewed, time estimates established, etc. Copy of the schedule is attached.
- 1.6 **Reporting** - It was agreed that David Shaw would prepare the **Daily Field Letter** and fax it to Monroeville each day. The purpose of this letter is to document all field activities, keep others informed, and to serve as part of the final construction report. A blank copy of this form is attached.
 - 1.6.1 **Progress Meetings** - Weekly construction meetings will be called by David Shaw to review schedule, cost, and resolve any problems. Representatives from Jensen, STS, and possibly Seaway are to attend. Keystone representation will also occur at certain milestones. The Construction Coordinator will prepare and distribute a written report of each meeting.
- 1.7 **HDPE Liner** - Contractor advised that the liner work would be subcontracted to GeoSynthetics, Inc. (GSI), an experienced liner installer. The material would be procured from National Seal Company. Mr. Robert Brost of GSI was contacted (414/542-5523) to reconfirm that the work has been authorized, that shop production of the material should be released, etc. Mr. Brost was also reminded to submit various information to Koppers for transmittal to Wisconsin's DNR. (Koppers will follow up with a letter direct to GSI highlighting what is required).
- 1.8 **Geotextiles** - Contractor offered to supply a fabric manufactured by TREVIRA, style no. 1135. Several alternate geotextiles may also be submitted for consideration.
- 1.9 **Health & Safety** - It was acknowledged that all members of contractor's field personnel would receive the basic 24-hour Hazardous Workers Operations Training, and that all requirements of the project Health and Safety Plan that formed part of the bid document would be followed.

David Shaw
Koppers Company, Inc.

WK:ss


Attachments

cc: W. Kuenzi
R. Morosky
J. L. Stephenson
R. Van Tassel
J. R. Jensen & Son
STS Consultants
Seaway Engineering

KOPPERS

WORK SCHEDULE POND CLOSURE

DATE: 9-9-88



FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. _____

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: _____ /DATE: _____

WEATHER: _____

TEMP. Lo _____ Hi _____

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES

TOTAL _____ MEN

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. _____

SUPERIOR PROJECT DIRECTORY

PROJECT NO 178275-04

CONSTR COORDINATOR & RESIDENT INSPECTOR DAVID SHAW
(also owners repr & Koppers Plant Mgr) (715) 392-22

back-up: WARREN DOLSI

back-up: JOHN HELLEN

CONTRACTOR FOR FILL & CAP

J. R. JENSEN & SONS, INC.

814 21st AVE EAST

SUPERIOR WI 54880

tel (715) 398-6626

president: KEITH JENSEN

back up JEFF JENSEN

back up FLOYD JOHNSON

field super - DALE PIPER

equip operator - BRUCE BUCK

" " - CLYDE FULLE

laborer JOE KUTZLA

" VAN KORNHORN

hauling - sublet

(HDPE LINER TO BE FURNISHED
& INSTALLED BY A SUB-CONTRACTOR
TO JENSEN)

TESTING LAB FOR SOILS & COMPACTION

STS CONSULTANTS

2820 BELKNAP ST

SUPERIOR WI 54880

Tel (715) 392-9006

FRED TE PASK

SURVEYOR (SURVEY AFTER EACH UNIT OF WORK)

SEAWAY ENGINEERING M&E CO

831 E 2ND ST.

DULUTH MN 55805

Tel (218) 722 0547

John HINZMAN

KEYSTONE CONTRACTS.

RON MOROSKY

412-733-9445

DICK VAN TASSEL

" " 9531

WALT KUENZEL

" " 9489

KOPPERS PURCHASING DEPT

" 227-2718

PRECONSTRUCTION MEETINGS

**KOPPERS COMPANY, INC.
SUPERIOR, WI**

**SURFACE IMPOUNDMENT CLOSURE
EPA I.D. NO. WID006179463
PROJECT 178275-04**

MEETING NO. 2

DATE: Thursday, September 8, 1988

LOCATION: STS's office and lab, Superior, WI.


PRESENT: Fred TePaske, STS Consultants
R. Van Tassel and Walt Kuenzi - Keystone Environmental Resources, Inc.

- 2.1 Keystone Environmental Resources, Inc. has retained STS Consultants (geotechnical group) to provide sampling, laboratory analysis, field testing, and observation of construction during various phases of the work to assure conformance with plans and specifications.
- 2.2 Mr. Fred TePaske was given a thorough overview of the project (scope of work, key participants, etc.). The sequence of field activities and the construction schedule were covered to clearly show STS what would be expected as to the extent of their participation (testing and inspection frequencies, etc.). Mr. TePaske advised that STS services would be provided in a timely fashion to serve the project needs.
- 2.3 "Reporting requirements" were covered with STS, and they are to report to David Shaw each time they visit the site. In addition to providing information for the Daily Field Letter, STS is to provide both Shaw and Kuenzi, from Keystone, with prompt copies of all test results, reports, and recommendations.
- 2.4 The availability of unclassified fill, clay, drainage, and topsoil were discussed. The need for early sampling and analysis was readily acknowledged. Mr. TePaske's experience in the Superior area will be beneficial in identifying suitable borrow sources.
- 2.5 The afternoon was spent in visiting the job site and later to visit a potential borrow pit area to obtain unclassified fill and clay samples. A possible source of drainage material was also visited but the preliminary consensus was not favorable (material too fine with too much silt). Contractor was subsequently advised to submit or identify alternate sources for the drainage material.

2.6 The meeting with STS was concluded with a reiteration of scheduled site activities that will require STS's presence starting with proof-rolling - scheduled for Wednesday, September 14, 1988.



R. Van Tassel, P.E.
Keystone Environmental Resources, Inc.



W. Kuehzi, P.E.
Keystone Environmental Resources, Inc.

WK:ss

PRECONSTRUCTION MEETINGS

KOPPERS COMPANY, INC.
SUPERIOR, WI

SURFACE IMPOUNDMENT CLOSURE
EP I.D. NO. WID006179463
PROJECT 178275-04


MEETING NO. 3

DATE: Friday, September 9, 1988

LOCATION: Seaway Engineering Company, Duluth, MN

PRESENT: John Hinzmann, Jr. - Seaway
R. Van Tassel, Walt Kuenzi - Keystone Environmental Resources, Inc.

- 3.1 Keystone representatives met with Seaway to review the project and cover the survey services that will be required to satisfy the needs of the work plan. Reference drawings and specifications will be mailed to Seaway shortly.
- 3.2 Basic surveying services will establish points to be used to set up grids and cross-section locations. In addition to the initial survey to establish elevations after proof-rolling, Seaway will visit the site periodically as required to confirm proper grade elevations at the completion of placing each class of material. Seaway will also perform quantity computations to determine actual volume on of material in-place for review and approval of Keystone.
- 3.3 Organizational relationships between Koppers, Keystone, Jensen, and STS were covered. It was agreed that Seaway's day-to-day contact should be directly with David Shaw, while copies of all field notes, surveys, and quantity determinations should be given both to David Shaw and to W. Kuenzi from Keystone.
- 3.4 John Hinzmann, Jr. was advised to block out time on Seaway's weekly work schedule to serve the needs of the Koppers project. Their first visit to the site is scheduled tentatively for September 14, 1988, to survey the impoundment immediately after proof-rolling. Seaway requested that they be given two/three days notice in advance for future site visits.



R. Van Tassel, P.E.
Keystone Environmental Resources, Inc.



W. Kuenzi, P.E.
Keystone Environmental Resources, Inc.

APPENDIX D

DAILY FIELD REPORTS

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 1

TO: REMEDIAL SERVICES

FROM: Joseph E. Rozum

LOCATION: MRC A408

LOCATION: SUPERIOR

SUBJECT: PROJECT NO. 178275-04

DATE: SEPT 7, 1988

WEATHER: EXCELLENT

TEMP. Lo 46 Hi 66

CONTRACTOR	NO. MEN	SUMMARY OF ACTIVITIES
JENSEN & SON	6	FIRST DAY OF
KOPPERS	1	HAZWOP TRAINING.
		@ DAYS INN. SUPERIOR
		CONDUCTED BY KEYSER
		N & S REPRS JIM
		THOMAS & JOE ROZUM
TOTAL		MEN

EQUIPMENT IN USE: 16mm projector, VIDEO'S, OVERHEADS, complete Array
of Personal Protective Equipment (PPE) and monitoring equipment.

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: FED-EX SHIPMENTS TO PLANT (KOPPERS) @ SUPERIOR
TO BE ADDRESSED AS FOLLOWS

KOPPERS CO/ JUNCT COUNTY ROAD A # 2 / SUPERIOR
PRECONSTR MTG @ JENSEN'S OFFICE

WI
5488C

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 2

TO: REMEDIAL SERVICES

FROM: J. M. THOMAS, II

LOCATION: MRC A408

LOCATION: SUPERIOR

SUBJECT: PROJECT NO. 178275-04

DATE: SEPT 8, 1988

WEATHER: _____

TEMP. Lo _____ Hi _____

CONTRACTOR	NO. MEN	SUMMARY OF ACTIVITIES
<u>JENSEN & SON</u>	<u>5</u>	<u>SECOND DAY OF HAZWOPER TRAINING AT DAYS INN, SUPERIOR CONDUCTED BY KEYSTONE (JOE ROZUM & JIM THOMAS)</u>

TOTAL _____ MEN

EQUIPMENT IN USE: 16mm projector, VIDEO'S OVERHEADS, COMPLETE ARRAY OF PPE AND MONITORING EQUIPMENT

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: R. VAN TASSEL & W. KUENZEL MET W/ STS. VISITED PLANT SITE & VISITED CLAY BORROW SITE FOR SAMPLES. ALSO VISITED BORROW AREA FOR DRAINAGE MATERIALS

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 3

TO: REMEDIAL SERVICES

FROM: Joseph E. Rozum

LOCATION: MRC A408

LOCATION: SUPERIOR W.I.

SUBJECT: PROJECT NO. 170275-04

DATE: SEPT. 9, 1988

WEATHER: EXCELLENT - STEADY 25mph wind TEMP. Lo 48 Hi 76

CONTRACTOR	NO. MEN	SUMMARY OF ACTIVITIES
<u>JENSEN & Son</u>	<u>6</u>	<u>Third Day of</u> <u>HAZWOPER TRAINING</u> <u>@ Days Inn SUPERIOR WI</u> <u>Conducted by Keystone</u> <u>Health & Safety - TRAINER</u> <u>Joe Rozum</u>
<u>KOPPERS</u>	<u>1</u>	

TOTAL MEN

EQUIPMENT IN USE: 16mm projector VIDEOS, overheads, complete ARRAY
of PPE and monitoring equipment

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: R. VAN TASSEL & W. KUENZEL MET W/ SEAWAY
ENGRG CO (JOHN HINZMANN) TO DISCUSS SURVEY NEEDS
ALSO HELD SUMMARY PRECONSTR MTG W/ JENSEN TEAM,
STS, & KEYSTONE REPRS.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 4 A

TO: REMEDIAL SERVICES

FROM: John Heller

LOCATION: MRC A408

LOCATION: Superior WI

SUBJECT: PROJECT NO. _____

DATE: 9-12-88

WEATHER: Overcast/cool

TEMP. Lo 52 Hi 62

J.R. Jenson

3

CONTRACTOR

NO. MEN

SUMMARY OF ACTIVITIES

Dug 2 manholes^{out} and removed piping between the lagoons
Late in the day soil compaction and leveling was started
Piping that runs to pump house was uncovered and is
ready to be cut out.

TOTAL 3 MEN

EQUIPMENT IN USE: Backhoe, Soil compactor, Bulldozer

FIELD TESTING/SAMPLING ACTIVITIES:

None

COMMENTS:

BY: John Heller

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 4 B

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday /DATE: 9-17-88

WEATHER: Cloudy Cool

TEMP. Lo 40 Hi 67

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. JENSEN & Son</u>	<u>3</u>	<u>REMOVED IMBEDDED PIPE</u> <u>PROOF ROCK IMPROVED MONITOR</u>
TOTAL <u>3</u> MEN		

EQUIPMENT IN USE: 1- BACK-HOC
1- D-6 DOZER
1- SHEEPS FOOT COMPACTOR

FIELD TESTING/SAMPLING ACTIVITIES:

NONE

COMMENTS: /VISITORS/PHOTOS/TAKEN/ETC.

KATH JENSEN
JEFF JENSEN } J.R. JENSEN & Son

FIRST DAY OF WORK - COMPLETED WET AREA SPOTS

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 5

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: TUESDAY /DATE: 9-13-95

WEATHER: BRIGHT, Clear, Sunny

TEMP. Lo 42 Hi 65

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jensen & Son</u>	<u>3</u>	<u>REMOVED IMBEDDED PIPE</u> <u>PROOF ROLLED IMPROVEMENT</u>

TOTAL 3 MEN

EQUIPMENT IN USE: 1 - BACK HOE
1 - D-6 DOZER
1 - SHEEPSFOOT COMPACTOR

FIELD TESTING/SAMPLING ACTIVITIES:

NONE

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

JEFF JENSEN - J.R. JENSEN & SON
COMPOUND PAVING LOT WITH GOOD WEATHER - SURVEY CROW
DUE IN 9-14-95

11. D. F. L.

DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 6

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: WED.

DATE: 9-14-88

WEATHER: BRIGHT, CLEAR, SUNNY

TEMP. Lo 46 Hi 68

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. JENSEN & SON</u>	<u>5</u>	<u>COMPLETED PROF. ROLL OF IMPROVEMENTS</u>
		<u>BEGAN PLACING UNCLASSIFIED SOIL</u>
<u>SCAWAY ENGINEERING CO</u>	<u>3</u>	<u>COMPLETED POST PROF-ROLLING SURV</u>
<u>S.T.S.</u>	<u>1</u>	<u>CONDUCTED SURVEY OF WORK BEING</u>
		<u>DONE AND MADE CERTAIN RECOMMEND</u>
		<u>TO JEFF JENSEN CONCERNING SAMPL</u>

TOTAL 9 MEN

EQUIPMENT IN USE: 1- D-6 DOZER

1- SHEEPSFOOT COMPACTOR

2- DUMP-TRUCKS

FIELD TESTING/SAMPLING ACTIVITIES: FRED TE PASKE CONDUCTED SOME COMPACTION
TEST AND DETERMINED THAT TWO PASSES WITH THE SHEEPSFOOT COMPACTOR
WERE REQUIRED. IN ADDITION, DUE TO THE MOISTURE CONTENT OF THE PACK-F
IT WAS NECESSARY TO DISC. MATERIAL TO IMPROVING DRAINING CONDITIONS.

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

AN ESTIMATED 300 CY'S OF MATERIAL WAS PLACED IN TREATMENT.

TESTING OF AIR W/ HANU WATER WAS CONDUCTED WITH NEGATIVE RESULTS.

BY: W.D.F.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 7

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: THURSDAY /DATE: 9-15-88

WEATHER: Cool, overcast

TEMP. Lo 50 Hi 62

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J. R. JENSEN & SON	4	PLACING + COMPACTING UNCLASSIFIED SOIL
STS	1	TESTING COMPACTED
GLUBE TRUCKING	2	TRANSPORTING UNCLASSIFIED SOIL
CHARLES ALLEN TRUCKING	1	
WALT MOSS TRUCKING	1	
M & C TRUCKING	1	
TOTAL <u>10</u> MEN		

EQUIPMENT IN USE: 1 - D-6 DOZER 1 - SCRAPER
1 - D-6 DOZER w/ DISC 5 - DUMP TRUCKS
1 - SHEEPS FOOT COMPACTOR

FIELD TESTING/SAMPLING ACTIVITIES: FRED T.G. PASKE CONDUCTED ^{A TOTAL OF} 12 COMPACTED
TESTS OVER TWO LIFTS. ALL TEST MET OR EXCEEDED
SPECIFICATIONS. TESTING OF AIR w/ HNU METER WAS CONDUCTED
WITH NEGATIVE RESULTS.

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.
AN ESTIMATED 1100 CY'S OF UNCLASSIFIED FILL WAS
PLACED IN IMPOUNDMENT. WORKED FROM 7:00 AM TO 6:30 PM
JOHN HELLER (KOPPERS) HAS BEEN TAKING PHOTOS OF JOB

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 8

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: FRIDAY /DATE: 9-16-88

WEATHER: RAIN

TEMP. Lo 56 Hi _____

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
No work this date due to inclement weather		
TOTAL _____ MEN		

EQUIPMENT IN USE:

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 9

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday DATE: 9/19/88

WEATHER: Rain

TEMP. Lo 54 Hi _____

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>NO</u>	<u>Work</u>	<u>this date due to inclement weather</u>

TOTAL _____ MEN

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. _____

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 29

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Thursday / DATE: 10-13-88

WEATHER: Cool Clear

TEMP. Lo 37 Hi 62

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>GSI</u>	<u>4</u>	<u>tested seams</u>
		<u>repaired places where</u>
		<u>samples were taken and</u>
		<u>sealed any seams that</u>
		<u>leaked</u>

TOTAL 4 MEN

EQUIPMENT IN USE: Expansion gun
Air tester
Vacuum tester

FIELD TESTING/SAMPLING ACTIVITIES:
tested seams with air + vacuum

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.
Photos taken

David Shaw

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 30

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Friday / DATE: 10-14-88

WEATHER: Warm clear

TEMP. Lo 40 Hi 68

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>JR Jensen</u>	<u>5</u>	<u>Hauled sand for</u>
<u>Grube</u>	<u>2</u>	<u>drainage layer laid</u>
<u>Moss</u>	<u>1</u>	<u>out drain pipe, laid</u>
<u>M+C</u>	<u>1</u>	<u>out geotex layer</u>

TOTAL 9 MEN

EQUIPMENT IN USE: D-6 cat

Small cat

3 trucks

FIELD TESTING/SAMPLING ACTIVITIES:

NONE

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

D. D. H. 1

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 10

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 17375 01

DAY: Tuesday / DATE: 9/20/8

WEATHER: cool, overcast

TEMP. L: 40 H: 48

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J R Jensen & Son</u>	<u>4</u>	<u>We received 3.71 inches of rain last night, Jensens crew unloaded geo-fabric and stripped the east dike of veg. They were going to disk the bottom if the sun came out. it didn't we are in the process of dewatering the lagoon.</u>
<u>TOTAL 4 MEN</u>		

EQUIPMENT IN USE: 2 D-6 Dozer

FIELD TESTING/SAMPLING ACTIVITIES: NONE

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Weather is supposed to clear tonight but another front is supposed to be in Thursday with possible rain.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 11

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Wed's / DATE: 9/21/88

WEATHER: Cool Overcast

TEMP. Lo 45 Hi 57

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen + Son</u>	<u>2</u>	<u>Disked center area to dry, left before 10:30 A</u> <u>came back later in day and sealed the disked area</u>

TOTAL 2 MEN

EQUIPMENT IN USE: 1-D-6 Dozer w/Disc

FIELD TESTING/SAMPLING ACTIVITIES: NONE

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

20% chance of rain tonight

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 12

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Thurs / DATE: 9/22/86

WEATHER: Wet, Fog, cool, 100% Humidity TEMP. Lo 50 Hi

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen & Son</u>	<u>0</u>	<u>will not work today</u> <u>due to weather</u>
TOTAL <u>0</u> MEN		

EQUIPMENT IN USE:

FIELD TESTING/SAMPLING ACTIVITIES: None

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. Supposed to clear up
this after noon

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 13

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Friday / DATE: 9/23/8

WEATHER: dry windy

TEMP. Lo 49 Hi 60

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J R Jensen & Son	2	worked the area with
SIS	1	a disk, moved the wetter
		clay on the side of the b
		recompacted the disked clay

TOTAL 2 MEN

EQUIPMENT IN USE: 1 D-6 Dozer w Disc

1 Sheeps foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES: Fred To Paske conducted the final 3 test on the third lift, all test met or exceeded specifications

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 14

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Sat

DATE: 9/24/8

WEATHER: dry clear except a
short rain shower around noon

TEMP. Lo 50 Hi 65

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen & Son</u>	<u>4</u>	
<u>Mass Trucking</u>		<u>Placing & compacting</u>
<u>Allan Trucking</u>		<u>unclassified soil, pushing</u>
<u>Grube Trucking</u>		<u>part of the east bank in</u>
		<u>the improvement</u>

TOTAL 4 MEN

EQUIPMENT IN USE: 1-D-6 Dozer with Disc

5 trucks

1-D-6 Dozer

1 Sheeps foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

No testing

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

An estimated 744 cy's unclassified fill was
placed in the improvement

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 15

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday / DATE: 9/25/88

WEATHER: Cool wet rained
Sunday night + 50% chance for
today cloudy

TEMP. Lo 45 Hi

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jensen</u>	<u>2</u>	
<u>STS</u>	<u>1</u>	<u>Scrapped back area</u> <u>for soil testing, then</u> <u>went home.</u>

TOTAL 3 MEN

EQUIPMENT IN USE: 0-6 Dozer

FIELD TESTING/SAMPLING ACTIVITIES:

STS ran 10 test on the two lifts put in
saturday (4 + 5 re lifts) all test met or exceeded
specifications

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

will let it dry today supposed to clear up
tonight

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

cc: R. VanAssel

LTR. NO. ~~14~~ 15

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Tuesday / DATE: 9/26/88

WEATHER: Cool Cloudy

TEMP. Lo 47 Hi 57

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J.R. Jensen	4	Placing + compacting unclassified soil
STS	1	648 cu Yards of
Moss	1	material placed
Allan	1	
Garbe		
TOTAL <u>9</u> MEN		

EQUIPMENT IN USE: 1 - D-6 Dozer with Disc 4 tracks
1 D-6 Dozer
1 Shovel Front Computer

FIELD TESTING/SAMPLING ACTIVITIES:

STS Run 6 test all met or exceeded specifications

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

took photos

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 16

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Wed / DATE: 9/27/88

WEATHER: Cool Cloudy

TEMP. Lo 37 Hi 49

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jansen</u>	<u>3</u>	<u>Placing and Compacting</u>
<u>STS</u>	<u>1</u>	<u>unclassified soil pushing</u>
<u>Moss</u>	<u>1</u>	<u>east dike into impoundment</u>
<u>Alkr</u>	<u>1</u>	<u>744 yards of material</u>
<u>Enbe</u>	<u>3</u>	<u>placed</u>
TOTAL <u>9</u> MEN		

EQUIPMENT IN USE: 1 D-6 Dozer with Disc 5 Trucks
1 D-6 Dozer
1 Sheeps foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

STS ran 4 test all met or exceeded specs

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 17

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Thurs / DATE: 9/27/88

WEATHER: Rain

TEMP. Lo 43 Hi 59

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<i>Did NOT work</i>		
TOTAL _____ MEN		

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. _____

FAX DAILY TO W. KURNZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 18

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: FCI / DATE: 9/30/88

WEATHER: Cloudy Cool

TEMP. Lo 47 Hi 58

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J.R. Jensen	2	Shaped fill to grade

TOTAL 2 MEN

EQUIPMENT IN USE: 1 D-6 Dozer with Disc

1 Sheeps foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

NONE

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 19

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Sat

/DATE: 10-1-1
~~10-1-1~~

WEATHER: Cloudy cool

TEMP. Lo 35 Hi 50

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J. R. Jensen	2	Shaped fill to grade

TOTAL 2 MEN

EQUIPMENT IN USE: 1 R-6 Dozer with Disc
1 Sheeps Foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

None

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 20

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Sun / DATE: 10-2-88

WEATHER: Cloudy Cool

TEMP. Lo 37 Hi 49

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jensen</u>	<u>2</u>	<u>Finish putting unclassified material to containers shown on plan</u>

TOTAL 2 MEN

EQUIPMENT IN USE: 1 D-6 Dozer with Disc
1 Sheeps Foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

None

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 21

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday / DATE: 12-3-88

WEATHER: Wet

TEMP. Lo 30 Hi 51

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
		<u>Rained Sunday night allowed the area to dry</u>

TOTAL _____ MEN

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS; /VISITORS/PHOTOS TAKEN/ETC. _____

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 22

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Tuesday DATE: 10-4-88

WEATHER: Cool Cloudy

TEMP. Lo 25 Hi 49

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J.R. Jensen & Sons	3	Started on the clay
STS	1	cap put in about
Gerbe	3	3/4 of a lift
Moss	1	86 truck loads of
M+C	1	material (1032 yards)

TOTAL ~~9~~ 9 MEN

EQUIPMENT IN USE: D-6 Cat with Disc 5 Trucks
1 Sheep Foot Compactor
D-6 Cat

FIELD TESTING/SAMPLING ACTIVITIES:

3 Field samples by STS all test
passed sent in lab samples

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

took photos

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 23

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Wed's /DATE: 10-5-88

WEATHER: Cool Sunny

TEMP. Lo 21 Hi 47

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J.R. Jensen & Sons	2	Worked in clay
STS	1	Cap completed first
Goubt	3	1 ft + about 3/4 of
Moss	1	2d 1 ft
M+C	1	96 truck loads (1152 yds)

TOTAL 8 MEN

EQUIPMENT IN USE: 0-6 cat

Sheeps foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

4 Field test by STS all test passed
sent in lab samples

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

FAX DAILY TO W. KUENZI

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 24

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: THURS / DATE: 10-6-88

WEATHER: Cool Sunny

TEMP. Lo 30 Hi 54

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen & Sons</u>	<u>2</u>	<u>Worked on clay</u>
<u>STS</u>	<u>1</u>	<u>Camp</u>
<u>Grube</u>	<u>48</u>	
<u>Mass</u>	<u>1</u>	<u>103 truck loads (1236 yd)</u>
<u>M+C</u>	<u>1</u>	

TOTAL 9 MEN

EQUIPMENT IN USE: 0-6 cat
Sheeps Foot Compactor

FIELD TESTING/SAMPLING ACTIVITIES:

3 Field test by STS + 100s samples

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

cc R. Morosky

R VanTassel

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

DAILY FIELD LETTER

REMEDIAL SERVICES

LTR. NO. 25

sk

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Fri / DATE: 10-7-88

WEATHER: Cool Sunny

TEMP. Lo 47 Hi 61

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J R. Jensen	<u>2</u>	Worked on and
Grube	<u>3</u>	Finished clay cap
Mass	<u>1</u>	brought to grade
M+C	<u>1</u>	65 loads of clay (78°)
		5 trucks

TOTAL 8 MEN

EQUIPMENT IN USE: 0-6 cat

Sheeps Foot Compactor

Road grader

FIELD TESTING/SAMPLING ACTIVITIES:

None

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

[Handwritten signature]

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 26

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday /DATE: 10/10/81

WEATHER: Clear sunny

TEMP. Lo 43 Hi 54

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J.R. Jensen	3	Brought in sand to
GSI	4	smooth out rough spots
		in clay cap started
		digg and trench for liner
		GSI assessed job + got ready equip.
TOTAL <u>7</u> MEN		

EQUIPMENT IN USE: Back hoe

Road grader

FIELD TESTING/SAMPLING ACTIVITIES:

5 compaction test by STS and two lab samples taken, took samples of HDP liner

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken site visit by Dick Van Tassel

David Shaw

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

RECEIVED

OCT 19 1988

KEYSTONE ENVIRONMENTAL
RESOURCES, INC.

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Tues / DATE: 10/11/88

WEATHER: Cool Clear

TEMP. Lo 27 Hi 53

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J.R. Jensen	4	cut trench, finished
GSI	4	grading cap, used backhoe to unroll HDP liner GSI installed 16 panels and sealed 16 seams

TOTAL 8 MEN

EQUIPMENT IN USE: Backhoe	GSI used two
Road grader	Seamers
Front end loader	

FIELD TESTING/SAMPLING ACTIVITIES:

STS observed seaming process

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

R. Van Tassel on site to observe liner placement work in progress. Temperature 41°F above ground @ 9:00 am when the geomembrane test strip was run Seaming panels about 10:30

D / 10 . 5

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 28

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Weds / DATE: 10/12/8

WEATHER: Cool Clear

TEMP. Lo 18 Hi 54

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jensen</u>	<u>2</u>	<u>Installed rest of</u>
<u>GSI</u>	<u>4</u>	<u>panels and started</u>
		<u>testing seams</u>

TOTAL 6 MEN

EQUIPMENT IN USE: two Seamers

Front end loader

FIELD TESTING/SAMPLING ACTIVITIES:

STS took seam samples

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Did not start seaming until temp above liner
reached 44° Photos taken

(Handwritten signature)

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 31

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday / DATE: 10-17-88

WEATHER: _____

TEMP. Lo 39 Hi 47

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J-R Jensen</u>	<u>3</u>	<u>Hauled Sand for</u>
<u>Gwbce</u>	<u>3</u>	<u>drainage paper and</u>
<u>Miss</u>	<u>1</u>	<u>put out Geotextile</u>
<u>M+C</u>	<u>1</u>	

TOTAL 8 MEN

EQUIPMENT IN USE: 2 Dozers

5 Trucks

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 32

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: TUE /DATE: 10-18-88

WEATHER: Light rain

TEMP. Lo 37 Hi 48

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen</u>	<u>4</u>	
<u>Seaway Eng</u>		
		<u>Finished hauling SAND for DRAINAGE Layer. Seaway Eng shot elevations on south part of lagoons. Started putting geo-text layer and clay cap on south lagoons</u>

TOTAL 4 MEN

EQUIPMENT IN USE: 2 - Dozers - Trucks hauling

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 33

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Wed /DATE: 10/19/0

WEATHER: Cool

TEMP. Lo 37 Hi 42

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen</u>	<u>4</u>	<u>Graded sand layer and installed two drain outlets into west ditch</u>

TOTAL 4 MEN

EQUIPMENT IN USE: Small Cat backhoe

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

[Handwritten signature]

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

DAILY FIELD LETTER

REMEDIAL SERVICES

LTR. NO. 34

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Thur

DATE: 10/20/88

WEATHER: _____

TEMP. Lo 22 Hi 35

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J R Jensen	2	Hauled clay for the unclassified area the drainage layer compacted clay
Grubc 3		
Moss 1		
McC 1		

TOTAL 7 MEN

EQUIPMENT IN USE:

D-6 cat
sheeps foot compactor

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Jim Butcher (Koppers) Rob Anderson Keystone
took photos

[Handwritten signature]

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 35

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Friday / DATE: 10/29/

WEATHER: Rainy

TEMP. Lo 24 Hi 40

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>Did Not Work</u>		

TOTAL _____ MEN

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. _____

[Handwritten Signature]

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 36

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday / DATE: 10/24/8

WEATHER: cool over cast

TEMP. Lo 33 Hi 41

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jensen</u>	<u>2</u>	<u>hauled for about</u>
<u>Grube</u>	<u>3</u>	<u>three hours in marking</u>
<u>Mass</u>	<u>1</u>	<u>the backhoe at the</u>
<u>M+C</u>	<u>1</u>	<u>borrow bit broke down</u>
		<u>5 Trucks</u>

TOTAL 7 MEN

EQUIPMENT IN USE: D-6

Sheeps foot

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Took photos

(Handwritten signature)

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 37

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Tuesday /DATE: 10/25/09

WEATHER: Cold

TEMP. Lo 29 Hi 32

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
JR Jansen	2	
Grube	7	hauled + compacted
Moss	2	unclassified with 11
MA+C	2	trucks completed the first lift 255 truck loads

TOTAL 13 MEN

EQUIPMENT IN USE: D-6 cat
sheeps foot

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. Used 11 trucks

DA

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 38

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Weds /DATE: 10/26/99

WEATHER: Cool

TEMP. Lo 29 Hi 32

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jansar</u>	<u>2</u>	<u>hauled and compacted</u>
<u>Globe</u>	<u>7</u>	<u>unclassified with</u>
<u>Mass</u>	<u>2</u>	<u>11 trucks, almost</u>
<u>M+C</u>	<u>2</u>	<u>completed unclassified</u>

TOTAL 13 MEN

EQUIPMENT IN USE: D-6 cat

Sheeps Foot

FIELD TESTING/SAMPLING ACTIVITIES:

STS Rem 5 test all passed

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

~~STS Rem 5 test~~ a Photos taken

David Shaw

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 39

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Thur /DATE: 10/27/80

WEATHER: Rain

TEMP. Lo 27 Hi 37

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J. R. Jansen</u>	<u>3</u>	
<u>Grube</u>	<u>7</u>	<u>Worked until about</u>
<u>Mass</u>	<u>2</u>	<u>10:00 AM hauling &</u>
<u>M+C</u>	<u>2</u>	<u>compacted unclass. fill</u>
		<u>was rained out</u>

TOTAL 15 MEN

EQUIPMENT IN USE: D-6

sheeps foot

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

photos taken

[Handwritten signature]

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 40

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Friday /DATE: 10/28/81

WEATHER: Cloud

TEMP. Lo 31 Hi 40

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
JR Jansen	2	
Grube	3	Finished unclassified
Moss	1	layer + dressed
M+C	1	to grade

TOTAL 7 MEN

EQUIPMENT IN USE: D-6

sheepsfoot

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

(Handwritten signature)

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 41

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday / DATE: 10/31/8

WEATHER: Cool Dump

TEMP. Lo 27 Hi 45

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
J. R. Jensen	2	run 11 trucks hauled
Garbe 3		top soil until 200 PM
CM Wallman		borrow site became too
Carl Corp		soft to get trucks out
McKinney		
M Germino		
Alson-2		
Alon-2		

TOTAL 13 MEN

EQUIPMENT IN USE: D-6 cut 11 trucks

FIELD TESTING/SAMPLING ACTIVITIES:

Seaway Eng ran elevations on unclassified
Fill

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

D. Shaw

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 42

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Tuesday / DATE: Nov 1

WEATHER: _____

TEMP. Lo _____ Hi _____

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
		<i>Did not work equipment problem could not get into borrow site</i>

TOTAL _____ MEN

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC. _____

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 43

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Wed / DATE: Nov 2

WEATHER: Cool Cloudy

TEMP. Lo 28 Hi 42

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
JR Jansen	2	hauled in soil top
11 trucks as in Report 42		soil 146 loads

TOTAL 13 MEN

EQUIPMENT IN USE: D-6 used in afternoon

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 44

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Thur

/DATE: Nov 3

WEATHER: Cool Cloudy

TEMP. Lo 25 Hi 40

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen</u>	<u>2</u>	<u>hauled top soil</u>
<u>11 trucks</u>		<u>+ graded</u>

TOTAL 13 MEN

EQUIPMENT IN USE: 0-6

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 45

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Nov 4 / DATE: Friday

WEATHER: Cool misty rain
in afternoon

TEMP. Lo 28 Hi 45

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J.R. Jensen</u>	<u>2</u>	<u>Finished working</u>
<u>11 trucks</u>		<u>top soil and pushed</u>
		<u>to rough grade</u>

TOTAL 13 MEN

EQUIPMENT IN USE: D-6 cat 11 trucks

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

Photos taken

KEYSTONE ENVIRONMENTAL RESOURCES, INC.
DAILY FIELD LETTER
REMEDIAL SERVICES

LTR. NO. 46

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Monday / DATE: 11/7/89

WEATHER: Coop snow on ground

TEMP. Lo 24 Hi 39

CONTRACTOR/S	NO. MEN	SUMMARY OF ACTIVITIES
<u>J R Jensen</u>	<u>2</u>	<u>Worked on the ditch that runs on the east side of old lagoon</u>

TOTAL 2 MEN

EQUIPMENT IN USE: D-6 + Ditching back hoe

FIELD TESTING/SAMPLING ACTIVITIES:

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

KEYSTONE ENVIRONMENTAL RESOURCES, INC.

DAILY FIELD LETTER

REMEDIAL SERVICES

LTR. NO. 47

TO: REMEDIAL SERVICES

FROM: David Shaw

LOCATION: MRC A408

LOCATION: Superior, WI

SUBJECT: PROJECT NO. 178275-04

DAY: Tuesday /DATE: 11/8/9

WEATHER: _____

TEMP. Lo _____ Hi _____

CONTRACTOR/S

NO. MEN

SUMMARY OF ACTIVITIES

Did Not Work

TOTAL _____ MEN

EQUIPMENT IN USE: _____

FIELD TESTING/SAMPLING ACTIVITIES: _____

COMMENTS: /VISITORS/PHOTOS TAKEN/ETC.

W. Kuenzi inspected site w/ D. Shaw. Also, had review mtg. w/ STS (TePaske) & later w/ Jensen Cons. regarding completion of the work (disk, seed, & mulch (Defer til season '89))

STS Construction Services Group Field Report



Project Koppers Project No. 94580
Location Superior, Wis. Day/Date 9-7-88
Contractor J. R. Jensen Weather/Temp SUNNY 70'S
Client KEYSTONE

Equipment Rental _____	Arrive Job _____	TOTAL CHARGEABLE HOURS <div style="border: 1px solid black; padding: 5px; display: inline-block;">4 HOUR MINIMUM <u>1.0</u> ✓</div>
Tolls \$ _____	Depart Job _____	
Parking \$ _____	Total Hours on Job <u>1.0</u>	
Mileage _____	Lab Time _____	
	Travel Time _____	

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Called Contr. to see about sources for materials, so we can get samples; start testing. Did not have any sources lined up. Also talked to Walter Kunz from Keystone, met on 9-8 to go over job requirements, also talked about testing of materials.

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Palcosm
175075-04

Project No. 94580¹⁷

Project KOPPERS

Day/Date 9-9-88

Location SUPERIOR, WISC

Weather/Temp. SUNNY 70'S

Contractor J.L. JENSEN

Client KEYSTONE

Equipment Rental _____

Arrive Job 12:30

Tolls \$ _____

Depart Job 2:30 ✓

Parking \$ _____

Total Hours on Job 2.0

Mileage _____

Lab Time _____

Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
2.0 ✓

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO PRE-CONSTRUCTION MEETING, WENT OVER DESIGN, MATERIAL, TESTING, JOB REQUIREMENTS & OTHER THINGS. RETURNED TO OFFICE.

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Patison
Patison

Project KOPPERS
Location SUPERIOR, WISC.
Contractor R. JOHNSON & SON

Project No. 94580
Day/Date 9-8-88
Weather/Temp SUNNY 70'S
Client KEYSTONE

Equipment Rental _____
Tolls \$ _____
Parking \$ _____
Mileage 50

Arrive Job 11:00 1:00
Depart Job 12:00 5:00
Total Hours on Job 5.0
Lab Time _____
Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
5.0 ✓

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

MET WITH WALTER K & DICK U.T., WENT OVER PLAN & TYPES OF MATERIALS, ALSO JOB REQUIREMENTS. WENT TO JOHNSON OFFICE & TALKED TO KEITH J. WENT TO PLANT & LOOKED OVER SITE. WENT TO CLAY BORROW SITE & TOOK SAMPLE OF CLAY WITH AUGER. WENT TO PATISON AREA TO LOOK AT MATERIAL FOR DRAINAGE LAYER, MATERIAL WAS FINE SAND. RETURNED TO PLANT; THEN BACK TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By *Paul LePasha*

STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KOPPERS

Day/Date 9-12-88

Location SUPERIOR, WISC.

Weather/Temp. _____

Contractor J.R. JENSEN

Client KEYSTONE

Equipment Rental _____

Arrive Job _____

Tolls \$ _____

Depart Job _____

~~Shipping~~ \$ 18.80

Total Hours on Job _____

Mileage _____

~~Lab~~ office Time 1.0

Travel Time _____

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM

1.0 ✓

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

TALKED TO KEITH JENSEN ABOUT SOURCE OF GP TYPE MATERIAL & WHAT IT WAS - CAN NOT FIND PIT. WROTE UP INSTRUCTION FOR CLAY, PACKAGED & SHIPPED TO MINN.

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]

STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project KOPPERS CO. Project No. 94580
 Location SUPERIOR, WISC. Day/Date 9-14-88
 Contractor J.R. JOHNSON Weather/Temp. SWIMY - 70'S
 Client KEYSTONE
 Equipment Rental _____ Arrive Job 3:30
 Tolls \$ _____ Depart Job 4:30
 Parking \$ _____ Total Hours on Job 1.0
 Mileage 20 Lab Time _____
 Travel Time 05

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
1.5 ✓

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, OBSERVED PLACEMENT OF FIRST LIFT OF CLAY, IN SOUTH CELL, CONDUCTED PENETROMETER TO GET IDEA OF HOW IT WAS COMPACTING - TALKED TO CONTR; DONNY FRANKS, CLAY WAS A LITTLE ON WET SIDE, HAD READINGS OF 2.5 TO 2.75 AFTER 2 PASSES WITH SHOOPS FOOT, RETURNED TO OFFICE.



Site Sketch: Indicate North

Field Test Data is Estimated Pending Final Laboratory Test Results.

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project No. 94580
 Project Koppers Co. Day/Date 9-15-88
 Location SUPERIOR, WISC. Weather/Temp. Cloudy - 60's
 Contractor J. R. JENSON. Client KEYSTONE
 Equipment Rental Nuckone 3.0 Hrs Arrive Job 3:00
 Tolls \$ _____ Depart Job 5:30
 Parking \$ _____ Total Hours on Job 2.5
 Mileage 20 Lab Time _____
 Travel Time 0.5

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
3.0 ✓

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated

WENT TO SITE, CONDUCTED 12 FIELD DENSITY TEST ON SOIL FILL, ALL MET 95% COMPACTION REQUIREMENT, TESTS WERE CONDUCTED ON 3 LIFTS ON NORTH SIDE; 2 LIFTS ON SOUTH SIDE. TALKED TO CONTR; DONNY FRANKS WITH KEYSTONE. RETURNED TO OFFICE.



* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North →

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project No. 94580
 Project Koppers Co. Day/Date 9-19-88
 Location Superior, Wis Weather/Temp. RAIN 60's
 Contractor J.R. Janson Client KEYSTONE
 Equipment Rental _____ Arrive Job 9:00
 Tolls \$ _____ Depart Job 10:00
 Parking \$ _____ Total Hours on Job 1.0
 Mileage 20 Lab Time 3.0
 Travel Time _____

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
4.0 ✓

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, CHECKED PONDS AFTER RAIN, WE NOT IN BAL
 SHAPE. RETURNED TO OFFICE. CHECKED OVER FIELD DENSITY TESTS,
 DRAWED LOCATION PLAN & REVISIONS WIS JONR CONDITIONAL
 APPROVAL & OTHER PAPER WORK

* Field Test Data is Estimated
 Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project No. 94580

Project Kopper Co. Day/Date 9-20-88

Location Superior, Wisc. Weather/Temp. Cloudy 60's

Contractor J. P. Johnson Client KEYSTONE

Equipment Rental _____	Arrive Job <u>9:30</u>	TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM <u>2.5</u> 4
Tolls \$ _____	Depart Job <u>11:00</u>	
Parking \$ _____	Total Hours on Job <u>1.5</u>	
Mileage <u>20</u>	Lab Time <u>2.0</u>	
	Office Travel Time <u>1.0</u>	

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated

WENT TO SITE, TALKED TO CONTR, WORK PUMPING WATER OUT OF POND AFTER RAIN (2.5") LAST NIGHT. ALSO LOOKED AT SAMPLES FOR DRAINAGE LAYER & TALKED ABOUT TOPSOIL. CONDUCTED GRADATION ON DRAINAGE MATERIAL, CALLED DICK. U.T. WITH RESULTS, WANT US TO GO TO PIT & LOOK OVER, ALSO GOT SAMPLE & CONDUCT OTHER TEST. ALSO WANT TO KNOW IF WE COULD CONDUCT TEST ON HDPE & NEED CU ON DRAINAGE MATERIAL. TALKED TO JIM O. ABOUT GRADATION & TEST ON HDPE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project No. 94580

Project Koppers Co. Day/Date 9-21-88

Location SUPERIOR, WISC. Weather/Temp. Cloudy 50'S

Contractor J.R. JENSEN Client KEYSTONE

Equipment Rental _____	Arrive Job <u>10:00</u> <u>1:30</u>	TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM <u>6.0</u>
Tolls \$ _____	Depart Job <u>10:00</u> <u>3:30</u>		
Parking \$ _____	Total Hours on Job <u>3.0</u>		
Mileage <u>85</u>	Office Lab Time <u>1.0</u>		
	Travel Time <u>2.0</u>		

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated

WENT TO SITE, WERE TRYING TO WORK CLAY. TALKED TO CONTR ABOUT DRAINAGE MATERIAL, SET TIME TO GO LOOK AT PITS. RETURNED TO OFFICE. DREW CURVE & COMPUTER UNIFORMITY OF COEFFICIENT ON DRAINAGE SAMPLE. DROVE TO PIT & MET CONTR., LOOKED AT TWO PITS & TOOK SAMPLE, RETURNED TO OFFICE.

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By *Paul Schaefer*
STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project Kopper Co. Project No. 94580
 Location SUPERIOR, WISC. Day/Date 9-22-88
 Contractor J.L. Jensen Weather/Temp. LT RAIN 50'S
 Client KEYSTONE

Equipment Rental _____ Arrive Job _____
 Tolls \$ _____ Depart Job _____
 Parking \$ _____ Total Hours on Job _____
 Mileage _____ Lab Time 6.0
 Office Travel Time 1.0

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
1.0

Summary of Technical and/or Engineering Services Performed, including Field Test Data. Locations, Elevations and Depths are Estimated.

Talked to Center about topsoil & drainage material. Talked to Dick Van Tassel about drainage material, fabric & other items about job. Conductor STD Proctor on drainage & permeability on drainage material.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project Koppers Co. Project No. 94580
 Location Superior, Wisc. Day/Date 9-23-88
 Contractor J. R. Johnson Weather/Temp. SUNNY 60'S
 Client KEYSTONE


Equipment Rental <u>Nuclear 2.5 hrs</u>	Arrive Job <u>9:30</u> <u>4:00</u>	TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM 5.5
Tolls \$ _____	Depart Job <u>11:30</u> <u>6:00</u>	
Parking \$ _____	Total Hours on Job <u>5.5</u>	
Mileage <u>40</u>	Office Lab Time <u>1.0</u>	
	Travel Time <u>0.5</u>	

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Computed form on DRAINAGE MATERIAL FROM BELLWOOD PIT, WENT TO SITE TALKED TO CONTR, WAS DRING MATERIAL, PICKED UP SAMPLE OF SOIL FILL FOR LAB TEST; TALKED TO OMBE SHAW; RETURNED TO OFFICE. TALKED TO CONTR, WILL NOT BE USING MATERIAL FROM BELLWOOD PIT, WENT TO SITE OBSERVER ROLLING OF CLAY FOR SOIL FILL ON NORTH 1/2, CONDUCTED 3 FIELD DENSITY TEST, WERE 95% OR BETTER TALKED TO CONTR; RETURNED TO OFFICE.



Site Sketch: Indicate North



Field Test Data is Estimated Pending Final Laboratory Test Results.

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

STS Construction Services Group
Field Report




Project Koppers Project No. 94580
 Location Superior, WI Day/Date Mon / 9-26-88
 Contractor Jensen Weather/Temp. Cloudy - 50
 Client Keystone

Equipment Rental Nuke 3.0 hrs Arrive Job 0800
 Tolls \$ — Depart Job 1030
 Parking \$ — Total Hours on Job 2.5
 Mileage 20 Lab Time 0.5
 Travel Time 0.5

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
3.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimate

Performed ten (10) field density tests on 4th and 5th lifts of unclassified soil fill placed on 9/24/88. All test results met project compactor. Very rain. No work today because of wet weather. Also obtain two samples of soil fill from 4th and 5th lifts for laboratory testing.



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By Mark S. Jones

STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project Koppers Project No. 94580
 Location Superior, WI Day/Date Tues 1-9-27-8
 Contractor Jensen Weather/Temp. cldy / 60's
 Client Keystone

Equipment Rental	<u>Nuke: 4.0 hrs</u>	Arrive Job	<u>1230</u>	<u>1430</u>	<u>1750</u>	TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM <u>4.5</u>
Tolls \$	<u>-</u>	Depart Job	<u>1300</u>	<u>1530</u>	<u>1825</u>		
Parking \$	<u>-</u>	Total Hours on Job	<u>0.5</u>	<u>1.0</u>	<u>0.75</u>		
Mileage	<u>50</u>	Lab Time	<u>-</u>	<u>0.5</u>	<u>0.75</u>		
		Travel Time	<u>-</u>	<u>1.0</u>	<u>0.75</u>		


Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimate

Three Site Visits This Date: 1) Contractor was placing 6th lift of soil fill in west half of cell, discing ea half of cell - scheduled field density tests for site
2) Performed 3 field density tests on 6th lift of soil fill in west half of cell - results satisfactory. Obtained bag sample representing 6th lift. Contractor was beginning 7th lift of soil fill in west half and discing east half of cell. 3) Performed 3 field dens. tests on 7th lift of soil fill in west half of cell - results satisfactory. Obtained bag sample of soil fill from 7th lift.



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North



Field Representative _____
 Position _____
 Company _____

By M. B. Am

STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project Kappers Project No. 94580
 Location Superior, WI Day/Date Wed/9-28-80
 Contractor Jensen Weather/Temp. cloudy/50's
 Client Keystone

Equipment Rental	<u>Nuke 3.5 hrs.</u>	Arrive Job	<u>0930</u>	<u>1330</u>
Tolls \$	<u>—</u>	Depart Job	<u>1100</u>	<u>1430</u>
Parking \$	<u>—</u>	Total Hours on Job	<u>1.5</u>	<u>1.0</u>
Mileage	<u>30</u>	Lab Time	<u>1.0</u>	<u>1.5</u>
		Travel Time	<u>—</u>	<u>1.0</u>

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
6.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated

Two site visits during placement and compaction of 8th lift of unclassified soil fill in west half of cell. Performed four (4) field density tests w/ satisfactory results and obtained bag sample of 8th lift. Obtained quantity of liner and fabric on jobsite and phoned information to Dick Van Tassel w/ Keystone. Lab time for various phone calls regarding laboratory testing of liner.



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North N

Field Representative _____
 Position _____
 Company _____

By Mark B. [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project Koppers Project No. 94580
Location Superior Day/Date THURS 10-29-88
Contractor Jensen Weather/Temp. cldy / 50's
Client Key stone

Equipment Rental _____ Arrive Job _____
Tolls \$ _____ Depart Job _____
Parking \$ _____ Total Hours on Job _____
Mileage 10 Lab Time _____
Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
4.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

No work on-site due to overnight rain. Obtained sample of proposed drainage fill from Jensen's office, performed gradation on same, phone call w/ Dick Van Tassel @ Key stone,

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By Melvin B. Am...
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KOPPER'S CO.

Day/Date 9-30-88

Location SUPERIOR, WISC.

Weather/Temp. Cloudy 60's

Contractor J. R. JOHNSON

Client KEYSTONE

Equipment Rental _____

Arrive Job 10:00

Tolls \$ _____

Depart Job 11:30

Parking \$ _____

Total Hours on Job 1.5

Mileage 20

Lab Time _____

Travel Time _____

TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM
	<u>1.5</u>

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, WERE WORKING ON DRING MATERIAL, TALKED TO CONTR ? RETURNED TO OFFICE

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Koppers Co. Day/Date 10-3-88

Location Superior, Wisc. Weather/Temp. Cloudy 40's

Contractor J. R. Jensen Client KEYSTONE

Equipment Rental _____ Arrive Job 10:00
 Tolls \$ _____ Depart Job 11:00
 Parking \$ _____ Total Hours on Job 1.0
 Mileage 20 office Lab Time 1.5
 Travel Time _____

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
2.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, WERE NOT WORKING, WAS WET, TALKED TO
CONTR, IS CLOSE TO CLAY CAP ELEV., START CLAY ON WOOD
IF WEATHER OK. ALSO DRAINAGE MATERIAL. TALKED TO DICK
VAN TASSEL ABOUT DRAINAGE MATERIAL WANTS MORE SAMPLES
FOR GRADATIONS, TOOK RUN FORM. ALSO ABOUT TESTING OF
HDPE # OF TEST REQUIRED ? WANTS PRICE PER TEST. CALLON,
CONTR ABOUT GETTING MORE SAMPLES FOR DRAINAGE MATERIAL.

Field Test Data is Estimated
 Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

STS Construction Services Group
Field Report




Project KOPPERS CO. Project No. 94580
 Location SUPERIOR, WISC. Day/Date 10-4-88
 Contractor J.R. JOHNSON Weather/Temp. SUNNY 50'S
 Client KEYSTONE
 Equipment Rental Nucleon 20 hrs Arrive Job 2:00
 Tolls \$ _____ Depart Job 6:00
 Parking \$ _____ Total Hours on Job 3.0
 Mileage 20 Lab Time _____
 Travel Time _____

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM

3.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

TALKED TO DICK VAN TASSEL, ABOUT WORK ON JOB, TESTING ON HDPE. WENT TO SITE, CONDUCTED 3 FIELD DENSITY TEST ON 1ST LIFT OF CLAY BARRIER MATERIAL ON NORTH 1/2, ALSO TOOK SAMPLE FOR FORM & OFFICE LAB TEST. PICKED UP SAMPLES OF DRAINAGE MATERIAL & RETURNED TO OFFICE



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North →

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KOPPERS CO.

Day/Date 10-5-82

Location SUPERIOR, WISC

Weather/Temp. SUNNY 50'S

Contractor J. Johnson

Client KEYSTONE

Equipment Rental _____

Arrive Job _____

Tolls \$ _____

Depart Job _____

Parking \$ _____

Total Hours on Job _____

Mileage _____

Office Lab Time 1.0

Travel Time _____

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM

1.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

TALKED TO DICK VAN TASSEL; CONTR ABOUT WORK ON
JOB.

Field Test Data is Estimated
Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By Paul Ketchum
STS Consultants, Ltd.

STS Construction Services Group
Field Report




Project KOPPEERS CO Project No. 91580
 Location SUPERIOR, WISC Day/Date 10-6-88
 Contractor J. R. HANSON Weather/Temp. SUNNY 50'S
 Client KEYSTONE
 Equipment Rental Nuclear 2.0 HRS Arrive Job 9:30
 Tolls \$ _____ Depart Job 12:30
 Parking \$ _____ Total Hours on Job 3.0
 Mileage 20 Lab. Time 1.0
 Travel Time _____

TOTAL CHARGEABLE HOURS 4.0 4 HOUR MINIMUM

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO BORROW PIT, PICKED UP SAMPLE FOR LAB TEST. WENT TO SITE CONDUCTED 2 FIELD DENSITY ON 1ST LIFT OF CLAY BARRIER ON SOUTH HALF, ALSO TOOK TUBE SAMPLE FOR PORE; LAB TESTS. CONDUCTED 2 FIELD DENSITY ON 2ND LIFT OF CLAY BARRIER ON NORTH HALF; TOOK TUBE SAMPLE FOR PORE; LAB TEST. TALKED TO P. SHAW; CONTR. RETURNED TO OFFICE; MADE CALLS ON TESTING OF HDPE.



Site Sketch: Indicate North

Field Test Data is Estimated Pending Final Laboratory Test Results.

Field Representative _____
 Position _____
 Company _____

By J. R. Hanson
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project KOPPERS CO. Project No. 94580
 Location Superior, Wis Day/Date 10-7-88
 Contractor J. P. Jensen Weather/Temp. SUNNY 60'S
 Client KEYSTONE
 Equipment Rental Nuclear 1.5 hrs Arrive Job 9:00
 Depart Job 12:30
 Tolls \$ _____ Total Hours on Job 3.5
 Parking \$ _____ Office Lab Time 2.5
 Mileage 30 Travel Time _____

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
6.0


Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO BORROW PIT PICKED UP SAMPLE FOR LAB TESTS. WENT TO SITE CONDUCTED 3 FIELD DENSITY TEST ON SECOND LIFT OF CLAY EXPOSURE ON SOUTH HALF, ALSO TOOK TUBE FOR POINT LAB TEST. TALKED TO CONTR: D. SHAW ABOUT WORK & TESTING. RETURNED TO OFFICE & GOT SAMPLES ~~READY~~ READY FOR TESTING. CALLED DICK VAN TASSEL ABOUT WORK & TESTING, ALSO RESULTS OF DRAINAGE MATERIAL, WANTS FORM CONDUCTED. DID SOME PAPER WORK & CALLED MANN, ABOUT TESTING & RESULTS



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North



Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project No. 94580

Project KOPPERS Co.

Day/Date 10-8-88

Location SUPERIOR, WISC

Weather/Temp. Cloudy 50's

Contractor A. P. Jensen


Client KEYSTONE

Equipment Rental Nucleon 2.0 hrs Arrive Job 9:30
 Depart Job 11:30
 Tolls \$ _____ Total Hours on Job 2.0
 Parking \$ _____ Lab Time 4.0
 Mileage 20 C/F/C/E 2.0
 Travel Time _____

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
4.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, CONDUCTED 5 FIELD DENSITY TEST ON 3' lift OF CLAY BARRIER. RETURNED TO OFFICE. SET UP FOR FORM ON DRAINAGE MATERIAL & CONDUCTED FORM AT 95% DENSITY. CHECKED OVER FIELD DENSITY RESULTS: PLOTTED TEST LOCATION - ALSO PLOTTED LABORATORY SAMPLE LOCATIONS. WROTE UP F.D. RESULTS FOR SOIL FILL & CLAY BARRIER.



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By Fred L. ...

STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project Koppers Co. Project No. 94580
 Location Superior, Wisc Day/Date 10-10-88
 Contractor J.R. Johnson Weather/Temp. SUNNY 40'S
 Client KEYSTONE

Equipment Rental _____	Arrive Job <u>9:00</u>	TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM 4.0
Tolls \$ _____	Depart Job <u>12:00</u>	
Parking \$ _____	Total Hours on Job <u>3.0</u>	
Mileage <u>20</u>	Lab Time <u>4.0</u>	
	Office <u>1.0</u>	

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE TOOK SAMPLES FROM THIRD LAYER OF CLAY BARRIER MATERIAL FOR PERMITS & LAB TESTS. TALKED WITH DICK VAN TASSEL & OBSERVED PLACEMENT OF FINE SAND FOR LEVELING COURSE. ALSO TOOK SAMPLES OF HDPE FOR LAB TESTING. RETURNED TO OFFICE & DID SOME PAPER WORK. SET UP SAMPLES FOR DEMONSTRATION & CONDUCTED PERMITS ON IT

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94520

Project KOPPERS CO. Day/Date 10-11-86

Location SUPERIOR, WISC. Weather/Temp. SUNNY 40'S

Contractor J. R. JENSON Client KEYSTONE

Equipment Rental _____	Arrive Job <u>10:30</u> <u>3:30</u>	TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM
Tolls \$ _____	Depart Job <u>2:00</u> <u>6:00</u>		
Parking \$ _____	Total Hours <u>1 1/2</u> <u>2 1/2</u>		
Mileage <u>40</u>	on Job <u>4.0</u>		
	Lab Time <u>2.0</u>		
	Travel Time _____		

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

PACKAGE SAMPLES OF HDPE & MAILBOX OUT. DID PAPER WORK & MADE COPIES OF TEST RESULTS - WENT TO SITE, TALKED TO DICK JAW TASSER ABOUT HDPE PLACEMENT & OBSERVED PLACEMENT & SEAMING OF HDPE. RETURNED TO OFFICE. WENT BACK TO SITE & OBSERVED PLACEMENT & SEAMING OF HDPE - MADE 15 SEAMS, FIELD LOCATED SEAMS & RETURNED TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

**STS Construction Services Group
Field Report**



Project No. 94580

Project KOIDEES CO.

Day/Date 10-12-88

Location SUPERIOR, WISC.

Weather/Temp. SUNNY 50'S

Contractor J.P. JOHNSON

Client KEYSTONE

Equipment Rental _____ Arrive Job 7:30

Tolls \$ _____ Depart Job 6:30

Parking \$ _____ Total Hours on Job 11.0

Mileage 20 Lab Time _____

Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
11.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, CONTR (GSI) STARTED LAYOUT TO HOPE. WAITED FOR TONS TO REACH 40', AT 9:15 RAN TEST SCAMS; FIELDS CHECKED, WERE OK. STARTED TO SCAMING, DID 9 SCAMS. STARTED TO AIR TESTS HAD PROBLEMS GETTING AIR TESTS. 6 SCAMS WERE OK & PARTS OF 3 OTHER SCAMS TESTED OK - WILL HAVE TO VACUUM BOARD. SCAM 9 HAS TO BE EXTENDED FOR THE FULL LENGTH. MEASURED LOCATION OF FIELD SCAM; RETURNED TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]

**STS Construction Services Group
Field Report**



Project KODDEES Co. Project No. 94530
 Location SUPERIOR, WISCONSIN Day/Date 10-13-88
 Contractor J. L. JOHNSON Weather/Temp. SUNNY 60'S
 Client KEVSTONE

Equipment Rental _____	Arrive Job <u>3:30</u>	TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM <u>2.0</u>
Tolls \$ _____	Depart Job <u>5:30</u>		
Parking \$ _____	Total Hours on Job <u>2.0</u>		
Mileage <u>20</u>	Lab Time _____		
	Travel Time _____		

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, TALKED TO GSI, WENT OVER REPAIRS TO SEAMS CHECKED ALL SEAMS FOR REPAIRS & NOTED. RETURNED TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By J. L. JOHNSON
 STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Keppras Co. Day/Date 10-14-88

Location Superior, Wis. Weather/Temp. SUNNY 60'S

Contractor J. P. Jensen Client KEYSTONE

Equipment Rental _____ Arrive Job 9:00

Tolls \$ _____ Depart Job 10:30

Parking \$ _____ Total Hours on Job 1.5

Mileage 80 Lab Time _____

Travel Time _____

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
1.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE OBSERVED PLACEMENT OF FABRIC & DRAINAGE MATERIAL, TALKED TO CONTR. & RETURNED TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KOPPEL'S Co.

Day/Date 10-17-88

Location SUPERIOR WISC

Weather/Temp. LT RAIN 40'S

Contractor J.R. MASON

Client KEystone

Equipment Rental _____

Arrive Job 8:00 12:30

Tolls \$ _____

Depart Job 9:30 2:00

Parking \$ _____

Total Hours on Job 3.0

Mileage 40

Lab Time 2.0

Travel Time _____

TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM
	3.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE OBSERVED PLACEMENT OF GEO. FABRIC & DRAINAGE MATERIAL. TALKED TO CONTR & TOOK SAMPLE OF DRAINAGE MATERIAL FOR LAB TESTS. RETURNED TO OFFICE.

WENT TO SITE OBSERVED PLACEMENT OF GEO. FABRIC & CHAINED IRONS, ALSO OBSERVED PLACEMENT OF DRAINAGE MATERIAL. RETURNED TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]

STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project KOPPERS CO. Project No. 94580
 Location SUPERIOR, WISC Day/Date 10-18-88
 Contractor J.R. HANSON Weather/Temp. Cloudy 40's
 Client KEYSTONE

Equipment Rental <u>2 Hrs</u>	Arrive Job <u>8:00</u> <u>3:00</u>	TOTAL CHARGEABLE HOURS	4 HOUR MINIMUM <div style="border: 1px solid black; padding: 10px; width: 100px; text-align: center;">3.0</div>
Tolls \$ _____	Depart Job <u>9:30</u> <u>4:30</u>		
Parking \$ _____	Total Hours on Job <u>3.0</u>		
Mileage <u>40</u>	Lab Time <u>2.0</u>		
Travel Time _____			

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE CONDUCT 3 FIELD DENSITY ON SOUTH HALF OF DRAINAGE
AREA. PICKED UP SAMPLES OF DRAINAGE MATERIAL FOR LAB TESTS.
RETURNED TO OFFICE CONDUCTED GENERATION. RETURNED TO SITE
CHECKED ~~LAB~~ LAYS ON FABRIC; CONDUCTED 3 FIELD DENSITY ON
NORTH HALF; RETURNED



Field Test Data is Estimated
 Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Koppers Co. Day/Date 10-19-88

Location Superior, Wisc. Weather/Temp. SUNNY 40'S

Contractor J. L. Benson Client KEystone

Equipment Rental _____ Arrive Job 8:00

Tolls \$ _____ Depart Job 9:30

Parking \$ _____ Total Hours on Job 1.5

Mileage \$ 20 Lab Time _____

Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
1.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Went to site, working on getting drainage layer; placing fabric. Talked to contractor; returned to office; call Dick Van Thosol.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By J. L. Benson
STS Consultants, Ltd.

• STS-Construction Services Group
Field Report



Project KODDERS CO. Project No. 94580
 Location SUPERIOR, WISC. Day/Date 10-24-88
 Contractor J.P. Jensen Weather/Temp. Cloudy 30's
 Client KEystone

Equipment Rental _____ Arrive Job 8:00
 Tolls \$ _____ Depart Job 10:00
 Parking \$ _____ Total Hours on Job 2.0
 Mileage 20 Office Lab Time 2.0
 Travel Time _____

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
4.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, CHECKED PLACEMENT OF FABRIC & START OF SOIL COVER MATERIAL. HAD PROBLEMS WITH EQUIPMENT, TALKED TO CONTR. RETURNED TO OFFICE. TALKED TO ERIC SNOW ABOUT ~~RESULTS~~ RESULTS OF HDPE TESTS. ALSO TALKED TO DICK JAMES TASSOL ABOUT JOB. ALSO TALKED TO MINN. OFFICE ABOUT TEST RESULTS.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

• STS Construction Services Group
Field Report




Project Koppers Co. Project No. 94580
 Location Superior, Wisc. Day/Date 10-25-88
 Contractor J.R. Lawson Weather/Temp. Cloudy 40's
 Client KEYSTONE

Equipment Rental Nuclon 2.0 hrs Arrive Job 8:30 11:30
 Depart Job 10:00 3:30
 Tolls \$ _____
 Parking \$ _____
 Mileage 40
 Total Hours on Job 3.5
 Lab Time _____
 Travel Time _____

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
3.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.
WENT TO SITE, CHECKED PLACEMENT OF FABRIC & SOIL COVER, TALKED TO CONTR. RETURNED, WENT TO SITE, CONDUCT FIELD DENSITY TEST ON 1ST lift of SOIL COVER WERE OK. TALKED TO CONTR & RETURNED TO OFFICE.



Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

**STS Construction Services Group
Field Report**




Project No. 94580
 Project Koppers Co. Day/Date 10-26-88
 Location Stadsloe, Wisc Weather/Temp. Sunny 40's
 Contractor J. R. Fenison Client KEYSTONE
 Equipment Rental Nuclear 2 hrs Arrive Job 8:00 12:30
 Tolls \$ _____ Depart Job 9:30 2:30
 Parking \$ _____ Total Hours on Job 3 1/2
 Mileage 40 Lab Time _____
 Travel Time _____

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
3.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE CHECKED FROST, WAS 0 TO 1/2" OF FROST. STARTED
PLACING 2 NO LIFT OF COVER MATERIAL. RETURNED TO OFFICE.
WENT TO SITE CHECKED ON PLACEMENT OF COVER SOIL. COMPLETED
DENSITY TEST WERE OK. TALKED TO CONTR. RETURNED TO
OFFICE.



Site Sketch: Indicate North



Field Test Data is Estimated
 Pending Final Laboratory Test Results.

Field Representative _____
 Position _____
 Company _____

By [Signature]
 STS Consultants, Ltd.

• STS Construction Services Group
Field Report



Project No. 94580

Project KOPPERS CO.

Day/Date 10-27-88

Location SUPERIOR, WISC

Weather/Temp. Cloudy - LT 20's 40's

Contractor J. R. Johnson

Client KEKSTWE

Equipment Rental _____

Arrive Job 9:00

Tolls \$ _____

Depart Job 10:30

Parking \$ _____

Total Hours on Job 1.5

Mileage 20

Office Lab Time 3.0

Travel Time _____

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM

4.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, OBSERVED PLACEMENT OF COVER SOIL METERIAL
I TALKED TO CONTR. RETURNED TO OFFICE. WROTE UP TESTS
RESULT; PLOTTED TEST LOCATION, MADE COPIES & MARKED CUT.

Field Test Data is Estimated
Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]

STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KODDER'S CO. Day/Date 10-28-82

Location SUPERIOR, WISC. Weather/Temp. SUNNY 20'S

Contractor J.P. JOHNSON Client KEYSTONE

Equipment Rental Nuclear 2 Hrs Arrive Job 8:00

Tolls \$ _____ Depart Job 10:00

Parking \$ _____ Total Hours on Job 2.0


Mileage 20 Office Lab Time 0.5

Travel Time _____

TOTAL CHARGEABLE HOURS 4 HOUR MINIMUM
2.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, TALKED TO foreman ABOUT TOPSOIL TESTS RESULTS
FINISHING LEVOR SOIL IN S.W. CORNER. CONDUCTED FIELD
DENSITY TEST ON 3RD LIFT OF LEVOR SOILS, WERE OK.
TALKED TO Dick AND TASSOL ABOUT WORK ON JOB.



Field Test Data is Estimated
Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
 Position _____
 Company _____

By Fred Tassol
 STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project	<u>KODDERS CO.</u>	Project No.	<u>94580</u>
Location	<u>Superior, Wisc.</u>	Day/Date	<u>11-1-88</u>
Contractor	<u>J. R. Jensen</u>	Weather/Temp.	<u>Cloudy 40's</u>
Equipment Rental	_____	Client	<u>KEYSTONE</u>
Tolls \$	_____	Arrive Job	<u>8:00</u>
Parking \$	_____	Depart Job	<u>9:00</u>
Mileage	<u>20</u>	Total Hours on Job	<u>1.0</u>
		Office Lab Time	<u>1.0</u>
		Travel Time	_____

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM
2.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, WERE NOT WORKING RETURNED TO OFFICE
TALKED TO Dave SHAW, ALSO DID SOME PAPER WORK.

Field Test Data is Estimated
Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KEPPERS CO.

Day/Date 11-2-88

Location SUPERIOR, WISC.

Weather/Temp. Cloudy 40's

Contractor J. R. Pearson

Client KEVSTONE

Equipment Rental _____

Arrive Job 9:00

Tolls \$ _____

Depart Job 9:30

Parking \$ _____

Total Hours on Job 1.5

Mileage 20

Office Lab Time 1.0

Travel Time _____

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM

2.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, OBSERVED PLACEMENT OF TOPSOIL, TALKED TO
CONTR. RETURNED TO OFFICE, WORKED ON PAPER WORK;
TALKED TO DICK VAN TASSOL ABOUT TOPSOIL; SOONER.

Field Test Data is Estimated
Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]

STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Koppers Co. Day/Date Thurs 11-3-28

Location Superior WI Weather/Temp. Hi 30's Partly clear

Contractor J. R. Jensen Client Key Stone

Equipment Rental	<u>-</u>	Arrive Job	<u>8:30</u>
Tolls \$	<u>-</u>	Depart Job	<u>10:00</u>
Parking \$	<u>-</u>	Total Hours on Job	<u>1.5</u>
Mileage	<u>20</u>	Lab Time	<u>-</u>
		Travel Time	<u>-</u>

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM
1.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Talked with Contractor, observed topsoil fill operation - took one sample of topsoil for testing

Talked with contractor, observed topsoil fill operation, took our sample of topsoil for testing.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

STS-Construction Services Group
Field Report



Project No. 94580

Project KOOPERS Co.

Day/Date 11-4-88

Location SUPERIOR, WISC.

Weather/Temp. Cloudy 30's

Contractor J.R. Johnson

Client KEYSTONE

Equipment Rental _____

Arrive Job 6:30

Tolls \$ _____

Depart Job 10:00

Parking \$ _____

Total Hours on Job 1.5

Mileage 20

Office Lab Time 2.0

Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
<u>3.5</u>

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE OBSERVED PLACEMENT OF TOPSOIL - TALKED TO CONTR. ALSO PICKED UP SAMPLE FOR LAB TESTS RETURNED TO OFFICE. MADE CALLS ABOUT TEST RESULTS ON HDPE & SOILS, DID SOME DRAIN WORK.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Koppers Co.

Day/Date 11-7-88

Location Superior, Wisc.

Weather/Temp. Cloudy 30's

Contractor J.R. Jensen

Client KEYSTONE

Equipment Rental Nuclone 25hrs

Arrive Job 8:30

Tolls \$ _____

Depart Job 11:00

Parking \$ _____

Total Hours on Job 2.5

Mileage 20

office 0.5

Lab Time 0.5

Travel Time _____

4 HOUR MINIMUM
TOTAL CHARGEABLE HOURS
3.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE, CONDUCTED 10 FIELD DENSITY TEST ON TOPSOIL, WERE OK. TALKED TO CONTR. & RETURNED TO OFFICE.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project KOPPERS Co. Project No. 94580
Location Superior, Wisc. Day/Date 11-8-88
Contractor J.R. Jensen Weather/Temp. Cloudy 40's
Client KEYSTONE

Equipment Rental _____
Tolls \$ _____
Parking \$ _____
Mileage 20
Arrive Job 8:30
Depart Job 10:00
Total Hours on Job 1.5
~~Job~~ Office Time 2.0
Travel Time _____

TOTAL CHARGEABLE HOURS
4 HOUR MINIMUM
3.5

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

WENT TO SITE WITH NOBODY AROUND, RETURNED TO OFFICE. WORKED ON PAPER WORK.

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____
Position _____
Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KOPPERS Co.

Day/Date 11-9-88

Location SUPERIOR, WISC.

Weather/Temp. Cloudy 30's

Contractor J.R. JENSEN

Client KEYSTONE

Equipment Rental _____ Arrive Job _____
 Tolls \$ _____ Depart Job _____
 Parking \$ _____ Total Hours on Job _____
 Mileage _____ Office Time 6.0
 Travel Time _____

TOTAL CHARGEABLE HOURS
 4 HOUR MINIMUM
6.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Reviewed job & Test Results with Walt K., wrote up Field Density Test on Topsoil & Plotted Test Locations. Went over All Test Results & put in Groups; Checked Results.

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project KEPPERS Co.

Day/Date 11-10-88

Location SUPERIOR, WISC.

Weather/Temp. _____

Contractor J. R. JONSON

Client KEVSTONE

Equipment Rental _____	Arrive Job _____
Tolls \$ _____	Depart Job _____
Parking \$ _____	Total Hours on Job _____
Mileage _____	Lab Time <u>1.0</u>
	Travel Time _____

4 HOUR MINIMUM

TOTAL CHARGEABLE HOURS

1.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Checked over test result & set up forms

* Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By *Fred Schubert*

STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Koppers C. Day/Date 11-14-88

Location Superior, Wisc. Weather/Temp. _____

Contractor J.R. Johnson Client KEYSTONE

Equipment	Arrive Job _____
Rental _____	Depart Job _____
Tolls \$ _____	Total Hours on Job _____
Parking \$ _____	Lab Time <u>1.0</u>
Mileage _____	Travel Time _____

TOTAL CHARGEABLE HOURS

4 HOUR MINIMUM

1.0

Summary of Technical and/or Engineering Services Performed, including Field Test Data. Locations, Elevations and Depths are Estimated.

Checkoo Test Results; DIO paper work

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative _____

Position _____

Company _____

By [Signature]
STS Consultants, Ltd.

STS Construction Services Group
Field Report



Project No. 94580

Project Koppers Co. Day/Date 12-5-88

Location Superior, Wisc. Weather/Temp.

Contractor J.R. Jensen Client KEYSTONE

Equipment Rental Arrive Job

Tolls \$ Depart Job

Parking \$ Total Hours on Job

Mileage office 2.0 TOTAL CHARGEABLE HOURS

Travel Time 4 HOUR MINIMUM

2.0

Summary of Technical and/or Engineering Services Performed, Including Field Test Data. Locations, Elevations and Depths are Estimated.

Checking Test Results & Getting Copies Ready to send

Field Test Data is Estimated Pending Final Laboratory Test Results.

Site Sketch: Indicate North

Field Representative

Position

Company

By [Signature]

STS Consultants, Ltd.



STS Consultants Ltd.
Consulting Engineers

Field and Laboratory Test Results

Koppers Company, Inc.
Surface Impoundment Closure
Superior, Wisconsin

Koppers Company, Inc.





STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

December 20, 1988

Mr. Jack Stephenson
Koppers Company, Inc.
801 Koppers Building
436 - 7th Avenue
Pittsburgh, PA 15219

STS Project 94580

Re: Field and Laboratory Test Results for the Koppers Company, Inc.
Surface Impoundment Closure in Superior, Wisconsin

Dear Mr. Stephenson:

Transmitted herewith, please find the results of our field and laboratory testing services performed for the above-referenced project. Our scope of work for this project was outlined in STS Proposal P-2092 dated August 25, 1988. Authorization to proceed was received with Keystone Environmental Resources, Inc. Purchase Order No. 110-8-30704 dated November 22, 1988. A brief overview of the field and laboratory testing services performed is given below.

The geotechnical engineering services provided for the closure project can be divided into two general categories:

1. Laboratory testing to evaluate the engineering characteristics of proposed borrow materials prior to construction.
2. Field and laboratory testing to check the quality of the "as-built" closure construction.

The enclosed test results are organized according to these two general categories. The test results are also divided into six groups representing the five soil layer components of the closure earthwork plus a group of geotextile laboratory test results for the HDPE liner. The laboratory test samples representing the five soil components of the closure are identified as follows:

<u>Layer Description</u>	<u>Identification</u>
Unclassified Soil Fill	A1
Clay Barrier	A2
Drainage Layer	A3
Cover Soil	A4
Topsoil	A5

The borrow source evaluation for each layer typically consisted of testing two samples designated B1 and B2. The laboratory testing performed for the borrow source evaluations consisted of Standard Proctor moisture density relationships and grain size analyses for all soil types plus Atterberg limits tests for cohesive soils. Permeability testing of laboratory compacted specimens of the clay barrier (A2) and drainage layer (A3) borrow samples was conducted in order to determine if the remolded permeabilities fulfilled the project requirements. The topsoil material was also tested to determine pH and fertilization requirements.

The field and laboratory testing of the "as-built" construction included field density testing of each compacted lift and laboratory testing of individual soil samples representing each lift. The laboratory soil testing typically consisted of grain size, Atterberg limit and permeability testing as required to confirm the soil properties identified during the laboratory testing of borrow source samples. The identification of laboratory soil samples representing "as-built" construction includes identification of the component layer and lift number, i.e., sample A1-C5 represents the fifth lift of unclassified soil fill. Field density test and laboratory sample locations are shown schematically on individual test location plans.

Geotextile laboratory testing of the HDPE liner included determination of melt index, environmental stress crack resistance, thickness, density, modulus of elasticity and tensile strength with percent elongation properties. This series of tests was performed on specimens which represented both of the two batches of liner product delivered to the job site. The integrity of the liner seams was also evaluated by field leak testing which was observed by our senior technician and laboratory testing of four seam samples. The laboratory testing of the liner seam samples included determination of bonded seam strength and peel adhesion. The seam sample locations are shown on a diagram which precedes the laboratory test results.


Based on the results of our field and laboratory testing program, it is our opinion that the closure has been constructed in general conformance with the project requirements and specifications. All field and laboratory testing performed for this project was performed in general conformance with applicable ASTM Specifications.


Koppers Company, Inc.
STS Project #94580
December 20, 1988
Page 3

If there are any questions regarding the contents of this letter or the attached test results, or if we can be of further assistance in any way, please feel free to contact us.

Respectfully,

STS CONSULTANTS, LTD.


Melvin B. Smith, P.E.
Project Engineer


James H. Overtoom, P.E.
Principal Engineer

MBS/dn
Encs.

A1 - UNCLASSIFIED SOIL FILL

Borrow Source Evaluation

- Proctor Test Results
- Grain Size/Atterberg Limits Test Results

Field/Laboratory Testing of "As-Built" Construction

- Field Density Test Locations
- Field Density Test Results
- Laboratory Test Sample Locations
- Grain Size/Atterberg Limits Test Results



STS Consultants, Ltd.
 3650 Annapolis Lane
 Minneapolis, MN 55447-5434
 (612) 559-1900

2820 Belknap Street
 Superior, WI 54880
 (715) 392-9006

108 Chestnut Street
 Virginia, MN 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Laboratory Compaction Test Data

Project: Koppers Closure Date: 9/16/88 STS Job# 94580

Description of soil: Clay, trace sand - red brown

Material mark: A1-B1 (Unclassified Soil Fill) Classification: CH


Source of Material: Ray Konen on Highway "C", Douglas County, Wisconsin

Natural water content: -- % Natural dry density: -- pcf Specific gravity: 2.58
 Liquid limit: 80.8 % Plastic limit: 24.5 % Plasticity index: 56.3

Test procedure used: Standard Proctor, ASTM D-698, Method A

TEST RESULTS

Optimum water content: 24.1 %
 Maximum dry density: 94.6 pcf (at a wet density of: 117.4 pcf)





STS Consultants, Ltd.
 3650 Annapolis Lane
 Minneapolis, MN 55447-5434
 (612) 559-1900

2820 Belknap Street
 Superior, WI 54880
 (715) 392-9006

108 Chestnut Street
 Virginia, MN 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Laboratory Compaction Test Data

Project: Koppers Closure Date: 10/4/88 STS Job#: 94580

Description of soil: Clay, trace sand - red brown

Material mark: A1-B2 (Unclassified Soil Fill) Classification: CH


Source of Material: Rav Konen on Highway "C", Douglas County, Wisconsin


Natural water content: -- % Natural dry density: -- pcf Specific gravity: 2.68
 Liquid limit: 70.7 % Plastic limit: 22.6 % Plasticity index: 48.1

Test procedure used: Standard Proctor, ASTM D-698, Method A

TEST RESULTS

Optimum water content: 28.6 %
 Maximum dry density: 92.6 pcf (at a wet density of: 119.1 pcf)






GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A1-B2	--	70.7	22.6	48.1	Clay, Trace Sand - (CH)

Grain Size Distribution
 Unclassified Soil Fill - Borrow #2
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	10/20/88	94580





GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A1-B1	--	80.8	24.5	56.3	Clay, Trace Sand - (CH)

Grain Size Distribution
 Unclassified Soil Fill - Borrow #1
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	JHO	9/19/88	94580



O-Field Density Test - Soil Fill

TEST LOCATION PLAN
 KOPPERS COMPANY
 SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
 2820 Belknap Street
 Superior, Wisconsin

FJT 9-19-88 94580 no scale



STS Consultants Ltd.
Geotechnical Engineering
and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

2405 Annapolis Ln., Suite 280
 Minneapolis, Minnesota 55441
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Job name and location Surface Impoundment Closure, Koppers Co., Superior, Wisc.
 Architect or Engineer Keystone Environmental Resources, Inc.
 Contractor J. R. Jensen
 STS Job number 94580 Month SEPT. Year 1988
 Other project number 178275-04

Test No.	Date	Location	Lift No. or Elevation	Material Mark	Maximum Lab Dry Density [pcf]	In-Place Moist Density [pcf]	Water Content [%] *	In-Place Dry Density [pcf]	Percent Compaction [%]	Comments
1	9-15	SEE PLAN	1 ST	A1-R1	94.6	119.0	27.5	93.3	98	
2	"	"	2 ND	"	"	115.1	27.5	90.3	95	
3	"	"	1 ST	"	"	115.3	27.0	90.8	96	
4	"	"	2 ND	"	"	118.3	28.9	91.8	97	
5	"	"	1 ST	"	"	116.9	27.2	91.9	97	
6	"	"	2 ND	"	"	115.1	27.9	90.0	95	
7	"	"	1 ST	"	"	118.8	28.6	92.4	97	
8	"	"	2 ND	"	"	115.6	28.6	89.9	95	
9	"	"	1 ST	"	"	116.1	29.0	90.0	95	
10	"	"	2 ND	"	"	115.0	27.8	90.0	95	
11	"	"	3 TH	"	"	115.6	28.6	89.9	95	
12	"	"	3 TH	"	"	116.3	28.1	90.8	96	
13	9-23	"	3 TH	"	"	116.6	28.3	90.9	96	
14	"	"	3 TH	"	"	115.0	27.9	89.9	95	
15	"	"	3 TH	"	"	118.9	29.1	92.1	97	
16	9-26	"	5 TH	"	"	119.0	28.5	92.6	98	
17	"	"	4 TH	"	"	122.3	27.4	96.0	100	
18	"	"	5 TH	"	"	117.9	30.9	90.1	95	
19	"	"	4 TH	"	"	123.0	26.9	96.9	100	
20	"	"	5 TH	"	"	117.7	29.1	91.2	96	
21	"	"	4 TH	"	"	115.2	27.9	90.1	95	

Soil Fill

* Water content shown as percent of dry weight.

Percent Compaction Based On:

- ASTM D 1557-70 (Modified Proctor)
- ASTM D 698-70 (Standard Proctor)
- Other _____
- Compaction Required 95 %

Method of Field Density Measurements:

- ASTM D 1566 (sand cone)
- ASTM D 2922 (nuclear)



STS Consultants Ltd.
 Geotechnical Engineering
 and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

2405 Annapolis Ln., Suite 280
 Minneapolis, Minnesota 55441
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Job name and location SURFACE IMPOUNDMENT CLOSURE, KOPPERS CO., SUPERIOR, WISC.
 Architect or Engineer KEYSTONE ENVIRONMENTAL RESOURCES, INC.
 Contractor J. R. JENSEN
 STS job number 94580 Month SEPT. Year 1988
 Other project number 178275-04

Test No.	Date	Location	Lift No. or Elevation	Material Mark	Maximum Lab Dry Density [pcf]	In-Place Moist Density [pcf]	Water Content [%] *	In-Place Dry Density [pcf]	Percent Compaction [%]	Comments
22	9-26	SEE PLAN	5 th	A1-B1	94.6	118.3	29.4	91.4	97	
23	"	"	4 th	"	"	119.6	29.4	92.4	98	
24	"	"	5 th	"	"	116.2	28.4	90.5	95	
25	"	"	4 th	"	"	117.6	27.6	92.2	97	
26	9-27	"	6 th	"	"	116.5	29.6	89.9	95	
27	"	"	6 th	"	"	115.8	28.7	90.0	95	
28	"	"	6 th	"	"	117.3	29.2	90.8	95	
29	"	"	7 th	"	"	116.2	28.8	90.2	95	
30	"	"	7 th	"	"	117.5	30.3	90.2	95	
31	"	"	7 th	"	"	117.2	27.7	91.8	97	
32	9-28	"	8 th	"	"	118.4	31.9	89.8	95	
33	"	"	8 th	"	"	116.4	27.4	91.4	97	
34	"	"	8 th	"	"	116.8	27.5	91.6	97	
35	"	"	8 th	"	"	116.2	29.5	89.7	95	

Soil Fill



Percent Compaction Based On:

- ASTM D 1557-70 (Modified Proctor)
- ASTM D 698-70 (Standard Proctor)
- Other _____
- Compaction Required 95 %

* Water content shown as percent of dry weight.

Method of Field Density Measurements:

- ASTM D 1566 (sand cone)
- ASTM D 2922 (nuclear)



△ - LABORATORY TEST SAMPLE - SOIL FILL


TEST LOCATION PLAN
KOPPERS COMPANY
SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
2820 Belknap Street
Superior, Wisconsin

FJT 19-19-88 94580 ho scale


GRAVEL CLASSIFICATION SYSTEM



GRAVEL		SAND			SILT or CLAY	
Coarse	Fine	Coarse	Medium	Fine		


SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION									
A1-C1	---	70.6	25.7	44.9	Clay, trace sand - (CH)	Grain size distribution unclassified soil fill-lift #1 Koppers closure Superior, Wisconsin STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441								
						<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">DRAWN</td> <td style="width: 25%;">APPROVED</td> <td style="width: 25%;">DATE</td> <td style="width: 25%;">JOB No.</td> </tr> <tr> <td>KE</td> <td>MBS</td> <td>10-20-88</td> <td>94580</td> </tr> </table>	DRAWN	APPROVED	DATE	JOB No.	KE	MBS	10-20-88	94580
DRAWN	APPROVED	DATE	JOB No.											
KE	MBS	10-20-88	94580											

GRAVEL CLASSIFICATION SYSTEM



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION								
A1-C2	-----	71.4	25.3	46.1	Clay, trace sand - (CH)	Grain size distribution unclassified soil fill-lift #2 Koppers closure Superior, Wisconsin STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441							
<table border="1" style="width:100%; text-align:center;"> <tr> <th style="width:25%;">DRAWN</th> <th style="width:25%;">APPROVED</th> <th style="width:25%;">DATE</th> <th style="width:25%;">JOB No.</th> </tr> <tr> <td>KE</td> <td>MBS</td> <td>10-20-88</td> <td>94580</td> </tr> </table>						DRAWN	APPROVED	DATE	JOB No.	KE	MBS	10-20-88	94580
DRAWN	APPROVED	DATE	JOB No.										
KE	MBS	10-20-88	94580										



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	


SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A1-C3	-----	74.0	24.4	49.6	Clay, trace sand - (CH)

Grain size distribution
 unclassified soil fill-lift #3
 Koppers closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	10-20-88	94580

UNCLASSIFIED CLASSIFICATION SYSTEM




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A1-C4	-----	68.4	24.5	43.9	Clay, trace sand - (CH)


Grain size distribution
 unclassified soil fill-lift #4
 Koppers closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	10-20-88	94580



SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION	Grain size distribution unclassified soil fill-lift #5 Koppers closure Superior, Wisconsin								
A1-C5	-----	82.4	24.3	58.1	Clay, trace sand - (CH)									
						STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441								
						<table border="1"> <tr> <th>DRAWN</th> <th>APPROVED</th> <th>DATE</th> <th>JOB No.</th> </tr> <tr> <td>KE</td> <td>MBS</td> <td>10-20-88</td> <td>94580</td> </tr> </table>	DRAWN	APPROVED	DATE	JOB No.	KE	MBS	10-20-88	94580
DRAWN	APPROVED	DATE	JOB No.											
KE	MBS	10-20-88	94580											




SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A1-C6	----	70.7	22.0	48.7	Clay, trace sand - (CH)

Grain size distribution unclassified soil fill-lift #6 Koppers closure Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	10-20-88	94580



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A1-C7	-----	73.3	23.1	50.2	Clay, trace sand - (CH)

Grain size distribution unclassified soil fill-lift #7
 Koppers closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	10-20-88	94580

A2 - CLAY BARRIER

Borrow Source Evaluation

- Proctor Test Results
- Grain Size/Atterberg Limits Test Results
- Permeability Test Results

Field/Laboratory Testing of "As-Built" Construction

- Field Density Test Locations
- Field Density Test Results
- Laboratory Test Sample Locations
- Grain Size/Atterberg Limits Test Results
- Permeability Test Results



STS Consultants, Ltd.
3650 Annapolis Lane
Minneapolis, MN 55447-5434
(612) 559-1900

2820 Belknap Street
Superior, WI 54880
(715) 392-9006

108 Chestnut Street
Virginia, MN 55792
(218) 741-8804

COMPACTION CONTROL REPORT

Laboratory Compaction Test Data

Project: Koppers Closure Date: 10/14/88 STS Job# 94580

Description of soil: Clay, Trace sand - Red Brown

Material mark: A2-B1 (Clay Barrier) Classification: CH


Source of Material: Ray Konen on Highway "C", Douglas County, Wisconsin

Natural water content: -- % Natural dry density: -- pcf Specific gravity: 2.66 (est.)
Liquid limit: 91.0 % Plastic limit: 26.2 % Plasticity index: 64.8

Test procedure used: Standard Proctor, ASTM D-698, Method A

TEST RESULTS

Optimum water content: 28.6 %
Maximum dry density: 91.8 pcf (at a wet density of 118.1 pcf)





STS Consultants, Ltd.
 3650 Annapolis Lane
 Minneapolis, MN 55447-5434
 (612) 559-1900

2820 Belknap Street
 Superior, WI 54880
 (715) 392-9006

108 Chestnut Street
 Virginia, MN 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Laboratory Compaction Test Data

Project: Koppers Closure Date: 10/14/88 STS Job# 94580

Description of soil: Clay, Trace Sand - Red Brown

Material mark: A2-B2 (Clay Barrier) Classification: CH


Source of Material: Ray Konen on Highway "C", Douglas County, Wisconsin

Natural water content: -- % Natural dry density: -- pcf Specific gravity: 2.61 (est.)
 Liquid limit: 79.4 % Plastic limit: 24.0 % Plasticity index: 55.4

Test procedure used: Standard Proctor, ASTM D-698, Method A

TEST RESULTS

Optimum water content: 27.3 %
 Maximum dry density: 91.8 pcf (at a wet density of: 116.9 pcf)





STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 11/21/88

ARCH/ENG. Keystone Environmental

REPORT NO. A2-B1

PERMEABILITY TEST RESULTS

TEST LOCATION: Clay Barrier - Borrow #1

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY DENSITY (lbs/ft.³): 87.4

WATER CONTENT, INITIAL (%): 28.5

WATER CONTENT, FINAL (%): --

PERCENT COMPACTION: 95

CALCULATED PERMEABILITY: Average 2.81×10^{-8} cm/sec

TESTED BY: Robert Elder



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 11/21/88

ARCH/ENG. Keystone Environmental

REPORT NO. A2-B2

PERMEABILITY TEST RESULTS

TEST LOCATION: Clay Barrier - Borrow #2

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY DENSITY (lbs/ft.³): 86.6


WATER CONTENT, INITIAL (%): 31.8

WATER CONTENT, FINAL (%): --

PERCENT COMPACTION: 94


CALCULATED PERMEABILITY: Average 2.59×10^{-9} cm/sec

TESTED BY: Robert Elder



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION	Grain Size Distribution Clay Barrier - Borrow #1 Koppers Closure Superior, Wisconsin								
A2-B1	--	91.0	26.2	64.8	Clay, Trace Sand - (CH)									
<p align="center">STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441</p>						<table border="1"> <tr> <th>DRAWN</th> <th>APPROVED</th> <th>DATE</th> <th>JOB No.</th> </tr> <tr> <td>KE</td> <td>MBS</td> <td>11/29/88</td> <td>94580</td> </tr> </table>	DRAWN	APPROVED	DATE	JOB No.	KE	MBS	11/29/88	94580
							DRAWN	APPROVED	DATE	JOB No.				
KE	MBS	11/29/88	94580											




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A2-B2	--	79.4	24.0	55.4	Clay, Trace Sand - (CH)

Grain Size Distribution
Clay Barrier - Borrow #2
Koppers Closure
Superior, Wisconsin

STS CONSULTANTS, LTD.
2405 ANNAPOLIS LANE, SUITE 280
MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	11/29/88	94580



O-Field DENSITY TEST - CLAY BARRIER


TEST LOCATION PLAN
 KOPPERS COMPANY
 SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
 2820 Belknap Street
 Superior, Wisconsin

FJT	9-19-88	94580	no scale
-----	---------	-------	----------

UNIFIED CLASSIFICATION SYSTEM



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION	
A1-C8	--	95.8	28.8	67.0	Clay, Trace Sand - (CH)	Grain Size Distribution Unclassified Soil Fill Lift #8 Koppers Closure Superior, Wisconsin
STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441						
DRAWN		APPROVED		DATE	JOB No.	
KE		MBS		11/10/88	94580	



STS Consultants Ltd.
Geotechnical Engineering
and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

2405 Annapolis Ln., Suite 280
 Minneapolis, Minnesota 55441
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Job name and location SURFACE IMPOUNDMENT CLOSURE, KOPPER CO. SUPERIOR, WISC.
 Architect or Engineer KEYSTONE ENVIRONMENTAL RESOURCES, INC.
 Contractor J. R. JENSEN
 STS job number 94580 Month OCT. Year 1988
 Other project number 178275-0A

Test No.	Date	Location	Lift No. or Elevation	Material Mark	Maximum Lab Dry Density [pcf]	In-Place Moist Density [pcf]	Water Content [%] *	In-Place Dry Density [pcf]	Percent Compaction [%]	Comments
1	10-4	SEE PLAN	1 ST	A1-B1	94.6	118.5	30.9	90.5	95	
2	"	"	"	"	"	117.5	30.0	90.4	95	
3	"	"	"	"	"	118.2	30.5	90.6	95	
4	10-6	"	"	"	"	119.8	23.9	96.7	100	
5	"	"	"	"	"	117.9	27.8	92.3	97	
6	"	"	2 ND	"	"	117.1	29.8	90.2	95	
7	"	"	"	"	"	115.5	28.0	90.2	95	
8	10-7	"	"	"	"	117.8	27.1	92.7	98	
9	"	"	"	"	"	119.1	27.4	93.5	98	
10	"	"	"	"	"	118.6	28.8	92.1	97	
11	10-8	"	3 RD	"	"	117.9	27.3	92.6	97	
12	"	"	"	"	"	116.0	28.2	90.5	95	
13	"	"	"	"	"	118.4	28.3	92.3	97	
14	"	"	"	"	"	119.7	28.7	93.0	98	
15	"	"	"	"	"	116.6	28.8	90.5	95	

CLAY BARRIER


* Water content shown as percent of dry weight.

Percent Compaction Based On:

- ASTM D 1557-70 (Modified Proctor)
 - ASTM D 698-70 (Standard Proctor)
 - Other _____
- Compaction Required 95 %

Method of Field Density Measurements:

- ASTM D 1566 (sand cone)
- ASTM D 2922 (nuclear)



△ - LABORATORY TEST SAMPLE - CLAY BARRIER


TEST LOCATION PLAN
 KOPPERS COMPANY
 SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
 2820 Belknap Street
 Superior, Wisconsin

FJT | 9-19-88 94580 | no scale

GRAIN SIZE DISTRIBUTION SYSTEM




SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION

Grain Size Distribution
 Clay Barrier - Lift #1
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	


SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A2-C1-2	32.4	90	29	61	Clay, Trace Sand and Gravel - (CH)

Grain Size Distribution
 Clay Barrier - Lift #1
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580

GRAIN SIZE DISTRIBUTION SYSTEM




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A2-C2-1	29.3	84	29	55	Clay, Trace Sand - (CH)

Grain Size Distribution
Clay Barrier - Lift #2
Koppers Closure
Superior, Wisconsin

STS CONSULTANTS, LTD.
2405 ANNAPOLIS LANE, SUITE 280
MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	


SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A2-C2-2	33.5	84	29	55	Clay, Trace Sand - (CH)

Grain Size Distribution
 Clay Barrier - Lift #2
 Koppers Closure
 Superior, Wisconsin


STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580

UNIFIED CLASSIFICATION SYSTEM



SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION			
A2-C3-1		81.3	24.6	56.7	Clay, Trace Sand - (CH)	Grain Size Distribution Clay Barrier - Lift 3 Koppers Co. Closure Superior, Wisconsin STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441		
					DRAWN	APPROVED	DATE	JOB No.
					FT	MBS	11/21/88	94580



GRAVEL		SAND			SILT or CLAY	
Coarse	Fine	Coarse	Medium	Fine		

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION									
A2-C3-2	80.1	24.2	55.9		Clay, Trace Sand - (CH)	Grain Size Distribution Clay Barrier - Lift 3 Koppers Co. Closure Superior, Wisconsin STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441								
						<table border="1" style="width: 100%; text-align: center;"> <tr> <td style="width: 15%;">DRAWN</td> <td style="width: 15%;">APPROVED</td> <td style="width: 15%;">DATE</td> <td style="width: 15%;">JOB No.</td> </tr> <tr> <td>F.T.</td> <td>MBS</td> <td>11/21/88</td> <td>94580</td> </tr> </table>	DRAWN	APPROVED	DATE	JOB No.	F.T.	MBS	11/21/88	94580
DRAWN	APPROVED	DATE	JOB No.											
F.T.	MBS	11/21/88	94580											

APPENDIX E

FIELD AND LABORATORY TEST RESULTS



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 11/21/88

ARCH/ENG. Keystone Environmental

REPORT NO. A2-C1-1

PERMEABILITY TEST RESULTS

TEST LOCATION: Clay Barrier - Lift #1

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY DENSITY (lbs/ft.³): 80.9

WATER CONTENT, INITIAL (%): --

WATER CONTENT, FINAL (%): 40.0

PERCENT COMPACTION: 84

CALCULATED PERMEABILITY: Average 4.0 x 10⁻⁹ cm/sec

TESTED BY: Bob Peeters



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 11/21/88

ARCH/ENG. Keystone Environmental

REPORT NO. A2-C1-1

PERMEABILITY TEST RESULTS

TEST LOCATION: Clay Barrier - Lift #1

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY DENSITY (lbs/ft.³): 91.0

WATER CONTENT, INITIAL (%): --

WATER CONTENT, FINAL (%): 32.4

PERCENT COMPACTION: 96

CALCULATED PERMEABILITY: Average 2.3×10^{-9} cm/sec

TESTED BY: Bob Peeters



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 11/21/88

ARCH/ENG. Keystone Environmental

REPORT NO. A2-C2-1

PERMEABILITY TEST RESULTS

TEST LOCATION: Clay Barrier - Lift #2

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY DENSITY (lbs/ft.³): 94.3

WATER CONTENT, INITIAL (%): --

WATER CONTENT, FINAL (%): 29.3

PERCENT COMPACTION: 100

CALCULATED PERMEABILITY: Average 2.5×10^{-9} cm/sec

TESTED BY: Bob Peeters



STS Consultants Ltd.

Consulting Engineers

2820 Belknap Street
Superior, Wisconsin 54880

(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 11/21/88

ARCH/ENG. Keystone Environmental

REPORT NO. A2-C2-2

PERMEABILITY TEST RESULTS

TEST LOCATION: Clay Barrier - Lift #2

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY DENSITY (lbs/ft.³): 85.9

WATER CONTENT, INITIAL (%): --

WATER CONTENT, FINAL (%): 33.5

PERCENT COMPACTION: 91

CALCULATED PERMEABILITY: Average 2.5×10^{-9} cm/sec

TESTED BY: Bob Peeters



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Co. Closure STS JOB NO. 94580
LOCATION Superior, Wisconsin DATE 11-25-88
ARCH/ENG Keystone Environmental Resources, Inc. REPORT NO. A2-C3-1

PERMEABILITY TEST RESULTS

TEST LOCATION: See Plan, Lift 3

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY WEIGHT (lbs/ft³): 91.4

WATER CONTENT, INITIAL (%): 28.1

WATER CONTENT, FINAL (%): 29.0

PERCENT COMPACTION: 96.6

CALCULATED PERMEABILITY: Average 7.36 X 10⁻⁸ cm/sec

TESTED BY: Fred TePaske



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Co. Closure STS JOB NO. 94580
LOCATION Superior, Wisconsin DATE 11-25-88
ARCH/ENG Keystone Environmental Resources, Inc. REPORT NO. A2-C3-2

PERMEABILITY TEST RESULTS

TEST LOCATION: See Plan, Lift 3

MATERIAL: Clay, Trace Sand

SOIL CLASSIFICATION: CH

TEST TYPE: Falling Head

UNIT DRY WEIGHT (lbs/ft³): 92.0

WATER CONTENT, INITIAL (%): 28.5

WATER CONTENT, FINAL (%): 29.1

PERCENT COMPACTION: 97.3

CALCULATED PERMEABILITY: Average 1.70 x 10⁻⁹ cm/sec

TESTED BY: Fred TePaske


A3 - DRAINAGE LAYER

Borrow Source Evaluation

- Proctor Test Results
- Grain Size Test Results
- Permeability Test Results

Field/Laboratory Testing of "As-Built" Construction

- Field Density Test Locations
- Field Density Test Results
- Laboratory Test Sample Locations
- Grain Size Test Results



DTD CONSULTANTS LTD.
Geotechnical Engineering
and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

Minneapolis, Minnesota 55447
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804

Date 9-22-88

Job No. 94580

COMPACTION CONTROL REPORT

1. Laboratory Compaction Test Data

A. Description of Soil: FINE TO COARSE BROWN SAND, SOME GRAVEL

Material Mark A3-B1 Classification SP AASHO BPR


Source of Material Bellwood Road, SECTION 17, BEULIE TOWNSHIP, DOUGLAS CO.


Natural Water Content _____ % Natural Dry Density _____ PCF Specific Gravity _____

Liquid Limit _____ % Plastic Limit _____ % Plasticity Index _____

B. Test Procedure Used: ASTM D698 METHOD D

C. Test Results: Optimum Water Content 7.7 %
 Maximum Dry Density 123.6 PCF (at a Wet Density of 133.1 PCF)





SCS CONSULTANTS LTD.
**Geotechnical Engineering
and Material Testing**
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

3830 Hennepin Avenue
Minneapolis, Minnesota 55447
(612) 559-1900

108 Chestnut Street
Virginia, Minnesota 55792
(218) 741-8804

Date 10-8-88

Job No. 94580

COMPACTION CONTROL REPORT

1. Laboratory Compaction Test Data

A. Description of Soil: FINE TO COARSE BROWN SAND, TRACE GRAVEL

Material Mark A3-B2 Classification SP AASHO
BPR

Source of Material ALLEN P.I.T, HWY B, DOUGLAS CO.


Natural Water Content _____ % Natural Dry Density _____ PCF Specific Gravity _____

Liquid Limit _____ % Plastic Limit _____ % Plasticity Index _____

B. Test Procedure Used: ASTM 698 METHOD C

C. Test Results: Optimum Water Content 6.8 %

Maximum Dry Density 100.4 PCF (at a Wet Density of 107.2 PCF)





Geotechnical Engineering
and Material Testing
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

Minneapolis, Minnesota 55447
(612) 559-1900

108 Chestnut Street
Virginia, Minnesota 55792
(218) 741-8804

Date 10-8-88

Job No. 94580

COMPACTION CONTROL REPORT

1. Laboratory Compaction Test Data


A. Description of Soil: FINE TO COARSE BROWN SAND, TRACE TO SOME GRAVEL


Material Mark A3-B3 Classification SP AASHO BPR
Source of Material ALLEN P.I.T., HWY B, DOUGLAS CO.

Natural Water Content _____ % Natural Dry Density _____ PCF Specific Gravity _____
Liquid Limit _____ % Plastic Limit _____ % Plasticity Index _____

B. Test Procedure Used: ASTM D698 METHOD C


C. Test Results: Optimum Water Content 7.0 %
Maximum Dry Density 103.8 PCF (at a Wet Density of 111.1 PCF)





GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

Sample No.	D ₁₀	D ₃₀	D ₆₀	C _u	C _c	CLASSIFICATION	Grain Size Distribution Drainage Material - Borrow #1 Koppers Closure Superior, Wisconsin								
A3-B1*	0.65	0.9	1.8	2.8	0.69	Fine to coarse Sand, little fine to coarse Gravel - (SP)									
						*Material not used	STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441								
							<table border="1"> <tr> <th>DRAWN</th> <th>APPROVED</th> <th>DATE</th> <th>JOB No.</th> </tr> <tr> <td>KE</td> <td>MBS</td> <td>12/19/88</td> <td>94580</td> </tr> </table>	DRAWN	APPROVED	DATE	JOB No.	KE	MBS	12/19/88	94580
DRAWN	APPROVED	DATE	JOB No.												
KE	MBS	12/19/88	94580												




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

Sample No.	D ₁₀	D ₃₀	D ₆₀	C _u	C _c	CLASSIFICATION
A3-B2	0.27	0.41	0.65	2.4	0.96	Fine to coarse Sand, Little fine to coarse Gravel - (SP)

Grain Size Distribution
 Drainage Material - Borrow #2
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

Sample No.	D ₁₀	D ₃₀	D ₆₀	C _u	C _c	CLASSIFICATION
A3-B3	0.31	0.42	0.68	2.2	0.84	Fine to coarse Sand, Little fine to coarse Gravel - (SP)

Grain Size Distribution
 Drainage Material - Borrow #3
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

Sample No.	D ₁₀	D ₃₀	D ₆₀	C _u	C _c	CLASSIFICATION
A3-B4	0.28	0.42	0.69	2.5	0.91	Fine to coarse Sand, Little fine to coarse Gravel - (SP)

Grain Size Distribution
 Drainage Material - Borrow #4
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580



STS Consultants Ltd.
Consulting Engineers

2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 9/22/88

ARCH/ENG. Keystone Environmental

REPORT NO. A3-B1*

PERMEABILITY TEST RESULTS

TEST LOCATION: Bellwood Pit Material - Drainage Material - Borrow #1

*Material not used

MATERIAL: Fine to Coarse Brown Sand, Little fine to coarse Gravel

SOIL CLASSIFICATION: SP

TEST TYPE: Constant Head

UNIT DRY DENSITY (lbs/ft.³): 117.5

WATER CONTENT, INITIAL (%): 7.1

WATER CONTENT, FINAL (%): 9.5

PERCENT COMPACTION: 95.0

CALCULATED PERMEABILITY: 4.42 x 10⁻² cm/sec

TESTED BY: Fred TePaske



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 10/10/88

ARCH/ENG. Keystone Environmental

REPORT NO. A3-B2

PERMEABILITY TEST RESULTS

TEST LOCATION: Allen Pit Material - Drainage Material - Borrow #2

MATERIAL: Fine to Coarse Brown Sand, Little fine to coarse Gravel

SOIL CLASSIFICATION: SP

TEST TYPE: Constant Head

UNIT DRY DENSITY (lbs/ft.³): 95.8

WATER CONTENT, INITIAL (%): 6.5

WATER CONTENT, FINAL (%): 10.1

PERCENT COMPACTION: 95.4

CALCULATED PERMEABILITY: 1.47 x 10⁻² cm/sec

TESTED BY: Fred TePaske



STS Consultants Ltd.
Consulting Engineers
2820 Belknap Street
Superior, Wisconsin 54880
(715) 392-9006

PROJECT NAME Koppers Company Closure

STS JOB NO. 94580

LOCATION Superior, Wisconsin

DATE 10/10/88

ARCH/ENG. Keystone Environmental

REPORT NO. A3-B3

PERMEABILITY TEST RESULTS

TEST LOCATION: Allen Pit Material - Drainage Material - Borrow #3

MATERIAL: Fine to Coarse Brown Sand, Little fine to coarse Gravel

SOIL CLASSIFICATION: SP

TEST TYPE: Constant Head

UNIT DRY DENSITY (lbs/ft.³): 98.9


WATER CONTENT, INITIAL (%): 7.2

WATER CONTENT, FINAL (%): 9.8

PERCENT COMPACTION: 95.3

CALCULATED PERMEABILITY: 3.89×10^{-2} cm/sec

TESTED BY: Fred TePaske



○ - FIELD DENSITY TEST - DRAINAGE LAYER

TEST LOCATION PLAN
 KOPPERS COMPANY
 SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
 2820 Belknap Street
 Superior, Wisconsin

FJT 19-19-88 94580 no scale



STS Consultants Ltd.
 Geotechnical Engineering
 and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

2405 Annapolis Ln., Suite 280
 Minneapolis, Minnesota 55441
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804



COMPACTION CONTROL REPORT

Job name and location SURFACE IMPROVEMENT CLOSURE, KOPPERS CO. SUPERIOR, WISC.
 Architect or Engineer KEYSTONE ENVIRONMENTAL RESOURCES, INC.
 Contractor J. R. JENSEN
 STS job number 94580 Month OCTOBER Year 1982
 Other project number 178275-04

Test No.	Date	Location	Lift No. or Elevation	Material Mark	Maximum Lab Dry Density [pcf]	In-Place Moist Density [pcf]	Water Content [%] *	In-Place Dry Density [pcf]	Percent Compaction [%]	Comments
1	10-18	SEE PLAN	GRADE	A3-B2	100.4	101.6	6.3	95.6	95	
2	"	"	"	"	"	102.3	6.1	96.4	96	
3	"	"	"	"	"	101.3	6.1	95.5	95	
4	"	"	"	"	"	102.7	6.6	96.3	96	
5	"	"	"	"	"	102.0	6.6	95.7	95	
6	"	"	"	"	"	101.8	6.5	95.6	95	

DRAINAGE LAYER
 Percent Compaction Based On:
 ASTM D 1557-70 (Modified Proctor)
 ASTM D 698-70 (Standard Proctor)
 Other _____
 Compaction Required 95 %

* Water content shown as percent of dry weight.
 Method of Field Density Measurements:
 ASTM D 1566 (sand cone)
 ASTM D 2922 (nuclear)




△ - LABORATORY TEST SAMPLE - DRAINAGE LAYER

TEST LOCATION PLAN
KOPPERS COMPANY
SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
2820 Belknap Street
Superior, Wisconsin

FJT 19-19-88 94580 no scale




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

Sample No.	D ₁₀	D ₃₀	D ₆₀	C _u	C _c	CLASSIFICATION
A3-C1-1	0.40	0.54	0.82	2.1	0.89	Fine to coarse Sand, Little fine to coarse Gravel - (SP)

Grain Size Distribution
 Drainage Material - Lift #1
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

Sample No.	D ₁₀	D ₃₀	D ₆₀	C _u	C _c	CLASSIFICATION
A3-C1-2	0.38	0.5	0.9	2.4	0.73	Fine to coarse Sand, Some fine to coarse Gravel - (SP)

Grain Size Distribution
 Drainage Material - Lift #1
 Koppers Closure
 Superior, Wisconsin


STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	12/19/88	94580

A4 - COVER SOIL

Field/Laboratory Testing of "As-Built" Construction

- Field Density Test Locations
- Field Density Test Results
- Laboratory Test Sample Locations
- Grain Size/Atterberg Limits Test Results



○ - FIELD DENSITY TEST - COVER SOIL

TEST LOCATION PLAN
 KOPPERS COMPANY
 SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
 2820 Belknap Street
 Superior, Wisconsin

FJT 19-19-88 94580 no scale



STS Consultants Ltd.
 Geotechnical Engineering
 and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

2405 Annapolis Ln., Suite 280
 Minneapolis, Minnesota 55441
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Job name and location SURFACE IMPROVEMENT CLOSURE KOPPEL'S CO. SUPERIOR WISC
 Architect or Engineer KEYSTONE ENVIRONMENTAL RESOURCES, INC.
 Contractor J. R. JENSEN
 STS Job number 94500 Month OCTOBER Year 1988
 Other project number 17E275-04

Test No.	Date	Location	Lift No. of Elevation	Material Mark	Maximum Lab Dry Density [pcf]	In-Place Moist Density [pcf]	Water Content [%] *	In-Place Dry Density [pcf]	Percent Compaction [%]	Comments
1	10-25	SEE PLAN	1 ST	A1-B1	94.6	118.4	28.3	92.3	97	
2	"	"	"	"	"	117.0	27.5	91.8	97	
3	"	"	"	"	"	115.3	25.7	91.7	97	
4	"	"	"	"	"	115.4	27.8	90.3	95	
5	"	"	"	"	"	117.6	27.1	92.5	97	
6	10-26	"	2 ND	"	"	116.7	29.1	90.4	95	
7	"	"	"	"	"	117.2	29.8	90.3	95	
8	"	"	"	"	"	118.3	29.6	91.3	96	
9	"	"	"	"	"	117.7	28.5	91.6	97	
10	"	"	"	"	"	116.9	28.7	90.8	96	
11	10-28	"	3 RD	"	"	119.3	28.8	92.6	97	
12	"	"	"	"	"	117.5	28.8	91.2	96	
13	"	"	"	"	"	117.0	28.3	91.2	96	
14	"	"	"	"	"	118.4	28.1	92.4	97	
15	"	"	"	"	"	116.7	28.2	91.0	96	

Cover Soil

Percent Compaction Based On:

ASTM D 1557-70 (Modified Proctor)

ASTM D 698-70 (Standard Proctor)

Other


Compaction Required 95 %

* Water content shown as percent of dry weight.

Method of Field Density Measurements:

ASTM D 1566 (sand cone)

ASTM D 2922 (nuclear)




△ - LABORATORY TEST SAMPLE - COVER SOIL

TEST LOCATION PLAN
KOPPERS COMPANY
SUPERIOR, WISCONSIN




STS CONSULTANTS, LTD.
2820 Belknap Street
Superior, Wisconsin

FJT 19-19-88 94580 no scale



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION	Grain Size Distribution Cover Soil - Lift #1 Koppers Closure Superior, Wisconsin								
A4-C1	--	92.3	28.1	64.2	Clay, Trace Sand - (CH)									
						STS CONSULTANTS, LTD. 2405 ANNAPOLIS LANE, SUITE 280 MINNEAPOLIS, MINNESOTA 55441								
						<table border="1"> <tr> <th>DRAWN</th> <th>APPROVED</th> <th>DATE</th> <th>JOB No.</th> </tr> <tr> <td>KE</td> <td>MBS</td> <td>11/29/88</td> <td>94580</td> </tr> </table>	DRAWN	APPROVED	DATE	JOB No.	KE	MBS	11/29/88	94580
DRAWN	APPROVED	DATE	JOB No.											
KE	MBS	11/29/88	94580											




GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A4-C2	--	89.9	26.7	63.2	Clay, Trace Sand - (CH)

Grain Size Distribution
 Soil Cover - Lift #2
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	11/29/88	94580



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A4-C3	--	91.1	26.6	64.5	Clay, Trace Sand - (CH)

Grain Size Distribution
 Cover Soil - Lift #3
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	11/29/88	94580


A5 - TOPSOIL

Borrow Source Evaluation

- Proctor Test Results
- Grain Size/Atterberg Limits Test Results
- Fertility Analysis Test Results

Field/Laboratory Testing of "As-Built" Construction

- Field Density Test Locations
- Field Density Test Results
- Laboratory Test Sample Locations
- Grain Size/Atterberg Limits Test Results



STS Consultants, Ltd.
 3650 Annapolis Lane
 Minneapolis, MN 55447-5434
 (612) 559-1900

2820 Belknap Street
 Superior, WI 54880
 (715) 392-9006

108 Chestnut Street
 Virginia, MN 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Laboratory Compaction Test Data

Project: Koppers Closure Date: 10/12/88 STS Job# 94580

Description of soil: Elastic Silt, Trace Sand, few roots - Brown

Material mark: A5-B1/B2 Composite (Topsoil) Classification: MH


Source of Material: J.R. Jensen Farm, Douglas County, Wisconsin


Natural water content: -- % Natural dry density: -- pcf Specific gravity: 2.53 (est.)
 Liquid limit: 73.2/75.6 % Plastic limit: 40.4/42.1 % Plasticity index: 32.8/33.5

Test procedure used: Standard Proctor, ASTM D-698, Method A

TEST RESULTS

Optimum water content: 33.2 %
 Maximum dry density: 76.6 pcf (at a wet density of: 102.0 pcf)






GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A5-B1	--	73.2	40.4	32.8	Elastic Silt, Trace Sand - (MH)

Grain Size Distribution
 Topsoil - Borrow #1
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	11/10/88	94580



SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
					*Liquid Limit = 58.3 after oven-drying

Grain Size Distribution
 Topsoil - Borrow #2
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	11/10/88	94580

SOIL ANALYSIS REPORT

MINNESOTA VALLEY TESTING LABORATORIES, Inc.

NEW ULM, MN. PH. 507-354-3517

NEVADA, IA. PH. 515-382-5486

BISMARCK, N.D. PH. 701-258-9720

GRAND FORKS, N.D. PH. 701-746-3035

SUBMITTED BY:

16120

STS CONSULTANTS, LTD.

c/o Bruce Smith
3650 Annapolis Ln.
Plymouth, MN 55447

DATE RECEIVED: 10-13-88

DATE REPORTED: 10-17-88

WORK ORDER NO: 11-2277

LAB NOS: 1023-512 / 1023-513


SUBMITTED FOR:

STS Project 94580

VG.00 990901	FIELD AND/OR SAMPLE NO. A5-91 /Unknown	FIELD AND/OR SAMPLE NO. A5-82 /Unknown
ORGANIC MATTER	5.9% [REDACTED]	4.9% [REDACTED]
NITROGEN NO ₃ -N LBS/A	[REDACTED]	[REDACTED]
PHOSPHORUS BRAY 1 (P) LBS/A OLSEN	10 [REDACTED]	6 [REDACTED]
POTASSIUM (K) LBS/A	340 [REDACTED]	340 [REDACTED]
ZINC PPM	[REDACTED]	[REDACTED]
SULFUR SO ₄ -S PPM	[REDACTED]	[REDACTED]
ACIDITY pH	6.1	6.4
BUFFER INDEX		
SALTS mmhos/cm	TEXTURE FINE CEC -	TEXTURE FINE CEC
CALCIUM LBS/A	% BASE SATURATION Ca Mg K Na H	% BASE SATURATION Ca Mg K Na H
MAGNESIUM LBS/A		
ALL RECOMMENDATIONS ARE ON A BROADCAST BASIS.	MULTIPLE OPTION RECOMMENDATIONS	MULTIPLE OPTION RECOMMENDATIONS
CROP AND YIELD GOAL	Grass (--) Legume Grass (3) ACTUAL (--)	Grass (--) Legume Grass (3) ACTUAL (--)
NITROGEN (LBS.)	50	50
P ₂ O ₅ LBS STANDARD	60 54	68 59
P ₂ O ₅ LBS BUILD (B) OR MAINTENANCE (M)		
K ₂ O LBS STANDARD	0 0	0 0
K ₂ O LBS BUILD (B) OR MAINTENANCE (M)		
ZINC (LBS)		
SULFUR (LBS)		
LIME NEEDS to pH 6.0 AS 100% ECCE (lbs/acre) to pH 6.5	No lime required. 4300 lbs of lime for 6 inch plow depth.	No lime required. 2700 lbs of lime for 6 inch plow depth.

ADDITIONAL RECOMMENDATIONS AND COMMENTS:

- 1) Reduce N REC 20 lbs/A with non-forage legumes or 35 lbs/A with forage legumes as previous crop (except for corn recs).
- 2) For PASTURE under intensive management apply an additional 50-100 lbs/A of N, 20 lbs/A of P₂O₅, 40 lbs/A of K₂O on mineral soils.
- 3) Reduce LIME REC by one half for western Minnesota, the Dakotas, and in areas having clay subsoils.
- 4) The standard recommendation is taken from University of Minnesota unless otherwise indicated.
- 5) Refer to reverse side for explanation of soil tests and fertilizer recommendations.



○ - FIELD DENSITY TEST - TOPSOIL

TEST LOCATION PLAN
 KOPPERS COMPANY
 SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
 2820 Belknap Street
 Superior, Wisconsin

FJT 19-19-88 94580 no scale



STS Consultants Ltd.
Geotechnical Engineering
and Material Testing
 2820 Belknap Street
 Superior, Wisconsin 54880
 (715) 392-9006

2405 Annapolis Ln., Suite 280
 Minneapolis, Minnesota 55441
 (612) 559-1900

108 Chestnut Street
 Virginia, Minnesota 55792
 (218) 741-8804

COMPACTION CONTROL REPORT

Job name and location: SURFACE IMPROVEMENT CLOSURE KOPPERS CO. @ SUPERIOR, WISC
 Architect or Engineer: KEYSTONE ENVIRONMENTAL RESOURCES, INC.
 Contractor: J. R. JENSEN
 STS job number: 94580 Month: NOVEMBER Year: 1988
 Other project number: 178275-04

Test No.	Date	Location	Lift No. or Elevation	Material Mark	Maximum Lab Dry Density [pcf]	In-Place Moist Density [pcf]	Water Content [%] *	In-Place Dry Density [pcf]	Percent Compaction [%]	Comments
1	11-7	SEE PLAN	1 ST	A5-B1	76.6	94.3	35.5	69.6	91	
2	"	"	"	"	"	94.0	36.4	68.9	90	
3	"	"	"	"	"	95.2	35.6	70.2	91	
4	"	"	"	"	"	96.6	36.1	71.0	92	
5	"	"	"	"	"	93.7	34.6	69.6	91	
6	"	"	2 ND	"	"	93.9	33.6	70.3	91	
7	"	"	"	"	"	94.5	35.6	69.7	91	
8	"	"	"	"	"	96.3	34.9	71.4	93	
9	"	"	"	"	"	95.8	35.3	70.8	92	
10	"	"	"	"	"	96.0	36.0	70.6	92	

Topsoil

Percent Compaction Based On:
 ASTM D 1557-70 (Modified Proctor)
 ASTM D 698-70 (Standard Proctor)
 Other _____
 Compaction Required 90 %

* Water content shown as percent of dry weight.

Method of Field Density Measurements:
 ASTM D 1566 (sand cone)
 ASTM D 2922 (nuclear)

△ A5-C1

△
A5-C2


△ - LABORATORY TEST SAMPLE - TOPSOIL

TEST LOCATION PLAN
KOPPERS COMPANY
SUPERIOR, WISCONSIN



STS CONSULTANTS, LTD.
2820 Belknap Street
Superior, Wisconsin

FJT | 9-19-88 | 94580 | no scale



GRAVEL		SAND			SILT or CLAY
Coarse	Fine	Coarse	Medium	Fine	

SAMPLE NO.	W.C.	LL	PL	PI	CLASSIFICATION
A5-C2	--	73.6	36.1	37.5	Elastic Silt, Trace Sand - (MH)

Grain Size Distribution
 Topsoil - Lift #2
 Koppers Closure
 Superior, Wisconsin

STS CONSULTANTS, LTD.
 2405 ANNAPOLIS LANE, SUITE 280
 MINNEAPOLIS, MINNESOTA 55441

DRAWN	APPROVED	DATE	JOB No.
KE	MBS	11/29/88	94580

HDPE LINER

- Melt Index and Environmental Stress Crack Resistance Test Results
- Thickness, Density, Modulus of Elasticity and Tensile Strength Test Results
- Liner Seam Sample Locations
- Bonded Seam Strength and Peel Adhesion Test Results

AGF LABORATORIES, INC.
13811 DISTRIBUTION WAY
DALLAS, TEXAS 75244
(214) 243-2293

Fred. LeBeak
SIS Consultant LTD
2820 Bellvue St.
Superior, Wisconsin 54880

Dear Fred,

Re: SIS Job # 94580 AGF Lab number 60-10-88.

The following are the results of the testing of the two different batches of material that were identified as Batch #3771 and Batch #3770. You requested that a melt index be performed as well as Environmental Stress Crack Resistance (ESCR).

MELT INDEX - ASTM D1238 190 2.15

BATCH # 3771 0.49 GHS. 10 MIN.

BATCH # 3770 0.49 GHS. 10 MIN.

ESCR - ASTM D1683 CONDITION C, 100% C, AND 100% IGBALL


BATCH # 3771 500 HOURS NO FAILURES

BATCH # 3770 500 HOURS NO FAILURES

The procedures that were followed and the total hours of conditioning were in accordance to the specified test procedure of ASTM. The total test hours for ASTM D1683 were derived from the National Sanitation Foundation (NSF) Standard 53.

The test results and testing were done in accordance to specified procedures with no consideration to actual application. The results are presented in good faith, with the values presented only representing the samples that were submitted to AGF. These values should not be construed or the values implied to any other material except for the samples tested.

Respectfully yours,


Wayne Youngblood



STS Consultants Ltd.

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geosynthetic: Roll #4L-3770 I 1704 Batch #3770
Date: 10/28/88

SUMMARY OF TEST RESULTS

<u>TEST</u>	<u>AVERAGE</u>
Thickness	42.5 mils
Density	0.974 g/cc
Modulus of Elasticity	
Longitudinal	25885 lbs/in ²
Transverse	27442 lbs/in ²
Tensile Strength and % Elongation	
Longitudinal	Yield: 2550 lbs/in ² @ 12% Break: 3650 lbs/in ² @ 632%
Transverse	Yield: 2600 lbs/in ² @ 12% Break: 4650 lbs/in ² @ 648%



STS Consultants Ltd.

Thickness Test
(Modified ASTM D-1777)
(2 kilopascal normal load)

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: Roll #4L-3770 I 1704
10/25/88 Batch #3770

SUMMARY OF TEST RESULTS

<u>Specimen</u>	<u>Mils</u>	<u>Millimeters</u>
1	42.1	1.07
2	41.3	1.05
3	43.3	1.10
4	<u>43.3</u>	<u>1.10</u>
Ave.	42.5	1.08



STS Consultants Ltd.

Density
ASTM D-792

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: Roll #4L-3770 I 1704
Specimen: Batch #3770
10/28/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Density (g/cc)</u>
1	0.973
2	0.971
3	0.993
4	<u>0.959</u>
Ave.	0.974



STS Consultants Ltd.

Modulus Of Elasticity

ASTM D-882

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: Roll #4L-3770 I 1704
Specimen: Batch #3770
10/25/88

SUMMARY OF TEST RESULTS

<u>Direction</u>	<u>Specimen No.</u>	<u>Modulus of Elasticity (lbs/in²)</u>
Longitudinal	1	25581
	2	<u>26190</u>
	Ave.	25885
Transverse	1	26046
	2	<u>28837</u>
	Ave.	27442



STS Consultants Ltd.

Modulus of Elasticity

(ASTM D-882)

STS Job No.: 94580

Project: Surface Impoundment Closure for Kopper's Co.

Geosynthetic: Roll #4L-3770 I 1704 Batch 3770

Specimen Longitudinal


1" wide, 4" gauge length
0.4"/min.

Modulus of Elasticity

(lbs/in²): 25885

Ave. of 2 tests.

Cross Sectional Area: #1: 0.043 in²
#2: 0.042 in²





STS Consultants Ltd.

Modulus of Elasticity
(ASTM D-882)

STS Job No.: 94580


Project: Surface Impoundment Closure for Kopper's Co.

Geosynthetic: Roll # 4L-3770 I 1704 Batch 3770

Specimen Transverse
1" wide, 4" gauge length
0.4"/min.

Modulus of Elasticity
(lbs/in²): 27442
Ave. of 2 tests.

Cross Sectional Area: #1: 0.043 in²
#2: 0.043 in²





STS Consultants Ltd.

Tensile Strength Test

(ASTM D-638)

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co,
Geotextile: Roll #4L-3770 I 1704
Specimen: Batch #3770
10/25/88

SUMMARY OF TEST RESULTS

<u>Direction</u>	<u>Specimen No.</u>	<u>Strength @ Yield (lbs/in²)</u>	<u>% Elongation</u>	<u>Strength @ Break (lbs/in²)</u>	<u>% Elongation</u>
Longitudinal	1	2500	12	3200	566
	2	<u>2600</u>	<u>12</u>	<u>4100</u>	<u>698</u>
	Ave.	2550	12	3650	632
Transverse	1	2700	12	4600	652
	2	<u>2500</u>	<u>12</u>	<u>4700</u>	<u>643</u>
	Ave.	2600	12	4650	648




STS Consultants Ltd.

Tensile Strength Test
ASTM D-638

STS Job No.: 94580
Project: Surface Impoundment closure for Kopper's Co.
Geosynthetic: Roll # 4L-3770 I 1704 Batch 3770
Specimen Longitudinal

Cross Sectional Area: #1: 0.010 in²
0.25" wide
2.5" gage length
2.0"/min.





STS Consultants Ltd.

Tensile Strength Test
ASTM D-638

STS Job No.: 94580

Project: Surface Impoundment Closure for Kopper's Co.

Geosynthetic: Roll# 4L-3770 I 1704 Batch 3770


Specimen Longitudinal

Cross Sectional Area: 0.010 in²

0.25" wide

2.5" gage length

2.0"/min.






STS Consultants Ltd.

Tensile Strength Test
ASTM D-638

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geosynthetic: Roll # 4L-3770 I 1704 Barch 3770
Specimen Transverse

Cross Sectional Area: #1-0.010 in² 0.25" wide
#2-0.010 in² 2.5" gage length
2"/min.





STS Consultants Ltd.

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geosynthetic: Roll #4L-3771 I 1706 Batch #3771
Date: 10/28/88

SUMMARY OF TEST RESULTS

<u>TEST</u>	<u>AVERAGE</u>
Thickness	42.8 mils
Density	0.978 g/cc
Modulus of Elasticity	
Longitudinal	26510 lbs/in ²
Transverse	28704 lbs/in ²
Tensile Strength and % Elongation	
Longitudinal	Yield: 2500 lbs/in ² @ 12% Break: 4600 lbs/in ² @ 716%
Transverse	Yield: 2500 lbs/in ² @ 12% Break: 4600 lbs/in ² @ 640%



STS Consultants Ltd.

Thickness Test
(Modified ASTM D-1777)
(2 kilopascal normal load)

STS Job No.: 94580
Project: Surface Impoundment closure for Kopper's Co.
Geotextile: Roll #4:-3771 I 1706
10/25/88 Batch #3771

SUMMARY OF TEST RESULTS

<u>Specimen</u>	<u>Mils</u>	<u>Millimeters</u>
1	43.7	1.11
2	42.5	1.08
3	41.7	1.06
4	<u>43.3</u>	<u>1.10</u>
Ave.	42.8	1.09



STS Consultants Ltd.

Density

ASTM D-792

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: Roll #4L-3771 I 1706
Specimen: Batch #3771
10/28/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Density (g/cc)</u>
1	0.994
2	0.973
3	0.962
4	<u>0.985</u>
ave.	0.978



STS Consultants Ltd.

Modulus Of Elasticity

ASTM D-882

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: Roll #4L-3771 I 1706
Specimen: Batch #3771
10/25/88

SUMMARY OF TEST RESULTS

<u>Direction</u>	<u>Specimen No.</u>	<u>Modulus of Elasticity (lbs/in²)</u>
Longitudinal	1	26829
	2	<u>26190</u>
	Ave.	26510
Transverse	1	28837
	2	<u>28571</u>
	Ave.	28704



STS Consultants Ltd.

Modulus of Elasticity
(ASTM D-882)

STS Job No.: 94580

Project: Surface Impoundment Closure for Kopper's Co.

Geosynthetic: Roll# 4L-3771 I 1706 Batch 3771


Specimen Transverse

1" wide-4" gauge length
0.4"/min.

Modulus of Elasticity
(lbs/in): 28704

Ave. of 2 tests.

Cross Sectional Area: #1: 0.043 in²
#2: 0.042 in²






STS Consultants Ltd.

Modulus of Elasticity
(ASTM D-882)

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geosynthetic: Roll # 4L-3771 I 1706 Batch 3771
Specimen Longitudinal
1" wide-4" gauge length
0.4"/min.

Modulus of Elasticity
(lbs/in): 26510
Ave. of 2 tests.

Cross Sectional Area: #1: 0.041 in²
#2: 0.042 in²





STS Consultants Ltd.

Tensile Strength Test

ASTM D-638

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: Roll #4L-3771 I 1706
Specimen: Batch 3771
10/25/88

SUMMARY OF TEST RESULTS

<u>Direction</u>	<u>Specimen No.</u>	<u>Strength @ Yield (lbs/in²)</u>	<u>% Elongation</u>	<u>Strength @ Break (lbs/in²)</u>	<u>% Elongation</u>
Longitudinal	1	2500	12	4500	712
	2	<u>2500</u>	<u>12</u>	<u>4700</u>	<u>719</u>
	Ave.	2500	12	4600	716
Transverse	1	2500	12	4600	688
	2	<u>2500</u>	<u>12</u>	<u>4600</u>	<u>592</u>
	Ave.	2500	12	4600	640




STS Consultants Ltd.

Tensile Strength Test
ASTM D-638

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geosynthetic: Roll # 4L-3771 I 1706 Batch 3771
Specimen Longitudinal

Cross Sectional Area: #1-0.010 in² 0.25" wide
#2-0.010 in² 2.5" gage length
2.0"/min.





STS Consultants Ltd.

Tensile Strength Test
ASTM D-638

STS Job No.: 94580


Project: Surface Impoundment Closure for Kopper's Co.


Geosynthetic: Roll # 4L-3771 I 1706 Batch # 3771

Specimen Transverse


Cross Sectional Area: #1-0.010 in²
#2-0.010 in²

0.25" wide
2.5" gage length
2.0".min,





N.T.S.



Geo-Synthetics, Inc.
KOPPERS CO. INC. SURFACE IMPOUNDMENT CLOSURE LINER
DRAWN BY: E.J.S. NOV. 1, 1988



STS Consultants Ltd.

Bonded Seam Strength

ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure For Koppe's Co.
Geotextile: HDPE Seam #2
Specimen: 1" wide-20"/min,
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Strength at Yield (lbs)</u>
1	114
2	<u>124</u>
Ave.	119

#1 Stretched, then failed between clamp and seam

#2 Broke at edge of seam



STS Consultants Ltd.

20"/min


Bonded Seam Strength

ASTM D-3083

STS Job No. 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #2
Specimen 1" wide

Tensile Strength (lbs) 119 lb
& Elongation at Break:
Modulus at _____ & Elongation:
Ave. of 2 tests

#1: 0.042" thick Seam: 1.916" long 0.084" thick
#2: 0.041" thick Seam: 1.858" long 0.081" thick



#1 Stretched, then broke between clamp and seam
#2 broke at edge of seam



STS Consultants Ltd.

Peel Adhesion

ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: HDPE Seam #2
Specimen: 1" wide-2"/min 180° peel
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Peel Adhesion (lbs)</u>
1	82
2	<u>84</u>
Ave.	83

Both samples broke at edge of bonded area, did not peel



STS Consultants Ltd.

2"/min
180° peel


Peel Adhesion
ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #2
Specimen 1" wide

Tensile Strength (lbs) 83 lbs
& Elongation at Break:
Modulus at _____ & Elongation:
Ave. of 2 tests

#1: 0.041" thick
bonded length: 1.886"

#2: 0.041" thick
bonded length: 1.847"



Both samples broke at edge of bonded area, did not peel



STS Consultants Ltd.

Bonded Seam Strength

ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: HDPE Seam #8
Specimen: 1" wide - 20"/min
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Strength at Yield (lbs)</u>
1	122
2	<u>100</u>
Ave.	111

#1 Broke at edge of seam
#2 Stretched, then broke at edge of seam



STS Consultants Ltd. 20"/min


Bonded Seam Strength
ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #8
Specimen 1" wide

Tensile Strength (lbs) 111 lb
& Elongation at Break:
Modulus at _____ & Elongation:
Ave. of 2 tests

#1- 0.041" thick
Seam: 1.982" long
0.083" thick

#2- 0.041" thick
Seam: 1.999" long
0.116" thick



#1 broke at edge of seam



STS Consultants Ltd.

Peel Adhesion

ASTM D-413

STS Job No.: 94580

Project: Surface Impoundment Closure for Kopper's Co.

Geotextile: HDPE- Seam #8

Specimen: 1" wide-2"/min, 180° peel

10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Peel Adhesion (lbs)</u>
1	84
2	<u>80</u>
Ave.	82

Both samples broke at edge of bonded area, did not peel



STS Consultants Ltd.

2"/min
180° Peel


Peel Adhesion
ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #8
Specimen 1" wide

Tensile Strength (lbs) 82 13
% Elongation at Break:
Modulus at _____ % Elongation:
Ave. of 2 tests

#1: 0.040" thick
bonded length: 1.983"

#2: 0.040" thick
bonded length: 1.995"



Both samples broke at edge of bonded area, did not peel



STS Consultants Ltd.

Bonded Seam Strength
ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: HDPE Seam #15
Specimen: 1" wide, 20"/min
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Strength at Yield (lbs)</u>
1	115
2	<u>121</u>
Ave.	118

Both samples stretched, then failed at edge of seam



STS Consultants Ltd. 20"/min


Bonded Seam Strength
ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #15
Specimen 1" wide

Tensile Strength (lbs) 118 lb
% Elongation at Break:
Modulus at _____ % Elongation:
Ave. of 2 tests

#1: 0.041" thick
Seam: 1.812" long
0.085" thick

#2: 0.042" thick
Seam: 1.852" long
0.083" thick



Both samples stretched, then failed at edge of seam.



STS Consultants Ltd.

Peel Adhesion

ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure at Kopper's Co.
Geotextile: HDPE Seam #15
Specimen: 1" wide-2"/min, 18.0° peel
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Peel Adhesion (lbs)</u>
1	63
2	<u>57</u>
Ave.	60

Both Samples peeled about 1/8", then broke at edge of bonded area.



STS Consultants Ltd.

2"/min
180° peel


Peel Adhesion
ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #15
Specimen 1" wide

Tensile Strength (lbs) 60 lbs
& Elongation at Break:
Modulus at _____ & Elongation:
Ave. of 2 tests

#1: 0.040" thick
bond length: 1.799"

#2: 0.040" thick
bond length: 1.799"



Both samples peeled about 1/8", then failed at edge of bonded area.



STS Consultants Ltd.

Bonded Seam Strength

ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: HDPE Seam #19
Specimen: 1" wide-20"/min
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Strength at Yield (lbs)</u>
1	124
2	<u>117</u>
Ave.	120

Both samples stretched, then broke at edge of seam



STS Consultants Ltd.


20"/min

Bonded Seam Strength
ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #19
Specimen 1" wide

Tensile Strength (lbs) 120 lbs
% Elongation at Break:
Modulus at _____ % Elongation:
Ave. of 2 tests

#1: 0.040" thick
Seam: 1.976" long
0.096" thick



Sample stretched, then broke at edge of seam



STS Consultants Ltd.


20"/min

Bonded Seam Strength
ASTM D-3083

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: SEam #19
Specimen 1" wide

Tensile Strength (lbs) 120 lbs
& Elongation at Break:
Modulus at _____ & Elongation:
Ave. of 2 tests

#2: 0.040" thick
Seam: 1.976" long
0.086" thick



Sample stretched, then broke at edge of bonded area.



STS Consultants Ltd.

Peel Adhesion

ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure for Kopper's Co.
Geotextile: HDPE Seam #19
Specimen: 1" wide-2"/min, 180° peel
10/20/88

SUMMARY OF TEST RESULTS

<u>Specimen No.</u>	<u>Peel Adhesion (lbs)</u>
1	88
2	<u>79</u>
Ave,	84

Both samples broke at edge of bonded area, did not peel



STS Consultants Ltd.

2"/min
180° peel


Peel Adhesion
ASTM D-413

STS Job No.: 94580
Project: Surface Impoundment Closure
Geosynthetic: Seam #19
Specimen 1" wide

Tensile Strength (lbs) 84 lbs
% Elongation at Break:
Modulus at _____ % Elongation:
Ave. of 2 tests

#1: 0.041" thick
bonded length: 1.976"

#2: 0.041" thick
bonded length: 1.949"



both samples broke at edge of bonded area, did not peel

APPENDIX F

MATERIALS AND SUPPLIERS LIST

SUPERIOR WISCONSIN PROJECT

MATERIAL LIST

<u>CAP COMPONENT(1)</u>	<u>SOURCE / DESCRIPTION</u>
Unclassified Soil Fill	Ray Konen on Highway "C", Douglas County, Wisconsin/Clay, trace sand.
Clay Barrier	Ray Konen on Highway "C", Douglas County, Wisconsin/Clay, trace sand.
HDPE Liner	Manufactured by National Seal Company, Installed by Geosynthetics Inc., a subcontractor/40 mil High Density Polyethylene.
Geotextile	Exxon Chemical Company/Filter Fabric stock number P1023, polypropylene, weight 10 oz./SY.
Drainage Layer	Allen Pit on Highway "B", Douglas County, Wisconsin/Fine to Coarse Brown Sand, trace gravel.
Cover Soil	Ray Konen on Highway "C", Douglas County, Wisconsin/Clay, trace sand.
Topsoil	J.R. Jensen Farm, Douglas County, Wisconsin/Elastic Silt, trace sand.
Seeding Cap Areas	Work completed by Kerrick Sod Co., Duluth, Minnesota, a subcontractor/ Prepared area, lime, fertilize, seed, and mulch.

Seed

C&K Seed Company, South St.
Paul / 80 pounds/Acre Rye,
Perennial 75
pounds/Acre Tall Fescue
30 pounds/Acre Birdsfoot
Trefoil.

Fertilizer

Sturgeon Lake Fertilizer / 30
pounds of 5-10-5/1000 Square
Feet.

Lime

Cutler (CLM) / 4 Tons Total

Mulch

Hay / 2 Tons/Acre

NOTES

- (1) - Samples of the liner and geotextile are provided on the following pages along with the manufacturer specification sheets.

APPENDIX G

**SYNTHETIC MEMBRANE
CERTIFICATION REPORT**

This report has not been received from G.S.I. It will be forwarded upon receipt by
Keystone Environmental Resources, Inc.