# Storm Water Permit Training for Active Solid Waste Landfills November 2, 2016

Jim Bertolacini, DNR 608/264-8971 jim.bertolacini@wisconsin.gov



This document is intended solely as guidance, and does not contain any mandatory requirements except where requirements found in statute or administrative rule are referenced. This guidance does not establish or affect legal rights or obligations, and is not finally determinative of any of the issues addressed. This guidance does not create any rights enforceable by any party in litigation with the State of Wisconsin or the Department of Natural Resources. Any regulatory decisions made by the Department of Natural Resources in any matter addressed by this guidance will be made by applying the governing statutes and administrative rules to the relevant facts.

### **Topics for Today**

- Overview of storm water permitting of landfills to-date
- The Tier 2 Industrial Storm Water Permit
- Storm Water Pollution Prevention Plan (SWPPP) requirements



> Q&A

dnr.wi.gov

#### **Keyword: storm water**



#### It's almost time!

2017 tree seedling and shrub ordering begins September 30.

Licenses & Regulations

Education

Contact

Join ONR

#### Search or Keywords

Quick tasks

Order segle plates Dhine (certae certae

Emergency & enforcement

Request Customer ID # Register bossATV/anow

Popular links

Natural Resources Spard Conservation Concress

Grants and loans Deer advisory councils

Dresing water quality Today's air quality

Public input & meetings

Top news

Sept. 17 marks opening of erchary and prossbow deer hunling sessons

Crossbow, erchary hunters should review safety rules before the first trak in woods

Ask the authoriz

Features | Weekly Neva | Neva releases | Culdoor Report | All neva



Once designated to be a jet fighter base, Richard Sono State Recreation Area is fittingly packed full of existing outdoor recreational opportunities!

#### ------



Connecting old staditions with new variable to connect.



Ser your hook and real in the revards. Editertize in the Goldens. Wisconsin Hook and Line Flahing Regulations, 2017-2019.



Go Wild guts a license to exchange: right at your fingeripe, 34 hours a



The Wisconsin State Parks and Forests guide is FREE to download and will enhance any of your crare park or forest visital

DRINKING WATER QUALITY

Page 4 h



The DNR is here to help you be better informed consumers when it comes to your drinking water.



1-888-495-7463 — General guestions seven deys a reset, 7 a.m. to 10 p.m. | 24-Hour Spil Emergency Hotims, 1-888-495-7463 — General guestions seven deys a reset, 7 a.m. to 10 p.m. | 24-Hour Spil Emergency Hotims, 1-888-443-888





About DNR

#### CONTACT

Staff Checton Office Locations

LICENSES



















248 1-402-896-7/86 1399-7 8.00, -10 p.m.





**GovDelivery** 

### Storm Water Permitting of Landfills

- Federal regulations and ch. NR 216, Wis. Adm. Code, set requirements for storm water permits
  - MS4s (Subch. I)
  - Industrial facilities (Subch. II)
  - Construction sites (Subch. III)
- Under s. NR 216.21(2)(b)7., landfills are identified as Tier 2 industrial facilities
- Section NR 216.21(4), Other environmental programs

#### Section NR 216.21(4):

If one of the following conditions is met, the department may determine that a facility is in compliance with permit coverage required under s. 283.33, Stats., and will not be required to hold a separate permit under s. 283.33, Stats.:

- (a) The storm water discharge is in compliance with a department permit or approval, which includes storm water control requirements that are at least as stringent as those required under this subchapter.
- (b) The storm water discharge is in compliance with a memorandum of understanding with another agency of the state that implements rules including storm water control requirements that are at least as stringent as those required under this subchapter.

### What changed?

- USEPA WPDES program review
  - Omissions and deviations identified in July 2011 letter from USEPA Region 5
  - USEPA added s. NR 216.21(4) as an additional concern in May 2012
- Performance standards in NR 151, Wis. Adm. Code
- May 2016 Guidance: <u>Storm Water Discharge</u>
  <u>Permit Coverage at Solid Waste Landfills</u>
- Court-approved stipulation with MEDC
- MEA petition to USEPA to withdraw delegation


### **Current Status**

- Letter of notification to apply sent July 18, 2016
- Submit application by Sept. 19, 2016
- SWPPP development/SWPPP summary dues by Jan. 31, 2017
- DNR currently processing applications and conferring coverage
- Reminder letter sent Oct. 25, 2016; response due by Nov. 4, 2016

### <u>Tier 2 Industrial Storm Water Permit</u>



- Reissued June 15, 2016
- Applies to active solid waste landfills
- Exclusion in section 2.5.9, Table 1, for runoff from nonhazardous waste landfills
- Section 2.13, postconstruction performance standards for landfills



### Tier 2 Industrial Storm Water Permit (cont.)

- Minimum source area controls
- Prepare and implement a site-specific SWPPP
- Submit SWPPP summary (Form 3400-167) to DNR; full SWPPP upon DNR request
- Evaluate outfalls for non-storm water discharges (dry weather)
- Quarterly visual inspections (during runoff discharge)
- Annual facility site compliance inspections
- Annual permit fee of \$130, invoiced in May of each year

# SWPPP Requirements

- Section NR 216.27
  - (2) INCORPORATION BY REFERENCE. When plans are developed or activities conducted in accordance with other federal, state or local regulatory programs that meet the requirements of this section, the plans may be incorporated into the SWPPP by reference.

### > <u>Section NR 216.27(3)</u>

- (a) Job title of responsible individual
- (b) Summary of major activities
- (c) Drainage base map
- (d) Results of any storm water sampling or other observations
- (e) Identify all potential source areas
- (f) Identify specific pollutants likely to be present
- (g) Non-storm water discharge information
- (h) Source area control BMPs

### Section NR 216.27(3) (cont.)

- (i) maintenance of BMPs
- (j) Likely storm water contaminants following implementation of source area controls
- (k) Storm water treatment practices where necessary
- (L) Provisions for complying with monitoring requirements
- (m) Implementation schedule
- (n) Properly signed

# **Industrial Storm Water Pollution Prevention Planning Manual**

## Storm Water Pollution Prevention Plan Summary (Form 3400-167)

State of Wiscons Department of N PO Box 7921, M Inn.wi.gov	latural Resource		Storm Water Pollution Prevention Plan Summary Industrial Storm Water Discharges General Permit Pom 3403-167 (R 01/16)								
Notice: Pursuar peneral or indivi form to the DNR water quality pro Stats.)	nt to s. NR 216: dual permit, ec t may result in f ogram purposes	and may be pro	dm. Code, this form is req e in centain permits descrit 00 per day pursuant to s. : ovided to requester to the ype or clearly print y	extent req	uired by Wis	econsin's	Open Reco	s covered Failure to ollected w ord Law (s	by a subm vill be ss. 19	storm water nit a completed used for other 0.31-19.30, Wts.	
Section I: Fac	ollitv/Site info	rmation									
acility/Site Name (As Appears on Permit Authorization)					County						
										•	
Location Addre	ocation Address/Description (If different from mailing address below						State	ZIP C	ode		
							WI				
O City O	Township (						umber (FID) and/or FIN Number if known:				
of			FI	D		FIN					
		ntaot Person	(responsible for develo	pment an	d Implemen	ntation	of the Stor	m Water	Poll	ution	
	revention Plan (SWPPP)) ocal Contact Person				Mailing Address (if different than site location address)						
Title		Municipality (if different than above)									
Telephone (include area code)				State ZIP Code (if different from above)						/e)	
				WI							
E-mail address	or Website (i	fapplicable)		Fax (Include area code)							
Section III: Co Plan and Sum	ertification & mary.)	Signature (Po	erson attesting to the ac	curacy an	d complete	ness of	the Storm	Water P	ollut	on Prevention	
Code. If this t	form is not si	gned, or is fou	representative of the p und to be incomplete, i	it will be	returned.						
a system design inquiry of the p information con are significant penalty of law of this docume	gned to assure terson, or pers ntained in this penalties for p that, based up int adhere to the	that qualified; ons, who man document is, to roviding false is on inquiry of po- ne provisions o	nent and attachments we personnel properly gath age the system, or those to the best of my knowle information, including the information, including the fire storm water permit will be compiled with.	er and eve e persons dge and b e possibil y supervis	aluate the in directly res sellet, true, a ty of fine an sion, to the i	mormal sponsib accural nd impr best of	ion contain le for gathe e, and com isonment. I my knowle	ned in the ering the opiete. I a in addition dge and	plan Infor Infor Infor Info belle	n. Based on my mation; the ware that there certify under cf. the provisions	
Signature of Authorized Representative					Telephone Number (Include area code)						
Type or Print Name					Company Name						
Position Title			Mailing Address - PO Box, Street or Route								
TOPROUT TIDE				musely /	AUTOES - L	- Duk	- Gucciui i	TOUR			
Date Signed	Municipality				_	ate /T	ZIP Code				
								W	11		
Existing Faolities: This form shall be submitted to the DNR prior to initiating industrial operations where coverage is required under a storm water permit.					DNR Use Only						
					Date Received Editor ID						
New Facility Construction: This form shall be submitted to the DNR prior to Initiating construction where the facility construction will disturb one or more acres of land.					FIN Numb	er		Date E	dited		

#### Industrial Storm Water Pollution Prevention Planning



Wisconsin Department of Natural Resources Bureau of Wastewater Management Municipal Wastewater Section – Storm Water Unit September 1994

#### Additional considerations for landfills...

- Compliance with post-construction performance standards
  - No retrofitting of existing BMPs except for failure and/or reconstruct, or a significant source of pollution on case-by-case basis
  - No infiltration requirement
  - New BMPs must comply with TSS and peak flow performance standards
- Rely on existing plans and management activities as much as possible
- Maintain existing relationships with DNR staff
- Incorporate disturbed land management into SWPPP

# Questions?



Source: UW-Madison Dept. of Geography geoguwmadison.wordpress.com

Jim Bertolacini DNR Storm Water Program Coordinator WT/3, P.O. Box 7921 Madison, WI 53707-7921

phone: (608) 264-8971

e-mail: jim.bertolacini@wisconsin.gov

Suzy Limberg DNR Storm Water Specialist WT/3, P.O. Box 7921 Madison, WI 53707-7921

phone: (608) 266-9278

e-mail: suzan.limberg@wisconsin.gov