

(a) Limiting mixing zones to as small an area as practicable, and conforming to the time exposure responses of aquatic life.

(b) Providing passageways for fish and other mobile aquatic organisms.

(c) Where possible, mixing zones being no larger than 25% of the cross-sectional area or volume of flow of a flowing water body and not extending more than 50% of the width.

(d) Final acute criteria and secondary values specified in or developed pursuant to s. NR 105.05 for the fish and aquatic life subcategory for which the receiving water is classified not being exceeded at any point in the mixing zone.

(e) Mixing zones not exceeding 10% of an inland lake's total surface area.

(f) Mixing zones not adversely impacting spawning or nursery areas, migratory routes, nor mouths of tributary streams.

(g) Mixing zones not overlapping, but where they do, taking measures to prevent adverse synergistic effects.

(h) Restricting the pH to values greater than 4.0 s.u. and to values less than 11.0 s.u. at any point in the mixing zone for the protection of indigenous fish and fish food organisms.

(5) RESOURCE MANAGEMENT EXEMPTIONS. Application of chemicals for water resource management purposes in accordance with statutory provisions is not subject to the requirements of the standards except in case of water used for public water supply.

(6) ANALYTICAL PROCEDURES. (a) The criteria in the Radiation Protection Code, s. DHS 157.44, shall apply to the disposal and permissible concentrations of radioactive substances.

(b) Methods used for analysis of samples shall be as set forth in ch. NR 219 unless alternative methods are specified by the department.

History: Cr. Register, September, 1973, No. 213, eff. 10-1-73; renum. (5) and (6) to be (6) and (7), cr. (5), Register, July, 1975, No. 235, eff. 8-1-75; r. and recr. (3), Register, August, 1981, No. 308, eff. 9-1-81; correction in (7) made under s. 13.93 (2m) (b) 7., Stats., cr. (4) (h), Register, September, 1984, No. 345, eff. 10-1-84; renum. from NR 102.03, r. (1), cr. (1) (b), renum. (2) to (7) to be (1) (a) to (6) and am. (2), (3) (intro.) and (d) and (6), Register, February, 1989, No. 398, eff. 3-1-89; am. (1) (b) 3., (3) (intro.) and (d), Register, August, 1997, No. 500, eff. 9-1-97; correction in (6) (a) made under s. 13.93 (2m) (b) 7., Stats. Register July 2006 No. 607, eff. 8-1-06; correction in (6) (a) made under s. 13.92 (4) (b) 7., Stats., Register July 2010 No. 655; CR 07-111: am. (3) (intro.), (b), (c), (e) and (f), r. (4) Register September 2010 No. 657, eff. 10-1-10.

NR 102.06 Phosphorus. **(1) GENERAL.** This section identifies the water quality criteria for total phosphorus that shall be met in surface waters. Assessment procedures for waterbodies are specified in ss. NR 102.07 and 102.60.

(2) DEFINITIONS. In this section, the following definitions apply:

(b) "Ephemeral stream" means a channel or stream that only carries water for a few days during and after a rainfall or snowmelt event and does not exhibit a flow during other periods, and includes, but is not limited to, grassed waterways, grassed swales, and areas of channelized flow as defined in s. NR 243.03 (7).

(c) "Mean water residence time" means the amount of time that a volume of water entering a waterbody will reside in that waterbody.

(d) "Nearshore waters" means all waters of Lake Michigan or Lake Superior within the jurisdiction of the State of Wisconsin in the zone extending from the shore to a depth of 10 meters, based on the long-term mean elevation for Lake Superior of 183.4 meters (601.7 feet) and for Lake Michigan of 176.5 meters (579.0 feet).

(e) "Open waters" mean all waters of Lake Michigan or Lake

Superior within the jurisdiction of the State of Wisconsin with depths greater than nearshore waters.

(3) RIVERS, STREAMS, AND IMPOUNDED FLOWING WATERS. To protect the fish and aquatic life uses established in s. NR 102.04 (3) on rivers and streams that generally exhibit unidirectional flow, total phosphorus criteria are established as follows:

(a) A total phosphorus criterion of 100 ug/L is established for the following rivers or other unidirectional flowing waters:

1. Apple River from the outlet of the Apple River Flowage in Amery to the St. Croix River, excluding Black Brook Flowage.

2. Bad River from confluence with the Marengo River within the Bad River Indian Reservation downstream to Lake Superior.

3. Baraboo River from highway 58 in La Valle to the Wisconsin River.

4. Bark River from confluence with Scuppernong River near Hebron to the Rock River.

5. Black River from confluence with Cunningham Creek near Neillsville to Mississippi River, excluding Lake Arbutus.

6. Brule River from state highway 55 in Forest County downstream to Menominee River.

7. Buffalo River from confluence with Harvey Creek near Mondovi to Mississippi River.

8. Chippewa River from Lake Chippewa in Sawyer County to Mississippi River, excluding Holcombe Flowage, Cornell Flowage, Old Abe Lake, Lake Wissota and Dells Pond.

9. Crawfish River from confluence with Beaver Dam River to Rock River.

10. East Branch Pecatonica River from confluence with Apple Branch Creek near Argyle to Pecatonica River.

11. Eau Claire River from confluence with Bridge Creek near Augusta to Chippewa River, excluding Altoona Lake.

12. Embarrass River from confluence with Pigeon River near Clintonville to Wolf River.

13. Flambeau River from outlet of Turtle-Flambeau Flowage in Iron County to Chippewa River, excluding Pixley Flowage, Crowley Flowage and Dairyland Flowage.

14. Fox River from outlet of Lake Puckaway near Princeton to Green Bay, excluding Lake Butte des Morts and Lake Winnebago.

15. Fox River from confluence with Mukwonago River near Mukwonago to state line, excluding Tichigan Lake.

16. Grant River from confluence with Rattlesnake Creek near Beetown to Mississippi River.

17. Jump River from confluence with the North Fork and the South Fork of the Jump rivers in Price County to Holcombe Flowage.

18. Kickapoo River from confluence with Weister Creek near La Farge to Wisconsin River.

19. Kinnickinnic River from confluence with Wilson Park Creek in Milwaukee to Milwaukee River.

20. La Crosse River from confluence with Fish Creek near Bangor to Mississippi River, excluding Neshonoc Lake.

21. Lemonweir River from outlet of New Lisbon Lake in New Lisbon to Wisconsin River, excluding Decorah Lake.

22. Little Wolf River from confluence with South Branch Little Wolf River near Royalton to Wolf River.

23. Manitowoc River from confluence of North Branch and South Branch Manitowoc rivers to the opening at the end of the piers at Lake Michigan.

24. Menominee River from confluence with Brule River to the opening at the end of the piers at Green Bay.

25. Menomonee River from confluence with Little Menomonee River to Milwaukee River.

26. Milwaukee River from confluence with Cedar Creek downstream to the openings of the breakwaters at Lake Michigan.

27. Mississippi River main channels and side channels.

28. Namekagon River from outlet of Trego Lake near Trego to St. Croix River.

29. Oconto River from confluence with Peshtigo Brook to the opening at the end of the piers at Green Bay.

30. Pecatonica River from confluence with Vinegar Branch near Darlington to state line.

31. Pelican River from confluence with Slaughterhouse Creek near Rhinelander to Wisconsin River.

32. Peshtigo River from confluence with Brandywine Creek downstream to Green Bay, excluding Cauldron Falls Flowage and High Falls Flowage.

33. Pine River from confluence with Popple River in Florence County to Menominee River, excluding Pine River Flowage.

34. Red Cedar River from confluence with Brill River to Chippewa River, excluding Rice Lake, Tainter Lake and Lake Menomin.

35. Rock River from outlet of Sinissippi Lake downstream to the state line, excluding Lake Koshkonong.

36. St. Croix River from confluence with Namekagon River downstream to Mississippi River, excluding Lake St. Croix near Hudson.

37. St. Louis River from state line to the opening between Minnesota Point and Wisconsin Point at Lake Superior.

38. Sheboygan River from outlet of Sheboygan Marsh to the opening at the end of the piers at Lake Michigan.

39. South Fork of Flambeau River from state highway 13 near Fifield to Flambeau River.

40. Sugar River from outlet of Albany Lake to state line, excluding Decatur Lake.

41. Tomahawk River from outlet of Willow Reservoir to Lake Nokomis.

42. Trempealeau River from confluence with Pigeon Creek near Whitehall to Mississippi River.

43. White River from outlet of White River Flowage in Ashland County to Bad River.

44. Wisconsin River from the Rhinelander Dam to Mississippi River, excluding Lake Alice, Lake Mohawksin, Alexander Lake, Lake Wausau, Mosinee Flowage, Lake Dubay, Wisconsin River Flowage, Biron Flowage, Petenwell Flowage, Castle Rock Flowage and Lake Wisconsin.

45. Wolf River from confluence with Hunting Creek in Langlade County to Lake Poygan.

46. Yahara River from outlet of Lake Kegonsa to Rock River.

(b) Except as provided in subs. (6) and (7), all other surface waters generally exhibiting unidirectional flow that are not listed in par. (a) are considered streams and shall meet a total phosphorus criterion of 75 ug/L.

(c) An impounded flowing water shall meet the river or stream criterion in par. (a) or (b) that applies to the primary stream or river entering the impounded water.

(4) RESERVOIRS AND LAKES. Except as provided in subs. (6) and (7), to protect fish and aquatic life uses established in s. NR 102.04 (3) and recreational uses established in s. NR 102.04 (5), total phosphorus criteria are established for reservoirs and lakes as follows:

(a) For stratified reservoirs, total phosphorus criterion is 30

ug/L. For reservoirs that are not stratified, total phosphorus criterion is 40 ug/L.

(b) For the following lakes that do not exhibit unidirectional flow, the following total phosphorus criteria are established:

1. For stratified, two-story fishery lakes, 15 ug/L.

2. For lakes that are both drainage and stratified lakes, 30 ug/L.

3. For lakes that are drainage lakes, but are not stratified lakes, 40 ug/L.

4. For lakes that are both seepage and stratified lakes, 20 ug/L.

5. For lakes that are seepage lakes, but are not stratified lakes, 40 ug/L.

(5) GREAT LAKES. To protect fish and aquatic life uses established in s. NR 102.04 (3) and recreational uses established in s. NR 102.04 (5) on the Great Lakes, total phosphorus criteria are established as follows:

(a) For both open and nearshore waters of Lake Superior, 5 ug/L.

(b) For both open and nearshore waters of Lake Michigan, excluding waters identified in par. (c), 7 ug/L.

(c) For the portion of Green Bay from the mouth of the Fox River to a line from Long Tail Point to Point au Sable, the water clarity and other phosphorus-related conditions that are suitable for support of a diverse biological community, including a robust and sustainable area of submersed aquatic vegetation in shallow water areas.

(6) EXCLUSIONS. The following waters are excluded from subs. (3) (b), (4) and (5):

(a) Ephemeral streams.

(b) Lakes and reservoirs of less than 5 acres in surface area.

(c) Wetlands, including bogs.

(d) Waters identified as limited aquatic life waters in ch. NR 104. Limited aquatic life waters are those subject to the criteria in s. NR 104.02 (3) (b) (2).

(7) SITE-SPECIFIC CRITERIA. (a) A criterion contained within this section may be modified by rule for a specific surface water segment or waterbody. A site-specific criterion may be adopted in place of the generally applicable criteria in this section where site-specific data and analysis using scientifically defensible methods and sound scientific rationale demonstrate a different criterion is protective of the designated use of the specific surface water segment or waterbody. Procedures for developing site-specific criteria for phosphorus are established in ch. NR 119.

Note: Assessment procedures for site-specific phosphorus criteria are the same as those for statewide phosphorus criteria under s. NR 102.07, unless otherwise specified.

(b) Site-specific criteria apply to the following waterbodies to protect fish and aquatic life uses and recreational uses:

1. For Castle Rock Lake, the total phosphorus criterion is 55 ug/L.

2. For Petenwell Lake, the total phosphorus criterion is 53 ug/L.

3. For Lake Wisconsin, the total phosphorus criterion is 47 ug/L.

4. For Lac Courte Oreilles, a stratified two-story fishery lake, the total phosphorus criterion is 10 ug/L. Attainment of the criterion is determined by taking samples within 2 meters of the surface at the deepest points of the lake's two-story fishery basins: East, Central, and West Basins. If the criterion is not attained at any one of the 3 deep points, then the lake as a whole, including the bays, is not attaining the criterion.

Note: Reservoirs, two-story fishery lakes and water bodies with high natural

Published under s. 35.93, Stats. Updated on the first day of each month. Entire code is always current. The Register date on each page is the date the chapter was last published.

background phosphorus concentrations are the most appropriate water bodies for site-specific criteria.

History: Cr. Register, July, 1975, No. 235, eff. 8-1-75; am. Register, October, 1986, No. 370, eff. 11-1-86; renum. from NR 102.04, Register, February, 1989, No. 398, eff. 3-1-89; am. Register, November, 1992, No. 443, eff. 12-1-92; CR 10-035: r. and recr. Register November 2010 No. 659, eff. 12-1-10; renumbering of (2) (fm) made under s. 13.92 (4) (b) 1., Stats., Register November 2010 No. 659; CR 19-083: am. (4) (intro.), renum. (7) to (7) (a), cr. (7) (b) Register May 2020 No. 773, eff. 6-1-20; CR 10-093: am. (7) (a) Register September 2022 No. 801, eff. 10-1-22; CR 19-094: am. (1), (2) (intro.), renum. (2) (a), (f), (fm), (g), (i), (j) to NR 102.03 (1o), (4s), (6e), (6m), (6s), (7m) and, as renumbered, am. (6m), (6s), r. and recr. (3) (title), renum. (4) (c) to (3) (c) and am. Register September 2022 No. 801, eff. 10-1-22; CR 22-082: cr. (7) (b) 4. Register January 2024 No. 817, eff. 2-1-24.

NR 102.07 Assessing phosphorus concentration.

(1) DATA REQUIREMENTS. (a) *Lakes and reservoirs.* The total phosphorus criteria specified in s. NR 102.06 (4) apply to samples taken near a lake or reservoir's deepest point, within 2 meters of the surface. For assessment purposes samples shall, whenever possible, be taken at least once per month for 3 months during the sampling period of June 1 to September 15. The department shall calculate a lake or reservoir's arithmetic mean total phosphorus concentration using at least 2 years of data from the sampling period.

Note: Reservoirs, multi-lobed lakes, or very large lakes may need more than one sampling station to assess the lake.

(b) *Flowing waters.* The total phosphorus criteria specified in s. NR 102.06 (3) apply to samples taken from the main channel near the area with greatest flow. For assessment purposes samples shall, whenever possible, be taken at least once per month for 6 months during the sampling period of May 1 to October 31. The department shall calculate the median total phosphorus concentration for a stream, river, or impounded flowing water using at least one year of data from the sampling period.

(c) *Assessment timeframe for lakes, reservoirs and flowing waters.* 1. In this paragraph, "weather-controlled total phosphorus concentration" means a waterbody's mean or median total phosphorus concentration during the applicable assessment period, estimated from measured data while controlling for weather variability using a method such as the department's Phosphorus Mixed Effects Regression calculation method.

2. All representative data from the most recent 5 years shall be used for assessments, but data from the most recent 10 years may be used if representative of current conditions. If fewer than the recommended number of samples in par. (a) or (b) are available, the department may be able to make an assessment determination on a case-by-case basis. The department may calculate a site's weather-controlled total phosphorus concentration to correct for weather variability and use this value to make an assessment determination in place of the mean or median calculated under par. (a) or (b).

Note: A mean total phosphorus concentration is used for lakes or reservoirs; a median concentration is used for streams, rivers, or impounded flowing waters. Total phosphorus data may be submitted and weather-controlled concentrations can be obtained by contacting the department at DNRSWIMS@wisconsin.gov for access to the department's SWIMS database. The statistical computer programming script to run the Phosphorus Mixed Effects Regression calculation can be obtained through the department's Water Evaluation Section by contacting the department's call center at 1-888-WDNRIInfo (1-888-936-7463) or using options provided on its website at <https://dnr.wi.gov/contact/>.

Note: The procedures in pars. (b) to (c) are also used for determining upstream concentrations of phosphorus under s. NR 217.13 (2) (d) for purposes of calculating a water-quality based effluent limit for a Wisconsin pollutant discharge elimination system (WPDES) permit.

(2) EXCEEDANCE DETERMINATION. The department shall compare the mean or median calculated under sub. (1) to the waterbody's applicable total phosphorus criterion specified in s. NR 102.06 to determine whether the waterbody is exceeding the criterion. To determine whether additional data are needed to make an attainment decision for section 303 (d) listing purposes, the department shall apply the confidence interval approach in s. NR 102.52 (2) (b) to (c). If application of those methods indicates

that the waterbody is exceeding the phosphorus criterion, the department shall propose to include the waterbody on the section 303 (d) list as impaired for total phosphorus unless the department determines the waterbody is not exhibiting a biological response to phosphorus as specified in s. NR 102.60.

History: CR 19-094: cr. Register September 2022 No. 801, eff. 10-1-22.

NR 102.10 Outstanding resource waters. (1) The following surface waters are designated as outstanding resource waters:

(a) *National wild and scenic rivers.* All rivers designated under the national wild and scenic rivers act, as amended, 16 USC 1271 to 1287, except those portions flowing through Indian reservations, including:

1. St. Croix river between the northern boundary of the Hudson city limits and the St. Croix flowage dam in Douglas county except that the portion of the St. Croix river from the northern boundary of the St. Croix Falls city limits to a distance one mile below the STH 243 bridge at Osceola shall be classified exceptional resource waters under s. NR 102.11.

2. Namekagon river between its confluence with the St. Croix river and the outlet of Lake Namekagon in Bayfield county.

(b) *State wild and scenic rivers.* All state wild and scenic rivers designated under s. 30.26, Stats., including:

1. Pike river and its headwater branches in Marinette county.

2. Pine river and its headwater branches in Florence and Forest counties.

3. Popple River and its headwater branches in Florence and Forest counties.

4. The portion of the Brunsweiler River (Martin Hanson Wild River) from the point in Ashland County at which it leaves T44N R4W S22 QSW QSW downstream to the point at which it crosses the boundary of the Chequamegon-Nicolet National Forest at T45N R4W S22 QNW.

5. Portions of the Totogatic River in Bayfield, Sawyer, Washburn, Douglas, and Burnett Counties as described in the following table:

SEG 1: From the outlet of Totogatic Lake located in Bayfield County to the upstream end of Nelson Lake at the southern edge of the walleye spawning refuge located in Sawyer County.

SEG 2: From a point 500 feet below the dam in the Totogatic Wildlife Area located in Washburn County to the upstream end of the Colton Flowage located in Washburn County.

SEG 3: From a point 500 feet below the dam that forms the Colton Flowage located in Washburn County to the point where the river crosses the Washburn-Douglas County line immediately above the upstream end of the Minong Flowage.

SEG 4: From the bridge on CTH "I" that crosses the river located in Washburn County to the confluence of the river with the Namekagon River located in Burnett County.

Note: Section NR 302.02 (1) contains a detailed description of the extent of the Pike, Pine, and Popple river systems designated as Wild Rivers.

(c) Wolf river upstream of the northern Menominee county line.

(d) The following Class I trout waters:

1. Adams county — Big Roche-a-Cri creek
2. Barron county — Yellow river
3. Bayfield county — Flag river, Sioux river
4. Burnett county — North Fork Clam river, South Fork Clam river
5. Chippewa county — Duncan creek, Elk creek, McCann creek