

Permit Fact Sheet

General Information

Permit Number:	WI-0067393-01-0
Permittee Name:	Genetic Futures LLC
Address:	4358 Ed's Lane
City/State/Zip:	Junction City WI 54443
Discharge Location:	Same as Address Above
Receiving Water:	Mill Creek
Discharge Type:	Existing

Animal Units					
	Current AU		Proposed AU (Note: If all zeroes, expansions are not expected during permit term)		
	Mixed	Individual	Mixed	Individual	Date of Proposed Expansion
Dairy Calves (under 400 lbs.)	70	0	80	0	02/14/2025
Milking and Dry Cows	140	143	280	286	02/14/2025
Heifers (400 lbs. to 800 lbs.)	210	350	60	100	02/14/2025
Heifers (800 lbs. to 1200 lbs.)	990	900	1540	1400	02/14/2025
Total	1410	1250	1960	1500	

Facility Description

Genetic Futures LLC is a proposed CAFO located in Portage County, Wisconsin. Genetic Futures has a current herd size of 1410 animal units (100 milking & dry cows, 1,250 heifers, and 350 calves). An expansion in animal units is planned during the proposed permit term to a total of 1960 animal units (200 milking & dry cows, 1,500 heifers and 400 calves). Genetic Futures currently has 1,972.1 acres (274.2 owned and 1,697.9 controlled through contracts, rental agreements, or leases, or under manure agreements) of which 1,942 acres are spreadable. Genetic Futures is operating under an approved nutrient management plan.

Sample Point Designation For Animal Waste	
Sample Point Number	Sample Point Location, Waste Type/Sample Contents and Treatment Description (as applicable)
001	Sample Point (001) is for liquid Waste Storage Facility 1 (WSF 1). It is a concrete lined facility located north of barn 1. It was modified to add a concrete liner in 2012 and has an approximate storage capacity of 1,914,908 gallons.
002	Sample Point (002) is for liquid Waste Storage Facility 2 (WSF 2). It is a concrete lined facility located between barns 2 and 3. It was constructed in four phases in 2010, 2013, 2016 and 2017. It has an approximate storage capacity of 3,671,287 gallons.
003	Sample point (003) is for visual monitoring and inspection of the feed storage area and associated runoff control system. Proper operation and maintenance is required to ensure discharges meet permit requirements. Weekly inspections are required and shall be recorded according to monitoring program. Upgrades to the feed storage area are required per the Schedules section of the permit.
004	Sample point (004) is for visual monitoring and inspection of super hutch feedlot and associated runoff control system. Proper operation and maintenance is required to ensure discharges meet permit requirements. Weekly inspections are required and shall be recorded according to monitoring program. Upgrades or abandonment of the super hutch area is required per the Schedules section of the permit.
005	Sample point (005) is for visual monitoring and inspection of the calf lot and associated runoff control system. Proper operation and maintenance is required to ensure discharges meet permit requirements. Weekly inspections are required and shall be recorded according to monitoring program. Upgrades or abandonment of the calf lot is required per the Schedules section of the permit.
006	Sample point (006) is for any manure solids removed from bottom of liquid waste storage facilities. This includes manure-laden sand solids, manure fiber solids, etc. Representative samples shall be taken from each waste storage facility.
007	Sample point (007) is for solid manure sources that are directly land applied and not stored in a waste storage facility. This includes solid sources such as calf hutch manure, maternity pen bedpack, heifer bedpack, steer manure, etc. Representative samples shall be taken for each manure source type.
008	Sample point (008) is for solid manure stacked in approved headland stacking locations. Representative samples shall be taken of this manure prior to land application. Note: Headland stacking sites are subject to production site discharge limitations; weekly visual monitoring is required during use of stacking sites to ensure discharges meet permit requirements.
009	Sample point (009) is for visual monitoring and inspection of all production site storm water conveyance systems. This includes roof gutter and downspout structures, drainage tile systems, grassed waterways and other diversion systems that transport uncontaminated storm water. Proper operation and maintenance is required to keep uncontaminated runoff diverted away from manure and process wastewater handling systems. Weekly inspections are required and shall be recorded according to monitoring program.

1 Livestock Operations - Proposed Operation and Management

Production Area Discharge Limitations

Beginning on the effective date of the permit, the permittee may not discharge pollutants from the operation's production area (e.g., manure storage areas, outdoor animal lots, composting and leachate containment systems, milking center wastewater treatment/containment systems, raw material storage areas) to navigable waters, except in the event a 25-year,

24-hour rainfall event (or greater) causes the discharge from a structure which is properly designed and maintained to contain a 25-year, 24-hour rainfall event for this location as determined under s. NR 243.04. If an allowable discharge occurs from the production area, state water quality standards may not be exceeded.

Runoff Control

The permit requires control of contaminated runoff from all elements of the production area to prevent a discharge of pollutants to navigable waters in accordance with the Production Area Discharge Limitations and to comply with surface water quality standards and groundwater standards. Beginning on the effective date of this permit, (if needed) interim measures shall be implemented to prevent discharges of pollutants to navigable waters. In addition, permanent runoff control system(s) shall be designed, operated and maintained in accordance with the requirements found in USDA Natural Resources Conservation Service standards and ch. NR 243, Wis. Adm. Code. If any upgrading or modifications to runoff controls are necessary, formal engineering plans and specifications must be submitted to the Department for approval.

Manure and Process Wastewater Storage

The permit requires the operation to have adequate storage for manure and process wastewater and that storage or containment facilities are designed, operated and maintained to prevent overflows and discharges to waters of the state. In order to prevent overflows, the permittee must maintain levels of materials in liquid storage or containment facilities at or below certain levels including a one foot margin of safety that can never be exceeded. If any upgrading or modifications to the storage facilities are necessary, formal engineering plans and specifications must be submitted to the Department for approval.

The permittee currently has approximately 322 days of storage for liquid manure. The permittee must maintain 180 days of storage, unless temporary reductions in required storage are approved by the Department.

Solid Manure Stacking

The operation has proposed to stack solid manure. All stacking of solid manure shall be done in accordance with ch. NR 243, Wis. Adm. Code, which includes restrictions from NRCS Standard 313. Stacking of manure is considered to be part of the production area and is subject to the Production Area Discharge Limitations.

Ancillary Service and Storage Areas

The permittee shall take preventative maintenance actions and conduct visual inspections to minimize pollutant discharges from areas of the operation that are not part of the production area or land application areas. These areas are called ancillary service and storage areas and include access roads, shipping and receiving areas, maintenance areas, refuse piles and CAFO outdoor vegetated areas.

Nutrient Management

With 1,410 animal units, it is estimated that approximately 6,272,150 gallons of manure and process wastewater and 7,908 tons of solid manure will be produced per year. The permittee owns *approximately* 274.2 acres of cropland and rents about 1,697.2. Given the rotation commonly used by the permittee, 1,942 acres are available (or open) to receive manure and process wastewater on an annual basis. The permit requires all landspreading of manure and process wastewater be completed in accordance with an approved nutrient management plan. The permit will require sampling and analysis of manure and process wastewater that will be landspread. Landspreading rates must be adjusted based on sample analysis. The permit requires the permittee to maintain a daily log that documents landspreading activities. The permit also requires the submittal of an annual report that summarizes all landspreading activities. Plans must be updated annually to reflect cropping plans and other operational changes. Among the requirements, the plans must include detailed landspreading information including field by field nutrient budgets.

The permittee is required to implement a number of practices to address potential water quality impacts associated with the land application of manure and process wastewater. Among the permit conditions are restrictions on manure ponding,

restrictions on runoff of manure and process wastewater from cropped fields, and setbacks from wells and direct conduits to groundwater (e.g., sinkholes, fractured bedrock at the surface). In addition, the permittee must implement a phosphorus based nutrient management plan that addresses phosphorus delivery to surface waters by basing manure and process wastewater applications on soil test phosphorus levels or the Wisconsin Phosphorus index. Additional phosphorus application restrictions apply to fields that are high in soil test phosphorus (>100 ppm).

The permittee must also implement conservation practices when applying manure near navigable waters and their conduits, referred to as the Surface Water Quality Management Area (SWQMA). These practices include a 100-foot setback from navigable waters and their conduits, a 35-foot vegetated buffer adjacent to the navigable water or conduit, or a practice that provides equivalent pollutant reductions equivalent to or better than the 100-foot setback.

In addition, the permittee must comply with restrictions on land application of manure and process wastewater on frozen or snow-covered ground. Included in these restrictions is a prohibition on surface applications of solid manure ($\geq 12\%$ solids) on frozen or snow-covered ground during February and March. Non-emergency surface applications of liquid manure (<12%) on frozen or snow-covered ground are prohibited.

Monitoring and Sampling Requirements

The permittee must submit a monitoring and inspection program that outlines how the permittee will conduct self-inspections to determine compliance with permit conditions. These self-inspections include visual inspections of water lines, diversion devices, storage and containment structures and other parts of the production area. The permit requires periodic inspections and calibrations of landspreading equipment. The permittee must take corrective actions to problems identified inspections or otherwise notify the Department. Samples of manure, process wastewater and soils receiving land applied materials from the operation must also be collected and analyzed.

Sampling Points

The permit identifies the different sources of land applied materials (e.g., manure storage facilities, milking centers, egg-washing facilities) as “Sampling Points.” For these Sampling Points, the permittee is required to sample and analyze the different sources for nutrients and other parameters which serve as the basis for determining rates of application for these materials. Other areas are also identified as Sampling Points as a means of identifying them as areas requiring action by the permittee, such as an upgrade or evaluation of a certain system or structure (e.g., runoff control systems), even though sampling is not actually required.

Sample Point Number: 001- WSF 1; 002- WSF 2

Monitoring Requirements and Limitations					
Parameter	Limit Type	Limit and Units	Sample Frequency	Sample Type	Notes
Nitrogen, Total		lb/1000gal	2/Month	Grab	
Nitrogen, Available		lb/1000gal	2/Month	Calculated	
Phosphorus, Total		lb/1000gal	2/Month	Grab	
Phosphorus, Available		lb/1000gal	2/Month	Calculated	
Solids, Total		Percent	2/Month	Grab	

Sample Point Number: 003- Feed Storage Area; 004- Super Hutch Feedlot; 005- Calf Lot, and 009- Stormwater

Sample Point Number: 006- Manure Pit Solids; 007- Manure Solids, and 008- Headland Stacking

Monitoring Requirements and Limitations					
Parameter	Limit Type	Limit and Units	Sample Frequency	Sample Type	Notes
Nitrogen, Total		lbs/ton	Quarterly	Grab	
Nitrogen, Available		lbs/ton	Quarterly	Calculated	
Phosphorus, Total		lbs/ton	Quarterly	Grab	
Phosphorus, Available		lbs/ton	Quarterly	Calculated	
Solids, Total		Percent	Quarterly	Grab	

2 Schedules

2.1 Emergency Response Plan

Required Action	Due Date
Develop Emergency Response Plan: Develop a written Emergency Response Plan within 30 days of permit coverage, available to the Department upon request.	07/31/2024

2.2 Monitoring & Inspection Program

Required Action	Due Date
Proposed Monitoring and Inspection Program: Consistent with the Monitoring and Sampling Requirements subsection, the permittee shall submit a proposed monitoring and inspection program within 90 days of the effective date of this permit.	09/30/2024

2.3 Annual Reports

Submit Annual Reports by January 31st of each year in accordance with the Annual Reports subsection in Standard Requirements.

Required Action	Due Date
Submit Annual Report #1:	01/31/2025

Submit Annual Report #2:	01/31/2026
Submit Annual Report #3:	01/31/2027
Submit Annual Report #4:	01/31/2028
Submit Annual Report #5:	01/31/2029
Ongoing Annual Reports: Continue to submit Annual Reports until permit reissuance has been completed.	

2.4 Nutrient Management Plan

Required Action	Due Date
Management Plan Annual Update #1: Submit an Annual Update to the Nutrient Management Plan by March 31st of each year. Note: In addition to Annual Updates, submit Management Plan Amendments to the Department for written approval prior to implementation of any changes to nutrient management practices, in accordance with the Nutrient Management requirements in the Livestock Operational and Sampling Requirements section.	03/31/2025
Management Plan Annual Update #2: Submit an Annual Update to the Nutrient Management Plan.	03/31/2026
Management Plan Annual Update #3: Submit an Annual Update to the Nutrient Management Plan.	03/31/2027
Management Plan Annual Update #4: Submit an Annual Update to the Nutrient Management Plan.	03/31/2028
Management Plan Annual Update #5: Submit an Annual Update to the Nutrient Management Plan.	03/31/2029
Ongoing Management Plan Annual Updates: Continue to submit Annual Updates to the Nutrient Management Plan until permit reissuance has been completed.	

2.5 Feed Storage - Upgrades

Required Action	Due Date
Plans and Specifications: Submit plans and specifications for Department review and approval to permanently correct any adverse conditions identified as part of the engineering evaluation for the feed storage area in accordance with Chapter 281.41, Wis. Stats., and Chapter NR 243, Wis. Adm. Code.	03/31/2025
Corrections and Post Construction Documentation: Complete construction of improvements to permanently correct any adverse conditions in concurrence with and approval by the Department, by the specified Date Due. Submit post construction documentation within 60 days of completion of the project.	11/30/2025

2.6 Runoff Control System - Installation (Super Hutch Feedlot)

Required Action	Due Date
Plans and Specifications: Submit plans and specifications for a permanent runoff control system for the super hutch feedlot for Department review and approval in accordance with Chapter 281.41, Wis.	01/31/2026

Stats., and Chapter NR 243, Wis. Adm. Code. See Standard Requirements for plan content information.	
Complete Installation: Complete construction of the super hutch runoff control system. System shall be functional and in operation by the specified Date Due. Post construction documentation shall be submitted within 60 days of completion of the project.	11/30/2026

2.7 Runoff Control System - Installation (Calf Hutch Area)

Required Action	Due Date
Plans and Specifications: Submit plans and specifications for Department review and approval to permanently correct any adverse runoff control conditions with the calf lot in accordance with Chapter 281.41, Wis. Stats., and Chapter NR 243, Wis. Adm. Code.	01/31/2027
Corrections and Post Construction Documentation: Complete construction of runoff controls that permanently correct any adverse runoff control conditions with the calf lot in concurrence with and approval by the Department, by the specified Date Due. Submit post construction documentation within 60 days of completion of the project.	11/30/2027

2.8 Manure Storage Facility - Engineering Evaluation (WSF 1 and WSF 2)

Required Action	Due Date
Written Report: Submit additional information that was requested by the Department in the report evaluating the existing manure storage facility's (WSF 1 and WSF 2) ability to meet the conditions in the Production Area Discharge Limitations and Manure and Process Wastewater Storage subsections and s. NR 243.15, Wis. Adm. Code. (See Standard Requirements for report details.)	12/31/2024
Plans and Specifications: Submit plans and specifications for Department review and approval in accordance with Chapter 281.41, Wis. Stats., and Chapter NR 243, Wis. Adm. Code, to permanently correct any adverse manure storage conditions potentially determined through the engineering evaluations.	12/31/2025
Corrections and Post Construction Documentation: Complete construction on the manure storage facility that permanently corrects any adverse conditions in concurrence with and approval by the Department, by the specified Date Due. Submit post construction documentation within 60 days of completion of the project.	11/30/2026

2.9 Submit Permit Reissuance Application

Required Action	Due Date
Reissuance Application: Submit a complete permit reissuance application 180 days prior to permit expiration.	12/31/2028

Attachments:

Plan Approval Letter(s)

Public Notice

Expiration Date:

June, 30 2029

Prepared By: Mark Kaczorowski

Agricultural Runoff Management Specialist

Date: 4/23/2024



March 31st, 2023

Portage County
Approval

Mike Duckett
Genetic Futures, LLC
4358 Ed's Lane
Junction City, WI 54443

SUBJECT: Conditional Approval of Genetic Futures, LLC Nutrient Management Plan, WPDES
Permit No. 0063274-01-0

Dear Mr. Duckett:

After completing a review of Genetic Futures, LLC 2022-2026 Nutrient Management Plan (NMP) the Wisconsin Department of Natural Resources (Department) is providing conditional approval that it is consistent with Nutrient Management Requirements in s. NR 243, Wis. Adm. Code. This part of your WPDES permit application is now ready for the public notice and comment process as required by Ch. 283 Stats.

Before applying manure onto approved fields each season, the Department recommends Genetic Futures, LLC review the NMP with those individuals involved with manure applications to ensure all remain familiar with the approved manure spreading protocol, spreading maps, field and map verification, record keeping requirements, and all the conditions of this approval. Specifically, some fields in Genetic Futures, LLC may have:

- Soils that may have bedrock or groundwater within 24 inches of surface,
- Multiple setback areas due to streams, conduits to streams, grassed waterways, wetlands or wells, and
- Evidence of possible soil erosion/flow channels. Note: road ditches or other man-made channels may be considered flow channels or conduits to navigable water and may be subject to a SWQMA and setback.

Reviewing the NMP and checking fields for these features and soil conditions prior to manure applications will help Genetic Futures, LLC maintain compliance with their WPDES permit and Ch. NR 243 requirements.

FINDINGS OF FACT

The Department confirms that:

1. A current dairy herd size of 1,410 animal units (100 milking & dry cows, 1,250 heifers, and 350 calves). A planned herd size of 1,960 animal units (200 milking & dry cows, 1,500 heifers, and 400 calves) by 2023.
2. Manure generation and spreading records indicate your herd will annually generate approximately 6,272,150 gallons of manure and process wastewater and 7,908 tons of solid manure in the first year of the permit term. By year 2023 the herd will annually generate approximately 8,373,751 of manure and process wastewater and 10,731 tons of solid manure.
3. The use of application restriction options 1 and 5 within surface water quality management areas.
4. The use of phosphorus delivery method P Index.
5. That Genetic Futures, LLC currently has 1,972.1 acres (274.2 owned and 1,697.9 controlled through contracts, rental agreements or leases, or under manure agreements) of which 1,942 are spreadable acres.

6. That some fields included in the NMP are directly adjacent to or have high potential to deliver nutrients and sediment to Bear Creek, Mill Creek (listed 303(d) impaired water by 'total phosphorus').
7. That no fields are directly adjacent to or have high potential to deliver nutrients and sediment to outstanding/exceptional waters.
8. That the following fields included in the NMP are located within the well head protection area for the village of Junction City: Wagler on O, Fruin North, Vitort Morton Ave.
9. That no fields are tiled.
10. That all fields will be checked for the following features prior to/during manure or process wastewater applications: soil areas with possible shallow groundwater (i.e., within 24 inches of surface) at the time of manure application; required setbacks associated with wells, navigable waters, conduits to navigable waters, grassed waterways, wetlands, possible soil erosion/flow channels.
11. That surface applications of manure will not be completed when precipitation capable of producing runoff is forecasted within 24 hours of the time of planned application.

CONDITIONAL NUTRIENT MANAGEMENT PLAN APPROVAL

The Department hereby approves the 2022-2026 Genetic Futures, LLC Nutrient Management Plan subject to the following conditions and the applicable requirements of Ch. NR 243, Wis. Adm. Code:

FIELD AND MANURE MANAGEMENT

1. Fields not included in the NMP, and new fields shall not receive manure or process wastewater applications until they have been properly soil sampled, entered into Snap Plus, evaluated for their nutrient needs, and approved by the Department.
2. The following fields are prohibited from receiving applications of manure or process wastewater:

<ul style="list-style-type: none"> - Jim Vitort 2 (no applications to portion of field within 1000' of municipal well) - Fruin North (no applications to portion of field within 1000' of municipal well) 	<ul style="list-style-type: none"> - Jim Vitort 3 (no applications to portion of field within 1000' of municipal well) - Vitort Morto Ave (no applications to portion of field within 1000' of municipal well) 	<ul style="list-style-type: none"> - Wagler on O (no applications to portin of field within 1000' of municipal well)
---	--	---

If Genetic Futures, LLC wishes to use these fields for applications of manure or process wastewater all necessary information shall be submitted to the Department prior to application to demonstrate compliance with NR 243 and other applicable codes. Written Department approval amending this condition approval must be received prior to application.

3. If existing fields yield a soil test results equal to or greater than 200 ppm P, those fields would be prohibited from receiving manure or process wastewater applications, unless you obtain Department approval in accordance with NR 243.14(5)(b)2., Wis. Adm. Code.
4. All liquid manure samples collected may be analyzed, at a minimum, for percent dry matter, total nitrogen, percent NH₄-N, percent NO₃-N, phosphorus, potassium, and sulfur.
5. If manure sample results have a dry matter (DM) content less than 2.0% and the percent ammonium (NH₄⁺) is greater than 75% of the total N, Genetic Futures, LLC may use the following equation to adjust the first year available nitrogen when applications are injected or incorporated within 1 hour:

$$\text{First-Year Available N} = \text{NH}_4\text{-N} + [0.25 \times (\text{Total N} - \text{NH}_4\text{-N})]$$

6. Genetic Futures, LLC shall record daily manure applications by using form 3200-123A. These forms shall be retained at the farm and provided to the department upon request.
7. Genetic Futures, LLC shall annually submit a spreading report that summarizes the land application activities listed under NR 243.19(3)(c)5., Wis. Adm. Code by using form 3200-123.

WINTER SPREADING

8. Liquid manure applications during winter conditions, as defined by NR 243.14(7), Wis. Adm. Code, are prohibited with the exception of emergency applications.
9. The following fields are approved for winter spreading solid manure, emergency applications of liquid manure and frozen liquid manure. **Please note that any areas of W soil indicators are not allowed for use during these applications.** Due to sufficient area outside of the W soils and other restrictions, these fields were approved:

- | | | |
|----------------|-----------------|-----------------|
| - Eron 2 | - Eron Doctor 1 | - Erin Doctor 2 |
| - Eron Rylands | - Lieble 4 | - Lieble 5 |
| - Warnick 1 | - Warnick 2 | - Warnick 3 |
| - GF1 | - GF3 | - GF4 |
| - GF5N | - GF5S | - GF6 |

10. The following fields are denied for winter spreading solid manure, emergency applications of liquid manure and frozen liquid manure:

- | | | |
|---------------------------|----------------|----------------|
| - EB 20 (no map provided) | - Eron 3 * | - Lieble 10 * |
| - Rakowski 2 * | - Rakowski 4 * | - Rakowski 5 * |
| - Rakowski 6 * | - Rakowski 7 * | - Rakowski 8 * |
| - Rakowski 9 * | - Worzalla 4 * | |

The indication of * after the field ID means that due to W soils in majority of field area, they are unable to be approved for winter.

11. Winter spreading of solid and liquid manure may not occur during the “high risk runoff period” pursuant to s. NR 243.14(6)(c) and NR 243.14(7)(c), respectively.
12. Winter applications of liquid manure shall only occur under emergency situations, after notifying the Department and receiving verbal approval.
13. Liquid applications shall be limited to 3,500 gallons per acre or 30 lbs. P per acre, whichever is less, on slopes 2-6% and 7,000 gallons per acre or 60 lbs. P per acre, whichever is less, on slopes 0-2%. Winter applications of solid manure shall be limited to 60 lbs. P per acre.

HEADLAND STACKING

14. The following headland stacking site is rejected due to not meeting criteria within NRCS 313:
 - GF7 (borders within a SWQMA)
15. The following headland stacking sites are approved for use with manure >32% solids only. This is due to the nature of the soil type which they are on, an RzB that ranges from 2-6% slope. These sites can only be used for one year out of every two, and during February/March or when the ground is not frozen, or snow covered.

Sites approved:

- | | | |
|----------------|--------------|----------------|
| - GF1 E | - GF1 W | - GF6 |
| - GF4-N | - GF4-S | - GF4-C |
| - GF5N W | - GF5N E | - W1-1 |
| - W1-2 | - W1-3 | - W1-4 |
| - W1-5 | - W1-6 | - Tryba 3North |
| - Tryba 3South | - Tryba 2 NW | - Tryba 2 NE |
| - Tryba 2 SE | - Tryba 2 SW | - Tryba 1 |
| - W3-1 | - W3-2 | - W3-3 |
| - W3-4 | - W3-5 | - W3-6 |
| - GF 5S-1 | - GF 5S-2 | - GF 5S-3 |
| - EB20-4 | - EB20-5 | - GF3 |

MANURE & PROCESS WASTEWATER IRRIGATION

15. Irrigation of manure or process wastewater is prohibited.

SUBMITAL AND RECORDKEEPING REQUIREMENTS


16. A copy of this conditional approval shall be included in all future annual Nutrient Management Plan Updates in addition to the NR 243 and NRCS 590 checklists.
17. An updated copy of the stacking site maps with only the 300' SWQMA buffer turned on, and a final copy of the 3400 form edited with updated acres is due by no later than **April 5th, 2023**.

This conditional approval does not limit the Department’s regulatory authority to require NMP revisions (based upon new information or manure irrigation research findings) or request additional information in order to confirm or ensure your farm operation remains in compliance with NR 243 and your WPDES permit conditions. If additional information, project changes or other circumstances indicate a possible need to modify this approval, the Department may ask you to provide further information relating to this activity.

Please keep in mind that approval by the Department of Natural Resources – Runoff Management Program does not relieve you of obligations to meet all other applicable federal, state or local permits, zoning and regulatory requirements.

If you have any questions regarding this approval, I can be reached at 608-212-8460 or Ashley.Scheel@Wisconsin.gov.

Sincerely,



Ashley Scheel, CCA
 WDNR Nutrient Management Plan Reviewer
 Wisconsin Department of Natural Resources

cc: Mark Kaczorowski, WDNR Agricultural Runoff Management Specialist (Mark.Kaczorowski@Wisconsin.gov)
 Brad Johnson, WDNR Watershed Field Supervisor (Bradley.Johnson@Wisconsin.gov)
 Christopher Clayton, WDNR Runoff Management Section Chief (Christopherr.Clayton@Wisconsin.gov)

Aaron O'Rourke, WDNR Nutrient Management Program Coordinator (Aaron.Orourke@Wisconsin.gov)

Tony Salituro, WDNR CAFO Engineer (Anthony.Salituro@Wisconsin.gov)

Falon French, CAFO Intake Specialist (Falon.French@Wisconsin.gov)

Steve Bradley, Portage County (Bradleys@Co.Potage.Wi.gov)

John Easker, Jay-Mar Inc. (johne@jay-mar.com)

File

STATE OF WISCONSIN DEPARTMENT OF NATURAL RESOURCES

PUBLIC NOTICE OF AVAILABILITY OF A NUTRIENT MANAGEMENT PLAN AND INTENT TO ISSUE A WISCONSIN POLLUTANT DISCHARGE ELIMINATION SYSTEM (WPDES) PERMIT No. WI-0067393-01-0

Permittee: Genetic Futures LLC, 4358 Ed's Lane, Junction City, WI, 54443

Facility Where Discharge Occurs: Genetic Futures LLC, 4358 Ed's Lane, Junction City

Receiving Water And Location: Surface water and groundwater within the Mill Creek Watershed

Brief Facility Description : Genetic Futures LLC is a proposed Concentrated Animal Feeding Operation (CAFO). Genetic Futures LLC is owned and operated by Michael Duckett. It currently has 1,410 animal units and is proposing to expand to 1,960 animal units during the proposed permit term. Construction schedules have been included in the operation's proposed permit. Genetic Futures LLC has a total of 1,972.1 acres available for land application of manure and process wastewater. Of this acreage, 274.2 acres are owned and 1,697.9 acres are rented.

The Department has tentatively decided that the above specified WPDES permit should be issued.

Permit Drafter's Name, Address, Phone and Email: Mark Kaczorowski, DNR, 225051 Rib Mountain Drive, Wausau, WI, 54401, (715) 218-0089, Mark.Kaczorowski@wisconsin.gov

Persons wishing to comment on or object to the proposed permit action, the terms of the nutrient management plan, or the application, or to request a public informational hearing may write to the Department of Natural Resources at the permit drafter's address. All comments or suggestions received no later than 30 days after the publication date of this public notice will be considered along with other information on file in making a final decision regarding the permit. Anyone providing comments in response to this public notice will receive a notification of the Department's final decision when the permit is issued. Where designated as a reviewable surface water discharge permit, the U.S. Environmental Protection Agency is allowed up to 90 days to submit comments or objections regarding this permit determination. If no comments are received on the proposed permit from anyone, including U.S. EPA, the permit will be issued as proposed.

The Department may schedule a public informational hearing if within 30 days of the public date of this notice, a request for a hearing is filed by any person. The Department shall schedule a public informational hearing if a petition requesting a hearing is received from USEPA or from 5 or more persons or if the Department determines there is significant public interest. Requests for a public informational hearing shall state the following: the name and address of the person(s) requesting the hearing; the interest in the proposed permit of the person(s) requesting the hearing; the reasons for the request; and the issues proposed to be considered at the hearing.

Information on file for this permit action, including the draft permit and fact sheet (if required), the operation's nutrient management plan and application may be inspected and copied at the permit drafter's office, Monday through Friday (except holidays), between 9:00 a.m. and 3:30 p.m. Please call the permit drafter for directions to their office location, if necessary. Information on this permit action may also be obtained by calling the permit drafter at (715) 218-0089 or by writing to the Department. Reasonable costs (15 cents per page for copies and 7 cents per page for scanning) will be charged for information in the file other than the public notice and fact sheet. Permit information is also available on the internet at: <http://dnr.wi.gov/topic/wastewater/PublicNotices.html>. Pursuant to the Americans with Disabilities Act, reasonable accommodation, including the provision of informational material in an alternative format, will be made to qualified individuals upon request.

NAME OF PUBLISHING NEWSPAPER: **Enter Name of Publishing Newspaper**

ADDRESS OF PUBLISHING NEWSPAPER: **Enter Address of Publishing Newspaper**

Date Notice Issued: **Enter Date Notice Issued**

